

AERONAUTICAL DATA SHEET
 NATIONAL GEODETIC SURVEY

DATE GENERATED: 10/23/2007

PROJECT NUMBER: 5521
 ARPT IDENTIFIER: PGV
 ARPT NAME: PITT-GREENVILLE AIRPORT
 CITY: GREENVILLE
 STATE: NORTH CAROLINA
 ARPT ELEVATION: 25.8
 AIRPORT REFERENCE POINT

DISTANCE FROM RWY END: 20+32
 LATITUDE: 353806.9
 LONGITUDE: -772307.1

SITE NUMBER: 16761.A
 SURVEY DATE: 11/22/2006
 HORIZONTAL DATUM: NAD83
 VERTICAL DATUM: NAVD88
 ATCT FLOOR ELEV:
 DECLINATION: 9.6W

RUNWAY INFORMATION

RUNWAY: 2/20 LENGTH: 6505 WIDTH: 150 SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA
 GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE | LONGITUDE | ELEV | AZ (N) | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|------|---------|------|--------|-------------|--------------|------|
| 2 | 353733.1241 | -772308.8808 | 20.8 | 73406 | 23.9 | | | | |
| 20 | 353836.8932 | -772258.5010 | 25.6 | 1873412 | 25.4 | 348 | 353833.4795 | -772259.0568 | 25.3 |

PROFILE DATA

DISTANCES FROM APPROACH END 2

DISTANCES FROM APPROACH END 20

| DISTANCE | ELEV |
|----------|------|
| 0 | 20.8 |
| 1169 | 20.7 |
| 3600 | 24.4 |
| 6157 | 25.3 |
| 6473 | 25.8 |
| 6505 | 25.6 |

| DISTANCE | ELEV |
|----------|------|
| 0 | 25.6 |
| 32 | 25.8 |
| 348 | 25.3 |
| 2905 | 24.4 |
| 5336 | 20.7 |
| 6505 | 20.8 |

RUNWAY: 8/26 LENGTH: 4997 WIDTH: 150 SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA
GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE | LONGITUDE | ELEV | AZ (N) | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|------|---------|------|--------|----------|-----------|------|
| 8 | 353759.0414 | -772329.8330 | 24.0 | 664335 | 24.4 | | | | |
| 26 | 353818.5650 | -772234.2191 | 23.3 | 2464407 | 24.4 | | | | |

PROFILE DATA

DISTANCES FROM APPROACH END 8

DISTANCES FROM APPROACH END 26

| DISTANCE | ELEV |
|----------|------|
| 0 | 24.0 |
| 1080 | 24.1 |
| 2399 | 24.4 |
| 3924 | 22.6 |
| 4997 | 23.3 |

| DISTANCE | ELEV |
|----------|------|
| 0 | 23.3 |
| 1073 | 22.6 |
| 2598 | 24.4 |
| 3917 | 24.1 |
| 4997 | 24.0 |

RUNWAY: 15/33 LENGTH: 2687 WIDTH: 150 SURFACE TYPE: SPECIALLY PREPARED HARD SURFACE - PAVED

RUNWAY END DATA
GEODETIC

DISPLACED THRESHOLD DATA

| RWY | LATITUDE | LONGITUDE | ELEV | AZ (N) | TDZE | LENGTH | LATITUDE | LONGITUDE | ELEV |
|-----|-------------|--------------|------|---------|------|--------|----------|-----------|------|
| 15 | 353815.8653 | -772337.8915 | 24.6 | 1273356 | | | | | |
| 33 | 353759.6625 | -772312.0886 | 23.3 | 3073411 | | | | | |

PROFILE DATA

DISTANCES FROM APPROACH END 15

DISTANCES FROM APPROACH END 33

| DISTANCE | ELEV |
|----------|------|
| 0 | 24.6 |
| 992 | 22.6 |
| 2091 | 24.1 |
| 2687 | 23.3 |

| DISTANCE | ELEV |
|----------|------|
| 0 | 23.3 |
| 597 | 24.1 |
| 1695 | 22.6 |
| 2687 | 24.6 |

DATE GENERATED: 10/23/2007

PROJECT NUMBER: 5521
ARPT IDENTIFIER: PGV
ARPT NAME: PITT-GREENVILLE AIRPORT
CITY: GREENVILLE
STATE: NORTH CAROLINA

SITE NUMBER: 16761.A
SURVEY DATE: 11/22/2006
HORIZONTAL DATUM: NAD83
VERTICAL DATUM: NAVD88

NAVIGATIONAL AID INFORMATION

| ELECTRONIC | LATITUDE | LONGITUDE | ELEV | OFFSET DISTANCE | ALONG CNTRLN DISTANCE |
|------------|-------------|--------------|------|--------------------|--------------------------|
| DME (20) | 353728.6603 | -772312.9893 | 36.2 | | |
| GS (20) | 353826.2127 | -772303.9078 | 20.8 | | |
| GS (20) PP | 353825.8217 | -772300.3034 | 24.6 | 300R | 1129 |
| LOC (20) | 353727.0925 | -772309.8649 | 24.3 | | 615 |
| MM (20) | 353901.0253 | -772254.5670 | | | 2462 |
| NDB (AQE) | 354224.8157 | -772218.7945 | | | |

| VISUAL | LATITUDE | LONGITUDE |
|-----------|-------------|--------------|
| ALS (20) | | |
| APBN | 353756.7330 | -772248.2215 |
| PAPI (2) | | |
| PAPI (8) | | |
| PAPI (20) | | |
| PAPI (26) | | |
| REIL (2) | | |
| REIL (8) | | |
| REIL (26) | | |

PROJECT NUMBER: 5521
 ARPT IDENTIFIER: PGV
 ARPT NAME: PITT-GREENVILLE AIRPORT
 CITY: GREENVILLE
 STATE: NORTH CAROLINA

SITE NUMBER: 16761.A
 SURVEY DATE: 11/22/2006
 HORIZONTAL DATUM: NAD83
 VERTICAL DATUM: NAVD88

OBSTRUCTION INFORMATION

2 C

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|----------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| OL ON GS | 353826.21 | -772303.91 | 1A | 67 | | 46 | 43 | 41 | -5375 | | 300L | 42 |
| ANT ON POLE | 353815.54 | -772307.16 | 1A | 77 | | 56 | 53 | 51 | -4270 | | 424L | 53 |
| ANT ON OL POLE | 353814.70 | -772306.22 | 1A | 58 | | 37 | 34 | 32 | -4196 | | 336L | 33 |
| EQUIP | 353754.41 | -772312.04 | 1A | 41 | | 20 | 17 | 15 | -2100 | | *542L | 18 |
| OL ON WSK | 353753.47 | -772310.45 | 1A | 47 | | 26 | 23 | 21 | -2022 | | 400L | 25 |
| BUSH | 353745.12 | -772311.10 | 1A | 25 | | 4 | 1 | -1 | -1178 | | 342L | 5 |
| WSK | 353743.85 | -772304.06 | 1A | 28 | | 7 | 4 | 2 | -1128 | | 252R | 7 |
| BUSH | 353743.44 | -772301.13 | 1A | 26 | | 5 | 2 | 0 | -1118 | | 497R | 6 |
| SIGN | 353732.09 | -772305.99 | 1A | 23 | | 2 | -1 | -3 | 72 | | 251R | 2 |
| BUSH | 353731.85 | -772315.06 | 1A | 23 | | 2 | -1 | -3 | 195 | | 488L | 3 |
| TREE | 353730.85 | -772313.05 | 1A | 34 | | 13 | 10 | 8 | 273 | | 311L | 11 |
| RD(N) | 353729.42 | -772303.43 | 1A | 40 | | 19 | 16 | 14 | 312 | | 496R | 16 |
| TREE | 353728.45 | -772305.01 | 1A | 38 | | 17 | 14 | 12 | 426 | | 379R | 11 |
| OL ON DME | 353728.66 | -772312.99 | 1A | 44 | | 23 | 20 | 18 | 492 | | 277L | 14 |
| OL ON LOC | 353727.09 | -772309.86 | 1A | 32 | | 11 | 8 | 6 | 615 | | 0R | -1 |
| TREE | 353712.55 | -772321.36 | 1A | 80 | | 59 | 56 | 54 | 2198 | | 748L | 1 |
| TRMSN POLE | 353708.95 | -772307.94 | 1A | 88 | | 67 | 64 | 62 | 2413 | | 399R | 2 |
| TREE | 353706.91 | -772319.76 | 1A | 116 | | 95 | 92 | 90 | 2746 | | 541L | 20 |
| TREE | 353700.63 | -772303.36 | 1A | 143 | | 122 | 119 | 117 | 3197 | | *884R | 34 |
| TREE | 353701.31 | -772311.98 | 1A | 149 | | 128 | 125 | 123 | 3223 | | 170R | 39 |
| TREE | 353700.98 | -772315.04 | 1A | 136 | | 115 | 112 | 110 | 3289 | | 76L | 24 |
| TREE | 353700.38 | -772320.87 | 1A | 130 | | 109 | 106 | 104 | 3413 | | 545L | 14 |
| TREE | 353657.70 | -772313.30 | 1A | 143 | | 122 | 119 | 117 | 3598 | | 110R | 22 |
| TREE | 353657.44 | -772318.73 | 1A | 136 | | 115 | 112 | 110 | 3684 | | 331L | 13 |
| TREE | 353655.58 | -772316.81 | 1A | 154 | | 133 | 130 | 128 | 3849 | | 149L | 26 |
| TREE | 353654.67 | -772312.67 | 1A | 142 | | 121 | 118 | 116 | 3896 | | 202R | 13 |
| TREE | 353654.04 | -772309.75 | 1A | 158 | | 137 | 134 | 132 | 3927 | | 449R | 27 |
| TREE | 353645.75 | -772311.87 | 1A | 158 | | 137 | 134 | 132 | 4781 | | 386R | 2 |
| TREE | 353644.83 | -772305.32 | 1A | 162 | | 141 | 138 | 136 | 4802 | | 935R | 6 |

20 PIR

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|----------------|-----------|------------|----|------|-----|-----|-----|-----|-------|-------|-------|------|
| BUSH | 353731.85 | -772315.06 | 1A | 23 | | -3 | -2 | -3 | -6700 | -6351 | 488R | 3 |
| SIGN | 353732.09 | -772305.99 | 1A | 23 | | -3 | -2 | -3 | -6577 | -6228 | 251L | 2 |
| BUSH | 353743.44 | -772301.13 | 1A | 26 | | 0 | 1 | 0 | -5387 | -5039 | 497L | 6 |
| WSK | 353743.85 | -772304.06 | 1A | 28 | | 2 | 3 | 2 | -5377 | -5029 | 252L | 7 |
| BUSH | 353745.12 | -772311.10 | 1A | 25 | | -1 | 0 | -1 | -5326 | -4978 | 342R | 5 |
| OL ON WSK | 353753.47 | -772310.45 | 1A | 47 | | 21 | 22 | 21 | -4482 | -4134 | 400R | 25 |
| EQUIP | 353754.41 | -772312.04 | 1A | 41 | | 15 | 16 | 15 | -4405 | -4057 | *542R | 18 |
| ANT ON OL POLE | 353814.70 | -772306.22 | 1A | 58 | | 32 | 33 | 32 | -2309 | -1960 | 336R | 33 |
| ANT ON POLE | 353815.54 | -772307.16 | 1A | 77 | | 51 | 52 | 51 | -2235 | -1887 | 424R | 53 |
| OL ON GS | 353826.21 | -772303.91 | 1A | 67 | | 41 | 42 | 41 | -1129 | -781 | 300R | 42 |
| SIGN | 353838.76 | -772255.61 | 1A | 31 | | 5 | 6 | 5 | 218 | 566 | 212L | 5 |
| FENCE | 353838.71 | -772252.53 | 1A | 33 | | 7 | 8 | 7 | 247 | 595 | 464L | 7 |
| TREE | 353839.50 | -772251.28 | 1A | 85 | | 59 | 60 | 59 | 340 | 688 | *556L | 56 |
| BLDG | 353840.75 | -772252.95 | 1A | 36 | | 10 | 11 | 10 | 447 | 795 | 403L | 6 |
| TREE | 353851.89 | -772247.00 | 1A | 114 | | 88 | 89 | 88 | 1629 | 1977 | *741L | 60 |
| TREE | 353853.74 | -772246.92 | 1A | 115 | | 89 | 90 | 89 | 1814 | 2162 | 723L | 57 |
| TREE | 353855.84 | -772246.42 | 1A | 114 | | 88 | 89 | 88 | 2030 | 2378 | 736L | 52 |
| TREE | 353859.95 | -772245.71 | 1A | 120 | | 94 | 95 | 94 | 2450 | 2799 | 739L | 49 |
| TREE | 353903.12 | -772247.57 | 1A | 122 | | 96 | 97 | 96 | 2748 | 3096 | 545L | 46 |
| TREE | 353909.94 | -772300.18 | 1A | 130 | | 104 | 105 | 104 | 3294 | 3643 | 578R | 43 |
| TREE | 353910.57 | -772302.54 | 1A | 132 | | 106 | 107 | 106 | 3331 | 3679 | 779R | 44 |
| TREE | 353915.25 | -772249.97 | 1A | 119 | | 93 | 94 | 93 | 3937 | 4286 | 187L | 18 |
| TREE | 353921.20 | -772305.07 | 1A | 122 | | 96 | 97 | 96 | 4370 | 4718* | 1128R | 13 |
| TREE | 353921.09 | -772302.80 | 1A | 131 | | 105 | 106 | 105 | 4383 | 4731 | 941R | 22 |
| TREE | 353920.90 | -772300.71 | 1A | 132 | | 106 | 107 | 106 | 4387 | 4736 | 767R | 23 |
| TREE | 353928.01 | -772239.88 | 1A | 132 | | 106 | 107 | 106 | 5326 | 5674 | 842L | 4 |

8 C

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|------|------|
| WSK | 353814.80 | -772238.81 | 1A | 30 | | 6 | 6 | 4 | -4498 | | 200R | 7 |
| WSK | 353759.18 | -772323.31 | 1A | 31 | | 7 | 7 | 5 | -500 | | 200R | 7 |
| TREE | 353749.58 | -772345.72 | 1A | 111 | | 87 | 87 | 85 | 1583 | | 361R | 46 |
| TREE | 353750.75 | -772347.71 | 1A | 114 | | 90 | 90 | 88 | 1687 | | 187R | 46 |
| TREE | 353753.98 | -772350.95 | 1A | 110 | | 86 | 86 | 84 | 1804 | | 219L | 39 |

8 C (CONTINUED)

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|-----|------|------|------|------|
| TREE | 353749.88 | -772350.91 | 1A | 126 | | 102 | 102 | 100 | 1964 | | 163R | 50 |
| TREE | 353749.50 | -772352.73 | 1A | 130 | | 106 | 106 | 104 | 2118 | | 140R | 50 |

26 C

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|------------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| WSK | 353759.18 | -772323.31 | 1A | 31 | | 8 | 7 | 5 | -4497 | | 200L | 7 |
| WSK | 353814.80 | -772238.81 | 1A | 30 | | 7 | 6 | 4 | -499 | | 200L | 7 |
| GRD | 353819.37 | -772231.96 | 1A | 25 | | 2 | 1 | -1 | 204 | | 1R | 1 |
| RD(N) | 353819.15 | -772221.18 | 1A | 39 | | 16 | 15 | 13 | 1012 | | 371L | -8 |
| RD(N) | 353826.37 | -772223.80 | 1A | 43 | | 20 | 19 | 17 | 1102 | | *385R | -7 |
| OL ON POLE | 353823.11 | -772219.25 | 1A | 59 | | 36 | 35 | 33 | 1316 | | 66L | 3 |
| TREE | 353828.75 | -772218.88 | 1A | 109 | | 86 | 85 | 83 | 1570 | | 446R | 46 |
| TREE | 353829.94 | -772216.65 | 1B | 113 | | 90 | 89 | 87 | 1787 | | 484R | 43 |
| TREE | 353828.12 | -772208.33 | 1A | 89 | | 66 | 65 | 63 | 2344 | | 44R | 2 |
| TREE | 353833.03 | -772207.86 | 1A | 112 | | 89 | 88 | 86 | 2577 | | 484R | 18 |
| TREE | 353834.67 | -772207.58 | 1A | 106 | | 83 | 82 | 80 | 2663 | | *627R | 10 |
| TREE | 353826.48 | -772201.19 | 1A | 100 | | 77 | 76 | 74 | 2821 | | 341L | 0 |
| TREE | 353825.64 | -772154.18 | 1A | 115 | | 92 | 91 | 89 | 3319 | | 648L | 0 |

15 BV

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|--------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| TREE | 353806.63 | -772328.87 | 1A | 103 | | 78 | 103 | 77 | -1159 | | *286R | 80 |
| WSK | 353816.06 | -772334.12 | 1A | 34 | | 9 | 34 | 8 | -235 | | 206L | 10 |
| RD(N) | 353816.79 | -772342.07 | 1A | 40 | | 15 | 40 | 14 | 330 | | 136R | 9 |
| TREE | 353822.34 | -772347.43 | 1A | 59 | | 34 | 59 | 33 | 1023 | | 39L | -7 |
| TREE | 353825.51 | -772346.19 | 1A | 99 | | 74 | 99 | 73 | 1138 | | *356L | 28 |
| TK | 353824.47 | -772353.92 | 1A | 70 | | 45 | 70 | 44 | 1579 | | 117R | -24 |
| TREE | 353827.79 | -772400.01 | 1A | 86 | | 61 | 86 | 60 | 2183 | | 157R | -38 |

33 BV

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAR | HAT | HAA | DEND | DTHR | DCLN | PNTR |
|---------|-----------|------------|----|------|-----|-----|-----|-----|-------|------|-------|------|
| WSK | 353816.06 | -772334.12 | 1A | 34 | | 11 | 34 | 8 | -2452 | | 206R | 10 |
| TREE | 353806.63 | -772328.87 | 1A | 103 | | 80 | 103 | 77 | -1528 | | *286L | 80 |
| LT POLE | 353751.02 | -772256.83 | 1A | 65 | | 42 | 65 | 39 | 1532 | | 75R | -25 |
| TREE | 353750.52 | -772247.99 | 1A | 108 | | 85 | 108 | 82 | 2140 | | *480R | -13 |
| TREE | 353742.95 | -772253.41 | 1A | 104 | | 81 | 104 | 78 | 2253 | | 400L | -22 |

ARP HCT

| OBJECT | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
|----------------|-----------|------------|----|------|-----|-----|-----|---------|----------|------|
| TREE | 353812.32 | -772318.56 | 1A | 104 | | 78 | | 30939 | 1093 | 18 |
| LT | 353801.82 | -772253.53 | 1A | 64 | | 38 | | 12413 | 1232 | -13 |
| TREE | 353800.01 | -772253.58 | 1A | 80 | | 54 | | 13133 | 1316 | 0 |
| EQUIP | 353754.41 | -772312.04 | 1A | 41 | | 15 | | 20730 | 1327 | 12 |
| TREE | 353820.27 | -772309.81 | 1A | 49 | | 23 | | 11 | 1371 | -5 |
| VENT ON BLDG | 353758.60 | -772253.93 | 1A | 51 | | 25 | | 13716 | 1373 | -27 |
| TREE | 353812.56 | -772322.61 | 1A | 104 | | 78 | | 30340 | 1402 | 45 |
| TREE | 353814.16 | -772324.88 | 1A | 102 | | 76 | | 30610 | 1641 | 41 |
| TREE | 353806.63 | -772328.87 | 1A | 103 | | 77 | | 27843 | 1798 | 75 |
| LT POLE | 353751.02 | -772256.83 | 1A | 65 | | 39 | | 16145 | 1816 | 7 |
| ROD ON OL APBN | 353756.73 | -772248.22 | 1A | 85 | | 59 | | 13300 | 1867 | -63 |
| TREE | 353818.30 | -772325.08 | 1A | 108 | | 82 | | 31726 | 1880 | 0 |
| TREE | 353815.38 | -772327.38 | 1A | 100 | | 74 | | 30643 | 1881 | 42 |
| TREE | 353806.40 | -772330.22 | 1A | 104 | | 78 | | 27805 | 1909 | 64 |
| TREE | 353809.82 | -772240.86 | 1A | 76 | | 50 | | 9149 | 2186 | 4 |
| TREE | 353828.38 | -772310.70 | 1A | 81 | | 55 | | 148 | 2192 | 1 |
| TREE | 353809.76 | -772334.22 | 1A | 106 | | 80 | | 28658 | 2257 | 75 |
| TREE | 353750.52 | -772247.99 | 1A | 108 | | 82 | | 14600 | 2287 | -18 |
| TREE | 353820.12 | -772329.76 | 1A | 111 | | 85 | | 31509 | 2299 | 15 |
| TREE | 353802.47 | -772335.17 | 1A | 100 | | 74 | | 26839 | 2360 | 41 |
| TREE | 353819.00 | -772332.99 | 1A | 105 | | 79 | | 30924 | 2463 | 45 |
| TREE | 353812.05 | -772237.94 | 1A | 87 | | 61 | | 8724 | 2463 | 30 |
| TREE | 353751.19 | -772330.97 | 1A | 98 | | 72 | | 24043 | 2531 | 9 |
| TREE | 353810.58 | -772338.41 | 1A | 112 | | 86 | | 28747 | 2611 | 59 |
| TREE | 353821.49 | -772333.34 | 1A | 113 | | 87 | | 31351 | 2620 | 27 |
| TREE | 353800.31 | -772338.41 | 1A | 83 | | 57 | | 26509 | 2669 | 34 |

| ARP | HCT | (CONTINUED) | | | | | | | | | |
|--------------|-----|-------------|------------|----|------|-----|-----|-----|---------|----------|------|
| OBJECT | | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
| TREE | | 353750.23 | -772332.20 | 1A | 110 | | 84 | | 24028 | 2671 | 13 |
| TREE | | 353741.13 | -772319.33 | 1A | 103 | | 77 | | 21047 | 2794 | 16 |
| TREE | | 353822.25 | -772335.67 | 1A | 108 | | 82 | | 31257 | 2824 | 28 |
| VENT ON BLDG | | 353813.74 | -772233.33 | 1A | 40 | | 14 | | 8539 | 2872 | -16 |
| TREE | | 353812.59 | -772341.23 | 1A | 116 | | 90 | | 29108 | 2876 | 65 |
| TREE | | 353739.74 | -772256.47 | 1A | 97 | | 71 | | 17152 | 2883 | 16 |
| FENCE | | 353821.21 | -772236.58 | 1A | 30 | | 4 | | 6944 | 2905 | -4 |
| TREE | | 353822.51 | -772336.66 | 1A | 115 | | 89 | | 31230 | 2906 | 37 |
| TREE | | 353740.08 | -772321.70 | 1A | 118 | | 92 | | 21334 | 2968 | 6 |
| TREE | | 353739.36 | -772320.45 | 1A | 119 | | 93 | | 21111 | 2995 | 23 |
| TREE | | 353814.47 | -772342.90 | 1A | 102 | | 76 | | 29407 | 3053 | 60 |
| TREE | | 353822.52 | -772339.10 | 1A | 99 | | 73 | | 31029 | 3078 | 32 |
| POLE | | 353821.92 | -772234.65 | 1A | 54 | | 28 | | 7002 | 3079 | 20 |
| TREE | | 353759.66 | -772343.57 | 1A | 101 | | 75 | | 26555 | 3098 | 34 |
| TREE | | 353736.61 | -772259.03 | 1A | 81 | | 55 | | 17720 | 3134 | 23 |
| TREE | | 353823.97 | -772234.69 | 1A | 110 | | 84 | | 6646 | 3184 | 49 |
| POLE | | 353822.40 | -772233.30 | 1A | 53 | | 27 | | 7016 | 3200 | 18 |
| TREE | | 353749.18 | -772339.29 | 1A | 112 | | 86 | | 24536 | 3205 | 29 |
| TREE | | 353826.14 | -772235.63 | 1A | 110 | | 84 | | 6245 | 3245 | 16 |
| TREE | | 353736.16 | -772319.59 | 1A | 112 | | 86 | | 20757 | 3275 | 31 |
| TREE | | 353827.57 | -772236.12 | 1A | 122 | | 96 | | 6019 | 3303 | 6 |
| BLDG | | 353837.00 | -772250.75 | 1A | 45 | | 19 | | 3330 | 3329 | 0 |
| TREE | | 353836.58 | -772248.74 | 1A | 91 | | 65 | | 3623 | 3362 | 23 |
| TREE | | 353835.82 | -772246.73 | 1B | 97 | | 71 | | 3929 | 3373 | 3 |
| POLE | | 353837.75 | -772251.40 | 1A | 63 | | 37 | | 3210 | 3378 | 27 |
| RD(N) | | 353838.16 | -772251.48 | 1A | 43 | | 17 | | 3147 | 3413 | 9 |
| TREE | | 353839.50 | -772251.28 | 1A | 85 | | 59 | | 3113 | 3546 | 51 |
| TREE | | 353837.19 | -772245.21 | 1A | 123 | | 97 | | 4007 | 3556 | 14 |
| TREE | | 353838.23 | -772246.41 | 1A | 107 | | 81 | | 3755 | 3599 | 14 |
| TREE | | 353837.46 | -772244.33 | 1A | 123 | | 97 | | 4054 | 3617 | 4 |
| TREE | | 353759.50 | -772349.96 | 1A | 117 | | 91 | | 26740 | 3617 | 18 |
| POLE | | 353843.17 | -772306.43 | 1A | 66 | | 40 | | 1027 | 3668 | 8 |
| TREE | | 353731.21 | -772258.82 | 1A | 98 | | 72 | | 17852 | 3673 | 27 |
| RD(N) | | 353730.44 | -772302.52 | 1A | 40 | | 14 | | 18344 | 3706 | 12 |
| TREE | | 353732.55 | -772322.84 | 1B | 114 | | 88 | | 21007 | 3708 | 2 |
| TREE | | 353746.10 | -772344.44 | 1A | 126 | | 100 | | 24517 | 3732 | 22 |
| TREE | | 353825.51 | -772346.19 | 1A | 99 | | 73 | | 30951 | 3736 | 26 |

| ARP | HCT | (CONTINUED) | | | | | | | | | |
|-----------------------|-----|-------------|------------|----|------|-----|-----|-----|---------|----------|------|
| OBJECT | | LATITUDE | LONGITUDE | A | ELEV | AGL | HAA | MAG | BEARING | DISTANCE | PNTR |
| TREE | | 353828.60 | -772229.68 | 1A | 114 | | 88 | | 6412 | 3789 | 10 |
| OL ON ELEVATOR | | 353758.81 | -772220.61 | 1A | 207 | | 181 | | 11138 | 3924 | 31 |
| TREE | | 353727.70 | -772300.24 | 1A | 95 | | 69 | | 18128 | 4004 | 31 |
| TREE | | 353757.35 | -772354.55 | 1A | 109 | | 83 | | 26545 | 4034 | 14 |
| RD(N) | | 353826.37 | -772223.80 | 1A | 43 | | 17 | | 7045 | 4081 | -7 |
| TREE | | 353818.51 | -772218.70 | 1A | 69 | | 43 | | 8313 | 4164 | 0 |
| TREE | | 353845.80 | -772248.73 | 1A | 100 | | 74 | | 3040 | 4216 | 49 |
| LT | | 353820.71 | -772355.40 | 1A | 83 | | 57 | | 29854 | 4224 | -21 |
| TREE | | 353844.49 | -772243.97 | 1A | 121 | | 95 | | 3616 | 4254 | 12 |
| TREE | | 353725.57 | -772319.75 | 1A | 105 | | 79 | | 20338 | 4308 | 35 |
| TREE | | 353721.25 | -772301.50 | 1A | 114 | | 88 | | 18352 | 4639 | 45 |
| TREE | | 353755.57 | -772401.91 | 1B | 111 | | 85 | | 26523 | 4667 | 1 |
| TREE | | 353851.89 | -772247.00 | 1A | 114 | | 88 | | 2938 | 4843 | 56 |
| TREE | | 353832.78 | -772217.49 | 1A | 121 | | 95 | | 6700 | 4860 | 10 |
| STK ON BLDG | | 353821.18 | -772209.20 | 1A | 86 | | 60 | | 8247 | 4993 | 2 |
| TREE | | 353853.30 | -772245.85 | 1A | 123 | | 97 | | 3005 | 5009 | 55 |
| TREE | | 353855.74 | -772245.25 | 1A | 123 | | 97 | | 2939 | 5257 | 52 |
| TREE | | 353715.00 | -772323.35 | 1A | 120 | | 94 | | 20356 | 5417 | 15 |
| TREE | | 353713.19 | -772322.20 | 1A | 118 | | 92 | | 20231 | 5572 | 29 |
| TREE | | 353859.00 | -772242.49 | 1A | 117 | | 91 | | 3041 | 5646 | 21 |
| TREE | | 353834.67 | -772207.58 | 1A | 106 | | 80 | | 6951 | 5659 | 9 |
| TREE | | 353704.06 | -772301.57 | 1A | 166 | | 140 | | 18529 | 6370 | 46 |
| TREE | | 353906.02 | -772239.72 | 1A | 136 | | 110 | | 3018 | 6391 | 22 |
| TREE | | 353700.63 | -772303.36 | 1A | 143 | | 117 | | 18658 | 6708 | 33 |
| TREE | | 353914.65 | -772305.70 | 1A | 125 | | 99 | | 1034 | 6851 | 20 |
| TREE | | 353917.09 | -772305.60 | 1B | 116 | | 90 | | 1036 | 7098 | 8 |
| TWR | | 353752.59 | -772141.81 | 1B | 170 | | 144 | | 11112 | 7188 | -6 |
| TREE | | 353655.49 | -772302.39 | 1A | 148 | | 122 | | 18631 | 7231 | 11 |
| TREE | | 353921.20 | -772305.07 | 1A | 122 | | 96 | | 1052 | 7515 | 13 |
| TREE | | 353652.49 | -772302.26 | 1A | 158 | | 132 | | 18633 | 7535 | 10 |
| ROD ON OL TWR | | 353656.76 | -772208.75 | 1A | 209 | | 183 | | 15524 | 8573 | 33 |
| ANT ON OL MCWV TWR | | 353641.44 | -772235.79 | 1A | 238 | | 212 | | 17256 | 9019 | 62 |
| ROD ON TK | | 353903.54 | -772141.75 | 1A | 178 | | 152 | | 6029 | 9079 | 2 |
| TK | | 353633.41 | -772243.73 | 1A | 182 | | 156 | | 17803 | 9648 | 6 |
| ROD ON STK | | 353632.34 | -772245.66 | 1A | 204 | | 178 | | 17906 | 9724 | 28 |
| ANT ON BLDG | | 353631.34 | -772213.34 | 1A | 219 | | 193 | | 16455 | 10634 | 43 |
| ANT ON OL STK ON BLDG | | 353633.78 | -772413.31 | 1A | 262 | | 236 | | 21944 | 10888 | 86 |

OBSTRUCTIONS WITH AN ACCURACY CODE OF 1B WERE PHOTOGRAMMETRICALLY DETERMINED. POSITIONS ARE CURRENT AS OF DATE OF PHOTOGRAPHY (30 October 2005).

AERONAUTICAL DATA IS AVAILABLE ON THE INTERNET AT [HTTP://WWW.NGS.NOAA.GOV](http://www.ngs.noaa.gov).

ADDITIONAL INFORMATION ON DATA STANDARDS CAN BE FOUND IN FAA NO. 405, "STANDARDS FOR AERONAUTICAL SURVEYS AND RELATED PRODUCTS".

AN ASTERISK "*" INDICATES THAT THIS OBJECT IS OUTSIDE, BUT WITHIN 50 FEET, OF THE OBSTRUCTION IDENTIFICATION SURFACE.