ABBREVIATIONS

	Abbrev.	Meaning
	₵	centerline
	Δ	curve delta
A	abut.	abutment
	ADT	average daily traffic
	aggr.	aggregate
	AH	ahead
	alt.	alternate
	appr.	approach
	asph.	asphalt
B	b.f.	both faces
	beg.	beginning,begin
	BK	back
	BM	bench mark
	BP	balance point
	br.	bridge
	brg.	bearing
C	CBC	concrete box culvert
	c-c	center to center
	clr.	clear
	CMP	corrugated metal pipe
	Co.	county
	col.	column
	conc.	concrete
	constr.	construction
	constr. jt.	construction joint
	cont.	continuous
	corr.	corrugated
	cr.	creek
	CS	point of curve to spiral
	ctrs.	centers
	CTSM	contingent sum
	culv.	culvert
D	decr.	decrement
	DHV	design hour volume
	DI	drop inlet
	dia. or D	diameter
	diag.	diagonal
	diaph.	diaphragm
	dist.	distance
	Dist.	district
	DLC	donation land claim
	dwg(s).	drawing(s)
E	E	east
	e	superelevation rate
	El. 94.066	elevation with number
	elev.	elevation
	emb.	embankment
	engr(s).	Engineer(s)
	EOP	edge of pavement
	EQ or eq.	equation
	ER	edge of road
	et al	and others
	et ux	and wife
	EW	edge of water
	exc.	excavation
	exp. jt.	expansion joint
	ext.	exterior
F	f.f.	fill face
	Fed.	federal
	FES	flared end section
	fin.	finish
	ftg.	footing
G	ga.	gage (gauge)
	galv.	galvanized
	gdr.	girder
H	hdwl.	headwall
	HES	homestead entry survey
	hex.	hexagon
	horiz.	horizontal
	HW	high water
	hwy.	highway
I	ID	inside diameter
	incl.	inclusive,including
	incr.	increment
	int.	interior
J	jt.	joint

	Abbrev.	Meaning
L	L	length of curve
	lam.	lamination
	lat.	latitude
	long.	longitudinal
	LPSM	lump sum
	Lt. or LT	left
	LW	low water
M	mag.	magnetic
	maint.	maintenance
	matl.	material
	max.	maximum
	min.	minimum
	mon.	monument
	mtn(s).	mountain(s)
N	N	north
	NC	normal crown
	neg.	negative
	no. or #	number
O	o.c.	on centers
	o.f.	other face
	OD	outside diameter
P	PC	point of curve
	PCC	point of compound curve
	perf.	perforate
	PI	point of intersection
	pl.	plate
	POC	point on curve
	POS	point on spiral
	POT	point on tangent
	proj.	project
	psi	pounds per square inch
	PT	point of tangent
	pvmt.	pavement
Q	quant., Qty	quantities
R	R	radius
	R.	range
	R/W	right-of-way
	rd.	road
	rdwy.	roadway
	reconst.	reconstruction
	reinf.	reinforcement
	reqd.	required
	res.	reservoir
	Res.	Reservation
	ret. wall	retaining wall
	RH	reference hub
	Rt. or RT	right
	rte.	route
S	S	south
	SADT	seasonal average daily traffic
	SC	point of spiral to curve
	sec.	section
	shldr.	shoulder
	spa.	spacing, Spaces or Spaced
	spec.	specification
	st.	street
	ST	point of spiral to tangent
	sta.	station
	std.	standard
	stiff.	stiffener
	str.	straight
	struc.	structural
	sym.	symmetrical
T	T	tangent length
	T.	township
	tan.	tangent
	TBM	temporary bench mark
	TCE	temporary construction easement
	transv.	transverse
	TS	point of tangent to spiral
	typ.	typical
V	V	design speed
	vert.	vertical
	vph	vehicles per hour
	VPI	vertical point of intersection
W	W	west

DRAINAGE SYMBOLS

Ditch (Existing, Proposed)

Flow Arrow

Drainage or Small Creek

Lake, Pond or Reservoir

Large Creek

Wetland

River

Spring

Bridge (Existing, Proposed)

Box Culvert (Existing, Proposed)

Pipe Culvert (Existing, Proposed)

    With End Sections (Existing, Proposed)

    With Headwalls (Existing, Proposed)

    With Drop Inlet (Existing, Proposed)

Underdrain (Existing, Proposed)

Riprap Apron (Proposed)

EROSION & SEDIMENT CONTROL SYMBOLS

Bonded Fiber Matrix Mulching

Check Dam

Diversion Berm

Erosion Control Mat

Riprap

Sediment Log

Silt Fence

Stabilized Construction Entrance

Temporary Inlet Protection

Wattle

FENCE & CATTLEGUARD SYMBOLS

Fence (Existing, Proposed)

Fence w/ Gate (Existing, Proposed)

Cattleguard (Existing, Proposed)

GEOLOGIC SYMBOLS

Boring Location (Existing, Proposed)

Material Source

**CONVENTIONAL PLAN
SYMBOLS AND ABBREVIATIONS**
Sheet 1 of 2

REG	STATE	PROJECT	SHEET NO.	TOTAL SHEETS

LANDSCAPING & VEGETATION SYMBOLS

Tree

Treeline

MAPPING SYMBOLS

Building (Existing, Proposed)

Coordinate Grid Tick

North Arrow

Railroad
   Single Track

   Double Track

Spot Elevation   999.9

Trail

Survey Control Point

RIGHT-OF-WAY SYMBOLS

Boundaries
  National
  State
  County
  City
  Township or Range Line
  Section
  ¼ Section
  1⁄16 Section
  Bureau of Indian Affairs
  Bureau of Land Management
 National Forest
  National Park
  National Wildlife Refuge

Easements
  Permanent (Existing)   P/E
  Permanent (Proposed)   P/E   P/E   P/E
  Temporary (Proposed)   TCE TCE TCE TCE TCE

Monument (As described)

Parcel Number   400

Property Line   P/L   P/L   P/L
Right-of-Way Line (Existing)   r/w   r/w   r/w
Right-of-Way Line (Proposed)   R/W   R/W   R/W

Section Corner (Found, Projected)   36│31   36│31
     1│6

¼ Section Corner (Found, Projected)   15/22   15/22

1⁄16 Section Corner (Found)   1/16

## GUARDRAIL, BARRIER & WALL SYMBOLS

Guardrail (Existing, Proposed)

Guardwall (Existing, Proposed)

Median & Side Barrier (Existing, Proposed)

Retaining Wall (Existing, Proposed)

## ROADWAY SYMBOLS

Clearing/Construction Limits
Slope Stake Limits
  Top of Cut
  Transition
  Toe of Fill

Edge of Roadway
  Existing

  Proposed

Roadway Centerline (With Station ticks)

Roadway Obliteration

## SIGN SYMBOLS

Signs
  Commercial (Existing, Proposed)
  Delineator (Existing, Proposed)
  Portable (Proposed)
  Post Mounted (Existing, Proposed)

UTILITY SYMBOLS

Irrigation Ditch
  Underground (Existing, Proposed)   IRR   IRR
  Surface (Existing, Proposed)   IRR   IRR
Support Pole (Existing, Proposed)
Support Pole Anchor (Existing, Proposed)
Street Light (Existing, Proposed)

Telephone Booth (Existing, Proposed)   TB   TB

Telephone Pedestal (Existing, Proposed)   TP   TP

Underground Utility (Existing, Proposed)
  CATV   TV TV TV TV
  Fiber Optic   FO FO FO FO
  Gas   G G G G
  Oil   O O O O
  Power   P P P P
  Sanitary Sewer   SS SS SS SS
  Telephone   T T T T
  Water   W W W W
Overhead Utility Line (Existing, Proposed)
  CATV   TV TV TV TV
  Fiber Optic   FO FO FO FO
  Power   P P P P
  Telephone   T T T T

MISCELLANEOUS SYMBOLS

See Note 4   ④

PROJECT SPECIFIC SYMBOLS

REG	STATE	PROJECT	SHEET NO.	TOTAL SHEETS

ABBREVIATIONS

	₵	centerline
	Δ	curve delta
A	abut.	abutment
	ADT	average daily traffic
	aggr.	aggregate
	AH	ahead
	alt.	alternate
	appr.	approach
	asph.	asphalt
B	b.f.	both faces
	beg.	beginning,begin
	BK	back
	BM	bench mark
	BP	balance point
	br.	bridge
	brg.	bearing
C	CBC	concrete box culvert
	c-c	center to center
	clr.	clear
	CMP	corrugated metal pipe
	Co.	county
	col.	column
	conc.	concrete
	constr.	construction
	constr. jt.	construction joint
	cont.	continuous
	corr.	corrugated
	cr.	creek
	CS	point of curve to spiral
	ctrs.	centers
	CTSM	contingent sum
	culv.	culvert
D	decr.	decrement
	DHV	design hour volume
	DI	drop inlet
	dia. or D	diameter
	diag.	diagonal
	diaph.	diaphragm
	dist.	distance
	Dist.	district
	DLC	donation land claim
	dwg(s).	drawing(s)
E	E	east
	e	superelevation rate
	El. 94.066	elevation with number
	elev.	elevation
	emb.	embankment
	engr(s).	Engineer(s)
	EOP	edge of pavement
	EQ or eq.	equation
	ER	edge of road
	et al	and others
	et ux	and wife
	EW	edge of water
	exc.	excavation
	exp. jt.	expansion joint
	ext.	exterior
F	f.f.	fill face
	Fed.	federal
	FES	flared end section
	fin.	finish
	ftg.	footing
G	ga.	gage (gauge)
	galv.	galvanized
	gdr.	girder
H	hdwl.	headwall
	HES	homestead entry survey
	hex.	hexagon
	horiz.	horizontal
	HW	high water
	hwy.	highway
I	ID	inside diameter
	incl.	inclusive,including
	incr.	increment
	int.	interior
J	jt.	joint

L	L	length of curve
	lam.	lamination
	lat.	latitude
	long.	longitudinal
	LPSM	lump sum
	Lt. or LT	left
	LW	low water
M	mag.	magnetic
	maint.	maintenance
	matl.	material
	max.	maximum
	min.	minimum
	mon.	monument
	mtn(s).	mountain(s)
N	N	north
	NC	normal crown
	neg.	negative
	no. or #	number
O	o.c.	on centers
	o.f.	other face
	OD	outside diameter
P	PC	point of curve
	PCC	point of compound curve
	perf.	perforate
	PI	point of intersection
	pl.	plate
	POC	point on curve
	POS	point on spiral
	POT	point on tangent
	proj.	project
	psi	pounds per square inch
	PT	point of tangent
	pvmt.	pavement
Q	quant., Qty	quantities
R	R	radius
	R.	range
	R/W	right-of-way
	rd.	road
	rdwy.	roadway
	reconst.	reconstruction
	reinf.	reinforcement
	reqd.	required
	res.	reservoir
	Res.	Reservation
	ret. wall	retaining wall
	RH	reference hub
	Rt. or RT	right
	rte.	route
S	S	south
	SADT	seasonal average daily traffic
	SC	point of spiral to curve
	sec.	section
	shldr.	shoulder
	spa.	spacing, Spaces or Spaced
	spec.	specification
	st.	street
	ST	point of spiral to tangent
	sta.	station
	std.	standard
	stiff.	stiffener
	str.	straight
	struc.	structural
	sym.	symmetrical
T	T	tangent length
	T.	township
	tan.	tangent
	TBM	temporary bench mark
	TCE	temporary construction easement
	transv.	transverse
	TS	point of tangent to spiral
	typ.	typical
V	V	design speed
	vert.	vertical
	vph	vehicles per hour
	VPI	vertical point of intersection
W	W	west

DRAINAGE SYMBOLS

Ditch (Existing, Proposed)

Flow Arrow

Drainage or Small Creek

Lake, Pond or Reservoir

Large Creek

Wetland

River

Spring

Bridge (Existing, Proposed)

Box Culvert (Existing, Proposed)

Pipe Culvert (Existing, Proposed)

    With End Sections (Existing, Proposed)

    With Headwalls (Existing, Proposed)

    With Drop Inlet (Existing, Proposed)

Underdrain (Existing, Proposed)

Riprap Apron (Proposed)

EROSION & SEDIMENT CONTROL SYMBOLS

Bonded Fiber Matrix Mulching

Check Dam

Diversion Berm

Erosion Control Mat

Riprap

Sediment Log

Silt Fence

Stabilized Construction Entrance

Temporary Inlet Protection

Wattle

FENCE & CATTLEGUARD SYMBOLS

Fence (Existing, Proposed)

Fence w/ Gate (Existing, Proposed)

Cattleguard (Existing, Proposed)

GEOLOGIC SYMBOLS

Boring Location (Existing, Proposed)

Material Source

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
CENTRAL FEDERAL LANDS HIGHWAY DIVISION

METRIC

## CONVENTIONAL PLAN SYMBOLS AND ABBREVIATIONS
Sheet 1 of 2

LANDSCAPING & VEGETATION SYMBOLS

Tree

Treeline

MAPPING SYMBOLS

Building (Existing, Proposed)

Coordinate Grid Tick

North Arrow

Railroad
  Single Track

  Double Track

Spot Elevation

999.9

Trail

Survey Control Point

RIGHT-OF-WAY SYMBOLS

Boundaries
  National
  State
  County
  City
  Township or Range Line
  Section
  ¼ Section
  ¹⁄₁₆ Section
  Bureau of Indian Affairs
  Bureau of Land Management
  National Forest
  National Park
  National Wildlife Refuge

Easements
  Permanent (Existing)
  Permanent (Proposed)
  Temporary (Proposed)

Monument (As described)

Parcel Number

400

Property Line
Right-of-Way Line (Existing)
Right-of-Way Line (Proposed)

Section Corner (Found, Projected)

36 | 31
1 | 6

36 | 31

¼ Section Corner (Found, Projected)

15
22

15
22

¹⁄₁₆ Section Corner (Found)

¹⁄₁₆

GUARDRAIL, BARRIER & WALL SYMBOLS

Guardrail (Existing, Proposed)

Guardwall (Existing, Proposed)

Median & Side Barrier (Existing, Proposed)

Retaining Wall (Existing, Proposed)

ROADWAY SYMBOLS

Clearing/Construction Limits
Slope Stake Limits
  Top of Cut
  Transition
  Toe of Fill

Edge of Roadway
  Existing

  Proposed

Roadway Centerline (With Station ticks)

Roadway Obliteration

SIGN SYMBOLS

Signs
  Commercial (Existing, Proposed)
  Delineator (Existing, Proposed)
  Portable (Proposed)
  Post Mounted (Existing, Proposed)

UTILITY SYMBOLS

Irrigation Ditch
  Underground (Existing, Proposed)
  Surface (Existing, Proposed)
Support Pole (Existing, Proposed)
Support Pole Anchor (Existing, Proposed)
Street Light (Existing, Proposed)

Telephone Booth (Existing, Proposed)

Telephone Pedestal (Existing, Proposed)

Underground Utility (Existing, Proposed)
  CATV
  Fiber Optic
  Gas
  Oil
  Power
  Sanitary Sewer
  Telephone
  Water
Overhead Utility Line (Existing, Proposed)
  CATV
  Fiber Optic
  Power
  Telephone

MISCELLANEOUS SYMBOLS

See Note 4

④

PROJECT SPECIFIC SYMBOLS

Instructions
(Conventional Plan Symbol & Abbreviations)

- Switch between models to get Metric or U.S. Customary Units Symbol Sheet and between *Sheets 1 & 2.*

*The Symbol Sheet drawing contains five models: Metric(Sheet 1 & 2), U.S. Customary (Sheet 1 & 2) and the Graphics model which contains the actual graphics, abbreviations and linestyles. The Graphics model is referenced into the other models where the border and project information is located. **DO NOT MODIFY THE "GRAPHICS" MODEL.** Any project specific symbols shall be placed on Sheet 2 in the right hand column. You will need linestyle resource files attached in order for the linestyles to show up and print properly.*

- Grey elements are notes for the user *(They are construction elements and will not plot)*

- Attach project Border to drawing; it will attach in the correct location.

- Paste continuation of "INDEX OF SHEETS" from Excel spreadsheet into drawing.

Edit > Paste special

You can paste a picture of the spreadsheet or link it so it updates automatically

Place by corners and snap to grey box in Sheet 1 of Conventional Plan Symbols & Abbreviations