

Recommendations for Use of Antiretroviral Drugs in Pregnant HIV-1-Infected Women for Maternal Health and Interventions to Reduce Perinatal HIV Transmission in the United States

Downloaded from http://aidsinfo.nih.gov/guidelines on 3/18/2013

Visit the AIDS*info* website to access the most up-to-date guideline.

Register for e-mail notification of guideline updates at <u>http://aidsinfo.nih.gov/e-news</u>.

Antiretroviral Pregnancy Registry (Last updated September 14, 2011; last reviewed July 31, 2012)

The Antiretroviral Pregnancy Registry is an epidemiologic project to collect observational, nonexperimental data on antiretroviral (ARV) drug exposure during pregnancy for the purpose of assessing the potential teratogenicity of these drugs. Registry data will be used to supplement animal toxicology studies and assist clinicians in weighing the potential risks and benefits of treatment for individual patients. The registry is a collaborative project of the pharmaceutical manufacturers with an advisory committee of obstetric and pediatric practitioners.

It is strongly recommended that health care providers who are treating HIV-infected pregnant women and their newborns report cases of prenatal exposure to ARV drugs (either alone or in combination) to the Antiretroviral Pregnancy Registry. The registry does not use patient names, and birth outcome follow-up is obtained from the reporting physician by registry staff.

Referrals should be directed to:

Antiretroviral Pregnancy Registry Research Park 1011 Ashes Drive Wilmington, NC 28405 Telephone: 1–800–258–4263 Fax: 1–800–800–1052 http://www.APRegistry.com