

**Table 1.123A Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	70,300	71,128	20,423	20,305	8,777	8,849
<b>GEOGRAPHIC DIVISION</b>						
Northeast	12,790	13,002	3,484	3,417	1,479	1,424
New England	3,977	3,962	1,095	1,154	418	410
Middle Atlantic	8,813	9,040	2,389	2,263	1,061	1,014
Midwest	15,035	15,446	4,421	4,246	1,826	1,804
East North Central	10,436	10,903	3,201	2,966	1,264	1,283
West North Central	4,599	4,543	1,220	1,280	562	521
South	23,404	23,081	7,261	7,063	3,224	3,166
South Atlantic	12,588	12,177	3,838	3,660	1,643	1,601
East South Central	3,465	3,686	1,236	1,074	637	462
West South Central	7,352	7,218	2,186	2,329	945	1,102
West	19,071	19,599	5,257	5,579	2,248	2,455
Mountain	5,452	5,794	1,571	1,748	716	751
Pacific	13,619	13,804	3,686	3,831	1,532	1,704
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	39,554	39,323	11,074	10,863	4,878	4,763
Small Metro	20,971	21,387	6,371	6,430	2,641	2,758
250K – 1 Mil. Pop.	13,794	14,096	4,129	4,135	1,752	1,711
< 250K Pop.	7,178	7,291	2,243	2,295	889	1,047
Nonmetro	9,774	10,418	2,978	3,012	1,259	1,328
Urbanized	4,514	4,990	1,275	1,480	524	645
Less Urbanized	4,358	4,559	1,365	1,364	533	624
Completely Rural	903	869	338	168	202	59

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.123B Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	29.9	29.9	8.7	8.5	3.7	3.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	28.4	28.7	7.7	7.5	3.3	3.1
New England	33.7	33.3	9.3	9.7	3.5	3.4
Middle Atlantic	26.5	27.0	7.2	6.8	3.2	3.0
Midwest	28.1	28.7	8.3	7.9	3.4	3.4
East North Central	27.9	28.9	8.6	7.9	3.4	3.4
West North Central	28.7	28.2	7.6	7.9	3.5	3.2
South	27.9	27.2	8.7	8.3	3.8	3.7
South Atlantic	28.8	27.4	8.8	8.2	3.8	3.6
East South Central	24.5	25.9	8.7	7.6	4.5	3.3
West South Central	28.4	27.6	8.5	8.9	3.7	4.2
West	36.1	36.4	9.9	10.4	4.3	4.6
Mountain	35.6	37.1	10.3	11.2	4.7	4.8
Pacific	36.2	36.1	9.8	10.0	4.1	4.5
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	31.5	31.2	8.8	8.6	3.9	3.8
Small Metro	30.3	30.0	9.2	9.0	3.8	3.9
250K – 1 Mil. Pop.	30.3	30.0	9.1	8.8	3.9	3.6
< 250K Pop.	30.2	29.8	9.4	9.4	3.7	4.3
Nonmetro	24.4	25.9	7.4	7.5	3.1	3.3
Urbanized	28.2	27.9	8.0	8.3	3.3	3.6
Less Urbanized	22.2 <sup>a</sup>	25.0	7.0	7.5	2.7	3.4
Completely Rural	20.4	21.2	7.6	4.1	4.5 <sup>a</sup>	1.4

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.124A Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	5,286	5,319	3,338	3,351	1,421	1,417
<b>GEOGRAPHIC DIVISION</b>						
Northeast	848	847	534	542	232	235
New England	252	241	166	161	83	59
Middle Atlantic	597	606	368	381	149	175
Midwest	1,242	1,160	774	723	298	291
East North Central	876	841	551	527	222	215
West North Central	366	319	223	195	76	76
South	1,872	1,912	1,196	1,213	553	514
South Atlantic	960	914	616	579	295 <sup>a</sup>	222
East South Central	303	337	189	210	81	88
West South Central	609	661	392	425	178	204
West	1,323	1,399	834	873	338	377
Mountain	417	435	271	283	103	125
Pacific	906	964	563	590	234	253
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	2,748	2,667	1,700	1,656	694	669
Small Metro	1,553	1,692	1,021	1,071	458	475
250K – 1 Mil. Pop.	1,046	1,130	685	696	323	319
< 250K Pop.	507	563	336	375	135	156
Nonmetro	984	959	617	624	269	273
Urbanized	381	430	233	290	109	131
Less Urbanized	497	434	308	276	131	116
Completely Rural	106	95	76	57	29	26

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.124B Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	21.4	21.3	13.5	13.4	5.7	5.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	19.0	18.9	12.0	12.1	5.2	5.2
New England	21.8	20.5	14.3	13.7	7.2	5.1
Middle Atlantic	18.1	18.3	11.1	11.5	4.5	5.3
Midwest	21.8	20.4	13.6	12.7	5.2	5.1
East North Central	22.0	21.1	13.8	13.2	5.6	5.4
West North Central	21.5	18.8	13.1	11.5	4.5	4.5
South	21.3	21.4	13.6	13.6	6.3	5.8
South Atlantic	21.8	20.3	14.0	12.9	6.7 <sup>a</sup>	4.9
East South Central	21.2	23.2	13.2	14.4	5.7	6.0
West South Central	20.6	22.3	13.3	14.3	6.0	6.9
West	22.7	23.8	14.3	14.8	5.8	6.4
Mountain	24.4	25.2	15.9	16.4	6.1	7.2
Pacific	22.0	23.2	13.7	14.2	5.7	6.1
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	20.8	20.0	12.9	12.4	5.3	5.0
Small Metro	21.5	22.9	14.1	14.5	6.3	6.4
250K – 1 Mil. Pop.	21.4	22.7	14.0	14.0	6.6	6.4
< 250K Pop.	21.7	23.2	14.3	15.5	5.8	6.5
Nonmetro	22.9	22.4	14.3	14.6	6.2	6.4
Urbanized	22.1	23.1	13.5	15.6	6.3	7.0
Less Urbanized	23.6	21.8	14.6	13.9	6.2	5.8
Completely Rural	22.3	21.6	16.0	13.0	6.2	5.9

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.125A Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	12,436	12,770	6,277	6,266	2,459	2,665
<b>GEOGRAPHIC DIVISION</b>						
Northeast	2,183	2,256	1,117	1,180	475	493
New England	669	705	350	374	157	152
Middle Atlantic	1,514	1,551	767	807	318	341
Midwest	2,860	2,938	1,433	1,378	514	583
East North Central	2,048	2,054	1,055	954	364	415
West North Central	812	885	378	425	149	169
South	4,224	4,291	2,242	2,101	949	955
South Atlantic	2,075	2,091	1,094	1,023	434	481
East South Central	702	703	396	335	168	137
West South Central	1,447	1,497	752	743	346	337
West	3,170	3,284	1,486	1,606	522	633
Mountain	1,041	1,068	498	503	197	191
Pacific	2,128	2,216	988	1,103	325 <sup>a</sup>	442
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	6,351	6,591	3,144	3,224	1,261	1,382
Small Metro	4,220	4,218	2,183	2,055	840	863
250K – 1 Mil. Pop.	2,667	2,774	1,333	1,328	516	553
< 250K Pop.	1,553	1,443	850	727	324	309
Nonmetro	1,866	1,962	951	987	358	420
Urbanized	871	983	465	514	165 <sup>a</sup>	239
Less Urbanized	846	867	409	429	156	166
Completely Rural	149	111	77 <sup>a</sup>	44	37 <sup>b</sup>	15

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.125B Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	40.1	40.2	20.2	19.7	7.9	8.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	39.7	40.0	20.3	21.0	8.6	8.8
New England	46.7	47.9	24.4	25.4	10.9	10.3
Middle Atlantic	37.2	37.3	18.8	19.4	7.8	8.2
Midwest	39.7	39.9	19.9	18.7	7.1	7.9
East North Central	41.2	40.4	21.2 <sup>a</sup>	18.8	7.3	8.2
West North Central	36.5	38.9	17.0	18.7	6.7	7.4
South	38.3	37.9	20.3	18.6	8.6	8.4
South Atlantic	38.5	37.4	20.3	18.3	8.1	8.6
East South Central	36.7	36.4	20.7	17.3	8.8	7.1
West South Central	38.9	39.3	20.2	19.5	9.3	8.9
West	43.4	44.3	20.4	21.7	7.2	8.5
Mountain	47.7	47.7	22.8	22.5	9.0	8.5
Pacific	41.6	42.8	19.3	21.3	6.4 <sup>a</sup>	8.5
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	40.0	39.7	19.8	19.4	7.9	8.3
Small Metro	41.5	41.3	21.5	20.1	8.3	8.5
250K – 1 Mil. Pop.	41.4	41.7	20.7	20.0	8.0	8.3
< 250K Pop.	41.7	40.6	22.8	20.4	8.7	8.7
Nonmetro	37.5	39.9	19.1	20.1	7.2	8.5
Urbanized	38.8	41.6	20.7	21.7	7.4 <sup>a</sup>	10.1
Less Urbanized	37.3	39.6	18.1	19.6	6.9	7.6
Completely Rural	31.9	30.5	16.6	12.2	7.9 <sup>a</sup>	4.0

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.126A Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	52,578	53,040	10,808	10,689	4,897	4,767
<b>GEOGRAPHIC DIVISION</b>						
Northeast	9,758	9,899	1,834	1,694	773	696
New England	3,056	3,016	580	620	178	198
Middle Atlantic	6,703	6,883	1,254	1,074	595	498
Midwest	10,934	11,348	2,214	2,145	1,014	929
East North Central	7,513	8,008	1,595	1,485	677	653
West North Central	3,421	3,340	619	660	336	276
South	17,308	16,877	3,823	3,749	1,722	1,697
South Atlantic	9,552	9,172	2,129	2,058	914	898
East South Central	2,460	2,646	651	530	388	238
West South Central	5,296	5,059	1,043	1,161	420	561
West	14,578	14,916	2,938	3,100	1,388	1,445
Mountain	3,994	4,292	803	962	416	436
Pacific	10,584	10,624	2,135	2,138	973	1,009
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	30,455	30,065	6,230	5,984	2,923	2,712
Small Metro	15,198	15,477	3,167	3,304	1,342	1,420
250K – 1 Mil. Pop.	10,080	10,191	2,111	2,111	912	839
< 250K Pop.	5,118	5,286	1,057	1,193	430	581
Nonmetro	6,925	7,497	1,411	1,401	632	635
Urbanized	3,262	3,576	578	677	250	275
Less Urbanized	3,015	3,258	648	658	246	341
Completely Rural	648	663	185	67	136	19

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.126B Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	29.3	29.3	6.0	5.9	2.7	2.6
<b>GEOGRAPHIC DIVISION</b>						
Northeast	27.8	28.1	5.2	4.8	2.2	2.0
New England	33.2	32.6	6.3	6.7	1.9	2.1
Middle Atlantic	25.9	26.5	4.8	4.1	2.3	1.9
Midwest	27.0	27.9	5.5	5.3	2.5	2.3
East North Central	26.4	28.0	5.6	5.2	2.4	2.3
West North Central	28.3	27.5	5.1	5.4	2.8	2.3
South	27.1	26.2	6.0	5.8	2.7	2.6
South Atlantic	28.1	26.7	6.3	6.0	2.7	2.6
East South Central	22.7	24.4	6.0	4.9	3.6	2.2
West South Central	27.6	26.1	5.4	6.0	2.2	2.9
West	36.7	36.8	7.4	7.6	3.5	3.6
Mountain	35.0	36.8	7.0	8.3	3.6	3.7
Pacific	37.4	36.8	7.5	7.4	3.4	3.5
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	31.5	31.3	6.4	6.2	3.0	2.8
Small Metro	29.3	28.8	6.1	6.1	2.6	2.6
250K – 1 Mil. Pop.	29.5	28.9	6.2	6.0	2.7	2.4
< 250K Pop.	28.9	28.6	6.0	6.4	2.4	3.1
Nonmetro	22.5	24.2	4.6	4.5	2.1	2.0
Urbanized	27.0	26.2	4.8	5.0	2.1	2.0
Less Urbanized	19.8 <sup>a</sup>	23.2	4.2	4.7	1.6	2.4
Completely Rural	18.5	20.1	5.3	2.0	3.9	0.6

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 1.127A Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	65,014	65,809	17,086	16,954	7,356	7,432
<b>GEOGRAPHIC DIVISION</b>						
Northeast	11,941	12,155	2,951	2,875	1,248	1,189
New England	3,725	3,721	930	993	335	350
Middle Atlantic	8,216	8,434	2,021	1,881	913	839
Midwest	13,794	14,286	3,647	3,524	1,527	1,513
East North Central	9,561	10,062	2,650	2,439	1,042	1,068
West North Central	4,233	4,224	997	1,085	486	445
South	21,532	21,169	6,065	5,850	2,671	2,652
South Atlantic	11,628	11,263	3,223	3,081	1,348	1,379
East South Central	3,162	3,349	1,047	865	556	375
West South Central	6,742	6,556	1,795	1,904	767	898
West	17,747	18,200	4,423	4,706	1,910	2,078
Mountain	5,035	5,359	1,301	1,465	612	627
Pacific	12,712	12,840	3,123	3,241	1,298	1,451
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	36,806	36,656	9,374	9,207	4,184	4,095
Small Metro	19,418	19,695	5,350	5,359	2,182	2,283
250K – 1 Mil. Pop.	12,747	12,966	3,443	3,439	1,429	1,392
< 250K Pop.	6,671	6,729	1,907	1,919	754	890
Nonmetro	8,790	9,459	2,361	2,389	990	1,055
Urbanized	4,133	4,560	1,042	1,190	415	514
Less Urbanized	3,861	4,125	1,057	1,087	402	508
Completely Rural	797	774	262	111	172 <sup>a</sup>	33

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.127B Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	30.9	30.9	8.1	8.0	3.5	3.5
<b>GEOGRAPHIC DIVISION</b>						
Northeast	29.4	29.8	7.3	7.0	3.1	2.9
New England	35.0	34.7	8.7	9.3	3.1	3.3
Middle Atlantic	27.4	28.0	6.7	6.2	3.0	2.8
Midwest	28.9	29.7	7.6	7.3	3.2	3.1
East North Central	28.6	29.9	7.9	7.2	3.1	3.2
West North Central	29.6	29.3	7.0	7.5	3.4	3.1
South	28.7	27.9	8.1	7.7	3.6	3.5
South Atlantic	29.5	28.2	8.2	7.7	3.4	3.5
East South Central	24.8	26.2	8.2	6.8	4.4	2.9
West South Central	29.4	28.3	7.8	8.2	3.3	3.9
West	37.7	38.0	9.4	9.8	4.1	4.3
Mountain	37.0	38.6	9.6	10.6	4.5	4.5
Pacific	38.0	37.7	9.3	9.5	3.9	4.3
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	32.7	32.5	8.3	8.2	3.7	3.6
Small Metro	31.3	30.8	8.6	8.4	3.5	3.6
250K – 1 Mil. Pop.	31.4	30.9	8.5	8.2	3.5	3.3
< 250K Pop.	31.1	30.5	8.9	8.7	3.5	4.0
Nonmetro	24.6	26.3	6.6	6.7	2.8	2.9
Urbanized	28.9	28.5	7.3	7.4	2.9	3.2
Less Urbanized	22.0 <sup>a</sup>	25.4	6.0	6.7	2.3	3.1
Completely Rural	20.1	21.2	6.6	3.0	4.4 <sup>a</sup>	0.9

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.