

Table 1.1A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	108,255	110,205	35,132	34,993	19,522	19,470
Marijuana and Hashish	94,946	96,611	25,755	25,231	14,584	14,638
Cocaine	33,910	34,891	5,902	5,908	2,020	2,281
Crack	8,402	7,949	1,554	1,406	567	604
Heroin	3,668	3,744	404	314	166	119
Hallucinogens	34,314	34,363	4,749 ^b	3,936	1,196	1,042
LSD	24,516	24,424	999 ^b	558	112	133
PCP	7,418	7,107	235	219	58	56
Ecstasy	10,150	10,904	3,167 ^b	2,119	676 ^a	470
Inhalants	22,870	22,995	2,084	2,075	635	570
Nonmedical Use of Any Psychotherapeutic ²	46,558	47,882	14,680	14,986	6,210	6,336
Pain Relievers	29,611 ^a	31,207	10,992	11,671	4,377	4,693
Tranquilizers	19,267	20,220	4,849	5,051	1,804	1,830
Stimulants	21,072	20,798	3,181 ^a	2,751	1,218	1,191
Methamphetamine	12,383	12,303	1,541	1,315	597	607
Sedatives	9,960	9,510	981	831	436	294
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	70,300	71,128	20,423	20,305	8,777	8,849

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.1B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	46.0	46.4	14.9	14.7	8.3	8.2
Marijuana and Hashish	40.4	40.6	11.0	10.6	6.2	6.2
Cocaine	14.4	14.7	2.5	2.5	0.9	1.0
Crack	3.6	3.3	0.7	0.6	0.2	0.3
Heroin	1.6	1.6	0.2	0.1	0.1	0.1
Hallucinogens	14.6	14.5	2.0 ^b	1.7	0.5	0.4
LSD	10.4	10.3	0.4 ^b	0.2	0.0	0.1
PCP	3.2	3.0	0.1	0.1	0.0	0.0
Ecstasy	4.3	4.6	1.3 ^b	0.9	0.3 ^a	0.2
Inhalants	9.7	9.7	0.9	0.9	0.3	0.2
Nonmedical Use of Any Psychotherapeutic ²	19.8	20.1	6.2	6.3	2.6	2.7
Pain Relievers	12.6	13.1	4.7	4.9	1.9	2.0
Tranquilizers	8.2	8.5	2.1	2.1	0.8	0.8
Stimulants	9.0	8.8	1.4 ^a	1.2	0.5	0.5
Methamphetamine	5.3	5.2	0.7	0.6	0.3	0.3
Sedatives	4.2	4.0	0.4	0.3	0.2	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	29.9	29.9	8.7	8.5	3.7	3.7

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.2A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	7,642	7,631	5,494	5,455	2,878	2,811
Marijuana and Hashish	5,104	4,888	3,905	3,745	2,023	1,971
Cocaine	670	648	508	438	146	153
Crack	163	157	100	95	26	32
Heroin	94	80	51	36	11	18
Hallucinogens	1,419 ^a	1,250	945 ^b	778	255	260
LSD	670 ^b	397	314 ^b	149	61	51
PCP	233	204	110	89	23	20
Ecstasy	820 ^b	603	547 ^b	329	124	91
Inhalants	2,605	2,670	1,078	1,119	301	320
Nonmedical Use of Any Psychotherapeutic ²	3,389	3,351	2,283	2,289	979	997
Pain Relievers	2,775	2,798	1,870	1,917	794	801
Tranquilizers	834	874	568	586	188	226
Stimulants	1,074	1,007	650	568	200	221
Methamphetamine	366	328	226	174	63	69
Sedatives	238	249	138	131	47	47
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	5,286	5,319	3,338	3,351	1,421	1,417

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.2B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	30.9	30.5	22.2	21.8	11.6	11.2
Marijuana and Hashish	20.6 ^a	19.6	15.8	15.0	8.2	7.9
Cocaine	2.7	2.6	2.1	1.8	0.6	0.6
Crack	0.7	0.6	0.4	0.4	0.1	0.1
Heroin	0.4	0.3	0.2	0.1	0.0	0.1
Hallucinogens	5.7 ^b	5.0	3.8 ^b	3.1	1.0	1.0
LSD	2.7 ^b	1.6	1.3 ^b	0.6	0.2	0.2
PCP	0.9	0.8	0.4	0.4	0.1	0.1
Ecstasy	3.3 ^b	2.4	2.2 ^b	1.3	0.5	0.4
Inhalants	10.5	10.7	4.4	4.5	1.2	1.3
Nonmedical Use of Any Psychotherapeutic ²	13.7	13.4	9.2	9.2	4.0	4.0
Pain Relievers	11.2	11.2	7.6	7.7	3.2	3.2
Tranquilizers	3.4	3.5	2.3	2.3	0.8	0.9
Stimulants	4.3	4.0	2.6	2.3	0.8	0.9
Methamphetamine	1.5	1.3	0.9 ^a	0.7	0.3	0.3
Sedatives	1.0	1.0	0.6	0.5	0.2	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	21.4	21.3	13.5	13.4	5.7	5.7

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.3A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	18,562	19,195	11,000	10,976	6,264	6,435
Marijuana and Hashish	16,680	17,103	9,238	9,044	5,376	5,400
Cocaine	4,786	4,755	2,087	2,098	631	696
Crack	1,182	1,193	266	275	52	55
Heroin	487	516	122	96	39	25
Hallucinogens	7,517	7,377	2,610 ^b	2,112	589	545
LSD	4,928 ^b	4,450	553 ^b	336	36	67
PCP	834	948	95	117	15	30
Ecstasy	4,674	4,683	1,784 ^b	1,164	355 ^b	230
Inhalants	4,867	4,729	685	662	150	134
Nonmedical Use of Any Psychotherapeutic ²	8,587 ^b	9,211	4,411	4,598	1,683 ^a	1,913
Pain Relievers	6,854 ^b	7,513	3,540	3,803	1,262 ^b	1,486
Tranquilizers	3,473 ^b	3,898	1,509 ^a	1,682	487	525
Stimulants	3,340	3,420	1,144	1,114	386	400
Methamphetamine	1,756	1,650	525	506	160	185
Sedatives	648	565	162	156	49	58
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	12,436	12,770	6,277	6,266	2,459	2,665

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.3B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	59.8	60.5	35.5	34.6	20.2	20.3
Marijuana and Hashish	53.8	53.9	29.8 ^a	28.5	17.3	17.0
Cocaine	15.4	15.0	6.7	6.6	2.0	2.2
Crack	3.8	3.8	0.9	0.9	0.2	0.2
Heroin	1.6	1.6	0.4	0.3	0.1	0.1
Hallucinogens	24.2	23.3	8.4 ^b	6.7	1.9	1.7
LSD	15.9 ^b	14.0	1.8 ^b	1.1	0.1	0.2
PCP	2.7	3.0	0.3	0.4	0.0	0.1
Ecstasy	15.1	14.8	5.8 ^b	3.7	1.1 ^b	0.7
Inhalants	15.7	14.9	2.2	2.1	0.5	0.4
Nonmedical Use of Any Psychotherapeutic ²	27.7 ^a	29.0	14.2	14.5	5.4 ^a	6.0
Pain Relievers	22.1 ^b	23.7	11.4	12.0	4.1 ^a	4.7
Tranquilizers	11.2 ^b	12.3	4.9	5.3	1.6	1.7
Stimulants	10.8	10.8	3.7	3.5	1.2	1.3
Methamphetamine	5.7	5.2	1.7	1.6	0.5	0.6
Sedatives	2.1	1.8	0.5	0.5	0.2	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	40.1	40.2	20.2	19.7	7.9	8.4

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.4A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	82,051	83,380	18,639	18,562	10,380	10,224
Marijuana and Hashish	73,162	74,620	12,612	12,441	7,185	7,267
Cocaine	28,453	29,488	3,307	3,372	1,243	1,431
Crack	7,057	6,599	1,188	1,036	488	517
Heroin	3,087	3,148	231	182	116	76
Hallucinogens	25,378	25,736	1,194	1,046	352	238
LSD	18,917	19,577	131	73	15	15
PCP	6,352	5,955	31	13	20	*
Ecstasy	4,656 ^b	5,619	836	626	197	149
Inhalants	15,398	15,596	320	295	183	117
Nonmedical Use of Any Psychotherapeutic ²	34,582	35,320	7,986	8,099	3,549	3,426
Pain Relievers	19,983	20,896	5,582	5,950	2,321	2,406
Tranquilizers	14,959	15,447	2,772	2,783	1,129	1,078
Stimulants	16,658	16,371	1,387	1,068	631	570
Methamphetamine	10,261	10,325	790	636	375	353
Sedatives	9,075	8,696	681	544	340	189
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	52,578	53,040	10,808	10,689	4,897	4,767

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.4B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	45.7	46.1	10.4	10.3	5.8	5.6
Marijuana and Hashish	40.8	41.2	7.0	6.9	4.0	4.0
Cocaine	15.9	16.3	1.8	1.9	0.7	0.8
Crack	3.9	3.6	0.7	0.6	0.3	0.3
Heroin	1.7	1.7	0.1	0.1	0.1	0.0
Hallucinogens	14.1	14.2	0.7	0.6	0.2	0.1
LSD	10.5	10.8	0.1	0.0	0.0	0.0
PCP	3.5	3.3	0.0	0.0	0.0	*
Ecstasy	2.6 ^b	3.1	0.5	0.3	0.1	0.1
Inhalants	8.6	8.6	0.2	0.2	0.1	0.1
Nonmedical Use of Any Psychotherapeutic ²	19.3	19.5	4.5	4.5	2.0	1.9
Pain Relievers	11.1	11.5	3.1	3.3	1.3	1.3
Tranquilizers	8.3	8.5	1.5	1.5	0.6	0.6
Stimulants	9.3	9.0	0.8	0.6	0.4	0.3
Methamphetamine	5.7	5.7	0.4	0.4	0.2	0.2
Sedatives	5.1	4.8	0.4	0.3	0.2	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	29.3	29.3	6.0	5.9	2.7	2.6

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.5A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	1,261	1,314	759	771	348	324
Marijuana and Hashish	357 ^a	284	253	197	119 ^a	83
Cocaine	25	30	16	17	3	9
Crack	9	2	6	2	2	2
Heroin	11	5	1	2	*	*
Hallucinogens	108	106	76	62	35	19
LSD	21	17	13	11	6	4
PCP	22 ^a	8	12	4	6	2
Ecstasy	47	28	39 ^b	16	14 ^a	3
Inhalants	685	751	322	338	114	120
Nonmedical Use of Any Psychotherapeutic ²	517	566	302	343	141	150
Pain Relievers	398 ^a	486	244	297	125	125
Tranquilizers	67	56	38	38	18	21
Stimulants	116	114	59	57	17	31
Methamphetamine	19	32	10	15	3	7
Sedatives	42	47	21	29	9	4
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	1,084	1,165	606	644	256	263

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.5B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	15.2	15.5	9.2	9.1	4.2	3.8
Marijuana and Hashish	4.3 ^a	3.4	3.1 ^a	2.3	1.4 ^a	1.0
Cocaine	0.3	0.4	0.2	0.2	0.0	0.1
Crack	0.1	0.0	0.1	0.0	0.0	0.0
Heroin	0.1	0.1	0.0	0.0	*	*
Hallucinogens	1.3	1.3	0.9	0.7	0.4 ^a	0.2
LSD	0.3	0.2	0.2	0.1	0.1	0.1
PCP	0.3 ^a	0.1	0.1	0.0	0.1	0.0
Ecstasy	0.6	0.3	0.5 ^b	0.2	0.2 ^a	0.0
Inhalants	8.3	8.9	3.9	4.0	1.4	1.4
Nonmedical Use of Any Psychotherapeutic ²	6.2	6.7	3.6	4.1	1.7	1.8
Pain Relievers	4.8 ^a	5.7	2.9	3.5	1.5	1.5
Tranquilizers	0.8	0.7	0.5	0.4	0.2	0.2
Stimulants	1.4	1.3	0.7	0.7	0.2	0.4
Methamphetamine	0.2	0.4	0.1	0.2	0.0	0.1
Sedatives	0.5	0.6	0.3	0.3	0.1	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	13.1	13.8	7.3	7.6	3.1	3.1

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.6A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	2,615	2,501	1,898	1,815	946	900
Marijuana and Hashish	1,664	1,525	1,333	1,217	648	597
Cocaine	149	161	123	115	42	42
Crack	38	45	26	29	12	9
Heroin	25	25	15	14	*	5
Hallucinogens	388	357	273	228	69	86
LSD	167 ^b	109	95 ^b	54	18	15
PCP	67	75	39	38	13 ^b	1
Ecstasy	175	158	131 ^a	91	25	27
Inhalants	996	962	416	429	137	116
Nonmedical Use of Any Psychotherapeutic ²	1,126	1,064	771	751	339	339
Pain Relievers	927	890	634	630	286	281
Tranquilizers	241	240	176	172	58	69
Stimulants	351	304	227	186	58	59
Methamphetamine	120	85	80	58	18	17
Sedatives	80	85	49	47	20	18
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	1,792	1,752	1,118	1,119	487	487

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.6B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	30.9	30.3	22.4	22.0	11.2	10.9
Marijuana and Hashish	19.6	18.5	15.7	14.7	7.6	7.2
Cocaine	1.8	2.0	1.5	1.4	0.5	0.5
Crack	0.4	0.5	0.3	0.4	0.1	0.1
Heroin	0.3	0.3	0.2	0.2	*	0.1
Hallucinogens	4.6	4.3	3.2	2.8	0.8	1.0
LSD	2.0 ^a	1.3	1.1 ^a	0.7	0.2	0.2
PCP	0.8	0.9	0.5	0.5	0.2 ^b	0.0
Ecstasy	2.1	1.9	1.5	1.1	0.3	0.3
Inhalants	11.8	11.7	4.9	5.2	1.6	1.4
Nonmedical Use of Any Psychotherapeutic ²	13.3	12.9	9.1	9.1	4.0	4.1
Pain Relievers	10.9	10.8	7.5	7.6	3.4	3.4
Tranquilizers	2.8	2.9	2.1	2.1	0.7	0.8
Stimulants	4.1	3.7	2.7	2.3	0.7	0.7
Methamphetamine	1.4	1.0	0.9	0.7	0.2	0.2
Sedatives	0.9	1.0	0.6	0.6	0.2	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	21.2	21.2	13.2	13.5	5.7	5.9

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.7A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	3,766	3,816	2,837	2,869	1,584	1,587
Marijuana and Hashish	3,083	3,079	2,319	2,330	1,257	1,292
Cocaine	496	457	369	307	100	102
Crack	116	109	67	64	12	21
Heroin	57	49	35	21	11	13
Hallucinogens	924 ^a	787	596 ^a	488	151	154
LSD	482 ^b	271	206 ^b	84	37	31
PCP	144	120	59	46	5 ^a	18
Ecstasy	598 ^b	416	377 ^b	222	85	61
Inhalants	924	957	340	353	50 ^a	83
Nonmedical Use of Any Psychotherapeutic ²	1,746	1,721	1,210	1,195	499	508
Pain Relievers	1,450	1,423	992	991	384	395
Tranquilizers	527	579	354	377	112	136
Stimulants	607	590	364	325	124	131
Methamphetamine	227	211	135	101	42	45
Sedatives	115	117	68	56	19	24
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	2,410	2,401	1,613	1,588	678	667

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.7B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	47.1	46.1	35.5	34.6	19.8	19.2
Marijuana and Hashish	38.6	37.2	29.0	28.1	15.7	15.6
Cocaine	6.2	5.5	4.6 ^a	3.7	1.3	1.2
Crack	1.5	1.3	0.8	0.8	0.2	0.3
Heroin	0.7	0.6	0.4	0.2	0.1	0.2
Hallucinogens	11.5 ^b	9.5	7.5 ^b	5.9	1.9	1.9
LSD	6.0 ^b	3.3	2.6 ^b	1.0	0.5	0.4
PCP	1.8	1.5	0.7	0.6	0.1 ^a	0.2
Ecstasy	7.5 ^b	5.0	4.7 ^b	2.7	1.1	0.7
Inhalants	11.6	11.6	4.2	4.3	0.6 ^a	1.0
Nonmedical Use of Any Psychotherapeutic ²	21.8	20.8	15.1	14.4	6.2	6.1
Pain Relievers	18.1	17.2	12.4	12.0	4.8	4.8
Tranquilizers	6.6	7.0	4.4	4.6	1.4	1.6
Stimulants	7.6	7.1	4.5	3.9	1.6	1.6
Methamphetamine	2.8	2.5	1.7	1.2	0.5	0.5
Sedatives	1.4	1.4	0.9	0.7	0.2	0.3
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	30.1	29.0	20.2	19.2	8.5	8.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.8A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	7,117	7,226	4,911	4,936	2,797	2,922
Marijuana and Hashish	6,287	6,316	4,152	4,134	2,434	2,491
Cocaine	1,468	1,480	821	845	244	274
Crack	327	353	104	124	17	32
Heroin	143	135	63	44	21	15
Hallucinogens	2,646	2,409	1,283 ^a	1,100	309	290
LSD	1,538 ^b	1,235	331 ^b	193	18 ^a	43
PCP	321	323	69	66	6	10
Ecstasy	1,706	1,575	873 ^b	566	171 ^a	116
Inhalants	1,720	1,732	396	379	74	80
Nonmedical Use of Any Psychotherapeutic ²	3,286	3,523	1,946	2,082	750	869
Pain Relievers	2,695 ^a	2,961	1,602	1,744	581 ^a	703
Tranquilizers	1,211	1,342	624	708	199	206
Stimulants	1,254	1,184	544	503	177	168
Methamphetamine	545	496	218	194	64	63
Sedatives	201	163	55	61	20	22
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	4,625	4,671	2,756	2,812	1,066 ^a	1,222

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.8B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	57.2	57.7	39.5	39.4	22.5	23.3
Marijuana and Hashish	50.5	50.4	33.4	33.0	19.6	19.9
Cocaine	11.8	11.8	6.6	6.8	2.0	2.2
Crack	2.6	2.8	0.8	1.0	0.1	0.3
Heroin	1.1	1.1	0.5	0.4	0.2	0.1
Hallucinogens	21.3 ^a	19.2	10.3 ^a	8.8	2.5	2.3
LSD	12.4 ^b	9.9	2.7 ^b	1.5	0.1 ^a	0.3
PCP	2.6	2.6	0.6	0.5	0.0	0.1
Ecstasy	13.7	12.6	7.0 ^b	4.5	1.4 ^a	0.9
Inhalants	13.8	13.8	3.2	3.0	0.6	0.6
Nonmedical Use of Any Psychotherapeutic ²	26.4	28.1	15.6	16.6	6.0	6.9
Pain Relievers	21.6 ^a	23.6	12.9	13.9	4.7 ^a	5.6
Tranquilizers	9.7	10.7	5.0	5.7	1.6	1.6
Stimulants	10.1	9.5	4.4	4.0	1.4	1.3
Methamphetamine	4.4	4.0	1.8	1.5	0.5	0.5
Sedatives	1.6	1.3	0.4	0.5	0.2	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	37.2	37.3	22.1	22.5	8.6 ^a	9.8

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.9A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	11,445	11,968	6,089	6,040	3,467	3,512
Marijuana and Hashish	10,393	10,787	5,086	4,911	2,942	2,909
Cocaine	3,318	3,275	1,266	1,252	387	422
Crack	855	840	163	151	36	22
Heroin	344	381	58	52	18	10
Hallucinogens	4,871	4,968	1,327 ^b	1,012	280	255
LSD	3,390	3,215	222 ^a	143	18	24
PCP	513 ^a	625	25	51	9	20
Ecstasy	2,968	3,108	912 ^b	598	185 ^b	114
Inhalants	3,148	2,996	289	283	76	54
Nonmedical Use of Any Psychotherapeutic ²	5,300 ^a	5,688	2,465	2,516	933	1,044
Pain Relievers	4,159 ^a	4,552	1,938	2,059	681	782
Tranquilizers	2,263 ^a	2,556	885	974	289	319
Stimulants	2,086	2,236	600	611	209	232
Methamphetamine	1,211	1,154	306	312	96	122
Sedatives	447	401	107	95	29	37
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	7,812	8,098	3,522	3,453	1,394	1,443

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.9B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	61.6	62.3	32.8	31.4	18.7	18.3
Marijuana and Hashish	55.9	56.2	27.4 ^a	25.6	15.8	15.1
Cocaine	17.9	17.1	6.8	6.5	2.1	2.2
Crack	4.6	4.4	0.9	0.8	0.2	0.1
Heroin	1.9	2.0	0.3	0.3	0.1	0.1
Hallucinogens	26.2	25.9	7.1 ^b	5.3	1.5	1.3
LSD	18.2 ^a	16.7	1.2 ^b	0.7	0.1	0.1
PCP	2.8	3.3	0.1	0.3	0.0	0.1
Ecstasy	16.0	16.2	4.9 ^b	3.1	1.0 ^b	0.6
Inhalants	16.9 ^a	15.6	1.6	1.5	0.4	0.3
Nonmedical Use of Any Psychotherapeutic ²	28.5	29.6	13.3	13.1	5.0	5.4
Pain Relievers	22.4	23.7	10.4	10.7	3.7	4.1
Tranquilizers	12.2 ^a	13.3	4.8	5.1	1.6	1.7
Stimulants	11.2	11.6	3.2	3.2	1.1	1.2
Methamphetamine	6.5	6.0	1.6	1.6	0.5	0.6
Sedatives	2.4	2.1	0.6	0.5	0.2	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	42.0	42.2	19.0	18.0	7.5	7.5

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.10A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	20,506	20,018	6,851	6,828	3,699	3,753
Marijuana and Hashish	18,340	17,834	4,997	5,044	2,721	2,939
Cocaine	6,189	6,312	1,280	1,419	429	519
Crack	1,892	1,928	367	316	74	142
Heroin	534	584	52	51	26	23
Hallucinogens	7,259	7,085	728	748	190	164
LSD	5,391	5,266	81	45	15	10
PCP	891	694	31	10	20	5
Ecstasy	2,720 ^a	3,251	579	468	110	112
Inhalants	4,945	4,759	129	90	43	12
Nonmedical Use of Any Psychotherapeutic ²	8,576	8,619	2,907	2,945	1,274	1,192
Pain Relievers	5,828	6,289	2,146	2,250	874	880
Tranquilizers	3,435	3,833	914	1,023	385	297
Stimulants	3,506	3,143	617	429	294	269
Methamphetamine	2,355	2,153	346	284	174	166
Sedatives	803	664	163	117	104	43
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	13,665	13,181	3,884	3,995	1,697	1,632

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.10B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	58.3	57.3	19.5	19.5	10.5	10.7
Marijuana and Hashish	52.2	51.0	14.2	14.4	7.7	8.4
Cocaine	17.6	18.1	3.6	4.1	1.2	1.5
Crack	5.4	5.5	1.0	0.9	0.2	0.4
Heroin	1.5	1.7	0.1	0.1	0.1	0.1
Hallucinogens	20.6	20.3	2.1	2.1	0.5	0.5
LSD	15.3	15.1	0.2	0.1	0.0	0.0
PCP	2.5	2.0	0.1	0.0	0.1	0.0
Ecstasy	7.7 ^a	9.3	1.6	1.3	0.3	0.3
Inhalants	14.1	13.6	0.4	0.3	0.1	0.0
Nonmedical Use of Any Psychotherapeutic ²	24.4	24.7	8.3	8.4	3.6	3.4
Pain Relievers	16.6	18.0	6.1	6.4	2.5	2.5
Tranquilizers	9.8	11.0	2.6	2.9	1.1	0.9
Stimulants	10.0	9.0	1.8	1.2	0.8	0.8
Methamphetamine	6.7	6.2	1.0	0.8	0.5	0.5
Sedatives	2.3	1.9	0.5	0.3	0.3	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	38.9	37.7	11.0	11.4	4.8	4.7

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.11A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	61,544	63,362	11,788	11,734	6,680	6,471
Marijuana and Hashish	54,822	56,786	7,615	7,398	4,463	4,329
Cocaine	22,264	23,175	2,027	1,953	814	912
Crack	5,165	4,670	821	720	414	375
Heroin	2,553	2,565	179	131	90	53
Hallucinogens	18,119	18,651	466	298	163	74
LSD	13,526	14,311	50	28	*	*
PCP	5,461	5,261	*	*	*	*
Ecstasy	1,936	2,368	257	158	87	36
Inhalants	10,453	10,838	191	205	140	104
Nonmedical Use of Any Psychotherapeutic ²	26,006	26,701	5,079	5,153	2,275	2,234
Pain Relievers	14,155	14,607	3,436	3,700	1,447	1,526
Tranquilizers	11,525	11,614	1,858	1,760	744	781
Stimulants	13,152	13,228	770	639	337	301
Methamphetamine	7,906	8,173	445	351	201	187
Sedatives	8,272	8,033	518	426	236	146
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	38,913	39,858	6,924	6,693	3,200	3,135

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.11B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	42.7	43.4	8.2	8.0	4.6	4.4
Marijuana and Hashish	38.0	38.9	5.3	5.1	3.1	3.0
Cocaine	15.4	15.9	1.4	1.3	0.6	0.6
Crack	3.6	3.2	0.6	0.5	0.3	0.3
Heroin	1.8	1.8	0.1	0.1	0.1	0.0
Hallucinogens	12.6	12.8	0.3	0.2	0.1	0.1
LSD	9.4	9.8	0.0	0.0	*	*
PCP	3.8	3.6	*	*	*	*
Ecstasy	1.3	1.6	0.2	0.1	0.1	0.0
Inhalants	7.2	7.4	0.1	0.1	0.1	0.1
Nonmedical Use of Any Psychotherapeutic ²	18.0	18.3	3.5	3.5	1.6	1.5
Pain Relievers	9.8	10.0	2.4	2.5	1.0	1.0
Tranquilizers	8.0	8.0	1.3	1.2	0.5	0.5
Stimulants	9.1	9.1	0.5	0.4	0.2	0.2
Methamphetamine	5.5	5.6	0.3	0.2	0.1	0.1
Sedatives	5.7	5.5	0.4	0.3	0.2	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	27.0	27.3	4.8	4.6	2.2	2.1

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.12A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	100,612	102,574	29,638	29,538	16,644	16,659
Marijuana and Hashish	89,842	91,723	21,850	21,486	12,561	12,667
Cocaine	33,239	34,243	5,394	5,470	1,874	2,128
Crack	8,239	7,792	1,454	1,310	541	572
Heroin	3,574	3,664	353	278	155	101
Hallucinogens	32,895	33,113	3,804 ^b	3,158	941	783
LSD	23,845	24,027	684 ^b	409	51	82
PCP	7,185	6,903	126	130	35	35
Ecstasy	9,330 ^a	10,301	2,621 ^b	1,790	553 ^a	379
Inhalants	20,265	20,325	1,005	956	334	250
Nonmedical Use of Any Psychotherapeutic ²	43,169	44,530	12,397	12,697	5,231	5,339
Pain Relievers	26,836 ^a	28,409	9,122	9,753	3,583	3,892
Tranquilizers	18,433	19,346	4,281	4,465	1,617	1,604
Stimulants	19,998	19,791	2,531	2,183	1,017	970
Methamphetamine	12,017	11,976	1,315	1,141	535	538
Sedatives	9,723	9,261	843	700	389	247
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	65,014	65,809	17,086	16,954	7,356	7,432

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.12B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	47.8	48.2	14.1	13.9	7.9	7.8
Marijuana and Hashish	42.7	43.1	10.4	10.1	6.0	6.0
Cocaine	15.8	16.1	2.6	2.6	0.9	1.0
Crack	3.9	3.7	0.7	0.6	0.3	0.3
Heroin	1.7	1.7	0.2	0.1	0.1	0.0
Hallucinogens	15.6	15.6	1.8 ^b	1.5	0.4	0.4
LSD	11.3	11.3	0.3 ^b	0.2	0.0	0.0
PCP	3.4	3.2	0.1	0.1	0.0	0.0
Ecstasy	4.4 ^a	4.8	1.2 ^b	0.8	0.3 ^a	0.2
Inhalants	9.6	9.6	0.5	0.4	0.2	0.1
Nonmedical Use of Any Psychotherapeutic ²	20.5	20.9	5.9	6.0	2.5	2.5
Pain Relievers	12.8	13.4	4.3	4.6	1.7	1.8
Tranquilizers	8.8	9.1	2.0	2.1	0.8	0.8
Stimulants	9.5	9.3	1.2	1.0	0.5	0.5
Methamphetamine	5.7	5.6	0.6	0.5	0.3	0.3
Sedatives	4.6	4.4	0.4	0.3	0.2	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	30.9	30.9	8.1	8.0	3.5	3.5

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.13A Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	57,573	58,827	19,974	19,820	11,686	11,462
Marijuana and Hashish	51,189	52,415	15,499	15,169	9,202	9,290
Cocaine	20,325	20,988	3,960	3,904	1,364	1,541
Crack	5,408	5,320	1,083	944	400	469
Heroin	2,634	2,487	291	222	130	73
Hallucinogens	20,055	20,415	2,819 ^a	2,428	770	659
LSD	14,800	15,073	617 ^b	352	65	96
PCP	4,736	4,597	125	121	37	37
Ecstasy	5,771	6,125	1,793 ^b	1,195	432 ^b	231
Inhalants	15,012	14,875	1,313	1,189	407	331
Nonmedical Use of Any Psychotherapeutic ²	24,371	24,844	7,472	7,559	3,086	3,123
Pain Relievers	16,237	16,824	5,917	6,121	2,303	2,416
Tranquilizers	10,051	10,159	2,390	2,498	829	818
Stimulants	11,703	11,273	1,659	1,399	652	633
Methamphetamine	7,401	7,363	859	778	343	398
Sedatives	5,653	5,590	490	323	196 ^a	99
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	37,999	38,730	11,184	11,050	4,837	4,830

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.13B Illicit Drug Use in Lifetime, Past Year, and Past Month among Males: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	50.7	51.2	17.6	17.2	10.3	10.0
Marijuana and Hashish	45.1	45.6	13.6	13.2	8.1	8.1
Cocaine	17.9	18.3	3.5	3.4	1.2	1.3
Crack	4.8	4.6	1.0	0.8	0.4	0.4
Heroin	2.3	2.2	0.3	0.2	0.1	0.1
Hallucinogens	17.7	17.8	2.5 ^a	2.1	0.7	0.6
LSD	13.0	13.1	0.5 ^b	0.3	0.1	0.1
PCP	4.2	4.0	0.1	0.1	0.0	0.0
Ecstasy	5.1	5.3	1.6 ^b	1.0	0.4 ^b	0.2
Inhalants	13.2	12.9	1.2	1.0	0.4	0.3
Nonmedical Use of Any Psychotherapeutic ²	21.5	21.6	6.6	6.6	2.7	2.7
Pain Relievers	14.3	14.6	5.2	5.3	2.0	2.1
Tranquilizers	8.8	8.8	2.1	2.2	0.7	0.7
Stimulants	10.3	9.8	1.5	1.2	0.6	0.6
Methamphetamine	6.5	6.4	0.8	0.7	0.3	0.3
Sedatives	5.0	4.9	0.4	0.3	0.2 ^a	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	33.4	33.7	9.8	9.6	4.3	4.2

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.14A Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	50,681	51,379	15,158	15,173	7,836	8,008
Marijuana and Hashish	43,757	44,195	10,256	10,061	5,382	5,348
Cocaine	13,585	13,903	1,941	2,004	656	739
Crack	2,994	2,629	471	462	167	135
Heroin	1,034	1,258	113	92	36	46
Hallucinogens	14,259	13,947	1,930 ^b	1,507	426	383
LSD	9,716	9,351	381 ^b	207	47	37
PCP	2,682	2,510	111	98	21	19
Ecstasy	4,379	4,779	1,374 ^b	924	244	239
Inhalants	7,858	8,120	771	886	228	239
Nonmedical Use of Any Psychotherapeutic ²	22,187	23,038	7,208	7,427	3,125	3,213
Pain Relievers	13,374	14,383	5,075	5,549	2,075	2,277
Tranquilizers	9,216	10,061	2,458	2,553	975	1,012
Stimulants	9,369	9,525	1,522	1,352	566	558
Methamphetamine	4,982	4,941	682	537	254	210
Sedatives	4,308	3,921	490	509	241	195
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	32,301	32,398	9,239	9,255	3,940	4,019

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.14B Illicit Drug Use in Lifetime, Past Year, and Past Month among Females: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	41.7	41.9	12.5	12.4	6.4	6.5
Marijuana and Hashish	36.0	36.0	8.4	8.2	4.4	4.4
Cocaine	11.2	11.3	1.6	1.6	0.5	0.6
Crack	2.5	2.1	0.4	0.4	0.1	0.1
Heroin	0.9	1.0	0.1	0.1	0.0	0.0
Hallucinogens	11.7	11.4	1.6 ^b	1.2	0.4	0.3
LSD	8.0	7.6	0.3 ^b	0.2	0.0	0.0
PCP	2.2	2.0	0.1	0.1	0.0	0.0
Ecstasy	3.6	3.9	1.1 ^b	0.8	0.2	0.2
Inhalants	6.5	6.6	0.6	0.7	0.2	0.2
Nonmedical Use of Any Psychotherapeutic ²	18.3	18.8	5.9	6.1	2.6	2.6
Pain Relievers	11.0	11.7	4.2	4.5	1.7	1.9
Tranquilizers	7.6	8.2	2.0	2.1	0.8	0.8
Stimulants	7.7	7.8	1.3	1.1	0.5	0.5
Methamphetamine	4.1	4.0	0.6	0.4	0.2	0.2
Sedatives	3.5	3.2	0.4	0.4	0.2	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	26.6	26.4	7.6	7.5	3.2	3.3

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.15A Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	4,035	3,968	2,842	2,776	1,560	1,457
Marijuana and Hashish	2,714	2,569	2,064	1,955	1,152	1,093
Cocaine	337	319	263	222	77	70
Crack	61	89	36	47	10	22
Heroin	34	34	20	17	6	8
Hallucinogens	740 ^a	618	501 ^b	386	130	138
LSD	364 ^b	206	183 ^b	73	37	27
PCP	106	100	46	44	11	14
Ecstasy	376 ^b	257	262 ^b	142	58	37
Inhalants	1,426	1,390	586	554	159	139
Nonmedical Use of Any Psychotherapeutic ²	1,641	1,631	1,091	1,088	456	478
Pain Relievers	1,362	1,391	913	930	376	385
Tranquilizers	385	398	249	258	70 ^a	111
Stimulants	463	463	292	250	103	107
Methamphetamine	137	149	91	78	36	32
Sedatives	84 ^a	126	45	67	6 ^a	27
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	2,726	2,711	1,683	1,637	705	682

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.15B Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 to 17: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	31.9	31.1	22.5	21.7	12.3	11.4
Marijuana and Hashish	21.5	20.1	16.3	15.3	9.1	8.6
Cocaine	2.7	2.5	2.1	1.7	0.6	0.5
Crack	0.5	0.7	0.3	0.4	0.1	0.2
Heroin	0.3	0.3	0.2	0.1	0.0	0.1
Hallucinogens	5.8 ^b	4.8	4.0 ^b	3.0	1.0	1.1
LSD	2.9 ^b	1.6	1.5 ^b	0.6	0.3	0.2
PCP	0.8	0.8	0.4	0.3	0.1	0.1
Ecstasy	3.0 ^b	2.0	2.1 ^b	1.1	0.5	0.3
Inhalants	11.3	10.9	4.6	4.3	1.3	1.1
Nonmedical Use of Any Psychotherapeutic ²	13.0	12.8	8.6	8.5	3.6	3.7
Pain Relievers	10.8	10.9	7.2	7.3	3.0	3.0
Tranquilizers	3.0	3.1	2.0	2.0	0.6 ^a	0.9
Stimulants	3.7	3.6	2.3	2.0	0.8	0.8
Methamphetamine	1.1	1.2	0.7	0.6	0.3	0.3
Sedatives	0.7 ^a	1.0	0.4	0.5	0.0 ^a	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	21.6	21.2	13.3	12.8	5.6	5.3

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.16A Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	3,607	3,663	2,652	2,679	1,318	1,355
Marijuana and Hashish	2,391	2,318	1,841	1,790	871	878
Cocaine	333	330	245	216	68	83
Crack	102 ^a	68	64	48	16	10
Heroin	60	45	31	19	5	10
Hallucinogens	680	632	444	392	126	122
LSD	306 ^b	191	131 ^b	76	23	23
PCP	127	104	64	44	11	6
Ecstasy	444 ^a	346	285 ^b	188	66	54
Inhalants	1,179	1,281	492	565	143	181
Nonmedical Use of Any Psychotherapeutic ²	1,748	1,721	1,192	1,201	523	518
Pain Relievers	1,412	1,407	957	987	418	416
Tranquilizers	450	476	319	328	117	115
Stimulants	611	544	358	318	98	114
Methamphetamine	229	179	134	95	26	37
Sedatives	154	123	93	64	41 ^a	20
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	2,559	2,607	1,655	1,714	715	735

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.16B Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 to 17: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	29.8	30.0	21.9	21.9	10.9	11.1
Marijuana and Hashish	19.7	19.0	15.2	14.6	7.2	7.2
Cocaine	2.8	2.7	2.0	1.8	0.6	0.7
Crack	0.8 ^a	0.6	0.5	0.4	0.1	0.1
Heroin	0.5	0.4	0.3	0.2	0.0	0.1
Hallucinogens	5.6	5.2	3.7	3.2	1.0	1.0
LSD	2.5 ^b	1.6	1.1 ^b	0.6	0.2	0.2
PCP	1.0	0.8	0.5	0.4	0.1	0.1
Ecstasy	3.7 ^b	2.8	2.4 ^b	1.5	0.5	0.4
Inhalants	9.7	10.5	4.1	4.6	1.2	1.5
Nonmedical Use of Any Psychotherapeutic ²	14.4	14.1	9.8	9.8	4.3	4.2
Pain Relievers	11.7	11.5	7.9	8.1	3.5	3.4
Tranquilizers	3.7	3.9	2.6	2.7	1.0	0.9
Stimulants	5.0	4.4	3.0	2.6	0.8	0.9
Methamphetamine	1.9 ^a	1.5	1.1 ^a	0.8	0.2	0.3
Sedatives	1.3	1.0	0.8	0.5	0.3 ^a	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	21.1	21.3	13.7	14.0	5.9	6.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.17A Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	9,717	10,125	6,095	6,150	3,724	3,828
Marijuana and Hashish	8,723	9,104	5,251	5,257	3,262	3,340
Cocaine	2,813	2,777	1,304	1,313	403	454
Crack	741	738	173	174	38	40
Heroin	282	325	79	60	31	14
Hallucinogens	4,144	4,156	1,532 ^a	1,325	393	367
LSD	2,772	2,642	342 ^a	242	13 ^b	57
PCP	503 ^a	609	49	74	7	23
Ecstasy	2,516	2,473	992 ^b	646	236 ^b	119
Inhalants	2,958	2,892	471	420	104	95
Nonmedical Use of Any Psychotherapeutic ²	4,600	4,880	2,371	2,461	912 ^a	1,083
Pain Relievers	3,768 ^b	4,160	1,961	2,100	719 ^a	839
Tranquilizers	1,909	2,078	825	907	269	303
Stimulants	1,784	1,845	616	627	210	255
Methamphetamine	894	926	277	299	85 ^a	137
Sedatives	363	300	94	80	33	34
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	6,708	6,880	3,484	3,515	1,431	1,563

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.17B Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 18 to 25: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	62.6	63.6	39.3	38.6	24.0	24.0
Marijuana and Hashish	56.2	57.2	33.8	33.0	21.0	21.0
Cocaine	18.1	17.4	8.4	8.2	2.6	2.9
Crack	4.8	4.6	1.1	1.1	0.2	0.3
Heroin	1.8	2.0	0.5	0.4	0.2	0.1
Hallucinogens	26.7	26.1	9.9 ^b	8.3	2.5	2.3
LSD	17.9	16.6	2.2 ^a	1.5	0.1 ^b	0.4
PCP	3.2	3.8	0.3	0.5	0.0	0.1
Ecstasy	16.2	15.5	6.4 ^b	4.1	1.5 ^b	0.7
Inhalants	19.0	18.2	3.0	2.6	0.7	0.6
Nonmedical Use of Any Psychotherapeutic ²	29.6	30.7	15.3	15.5	5.9 ^a	6.8
Pain Relievers	24.3 ^a	26.1	12.6	13.2	4.6	5.3
Tranquilizers	12.3	13.1	5.3	5.7	1.7	1.9
Stimulants	11.5	11.6	4.0	3.9	1.4	1.6
Methamphetamine	5.8	5.8	1.8	1.9	0.5 ^a	0.9
Sedatives	2.3	1.9	0.6	0.5	0.2	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	43.2	43.2	22.4	22.1	9.2	9.8

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.18A Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: Numbers in Thousands, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	8,845	9,070	4,904	4,826	2,540	2,607
Marijuana and Hashish	7,957	7,999	3,987	3,788	2,113	2,059
Cocaine	1,973	1,978	783	784	227	242
Crack	441	455	94	100	15	15
Heroin	205	191	42	36	9	11
Hallucinogens	3,372	3,221	1,079 ^b	787	196	177
LSD	2,156 ^b	1,808	211 ^b	95	23	10
PCP	331	339	46	43	8	8
Ecstasy	2,158	2,210	792 ^b	518	119	111
Inhalants	1,909	1,837	215	242	46	39
Nonmedical Use of Any Psychotherapeutic ²	3,987 ^a	4,330	2,040	2,137	770	830
Pain Relievers	3,086 ^a	3,353	1,579	1,703	543 ^a	647
Tranquilizers	1,564 ^b	1,820	685	775	218	223
Stimulants	1,556	1,575	528	487	176	145
Methamphetamine	862 ^a	724	248	206	75	48
Sedatives	285	264	68	76	16	24
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	5,728	5,890	2,794	2,751	1,028	1,102

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.18B Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 18 to 25: Percentages, 2002 and 2003

Drug	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	57.1	57.4	31.6	30.5	16.4	16.5
Marijuana and Hashish	51.3	50.6	25.7 ^a	24.0	13.6	13.0
Cocaine	12.7	12.5	5.1	5.0	1.5	1.5
Crack	2.8	2.9	0.6	0.6	0.1	0.1
Heroin	1.3	1.2	0.3	0.2	0.1	0.1
Hallucinogens	21.8	20.4	7.0 ^b	5.0	1.3	1.1
LSD	13.9 ^b	11.4	1.4 ^b	0.6	0.2	0.1
PCP	2.1	2.1	0.3	0.3	0.1	0.0
Ecstasy	13.9	14.0	5.1 ^b	3.3	0.8	0.7
Inhalants	12.3	11.6	1.4	1.5	0.3	0.2
Nonmedical Use of Any Psychotherapeutic ²	25.7 ^a	27.4	13.2	13.5	5.0	5.2
Pain Relievers	19.9	21.2	10.2	10.8	3.5	4.1
Tranquilizers	10.1 ^b	11.5	4.4	4.9	1.4	1.4
Stimulants	10.0	10.0	3.4	3.1	1.1	0.9
Methamphetamine	5.6 ^b	4.6	1.6	1.3	0.5	0.3
Sedatives	1.8	1.7	0.4	0.5	0.1	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	37.0	37.3	18.0	17.4	6.6	7.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.