

Table 1.63A Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	29,611 ^a	31,207	10,992	11,671	4,377	4,693
AGE						
12-17	2,775	2,798	1,870	1,917	794	801
18-25	6,854 ^b	7,513	3,540	3,803	1,262 ^b	1,486
26 or Older	19,983	20,896	5,582	5,950	2,321	2,406
GENDER						
Male	16,237	16,824	5,917	6,121	2,303	2,416
Female	13,374	14,383	5,075	5,549	2,075	2,277
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	26,413	27,726	9,395	10,030	3,703	3,996
White	22,459 ^a	23,898	7,931	8,565	3,093	3,327
Black or African American	2,595	2,545	961	993	454	444
American Indian or Alaska Native	261	253	75	83	23	49
Native Hawaiian or Other Pacific Islander	126 ^a	48	67	24	21	12
Asian	637	534	231	261	52	122
Two or More Races	335	448	132	104	60	43
Hispanic or Latino	3,198	3,481	1,596	1,640	674	697

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.63B Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	12.6	13.1	4.7	4.9	1.9	2.0
AGE						
12-17	11.2	11.2	7.6	7.7	3.2	3.2
18-25	22.1 ^b	23.7	11.4	12.0	4.1 ^a	4.7
26 or Older	11.1	11.5	3.1	3.3	1.3	1.3
GENDER						
Male	14.3	14.6	5.2	5.3	2.0	2.1
Female	11.0	11.7	4.2	4.5	1.7	1.9
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	12.8	13.3	4.6	4.8	1.8	1.9
White	13.6 ^a	14.4	4.8	5.2	1.9	2.0
Black or African American	9.7	9.3	3.6	3.6	1.7	1.6
American Indian or Alaska Native	17.7	20.2	5.0	6.6	1.6	3.9
Native Hawaiian or Other Pacific Islander	15.4	9.8	8.2	4.8	2.6	2.5
Asian	7.0	5.5	2.5	2.7	0.6	1.2
Two or More Races	13.3	17.4	5.3	4.1	2.4	1.7
Hispanic or Latino	11.0	11.6	5.5	5.5	2.3	2.3

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.64A Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	2,775	2,798	1,870	1,917	794	801
GENDER						
Male	1,362	1,391	913	930	376	385
Female	1,412	1,407	957	987	418	416
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,305	2,331	1,565	1,624	664	678
White	1,847	1,845	1,274	1,298	538	517
Black or African American	321	360	200	236	89	114
American Indian or Alaska Native	36	27	25	21	8	9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	47	51	32	32	21	16
Two or More Races	34	38	25	30	7	17
Hispanic or Latino	469	468	305	293	130	123
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	916	938	625	634	262	265
Female, White, Not Hispanic	932	907	648	664	276	252
Male, Black, Not Hispanic	143	171	88	111	34	44
Female, Black, Not Hispanic	178	189	112	125	55	70
Male, Hispanic	234	217	157	139	66	52
Female, Hispanic	235	250	147	154	64	70

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.64B Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	11.2	11.2	7.6	7.7	3.2	3.2
GENDER						
Male	10.8	10.9	7.2	7.3	3.0	3.0
Female	11.7	11.5	7.9	8.1	3.5	3.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino						
White	11.1	11.1	7.5	7.8	3.2	3.2
Black or African American	11.9	11.9	8.2	8.3	3.5	3.3
American Indian or Alaska Native	8.9	9.6	5.5	6.3	2.5	3.1
Native Hawaiian or Other Pacific Islander	19.1	15.4	13.1	12.0	4.1	5.0
Asian	*	*	*	*	*	*
Two or More Races	4.7	5.3	3.2	3.3	2.1	1.6
Hispanic or Latino	8.7	9.4	6.4	7.5	1.7	4.2
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	11.9	11.5	7.8	7.2	3.3	3.0
Female, White, Not Hispanic	11.5	11.8	7.8	7.9	3.3	3.3
Male, Black, Not Hispanic	12.3	12.0	8.6	8.8	3.7	3.3
Female, Black, Not Hispanic	7.9	9.1	4.9	5.9	1.9	2.3
Male, Hispanic	9.9	10.2	6.2	6.7	3.1	3.8
Female, Hispanic	11.7	10.5	7.8	6.7	3.3	2.5
	12.2	12.6	7.7	7.7	3.3	3.5

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.65A Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	6,854 ^b	7,513	3,540	3,803	1,262 ^b	1,486
GENDER						
Male	3,768 ^b	4,160	1,961	2,100	719 ^a	839
Female	3,086 ^a	3,353	1,579	1,703	543 ^a	647
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	5,998 ^b	6,503	3,124	3,301	1,091 ^b	1,297
White	5,188 ^a	5,612	2,725	2,887	929 ^b	1,124
Black or African American	500	505	248	234	119	100
American Indian or Alaska Native	*	59	*	26	*	14
Native Hawaiian or Other Pacific Islander	*	*	12	*	*	*
Asian	114 ^a	187	47 ^a	92	5 ^b	39
Two or More Races	100	115	59	46	23	13
Hispanic or Latino	856 ^a	1,010	416	502	171	189
EDUCATION						
< High School	1,555 ^b	1,814	861	969	320 ^a	407
High School Graduate	2,356 ^a	2,626	1,134 ^a	1,326	442 ^a	550
Some College	2,274	2,298	1,225	1,162	399	411
College Graduate	669	775	320	346	100	118
CURRENT EMPLOYMENT						
Full-Time	3,342 ^a	3,621	1,644	1,734	575 ^a	684
Part-Time	1,629 ^a	1,850	889 ^a	1,035	301 ^a	380
Unemployed	627	731	354	391	142	170
Other ¹	1,256	1,311	653	642	245	252

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.65B Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	22.1 ^b	23.7	11.4	12.0	4.1 ^a	4.7
GENDER						
Male	24.3 ^a	26.1	12.6	13.2	4.6	5.3
Female	19.9	21.2	10.2	10.8	3.5	4.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	23.5 ^a	24.9	12.2	12.7	4.3 ^b	5.0
White	26.9 ^a	28.6	14.1	14.7	4.8 ^b	5.7
Black or African American	12.3	11.8	6.1	5.5	2.9	2.3
American Indian or Alaska Native	*	32.2	*	14.4	*	7.8
Native Hawaiian or Other Pacific Islander	*	*	7.1	*	*	*
Asian	8.3 ^a	12.9	3.4 ^a	6.4	0.4 ^b	2.7
Two or More Races	24.8	31.6	14.7	12.6	5.7	3.6
Hispanic or Latino	15.6	17.8	7.6	8.9	3.1	3.3
EDUCATION						
< High School	22.6 ^b	26.4	12.5	14.1	4.7 ^a	5.9
High School Graduate	22.3	23.9	10.7 ^a	12.1	4.2	5.0
Some College	23.3	23.2	12.5	11.7	4.1	4.2
College Graduate	17.6	19.5	8.4	8.7	2.6	3.0
CURRENT EMPLOYMENT						
Full-Time	23.1 ^a	24.9	11.3	11.9	4.0 ^a	4.7
Part-Time	20.6 ^a	22.6	11.2	12.7	3.8	4.6
Unemployed	25.5	27.1	14.4	14.5	5.8	6.3
Other ¹	20.4	20.9	10.6	10.2	4.0	4.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.66A Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	19,983	20,896	5,582	5,950	2,321	2,406
GENDER						
Male	11,106	11,273	3,043	3,091	1,208	1,191
Female	8,876	9,623	2,539	2,860	1,113	1,215
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	18,110	18,892	4,706	5,105	1,948	2,021
White	15,423	16,440	3,932	4,380	1,626	1,685
Black or African American	1,774	1,680	513	523	246	229
American Indian or Alaska Native	*	*	16	36	2	26
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	476	296	151	136	26	67
Two or More Races	200	296	48	29	30	13
Hispanic or Latino	1,873	2,004	876	845	374	385
EDUCATION						
< High School	2,943	3,290	1,043	1,132	480	518
High School Graduate	6,388	6,585	1,840	1,865	775	798
Some College	5,844	5,898	1,561	1,709	662	684
College Graduate	4,807	5,123	1,138	1,245	404	406
CURRENT EMPLOYMENT						
Full-Time	13,817	14,145	3,704	3,769	1,475	1,194
Part-Time	2,037	2,532	554	784	232	387
Unemployed	883	1,048	421	376	150	191
Other ¹	3,245	3,170	904	1,021	465	634

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.66B Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	11.1	11.5	3.1	3.3	1.3	1.3
GENDER						
Male	13.0	13.1	3.6	3.6	1.4	1.4
Female	9.4	10.2	2.7	3.0	1.2	1.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	11.3	11.7	2.9	3.2	1.2	1.3
White	11.8	12.5	3.0	3.3	1.2	1.3
Black or African American	9.3	8.6	2.7	2.7	1.3	1.2
American Indian or Alaska Native	*	*	1.5	4.0	0.2	2.9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	7.1	4.0	2.3	1.9	0.4	0.9
Two or More Races	11.7	16.3	2.8	1.6	1.8	0.7
Hispanic or Latino	9.5	9.9	4.5	4.2	1.9	1.9
EDUCATION						
< High School	9.7	10.6	3.4	3.6	1.6	1.7
High School Graduate	11.1	11.7	3.2	3.3	1.4	1.4
Some College	13.7	13.8	3.6	4.0	1.5	1.6
College Graduate	9.8	10.0	2.3	2.4	0.8	0.8
CURRENT EMPLOYMENT						
Full-Time	13.5	13.8	3.6	3.7	1.4	1.2
Part-Time	10.4	12.4	2.8	3.8	1.2	1.9
Unemployed	17.2	19.4	8.2	7.0	2.9	3.5
Other ¹	6.2	6.0	1.7	1.9	0.9	1.2

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.67A Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	26,836 ^a	28,409	9,122	9,753	3,583	3,892
GENDER						
Male	14,875	15,433	5,004	5,191	1,927	2,030
Female	11,962	12,976	4,118	4,562	1,656	1,861
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	24,107	25,395	7,831	8,406	3,039	3,318
White	20,612 ^a	22,052	6,657	7,267	2,555	2,810
Black or African American	2,274	2,185	760	757	365	329
American Indian or Alaska Native	225	226	50	62	16	40
Native Hawaiian or Other Pacific Islander	106 ^a	39	58	17	19	7
Asian	590	483	198	228	30	106
Two or More Races	300	411	107	74	53	26
Hispanic or Latino	2,729	3,014	1,291	1,347	544	574
EDUCATION						
< High School	4,498 ^a	5,103	1,905	2,101	801	925
High School Graduate	8,745	9,212	2,974	3,191	1,218	1,347
Some College	8,118	8,196	2,785	2,871	1,061	1,095
College Graduate	5,476	5,898	1,458	1,591	504	525
CURRENT EMPLOYMENT						
Full-Time	17,160	17,766	5,348	5,503	2,049	1,878
Part-Time	3,666 ^a	4,382	1,443 ^a	1,820	532 ^a	767
Unemployed	1,509	1,779	775	768	292	361
Other ¹	4,501	4,481	1,557	1,663	710	886

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.67B Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	12.8	13.4	4.3	4.6	1.7	1.8
GENDER						
Male	14.7	15.1	5.0	5.1	1.9	2.0
Female	10.9	11.7	3.8	4.1	1.5	1.7
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	13.0	13.6	4.2	4.5	1.6	1.8
White	13.8 ^a	14.6	4.4	4.8	1.7	1.9
Black or African American	9.8	9.2	3.3	3.2	1.6	1.4
American Indian or Alaska Native	17.5	21.0	3.9	5.8	1.2	3.7
Native Hawaiian or Other Pacific Islander	14.5	9.3	7.9	4.1	2.6	1.6
Asian	7.3	5.5	2.5	2.6	0.4	1.2
Two or More Races	14.2	18.9	5.0	3.4	2.5	1.2
Hispanic or Latino	10.9	11.7	5.1	5.2	2.2	2.2
EDUCATION						
< High School	12.1	13.5	5.1	5.5	2.2	2.4
High School Graduate	12.9	13.7	4.4	4.8	1.8	2.0
Some College	15.4	15.6	5.3	5.5	2.0	2.1
College Graduate	10.4	10.7	2.8	2.9	1.0	1.0
CURRENT EMPLOYMENT						
Full-Time	14.7	15.2	4.6	4.7	1.8	1.6
Part-Time	13.4 ^a	15.3	5.3 ^a	6.4	1.9 ^a	2.7
Unemployed	19.9	22.0	10.2	9.5	3.8	4.5
Other ¹	7.6	7.6	2.6	2.8	1.2	1.5

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.