

**Table 1.88A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	94,946	96,611	25,755	25,231	14,584	14,638
<b>GEOGRAPHIC DIVISION</b>						
Northeast	18,811	18,621	5,303	5,252	2,859 <sup>a</sup>	3,265
New England	5,584	5,622	1,758	1,735	821 <sup>b</sup>	1,110
Middle Atlantic	13,227	12,999	3,545	3,517	2,039	2,155
Midwest	21,984	22,557	5,729	5,817	3,301	3,300
East North Central	15,486	15,948	4,051	4,018	2,357	2,299
West North Central	6,498	6,609	1,678	1,799	943	1,001
South	30,817	31,908	7,992	7,917	4,559	4,459
South Atlantic	16,894	17,226	4,473	4,510	2,574	2,552
East South Central	4,876	5,230	1,198	1,122	681	643
West South Central	9,047	9,452	2,321	2,285	1,304	1,265
West	23,333	23,525	6,731	6,244	3,865	3,614
Mountain	6,604	6,917	1,820	1,836	1,019	1,070
Pacific	16,729	16,608	4,911	4,408	2,846	2,544
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	52,711	53,192	14,337	13,697	8,172	7,972
Small Metro	28,444	29,341	7,907	7,982	4,417	4,614
250K – 1 Mil. Pop.	18,552	19,364	4,996	5,252	2,853	3,054
< 250K Pop.	9,891	9,978	2,911	2,730	1,565	1,559
Nonmetro	13,792	14,078	3,510	3,551	1,994	2,053
Urbanized	6,269	6,942	1,613	1,786	987	1,088
Less Urbanized	6,201	5,914	1,588	1,555	863	876
Completely Rural	1,322	1,222	309	210	144	89

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.88B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	40.4	40.6	11.0	10.6	6.2	6.2
<b>GEOGRAPHIC DIVISION</b>						
Northeast	41.7	41.1	11.8	11.6	6.3 <sup>a</sup>	7.2
New England	47.3	47.3	14.9	14.6	7.0 <sup>a</sup>	9.3
Middle Atlantic	39.8	38.9	10.7	10.5	6.1	6.4
Midwest	41.1	42.0	10.7	10.8	6.2	6.1
East North Central	41.4	42.3	10.8	10.7	6.3	6.1
West North Central	40.6	41.0	10.5	11.2	5.9	6.2
South	36.8	37.6	9.5	9.3	5.4	5.3
South Atlantic	38.6	38.8	10.2	10.1	5.9	5.7
East South Central	34.4	36.8	8.5	7.9	4.8	4.5
West South Central	35.0	36.2	9.0	8.7	5.0	4.8
West	44.1	43.7	12.7	11.6	7.3	6.7
Mountain	43.1	44.3	11.9	11.8	6.7	6.9
Pacific	44.5	43.5	13.1	11.5	7.6	6.7
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	41.9	42.2	11.4	10.9	6.5	6.3
Small Metro	41.0	41.1	11.4	11.2	6.4	6.5
250K – 1 Mil. Pop.	40.8	41.3	11.0	11.2	6.3	6.5
< 250K Pop.	41.6	40.8	12.2	11.2	6.6	6.4
Nonmetro	34.4	35.0	8.8	8.8	5.0	5.1
Urbanized	39.1	38.9	10.1	10.0	6.2	6.1
Less Urbanized	31.6	32.5	8.1	8.5	4.4	4.8
Completely Rural	29.8	29.8	7.0	5.1	3.3	2.2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.89A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	5,104	4,888	3,905	3,745	2,023	1,971
<b>GEOGRAPHIC DIVISION</b>						
Northeast	956	896	778	713	422	393
New England	290	286	241	227	135	129
Middle Atlantic	666	610	537	486	287	263
Midwest	1,158	1,090	907	856	461	457
East North Central	822	753	634	589	329	319
West North Central	336	337	273	267	133	138
South	1,808	1,687	1,334	1,263	676	611
South Atlantic	1,027 <sup>b</sup>	815	788 <sup>a</sup>	623	419 <sup>a</sup>	312
East South Central	263	240	183	180	84	87
West South Central	517 <sup>a</sup>	632	363 <sup>a</sup>	460	173	212
West	1,182	1,215	886	913	464	511
Mountain	393	400	294	301	151	154
Pacific	789	815	592	612	312	356
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	2,697 <sup>a</sup>	2,454	2,086	1,916	1,074	1,010
Small Metro	1,539	1,563	1,136	1,179	621	635
250K – 1 Mil. Pop.	1,070	1,019	798	744	460	423
< 250K Pop.	469	544	337 <sup>b</sup>	435	161 <sup>a</sup>	212
Nonmetro	869	871	683	650	329	327
Urbanized	338	401	270	304	137	163
Less Urbanized	433	409	334	304	163	144
Completely Rural	98	60	79	42	29	20

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.89B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	20.6 <sup>a</sup>	19.6	15.8	15.0	8.2	7.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	21.4	20.0	17.4	15.9	9.5	8.7
New England	25.0	24.4	20.8	19.3	11.7	11.0
Middle Atlantic	20.2	18.4	16.3	14.7	8.7	7.9
Midwest	20.4	19.1	15.9	15.0	8.1	8.0
East North Central	20.6	18.9	15.9	14.8	8.2	8.0
West North Central	19.7	19.8	16.0	15.7	7.8	8.1
South	20.6	18.9	15.2	14.1	7.7	6.8
South Atlantic	23.4 <sup>b</sup>	18.1	17.9 <sup>b</sup>	13.8	9.5 <sup>b</sup>	6.9
East South Central	18.5	16.5	12.8	12.4	5.9	6.0
West South Central	17.5 <sup>a</sup>	21.3	12.3 <sup>a</sup>	15.5	5.9	7.1
West	20.3	20.7	15.2	15.5	8.0	8.7
Mountain	23.0	23.1	17.2	17.4	8.9	8.9
Pacific	19.1	19.6	14.4	14.7	7.6	8.6
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	20.4 <sup>b</sup>	18.4	15.8 <sup>a</sup>	14.4	8.1	7.6
Small Metro	21.2	21.1	15.7	15.9	8.6	8.6
250K – 1 Mil. Pop.	21.8	20.5	16.3	14.9	9.4	8.5
< 250K Pop.	20.0	22.5	14.4 <sup>b</sup>	18.0	6.9 <sup>a</sup>	8.8
Nonmetro	20.2	20.3	15.9	15.2	7.6	7.6
Urbanized	19.6	21.6	15.7	16.4	8.0	8.8
Less Urbanized	20.6	20.6	15.9	15.3	7.7	7.3
Completely Rural	20.6	13.6	16.7	9.6	6.1	4.6

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.90A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	16,680	17,103	9,238	9,044	5,376	5,400
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3,138	3,227	1,893	1,947	1,127	1,234
New England	918	957	591	615	354	396
Middle Atlantic	2,220	2,271	1,302	1,333	773	838
Midwest	4,028	4,154	2,223	2,112	1,304	1,186
East North Central	2,851	2,892	1,593	1,460	937	839
West North Central	1,177	1,262	630	653	367	347
South	5,535	5,669	2,903	2,818	1,716	1,681
South Atlantic	2,779	2,873	1,534	1,522	936	914
East South Central	935	915	461	408	251	237
West South Central	1,821	1,881	908	888	529	530
West	3,979	4,052	2,219	2,167	1,228	1,299
Mountain	1,210	1,190	664	608	362	360
Pacific	2,769	2,862	1,555	1,559	866	939
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	8,511	8,821	4,783	4,709	2,815	2,916
Small Metro	5,665	5,705	3,134	3,014	1,814	1,734
250K – 1 Mil. Pop.	3,593	3,771	1,953	1,989	1,121	1,195
< 250K Pop.	2,072	1,934	1,180	1,026	693 <sup>a</sup>	538
Nonmetro	2,503	2,577	1,322	1,321	747	750
Urbanized	1,215	1,314	660	701	396	399
Less Urbanized	1,102	1,095	558	538	290	304
Completely Rural	186	168	104	82	61	47

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.90B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	53.8	53.9	29.8 <sup>a</sup>	28.5	17.3	17.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	57.0	57.3	34.4	34.6	20.5	21.9
New England	64.0	65.1	41.2	41.8	24.7	27.0
Middle Atlantic	54.5	54.5	32.0	32.0	19.0	20.1
Midwest	55.9	56.5	30.9	28.7	18.1 <sup>a</sup>	16.1
East North Central	57.3	56.9	32.0 <sup>a</sup>	28.7	18.8 <sup>a</sup>	16.5
West North Central	52.9	55.5	28.3	28.7	16.5	15.3
South	50.2	50.1	26.3	24.9	15.6	14.8
South Atlantic	51.5	51.5	28.5	27.3	17.4	16.4
East South Central	48.9	47.3	24.1	21.1	13.1	12.2
West South Central	49.0	49.4	24.4	23.3	14.2	13.9
West	54.5	54.7	30.4	29.2	16.8	17.5
Mountain	55.4	53.2	30.4	27.2	16.6	16.1
Pacific	54.2	55.3	30.4	30.1	16.9	18.1
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	53.6	53.1	30.1 <sup>a</sup>	28.4	17.7	17.6
Small Metro	55.7	55.9	30.8	29.5	17.8	17.0
250K – 1 Mil. Pop.	55.8	56.7	30.3	29.9	17.4	18.0
< 250K Pop.	55.6	54.4	31.7	28.8	18.6 <sup>a</sup>	15.1
Nonmetro	50.3	52.4	26.6	26.9	15.0	15.2
Urbanized	54.1	55.6	29.4	29.7	17.6	16.9
Less Urbanized	48.6	49.9	24.6	24.5	12.8	13.9
Completely Rural	40.0	46.2	22.4	22.5	13.1	12.8

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.91A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	73,162	74,620	12,612	12,441	7,185	7,267
<b>GEOGRAPHIC DIVISION</b>						
Northeast	14,718	14,497	2,632	2,592	1,310	1,638
New England	4,377	4,379	927	894	331 <sup>a</sup>	585
Middle Atlantic	10,341	10,119	1,705	1,698	979	1,054
Midwest	16,798	17,313	2,599	2,849	1,535	1,657
East North Central	11,813	12,302	1,824	1,969	1,092	1,141
West North Central	4,985	5,011	775	880	444	516
South	23,474	24,552	3,755	3,836	2,167	2,168
South Atlantic	13,088	13,538	2,150	2,364	1,220	1,326
East South Central	3,678	4,075	554	535	345	320
West South Central	6,709	6,939	1,051	938	602	522
West	18,173	18,257	3,626	3,164	2,173	1,804
Mountain	5,001	5,326	862	928	505	555
Pacific	13,171	12,931	2,764	2,236	1,668	1,249
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	41,503	41,916	7,469	7,072	4,284	4,046
Small Metro	21,240	22,073	3,638	3,790	1,982	2,245
250K – 1 Mil. Pop.	13,890	14,574	2,244	2,520	1,271	1,436
< 250K Pop.	7,351	7,500	1,393	1,270	711	809
Nonmetro	10,419	10,630	1,506	1,580	919	976
Urbanized	4,716	5,226	683	780	454	526
Less Urbanized	4,666	4,410	697	713	410	428
Completely Rural	1,038	994	125	86	54	22

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.91B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	40.8	41.2	7.0	6.9	4.0	4.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	41.9	41.2	7.5	7.4	3.7	4.7
New England	47.5	47.4	10.1	9.7	3.6 <sup>a</sup>	6.3
Middle Atlantic	40.0	39.0	6.6	6.5	3.8	4.1
Midwest	41.4	42.5	6.4	7.0	3.8	4.1
East North Central	41.5	43.0	6.4	6.9	3.8	4.0
West North Central	41.3	41.3	6.4	7.3	3.7	4.3
South	36.7	38.1	5.9	5.9	3.4	3.4
South Atlantic	38.5	39.4	6.3	6.9	3.6	3.9
East South Central	34.0	37.6	5.1	4.9	3.2	3.0
West South Central	35.0	35.9	5.5	4.8	3.1	2.7
West	45.7	45.0	9.1	7.8	5.5	4.5
Mountain	43.8	45.7	7.5	8.0	4.4	4.8
Pacific	46.5	44.8	9.8	7.7	5.9 <sup>a</sup>	4.3
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	42.9	43.6	7.7	7.4	4.4	4.2
Small Metro	40.9	41.0	7.0	7.0	3.8	4.2
250K – 1 Mil. Pop.	40.7	41.3	6.6	7.1	3.7	4.1
< 250K Pop.	41.5	40.6	7.9	6.9	4.0	4.4
Nonmetro	33.8	34.3	4.9	5.1	3.0	3.2
Urbanized	39.1	38.3	5.7	5.7	3.8	3.9
Less Urbanized	30.6	31.4	4.6	5.1	2.7	3.0
Completely Rural	29.7	30.2	3.6	2.6	1.6	0.7

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.92A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	89,842	91,723	21,850	21,486	12,561	12,667
<b>GEOGRAPHIC DIVISION</b>						
Northeast	17,856	17,725	4,526	4,540	2,437 <sup>a</sup>	2,872
New England	5,294	5,335	1,518	1,509	686 <sup>b</sup>	981
Middle Atlantic	12,561	12,389	3,008	3,031	1,751	1,892
Midwest	20,825	21,467	4,822	4,961	2,840	2,843
East North Central	14,664	15,195	3,417	3,429	2,029	1,980
West North Central	6,162	6,273	1,404	1,532	811	863
South	29,010	30,222	6,658	6,654	3,883	3,848
South Atlantic	15,867	16,411	3,684	3,886	2,156	2,240
East South Central	4,613	4,990	1,015	943	597	556
West South Central	8,530	8,820	1,959	1,825	1,131	1,052
West	22,151	22,309	5,845	5,331	3,401	3,103
Mountain	6,211	6,517	1,526	1,536	867	915
Pacific	15,940	15,793	4,319	3,795	2,534	2,188
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	50,014	50,738	12,251	11,781	7,099	6,962
Small Metro	26,905	27,778	6,772	6,804	3,796	3,979
250K – 1 Mil. Pop.	17,482	18,345	4,198	4,508	2,392	2,631
< 250K Pop.	9,422	9,433	2,574	2,296	1,404	1,347
Nonmetro	12,923	13,207	2,827	2,901	1,665	1,726
Urbanized	5,931	6,541	1,343	1,482	850	925
Less Urbanized	5,768	5,504	1,255	1,251	700	732
Completely Rural	1,224	1,162	230	168	115	68

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.92B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	42.7	43.1	10.4	10.1	6.0	6.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	44.0	43.4	11.1	11.1	6.0 <sup>a</sup>	7.0
New England	49.7	49.8	14.3	14.1	6.4 <sup>a</sup>	9.2
Middle Atlantic	41.9	41.2	10.0	10.1	5.8	6.3
Midwest	43.6	44.7	10.1	10.3	5.9	5.9
East North Central	43.9	45.1	10.2	10.2	6.1	5.9
West North Central	43.1	43.6	9.8	10.6	5.7	6.0
South	38.7	39.8	8.9	8.8	5.2	5.1
South Atlantic	40.3	41.1	9.4	9.7	5.5	5.6
East South Central	36.2	39.1	8.0	7.4	4.7	4.4
West South Central	37.2	38.1	8.6	7.9	4.9	4.5
West	47.1	46.5	12.4	11.1	7.2	6.5
Mountain	45.6	46.9	11.2	11.1	6.4	6.6
Pacific	47.7	46.4	12.9	11.1	7.6	6.4
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	44.4	45.0	10.9	10.4	6.3	6.2
Small Metro	43.4	43.4	10.9	10.6	6.1	6.2
250K – 1 Mil. Pop.	43.1	43.7	10.3	10.7	5.9	6.3
< 250K Pop.	43.9	42.8	12.0	10.4	6.5	6.1
Nonmetro	36.1	36.8	7.9	8.1	4.7	4.8
Urbanized	41.5	40.9	9.4	9.3	5.9	5.8
Less Urbanized	32.9	33.9	7.2	7.7	4.0	4.5
Completely Rural	30.9	31.8	5.8	4.6	2.9	1.9

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.