

Table 1.93A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	33,910	34,891	5,902	5,908	2,020	2,281
GEOGRAPHIC DIVISION						
Northeast	6,437	6,992	1,079	1,162	372	453
New England	2,082	2,063	299	319	74	110
Middle Atlantic	4,355	4,929	780	843	298	342
Midwest	6,852	7,243	1,422	1,239	590 ^a	409
East North Central	4,658	4,992	956	888	393	313
West North Central	2,194	2,252	466	351	196 ^a	96
South	10,532	10,265	1,994	2,024	616 ^a	890
South Atlantic	5,965	5,671	1,103	1,071	367	513
East South Central	1,430	1,285	323	305	106	100
West South Central	3,138	3,309	568	648	143 ^a	277
West	10,089	10,390	1,407	1,483	443	529
Mountain	2,868	3,014	485	551	184	211
Pacific	7,221	7,377	922	931	259	319
COUNTY TYPE¹						
Large Metro	19,768	20,345	3,288	3,369	1,268	1,368
Small Metro	10,124	10,103	1,875	1,676	523	611
250K – 1 Mil. Pop.	6,476	6,728	1,190	1,083	323	411
< 250K Pop.	3,648	3,375	685	593	200	200
Nonmetro	4,018	4,443	739	863	229	301
Urbanized	1,923	2,252	306 ^a	443	115	128
Less Urbanized	1,768	1,820	357	384	96	158
Completely Rural	326	370	77	36	18	16

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.93B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	14.4	14.7	2.5	2.5	0.9	1.0
GEOGRAPHIC DIVISION						
Northeast	14.3	15.4	2.4	2.6	0.8	1.0
New England	17.6	17.4	2.5	2.7	0.6	0.9
Middle Atlantic	13.1	14.7	2.3	2.5	0.9	1.0
Midwest	12.8	13.5	2.7	2.3	1.1 ^a	0.8
East North Central	12.5	13.3	2.6	2.4	1.1	0.8
West North Central	13.7	14.0	2.9	2.2	1.2 ^a	0.6
South	12.6	12.1	2.4	2.4	0.7 ^a	1.0
South Atlantic	13.6	12.8	2.5	2.4	0.8	1.2
East South Central	10.1	9.0	2.3	2.1	0.8	0.7
West South Central	12.1	12.7	2.2	2.5	0.6 ^a	1.1
West	19.1	19.3	2.7	2.8	0.8	1.0
Mountain	18.7	19.3	3.2	3.5	1.2	1.4
Pacific	19.2	19.3	2.5	2.4	0.7	0.8
COUNTY TYPE¹						
Large Metro	15.7	16.1	2.6	2.7	1.0	1.1
Small Metro	14.6	14.2	2.7	2.3	0.8	0.9
250K – 1 Mil. Pop.	14.2	14.3	2.6	2.3	0.7	0.9
< 250K Pop.	15.3	13.8	2.9	2.4	0.8	0.8
Nonmetro	10.0	11.1	1.8	2.1	0.6	0.7
Urbanized	12.0	12.6	1.9	2.5	0.7	0.7
Less Urbanized	9.0	10.0	1.8	2.1	0.5	0.9
Completely Rural	7.4	9.0	1.7	0.9	0.4	0.4

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.94A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	670	648	508	438	146	153
GEOGRAPHIC DIVISION						
Northeast	96	85	74	59	26	17
New England	38	27	32	19	11	7
Middle Atlantic	58	57	42	40	15	10
Midwest	137	150	107	107	34	28
East North Central	91	96	69	71	25	16
West North Central	46	54	38	36	9	11
South	274	224	212	157	62	68
South Atlantic	132	87	111 ^a	63	32	25
East South Central	36	26	24	18	10	7
West South Central	106	112	77	76	20	36
West	163	190	115	115	23	41
Mountain	59 ^a	90	44	56	12	20
Pacific	104	100	71	59	11	20
COUNTY TYPE¹						
Large Metro	312	321	232	201	54	74
Small Metro	220	186	174	130	56	51
250K – 1 Mil. Pop.	146	113	121 ^a	79	34	39
< 250K Pop.	74	73	53	51	22	12
Nonmetro	138	141	102	106	36	28
Urbanized	47	66	37	49	12	12
Less Urbanized	78	65	54	49	19	16
Completely Rural	13	11	12	9	4	0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.94B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	2.7	2.6	2.1	1.8	0.6	0.6
GEOGRAPHIC DIVISION						
Northeast	2.2	1.9	1.7	1.3	0.6	0.4
New England	3.3	2.3	2.7	1.6	1.0	0.6
Middle Atlantic	1.7	1.7	1.3	1.2	0.5	0.3
Midwest	2.4	2.6	1.9	1.9	0.6	0.5
East North Central	2.3	2.4	1.7	1.8	0.6	0.4
West North Central	2.7	3.2	2.2	2.1	0.5	0.7
South	3.1	2.5	2.4 ^a	1.8	0.7	0.8
South Atlantic	3.0 ^a	1.9	2.5 ^a	1.4	0.7	0.6
East South Central	2.5	1.8	1.7	1.2	0.7	0.5
West South Central	3.6	3.8	2.6	2.6	0.7	1.2
West	2.8	3.2	2.0	2.0	0.4	0.7
Mountain	3.5 ^a	5.2	2.6	3.2	0.7	1.2
Pacific	2.5	2.4	1.7	1.4	0.3	0.5
COUNTY TYPE¹						
Large Metro	2.4	2.4	1.8	1.5	0.4	0.6
Small Metro	3.0	2.5	2.4	1.8	0.8	0.7
250K – 1 Mil. Pop.	3.0	2.3	2.5 ^a	1.6	0.7	0.8
< 250K Pop.	3.2	3.0	2.3	2.1	1.0	0.5
Nonmetro	3.2	3.3	2.4	2.5	0.8	0.7
Urbanized	2.7	3.5	2.1	2.6	0.7	0.6
Less Urbanized	3.7	3.3	2.5	2.5	0.9	0.8
Completely Rural	2.7	2.4	2.5	2.0	0.9	0.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.95A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	4,786	4,755	2,087	2,098	631	696
GEOGRAPHIC DIVISION						
Northeast	768	781	379	436	138	156
New England	218	254	122	136	41	41
Middle Atlantic	551	526	256	300	97	115
Midwest	1,051	1,072	510	447	143	138
East North Central	743	705	353	310	102	107
West North Central	308	367	157	137	41	31
South	1,619	1,574	700	666	228	216
South Atlantic	789	738	344	323	128	123
East South Central	246	249	115	105	33	22
West South Central	584	586	241	239	67	71
West	1,348	1,329	498	548	122 ^a	186
Mountain	436	463	184	189	62	61
Pacific	912	866	314	359	60 ^a	125
COUNTY TYPE¹						
Large Metro	2,448	2,505	1,029	1,103	316	370
Small Metro	1,667	1,541	771	670	239	227
250K – 1 Mil. Pop.	1,013	1,013	468	461	139	170
< 250K Pop.	654 ^a	528	302 ^b	209	100 ^b	57
Nonmetro	671	709	287	324	76	100
Urbanized	315	354	148	184	37 ^a	73
Less Urbanized	308	313	113	123	34	20
Completely Rural	49	41	26	17	6	7

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.95B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	15.4	15.0	6.7	6.6	2.0	2.2
GEOGRAPHIC DIVISION						
Northeast	14.0	13.9	6.9	7.7	2.5	2.8
New England	15.2	17.3	8.5	9.3	2.9	2.8
Middle Atlantic	13.5	12.6	6.3	7.2	2.4	2.8
Midwest	14.6	14.6	7.1	6.1	2.0	1.9
East North Central	14.9	13.9	7.1	6.1	2.0	2.1
West North Central	13.8	16.1	7.0	6.0	1.8	1.3
South	14.7	13.9	6.4	5.9	2.1	1.9
South Atlantic	14.6	13.2	6.4	5.8	2.4	2.2
East South Central	12.9	12.9	6.0	5.4	1.7	1.1
West South Central	15.7	15.4	6.5	6.3	1.8	1.9
West	18.5	17.9	6.8	7.4	1.7 ^a	2.5
Mountain	20.0	20.7	8.4	8.5	2.8	2.7
Pacific	17.8	16.7	6.2	6.9	1.2 ^b	2.4
COUNTY TYPE¹						
Large Metro	15.4	15.1	6.5	6.6	2.0	2.2
Small Metro	16.4	15.1	7.6	6.6	2.4	2.2
250K – 1 Mil. Pop.	15.7	15.2	7.3	6.9	2.2	2.6
< 250K Pop.	17.6	14.9	8.1 ^b	5.9	2.7 ^b	1.6
Nonmetro	13.5	14.4	5.8	6.6	1.5	2.0
Urbanized	14.0	15.0	6.6	7.8	1.6 ^a	3.1
Less Urbanized	13.6	14.3	5.0	5.6	1.5	0.9
Completely Rural	10.6	11.3	5.6	4.7	1.2	2.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.96A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	28,453	29,488	3,307	3,372	1,243	1,431
GEOGRAPHIC DIVISION						
Northeast	5,572	6,127	627	667	207	280
New England	1,826	1,781	145	164	21	62
Middle Atlantic	3,746	4,345	481	503	186	218
Midwest	5,664	6,022	804	686	412 ^a	243
East North Central	3,824	4,191	533	507	266	189
West North Central	1,841	1,831	271	178	146 ^a	54
South	8,639	8,467	1,082	1,200	326 ^a	606
South Atlantic	5,043	4,845	648	686	207	364
East South Central	1,148	1,010	184	182	63	71
West South Central	2,449	2,611	250	333	55 ^a	170
West	8,577	8,872	794	819	298	302
Mountain	2,373	2,461	257	306	109	130
Pacific	6,204	6,411	537	513	188	173
COUNTY TYPE¹						
Large Metro	17,008	17,519	2,026	2,064	899	924
Small Metro	8,237	8,376	930	876	227	334
250K – 1 Mil. Pop.	5,317	5,602	601	542	150	202
< 250K Pop.	2,919	2,774	329	333	77	132
Nonmetro	3,208	3,593	350	432	117	173
Urbanized	1,562	1,833	122	210	65	43
Less Urbanized	1,382	1,442	190	212	43	122
Completely Rural	264	319	39	10	9	8

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.96B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	15.9	16.3	1.8	1.9	0.7	0.8
GEOGRAPHIC DIVISION						
Northeast	15.9	17.4	1.8	1.9	0.6	0.8
New England	19.8	19.3	1.6	1.8	0.2	0.7
Middle Atlantic	14.5 ^a	16.7	1.9	1.9	0.7	0.8
Midwest	14.0	14.8	2.0	1.7	1.0 ^a	0.6
East North Central	13.4	14.7	1.9	1.8	0.9	0.7
West North Central	15.2	15.1	2.2	1.5	1.2 ^a	0.4
South	13.5	13.1	1.7	1.9	0.5 ^a	0.9
South Atlantic	14.8	14.1	1.9	2.0	0.6	1.1
East South Central	10.6	9.3	1.7	1.7	0.6	0.7
West South Central	12.8	13.5	1.3	1.7	0.3 ^a	0.9
West	21.6	21.9	2.0	2.0	0.7	0.7
Mountain	20.8	21.1	2.2	2.6	1.0	1.1
Pacific	21.9	22.2	1.9	1.8	0.7	0.6
COUNTY TYPE¹						
Large Metro	17.6	18.2	2.1	2.1	0.9	1.0
Small Metro	15.9	15.6	1.8	1.6	0.4	0.6
250K – 1 Mil. Pop.	15.6	15.9	1.8	1.5	0.4	0.6
< 250K Pop.	16.5	15.0	1.9	1.8	0.4	0.7
Nonmetro	10.4	11.6	1.1	1.4	0.4	0.6
Urbanized	13.0	13.4	1.0	1.5	0.5	0.3
Less Urbanized	9.1	10.3	1.2	1.5	0.3	0.9
Completely Rural	7.6	9.7	1.1	0.3	0.2	0.3

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.97A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	33,239	34,243	5,394	5,470	1,874	2,128
GEOGRAPHIC DIVISION						
Northeast	6,340	6,907	1,005	1,103	345	436
New England	2,044	2,036	268	300	63	103
Middle Atlantic	4,297	4,872	737	803	283	333
Midwest	6,715	7,094	1,314	1,132	555 ^a	381
East North Central	4,567	4,896	887	817	368	296
West North Central	2,148	2,198	428	315	187 ^a	85
South	10,258	10,041	1,782	1,867	554 ^a	822
South Atlantic	5,832	5,584	992	1,008	335	488
East South Central	1,394	1,260	299	287	96	93
West South Central	3,032	3,198	491	571	123 ^a	241
West	9,926	10,201	1,292	1,368	419	489
Mountain	2,809	2,924	441	495	171	190
Pacific	7,117	7,277	851	872	248	298
COUNTY TYPE¹						
Large Metro	19,456	20,024	3,056	3,168	1,214	1,294
Small Metro	9,904	9,917	1,701	1,546	467	561
250K – 1 Mil. Pop.	6,330	6,615	1,069	1,004	289	372
< 250K Pop.	3,574	3,302	632	542	177	189
Nonmetro	3,880	4,302	637	756	193	273
Urbanized	1,877	2,187	269	394	102	116
Less Urbanized	1,690	1,755	303	335	77	142
Completely Rural	313	360	65	27	14	15

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.97B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	15.8	16.1	2.6	2.6	0.9	1.0
GEOGRAPHIC DIVISION						
Northeast	15.6	16.9	2.5	2.7	0.9	1.1
New England	19.2	19.0	2.5	2.8	0.6	1.0
Middle Atlantic	14.3	16.2	2.5	2.7	0.9	1.1
Midwest	14.1	14.8	2.8	2.4	1.2 ^a	0.8
East North Central	13.7	14.5	2.7	2.4	1.1	0.9
West North Central	15.0	15.3	3.0	2.2	1.3 ^a	0.6
South	13.7	13.2	2.4	2.5	0.7 ^a	1.1
South Atlantic	14.8	14.0	2.5	2.5	0.9	1.2
East South Central	11.0	9.9	2.4	2.2	0.8	0.7
West South Central	13.2	13.8	2.1	2.5	0.5 ^a	1.0
West	21.1	21.3	2.7	2.9	0.9	1.0
Mountain	20.6	21.1	3.2	3.6	1.3	1.4
Pacific	21.3	21.4	2.5	2.6	0.7	0.9
COUNTY TYPE¹						
Large Metro	17.3	17.8	2.7	2.8	1.1	1.1
Small Metro	16.0	15.5	2.7	2.4	0.8	0.9
250K – 1 Mil. Pop.	15.6	15.8	2.6	2.4	0.7	0.9
< 250K Pop.	16.7	15.0	2.9	2.5	0.8	0.9
Nonmetro	10.8	12.0	1.8	2.1	0.5	0.8
Urbanized	13.1	13.7	1.9	2.5	0.7	0.7
Less Urbanized	9.6	10.8	1.7	2.1	0.4	0.9
Completely Rural	7.9	9.8	1.6 ^a	0.7	0.4	0.4

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.