

**Table 1.58C Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	737	641	377	354	229	250
<b>AGE</b>						
12-17	75	76	64	64	42	42
18-25	135	135	96	103	60	70
26 or Older	707	617	345	331	215	237
<b>GENDER</b>						
Male	494	468	252	236	155	155
Female	485	448	257	247	168	175
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	704	606	346	323	212	211
White	640	548	315	291	207	184
Black or African American	187	196	89	103	60	64
American Indian or Alaska Native	58	46	18	19	12	17
Native Hawaiian or Other Pacific Islander	29	16	26	10	12	6
Asian	114	103	62	65	17	54
Two or More Races	47	63	26	19	22	12
Hispanic or Latino	231	214	151	144	95	106

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.58D Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.31	0.27	0.16	0.15	0.10	0.11
<b>AGE</b>						
12-17	0.30	0.30	0.26	0.26	0.17	0.17
18-25	0.43	0.43	0.31	0.33	0.19	0.22
26 or Older	0.39	0.34	0.19	0.18	0.12	0.13
<b>GENDER</b>						
Male	0.44	0.41	0.22	0.20	0.14	0.13
Female	0.40	0.37	0.21	0.20	0.14	0.14
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.34	0.29	0.17	0.16	0.10	0.10
White	0.39	0.33	0.19	0.18	0.12	0.11
Black or African American	0.70	0.71	0.33	0.38	0.22	0.23
American Indian or Alaska Native	3.93	3.66	1.19	1.51	0.82	1.32
Native Hawaiian or Other Pacific Islander	3.56	3.16	3.21	2.11	1.47	1.29
Asian	1.26	1.05	0.68	0.66	0.19	0.55
Two or More Races	1.88	2.46	1.02	0.76	0.88	0.46
Hispanic or Latino	0.79	0.72	0.52	0.48	0.33	0.35

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.58P Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.3887		0.7744		0.8646	
<b>AGE</b>						
12-17	0.5012		0.8584		0.8951	
18-25	0.0228		0.5291		0.0300	
26 or Older	0.6417		0.9305		0.6434	
<b>GENDER</b>						
Male	0.7947		0.9904		1.0000	
Female	0.3316		0.6673		0.8094	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3469		0.6164		0.8985	
White	0.1218		0.5038		0.9922	
Black or African American	0.4028		0.9456		0.7123	
American Indian or Alaska Native	0.7475		0.4172		0.3017	
Native Hawaiian or Other Pacific Islander	0.3046		0.4379		0.7406	
Asian	0.2481		0.7809		0.0630	
Two or More Races	0.0404		0.4613		0.2760	
Hispanic or Latino	1.0000		0.6695		0.8958	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.59C Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	75	76	64	64	42	42
<b>GENDER</b>						
Male	51	49	42	43	29	28
Female	52	53	43	46	30	31
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	63	70	56	60	36	38
White	58	61	51	52	33	33
Black or African American	23	29	19	22	14	15
American Indian or Alaska Native	8	5	8	5	3	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	11	12	8	10	7	9
Two or More Races	8	8	7	6	3	5
Hispanic or Latino	36	32	31	27	21	19
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	40	39	33	33	22	22
Female, White, Not Hispanic	41	42	37	37	26	23
Male, Black, Not Hispanic	15	18	11	14	8	9
Female, Black, Not Hispanic	18	20	15	17	11	13
Male, Hispanic	25	22	22	20	18	12
Female, Hispanic	24	25	18	20	12	13

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.59D Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.30	0.30	0.26	0.26	0.17	0.17
<b>GENDER</b>						
Male	0.41	0.38	0.33	0.33	0.23	0.22
Female	0.43	0.44	0.36	0.38	0.25	0.25
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.30	0.34	0.27	0.29	0.17	0.18
White	0.37	0.39	0.33	0.34	0.21	0.21
Black or African American	0.63	0.77	0.52	0.60	0.39	0.41
American Indian or Alaska Native	4.49	2.64	4.03	2.61	1.75	1.61
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.13	1.23	0.80	1.00	0.73	0.89
Two or More Races	1.95	1.93	1.71	1.50	0.74	1.18
Hispanic or Latino	0.92	0.80	0.79	0.65	0.53	0.46
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.50	0.48	0.41	0.42	0.27	0.28
Female, White, Not Hispanic	0.54	0.55	0.49	0.49	0.34	0.31
Male, Black, Not Hispanic	0.85	0.98	0.62	0.76	0.43	0.46
Female, Black, Not Hispanic	0.99	1.10	0.82	0.90	0.62	0.69
Male, Hispanic	1.25	1.08	1.11	0.94	0.87	0.59
Female, Hispanic	1.23	1.25	0.94	1.01	0.61	0.67

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.59P Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.5012		0.8584		0.8951	
<b>GENDER</b>						
Male	0.7036		0.8245		0.6636	
Female	0.5501		0.9657		0.8124	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.7046		0.8262		0.6626	
White	0.3990		0.7591		0.6455	
Black or African American	0.3140		0.2903		0.4260	
American Indian or Alaska Native	0.4407		0.9616		0.5067	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7633		0.6356		0.5962	
Two or More Races	0.6419		0.7972		0.0620	
Hispanic or Latino	0.4670		0.4403		0.6497	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.7122		0.9625		0.6631	
Female, White, Not Hispanic	0.4108		0.6988		0.3118	
Male, Black, Not Hispanic	0.2070		0.3693		0.4658	
Female, Black, Not Hispanic	0.8395		0.5211		0.6245	
Male, Hispanic	0.2703		0.2221		0.2639	
Female, Hispanic	0.9589		0.8737		0.5529	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.60C Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	135	135	96	103	60	70
<b>GENDER</b>						
Male	95	91	70	73	45	54
Female	84	88	60	67	39	40
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	119	121	86	98	54	65
White	98	104	74	85	50	61
Black or African American	31	38	23	26	18	15
American Indian or Alaska Native	*	8	10	6	*	5
Native Hawaiian or Other Pacific Islander	*	*	5	*	*	*
Asian	22	26	14	17	4	12
Two or More Races	14	12	11	10	7	8
Hispanic or Latino	56	56	42	37	27	26
<b>EDUCATION</b>						
< High School	58	58	49	47	32	33
High School Graduate	69	78	49	58	33	39
Some College	75	71	57	56	34	37
College Graduate	43	44	27	31	17	20
<b>CURRENT EMPLOYMENT</b>						
Full-Time	87	88	63	66	42	48
Part-Time	59	58	44	50	28	33
Unemployed	36	36	29	31	19	22
Other <sup>1</sup>	55	55	43	38	28	26

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.60D Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.43	0.43	0.31	0.33	0.19	0.22
<b>GENDER</b>						
Male	0.61	0.57	0.45	0.46	0.29	0.34
Female	0.54	0.56	0.39	0.43	0.25	0.25
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.47	0.46	0.34	0.37	0.21	0.25
White	0.51	0.53	0.38	0.43	0.26	0.31
Black or African American	0.77	0.88	0.57	0.60	0.43	0.36
American Indian or Alaska Native	*	4.42	4.70	3.48	*	3.00
Native Hawaiian or Other Pacific Islander	*	*	3.10	*	*	*
Asian	1.57	1.79	1.02	1.15	0.31	0.82
Two or More Races	3.48	3.37	2.67	2.88	1.85	2.07
Hispanic or Latino	1.02	0.99	0.77	0.66	0.49	0.46
<b>EDUCATION</b>						
< High School	0.84	0.84	0.71	0.68	0.47	0.49
High School Graduate	0.66	0.71	0.47	0.53	0.31	0.36
Some College	0.76	0.72	0.58	0.57	0.35	0.37
College Graduate	1.13	1.10	0.72	0.78	0.45	0.51
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.60	0.60	0.43	0.46	0.29	0.33
Part-Time	0.74	0.70	0.56	0.61	0.36	0.41
Unemployed	1.47	1.35	1.18	1.16	0.76	0.83
Other <sup>1</sup>	0.89	0.88	0.69	0.61	0.45	0.42

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 1.60P Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.0228		0.5291		0.0300	
<b>GENDER</b>						
Male	0.2040		0.7592		0.0305	
Female	0.0348		0.5389		0.4429	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0661		0.8500		0.0466	
White	0.0287		0.8126		0.0441	
Black or African American	0.8349		0.4700		0.3602	
American Indian or Alaska Native	*		0.9875		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3264		0.1065		0.0022	
Two or More Races	0.3902		0.9660		0.8062	
Hispanic or Latino	0.1325		0.2282		0.4298	
<b>EDUCATION</b>						
< High School	0.0066		0.1470		0.0057	
High School Graduate	0.2815		0.3016		0.3624	
Some College	0.9920		0.2555		0.9367	
College Graduate	0.1135		0.7719		0.4345	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.1732		0.9318		0.2143	
Part-Time	0.0200		0.0327		0.0293	
Unemployed	0.1817		0.7728		0.2784	
Other <sup>1</sup>	0.9883		0.2089		0.6125	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.61C Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	707	617	345	331	215	237
<b>GENDER</b>						
Male	478	453	234	219	147	146
Female	467	432	239	234	157	169
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	682	587	315	298	198	201
White	622	529	287	267	191	171
Black or African American	185	185	81	95	54	61
American Indian or Alaska Native	55	44	11	16	6	15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	114	95	59	61	15	52
Two or More Races	44	62	22	13	21	7
Hispanic or Latino	218	201	137	140	89	99
<b>EDUCATION</b>						
< High School	226	243	135	128	96	98
High School Graduate	356	311	194	166	136	121
Some College	346	312	170	168	103	120
College Graduate	358	359	157	158	90	95
<b>CURRENT EMPLOYMENT</b>						
Full-Time	533	486	251	235	154	137
Part-Time	239	208	134	114	91	92
Unemployed	119	106	87	74	54	60
Other <sup>1</sup>	315	273	125	159	94	129

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.61D Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.39	0.34	0.19	0.18	0.12	0.13
<b>GENDER</b>						
Male	0.56	0.53	0.27	0.25	0.17	0.17
Female	0.50	0.46	0.25	0.25	0.17	0.18
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.43	0.37	0.20	0.19	0.12	0.12
White	0.48	0.40	0.22	0.20	0.15	0.13
Black or African American	0.97	0.95	0.43	0.49	0.28	0.31
American Indian or Alaska Native	5.15	4.90	1.00	1.84	0.53	1.72
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.70	1.29	0.89	0.83	0.22	0.70
Two or More Races	2.58	3.44	1.27	0.70	1.19	0.41
Hispanic or Latino	1.11	1.00	0.70	0.69	0.45	0.49
<b>EDUCATION</b>						
< High School	0.75	0.78	0.45	0.41	0.32	0.32
High School Graduate	0.62	0.55	0.34	0.30	0.24	0.22
Some College	0.81	0.73	0.40	0.39	0.24	0.28
College Graduate	0.73	0.70	0.32	0.31	0.18	0.19
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.52	0.47	0.25	0.23	0.15	0.13
Part-Time	1.22	1.02	0.69	0.56	0.47	0.45
Unemployed	2.32	1.97	1.70	1.38	1.05	1.11
Other <sup>1</sup>	0.60	0.52	0.24	0.30	0.18	0.25

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.61P Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.6417		0.9305		0.6434	
<b>GENDER</b>						
Male	0.9776		0.8943		0.4084	
Female	0.5246		0.8018		0.9329	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.5474		0.7086		0.5775	
White	0.2214		0.5222		0.5829	
Black or African American	0.3312		0.8731		0.7152	
American Indian or Alaska Native	0.8582		0.3570		0.2305	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1408		0.8362		0.2537	
Two or More Races	0.0518		0.4735		0.1397	
Hispanic or Latino	0.7797		0.5476		0.9776	
<b>EDUCATION</b>						
< High School	0.6803		0.5654		0.6118	
High School Graduate	0.6384		0.4485		0.6032	
Some College	0.9354		0.2560		0.6169	
College Graduate	0.9177		0.7199		0.6873	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.3901		0.8045		0.0491	
Part-Time	0.9928		0.9230		0.7757	
Unemployed	0.9512		0.4147		0.7824	
Other <sup>1</sup>	0.5754		0.3642		0.1537	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.62C Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	730	635	367	351	226	249
<b>GENDER</b>						
Male	492	466	246	234	155	154
Female	480	443	249	246	163	173
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	699	602	337	320	208	211
White	635	543	306	288	202	184
Black or African American	187	192	85	100	57	62
American Indian or Alaska Native	56	45	16	18	12	16
Native Hawaiian or Other Pacific Islander	30	15	25	9	12	5
Asian	113	102	61	64	15	53
Two or More Races	48	63	25	18	22	11
Hispanic or Latino	230	213	146	144	92	104
<b>EDUCATION</b>						
< High School	239	257	144	141	100	106
High School Graduate	365	321	203	176	139	125
Some College	353	316	185	169	110	125
College Graduate	364	362	160	165	93	98
<b>CURRENT EMPLOYMENT</b>						
Full-Time	550	495	256	243	158	147
Part-Time	239	215	142	122	96	97
Unemployed	122	112	92	77	59	63
Other <sup>1</sup>	322	282	135	166	99	131

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.62D Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.35	0.30	0.17	0.17	0.11	0.12
<b>GENDER</b>						
Male	0.49	0.46	0.24	0.23	0.15	0.15
Female	0.44	0.40	0.23	0.22	0.15	0.16
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.38	0.32	0.18	0.17	0.11	0.11
White	0.42	0.36	0.20	0.19	0.13	0.12
Black or African American	0.80	0.81	0.37	0.42	0.25	0.26
American Indian or Alaska Native	4.37	4.19	1.26	1.65	0.94	1.52
Native Hawaiian or Other Pacific Islander	4.11	3.57	3.43	2.23	1.62	1.09
Asian	1.41	1.16	0.76	0.72	0.19	0.60
Two or More Races	2.25	2.91	1.19	0.83	1.04	0.50
Hispanic or Latino	0.91	0.82	0.58	0.56	0.37	0.40
<b>EDUCATION</b>						
< High School	0.64	0.68	0.39	0.37	0.27	0.28
High School Graduate	0.54	0.48	0.30	0.26	0.20	0.19
Some College	0.67	0.60	0.35	0.32	0.21	0.24
College Graduate	0.69	0.66	0.30	0.30	0.18	0.18
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.47	0.42	0.22	0.21	0.14	0.13
Part-Time	0.87	0.75	0.52	0.42	0.35	0.34
Unemployed	1.61	1.39	1.21	0.96	0.78	0.78
Other <sup>1</sup>	0.55	0.48	0.23	0.28	0.17	0.22

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.62P Nonmedical Use of Any Prescription-Type Psychotherapeutic in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.3485		0.7429		0.8811	
<b>GENDER</b>						
Male	0.7677		0.9759		0.9338	
Female	0.2954		0.6565		0.7729	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3288		0.6329		0.9546	
White	0.1024		0.4586		0.9289	
Black or African American	0.3291		0.7610		0.5551	
American Indian or Alaska Native	0.8281		0.4276		0.3766	
Native Hawaiian or Other Pacific Islander	0.3847		0.3425		0.2356	
Asian	0.2200		0.8267		0.0676	
Two or More Races	0.0481		0.4007		0.1292	
Hispanic or Latino	0.9032		0.7838		0.8173	
<b>EDUCATION</b>						
< High School	0.3399		0.8924		0.7412	
High School Graduate	0.4190		0.8274		0.8724	
Some College	0.9231		0.4370		0.5985	
College Graduate	0.7706		0.6937		0.8072	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.2857		0.7960		0.1196	
Part-Time	0.5723		0.3984		0.3405	
Unemployed	0.7063		0.5353		0.8871	
Other <sup>1</sup>	0.6065		0.5695		0.2017	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.