

**Table 1.63C Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	569	517	300	299	186	207
<b>AGE</b>						
12-17	69	70	59	59	39	39
18-25	119	130	86	97	51	61
26 or Older	539	477	275	275	172	193
<b>GENDER</b>						
Male	396	367	208	207	130	135
Female	368	365	206	209	130	144
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	541	489	278	264	163	171
White	483	447	244	237	155	151
Black or African American	147	156	79	90	53	60
American Indian or Alaska Native	56	45	16	18	9	16
Native Hawaiian or Other Pacific Islander	29	12	24	8	9	5
Asian	87	84	58	60	17	51
Two or More Races	44	56	22	16	18	10
Hispanic or Latino	163	186	118	141	89	101

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.63D Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.24	0.22	0.13	0.13	0.08	0.09
<b>AGE</b>						
12-17	0.28	0.28	0.24	0.24	0.16	0.15
18-25	0.39	0.41	0.28	0.30	0.16	0.19
26 or Older	0.30	0.26	0.15	0.15	0.10	0.11
<b>GENDER</b>						
Male	0.35	0.32	0.18	0.18	0.11	0.12
Female	0.30	0.30	0.17	0.17	0.11	0.12
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.26	0.24	0.13	0.13	0.08	0.08
White	0.29	0.27	0.15	0.14	0.09	0.09
Black or African American	0.55	0.57	0.29	0.33	0.20	0.22
American Indian or Alaska Native	3.77	3.56	1.05	1.41	0.62	1.27
Native Hawaiian or Other Pacific Islander	3.59	2.51	2.99	1.62	1.11	1.08
Asian	0.96	0.86	0.64	0.61	0.19	0.52
Two or More Races	1.75	2.19	0.89	0.61	0.73	0.37
Hispanic or Latino	0.56	0.62	0.41	0.47	0.30	0.34

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.63P Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.0894		0.1726		0.3328	
<b>AGE</b>						
12-17	0.9726		0.7254		0.9876	
18-25	0.0030		0.1570		0.0103	
26 or Older	0.3039		0.4035		0.8065	
<b>GENDER</b>						
Male	0.4749		0.6428		0.6462	
Female	0.0837		0.1424		0.3572	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.1203		0.1347		0.2653	
White	0.0363		0.0702		0.3145	
Black or African American	0.5875		0.9389		0.7995	
American Indian or Alaska Native	0.6632		0.3554		0.0956	
Native Hawaiian or Other Pacific Islander	0.1977		0.3241		0.9383	
Asian	0.2313		0.8822		0.1974	
Two or More Races	0.1728		0.2634		0.3667	
Hispanic or Latino	0.4410		1.0000		0.9756	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.64C Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	69	70	59	59	39	39
<b>GENDER</b>						
Male	47	47	38	40	26	26
Female	48	50	40	42	28	28
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	58	65	52	55	34	34
White	53	56	48	47	31	29
Black or African American	21	26	18	21	13	15
American Indian or Alaska Native	8	4	8	4	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9	11	8	9	7	7
Two or More Races	6	6	6	6	3	5
Hispanic or Latino	34	31	28	25	20	17
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	36	36	31	31	20	20
Female, White, Not Hispanic	37	39	33	33	23	20
Male, Black, Not Hispanic	13	17	11	14	7	8
Female, Black, Not Hispanic	17	18	14	15	10	12
Male, Hispanic	23	21	20	19	15	11
Female, Hispanic	22	24	17	19	12	12

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.64D Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.28	0.28	0.24	0.24	0.16	0.15
<b>GENDER</b>						
Male	0.37	0.37	0.30	0.31	0.21	0.20
Female	0.40	0.41	0.33	0.34	0.23	0.23
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.28	0.31	0.25	0.26	0.16	0.16
White	0.34	0.36	0.31	0.30	0.20	0.18
Black or African American	0.57	0.69	0.49	0.57	0.36	0.40
American Indian or Alaska Native	4.44	2.47	4.02	2.38	1.72	1.41
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.92	1.15	0.75	0.93	0.73	0.68
Two or More Races	1.61	1.55	1.41	1.44	0.71	1.17
Hispanic or Latino	0.86	0.75	0.71	0.62	0.50	0.42
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.45	0.45	0.38	0.38	0.26	0.25
Female, White, Not Hispanic	0.49	0.52	0.44	0.44	0.30	0.26
Male, Black, Not Hispanic	0.73	0.90	0.60	0.75	0.40	0.43
Female, Black, Not Hispanic	0.93	0.97	0.78	0.78	0.57	0.66
Male, Hispanic	1.15	1.03	0.99	0.90	0.76	0.54
Female, Hispanic	1.15	1.20	0.89	0.94	0.61	0.61

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.64P Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.9726		0.7254		0.9876	
<b>GENDER</b>						
Male	0.8111		0.8779		0.8853	
Female	0.7850		0.7189		0.8725	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.8731		0.4871		0.8228	
White	0.9356		0.7398		0.5815	
Black or African American	0.4213		0.3127		0.2705	
American Indian or Alaska Native	0.4608		0.8044		0.6650	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6562		0.9038		0.6393	
Two or More Races	0.7747		0.5867		0.0680	
Hispanic or Latino	0.7117		0.5854		0.6925	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.6691		0.8670		0.9280	
Female, White, Not Hispanic	0.6047		0.7607		0.4064	
Male, Black, Not Hispanic	0.3174		0.2995		0.4258	
Female, Black, Not Hispanic	0.8318		0.6425		0.4115	
Male, Hispanic	0.4527		0.4193		0.4345	
Female, Hispanic	0.8222		0.9524		0.8068	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.65C Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	119	130	86	97	51	61
<b>GENDER</b>						
Male	86	88	65	68	41	46
Female	76	81	54	61	34	37
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	105	114	75	90	45	57
White	86	101	64	80	42	52
Black or African American	28	34	22	24	18	15
American Indian or Alaska Native	*	8	*	6	*	5
Native Hawaiian or Other Pacific Islander	*	*	5	*	*	*
Asian	20	25	13	16	3	10
Two or More Races	13	12	10	9	7	4
Hispanic or Latino	46	53	36	34	23	24
<b>EDUCATION</b>						
< High School	53	57	43	44	28	28
High School Graduate	65	78	48	55	29	37
Some College	68	68	50	52	29	31
College Graduate	36	40	24	27	15	15
<b>CURRENT EMPLOYMENT</b>						
Full-Time	80	86	57	62	35	41
Part-Time	52	56	40	45	26	29
Unemployed	33	37	25	28	17	19
Other <sup>1</sup>	50	49	38	34	23	23

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.65D Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.39	0.41	0.28	0.30	0.16	0.19
<b>GENDER</b>						
Male	0.55	0.55	0.42	0.43	0.27	0.29
Female	0.49	0.51	0.35	0.39	0.22	0.23
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.41	0.44	0.29	0.35	0.18	0.22
White	0.44	0.52	0.33	0.41	0.22	0.26
Black or African American	0.69	0.79	0.55	0.56	0.43	0.35
American Indian or Alaska Native	*	4.27	*	3.14	*	2.68
Native Hawaiian or Other Pacific Islander	*	*	2.67	*	*	*
Asian	1.43	1.75	0.93	1.13	0.19	0.73
Two or More Races	3.24	3.28	2.47	2.37	1.67	1.22
Hispanic or Latino	0.85	0.93	0.65	0.61	0.42	0.42
<b>EDUCATION</b>						
< High School	0.77	0.82	0.63	0.64	0.41	0.41
High School Graduate	0.62	0.71	0.45	0.50	0.27	0.34
Some College	0.70	0.69	0.52	0.52	0.30	0.32
College Graduate	0.96	1.01	0.64	0.68	0.39	0.38
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.55	0.59	0.39	0.42	0.24	0.28
Part-Time	0.66	0.68	0.50	0.55	0.32	0.35
Unemployed	1.33	1.36	1.00	1.05	0.68	0.70
Other <sup>1</sup>	0.81	0.78	0.62	0.55	0.36	0.37

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 1.65P Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.0030		0.1570		0.0103	
<b>GENDER</b>						
Male	0.0147		0.3556		0.0902	
Female	0.0671		0.2565		0.0709	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0126		0.3538		0.0089	
White	0.0107		0.2822		0.0056	
Black or African American	0.6508		0.4400		0.2823	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0477		0.0477		0.0021	
Two or More Races	0.1363		0.5442		0.3025	
Hispanic or Latino	0.0689		0.1130		0.6976	
<b>EDUCATION</b>						
< High School	0.0008		0.0771		0.0241	
High School Graduate	0.0682		0.0414		0.0517	
Some College	0.9682		0.2775		0.8677	
College Graduate	0.1806		0.7711		0.5414	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0202		0.2975		0.0413	
Part-Time	0.0388		0.0664		0.0795	
Unemployed	0.4115		0.9411		0.5881	
Other <sup>1</sup>	0.6464		0.6652		0.9441	

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.66C Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	539	477	275	275	172	193
<b>GENDER</b>						
Male	374	347	198	190	120	127
Female	357	343	191	196	120	138
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	522	458	253	237	150	159
White	466	415	220	212	140	139
Black or African American	144	148	72	83	48	57
American Indian or Alaska Native	*	*	8	16	2	15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	83	77	55	58	15	49
Two or More Races	41	56	19	9	17	7
Hispanic or Latino	149	175	106	137	82	95
<b>EDUCATION</b>						
< High School	184	206	118	126	82	88
High School Graduate	267	259	154	151	98	112
Some College	281	244	147	141	86	97
College Graduate	251	260	105	130	61	79
<b>CURRENT EMPLOYMENT</b>						
Full-Time	435	370	210	204	123	114
Part-Time	170	164	93	91	57	68
Unemployed	107	92	82	68	46	59
Other <sup>1</sup>	236	219	108	136	83	114

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.66D Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.30	0.26	0.15	0.15	0.10	0.11
<b>GENDER</b>						
Male	0.44	0.40	0.23	0.22	0.14	0.15
Female	0.38	0.36	0.20	0.21	0.13	0.15
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.33	0.28	0.16	0.15	0.09	0.10
White	0.36	0.32	0.17	0.16	0.11	0.11
Black or African American	0.75	0.76	0.38	0.43	0.25	0.29
American Indian or Alaska Native	*	*	0.75	1.75	0.18	1.68
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.24	1.05	0.83	0.79	0.22	0.67
Two or More Races	2.39	3.07	1.10	0.52	0.98	0.37
Hispanic or Latino	0.76	0.87	0.54	0.68	0.42	0.47
<b>EDUCATION</b>						
< High School	0.61	0.66	0.39	0.41	0.27	0.28
High School Graduate	0.47	0.46	0.27	0.27	0.17	0.20
Some College	0.66	0.57	0.34	0.33	0.20	0.23
College Graduate	0.51	0.51	0.22	0.25	0.12	0.16
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.43	0.36	0.21	0.20	0.12	0.11
Part-Time	0.87	0.80	0.48	0.45	0.29	0.33
Unemployed	2.08	1.71	1.60	1.26	0.89	1.09
Other <sup>1</sup>	0.45	0.42	0.20	0.26	0.16	0.22

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.66P Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.3039		0.4035		0.8065	
<b>GENDER</b>						
Male	0.9166		0.9489		0.8712	
Female	0.1668		0.2684		0.6208	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3339		0.2746		0.7868	
White	0.1159		0.1433		0.7916	
Black or African American	0.5406		0.9892		0.7913	
American Indian or Alaska Native	*		0.1936		0.1087	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0560		0.7073		0.4232	
Two or More Races	0.2641		0.3204		0.3096	
Hispanic or Latino	0.7240		0.7604		0.9843	
<b>EDUCATION</b>						
< High School	0.3146		0.6956		0.8141	
High School Graduate	0.3454		0.7400		0.7881	
Some College	0.8245		0.4458		0.8484	
College Graduate	0.8300		0.7580		0.8677	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.6361		0.8615		0.0884	
Part-Time	0.0969		0.1216		0.1054	
Unemployed	0.4180		0.5479		0.6626	
Other <sup>1</sup>	0.8141		0.5011		0.2324	

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.67C Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	565	510	293	298	182	205
<b>GENDER</b>						
Male	391	365	205	205	128	134
Female	368	361	200	209	124	143
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	539	485	271	263	159	170
White	479	441	237	235	149	150
Black or African American	146	153	77	87	52	58
American Indian or Alaska Native	54	44	14	17	9	16
Native Hawaiian or Other Pacific Islander	29	12	23	7	9	5
Asian	86	83	57	59	15	50
Two or More Races	44	56	22	14	18	8
Hispanic or Latino	161	188	112	142	85	100
<b>EDUCATION</b>						
< High School	193	224	126	135	85	94
High School Graduate	277	271	162	160	102	117
Some College	288	253	157	142	91	102
College Graduate	258	269	108	136	63	82
<b>CURRENT EMPLOYMENT</b>						
Full-Time	448	384	212	214	126	122
Part-Time	178	174	106	100	65	73
Unemployed	112	98	85	73	49	61
Other <sup>1</sup>	244	228	116	141	86	116

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.67D Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.27	0.24	0.14	0.14	0.09	0.10
<b>GENDER</b>						
Male	0.39	0.36	0.20	0.20	0.13	0.13
Female	0.34	0.33	0.18	0.19	0.11	0.13
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.29	0.26	0.15	0.14	0.09	0.09
White	0.32	0.29	0.16	0.16	0.10	0.10
Black or African American	0.63	0.65	0.33	0.37	0.22	0.25
American Indian or Alaska Native	4.19	4.09	1.06	1.55	0.69	1.47
Native Hawaiian or Other Pacific Islander	4.00	2.84	3.19	1.77	1.22	1.09
Asian	1.07	0.94	0.71	0.67	0.19	0.57
Two or More Races	2.08	2.59	1.04	0.64	0.86	0.38
Hispanic or Latino	0.64	0.73	0.45	0.55	0.34	0.39
<b>EDUCATION</b>						
< High School	0.52	0.59	0.34	0.36	0.23	0.25
High School Graduate	0.41	0.40	0.24	0.24	0.15	0.17
Some College	0.55	0.48	0.30	0.27	0.17	0.19
College Graduate	0.49	0.49	0.21	0.25	0.12	0.15
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.38	0.33	0.18	0.18	0.11	0.10
Part-Time	0.65	0.61	0.39	0.35	0.24	0.26
Unemployed	1.48	1.22	1.12	0.90	0.65	0.75
Other <sup>1</sup>	0.41	0.39	0.20	0.24	0.15	0.20

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.67P Nonmedical Use of Any Pain Reliever in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.0866		0.1889		0.3265	
<b>GENDER</b>						
Male	0.4881		0.6575		0.6643	
Female	0.0767		0.1567		0.3275	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.1252		0.1655		0.2813	
White	0.0343		0.0745		0.2593	
Black or African American	0.5010		0.8641		0.5824	
American Indian or Alaska Native	0.5877		0.3037		0.1201	
Native Hawaiian or Other Pacific Islander	0.2872		0.3035		0.5315	
Asian	0.2059		0.8882		0.1492	
Two or More Races	0.1855		0.1804		0.1547	
Hispanic or Latino	0.3999		0.9048		0.9070	
<b>EDUCATION</b>						
< High School	0.0778		0.3736		0.3718	
High School Graduate	0.1216		0.2131		0.3361	
Some College	0.8101		0.6712		0.7957	
College Graduate	0.6940		0.7257		0.9703	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.3625		0.6555		0.3037	
Part-Time	0.0263		0.0288		0.0319	
Unemployed	0.2817		0.6188		0.5339	
Other <sup>1</sup>	0.9272		0.5719		0.2339	

\*Low precision; no estimate reported.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.