

Table 1.83C Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	963	909	588	558	388	404
GEOGRAPHIC DIVISION						
Northeast	386	384	231	211	151	167
New England	221	231	144	138	80	103
Middle Atlantic	320	312	175	161	129	133
Midwest	348	342	216	212	149	151
East North Central	283	278	161	182	106	130
West North Central	203	200	145	109	105	76
South	608	535	339	329	255	239
South Atlantic	483	396	288	279	205	200
East South Central	233	193	120	102	92	82
West South Central	300	305	139	143	122	103
West	525	523	361	335	201	234
Mountain	218	228	103	126	66	95
Pacific	476	469	347	310	191	214
COUNTY TYPE¹						
Large Metro	755	724	456	436	292	318
Small Metro	505	453	314	290	206	206
250K – 1 Mil. Pop.	404	350	248	250	161	172
< 250K Pop.	306	268	191	159	132	116
Nonmetro	327	351	211	191	146	135
Urbanized	212	242	136	112	98	84
Less Urbanized	222	209	124	147	85	107
Completely Rural	122	110	86	39	72	18

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.83D Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.41	0.38	0.25	0.23	0.17	0.17
GEOGRAPHIC DIVISION						
Northeast	0.86	0.85	0.51	0.47	0.34	0.37
New England	1.87	1.94	1.22	1.16	0.68	0.87
Middle Atlantic	0.96	0.93	0.53	0.48	0.39	0.40
Midwest	0.65	0.64	0.40	0.40	0.28	0.28
East North Central	0.76	0.74	0.43	0.48	0.28	0.35
West North Central	1.27	1.24	0.90	0.68	0.66	0.47
South	0.73	0.63	0.40	0.39	0.30	0.28
South Atlantic	1.10	0.89	0.66	0.63	0.47	0.45
East South Central	1.65	1.35	0.85	0.72	0.65	0.58
West South Central	1.16	1.17	0.54	0.55	0.47	0.39
West	0.99	0.97	0.68	0.62	0.38	0.43
Mountain	1.42	1.46	0.67	0.81	0.43	0.61
Pacific	1.27	1.23	0.92	0.81	0.51	0.56
COUNTY TYPE¹						
Large Metro	0.60	0.57	0.36	0.35	0.23	0.25
Small Metro	0.73	0.63	0.45	0.41	0.30	0.29
250K – 1 Mil. Pop.	0.89	0.74	0.55	0.53	0.35	0.37
< 250K Pop.	1.29	1.10	0.80	0.65	0.55	0.47
Nonmetro	0.81	0.87	0.53	0.47	0.36	0.34
Urbanized	1.32	1.36	0.85	0.63	0.61	0.47
Less Urbanized	1.13	1.15	0.63	0.81	0.43	0.59
Completely Rural	2.76	2.69	1.93	0.96	1.63	0.44

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.83P Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.5445		0.5217		0.6300	
GEOGRAPHIC DIVISION						
Northeast	0.5865		0.4928		0.2857	
New England	0.9936		0.7748		0.1429	
Middle Atlantic	0.4980		0.4774		0.8418	
Midwest	0.8094		0.7807		0.5910	
East North Central	0.9750		0.5124		0.6064	
West North Central	0.7200		0.2228		0.8328	
South	0.1355		0.8455		0.6701	
South Atlantic	0.3056		0.9613		0.8389	
East South Central	0.1968		0.3092		0.3150	
West South Central	0.7322		0.5836		0.7802	
West	0.8524		0.5561		0.4193	
Mountain	0.2900		0.5969		0.7265	
Pacific	0.5225		0.4270		0.3128	
COUNTY TYPE¹						
Large Metro	0.7777		0.4180		0.2957	
Small Metro	0.9433		0.7598		0.6681	
250K – 1 Mil. Pop.	0.7288		0.8404		0.7773	
< 250K Pop.	0.5477		0.4230		0.7397	
Nonmetro	0.2716		0.6504		0.8049	
Urbanized	0.5759		0.8913		0.9705	
Less Urbanized	0.0830		0.2281		0.1562	
Completely Rural	0.8045		0.1031		0.0249	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.84C Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	104	107	95	91	71	67
GEOGRAPHIC DIVISION						
Northeast	42	39	37	38	28	29
New England	18	19	17	20	11	16
Middle Atlantic	38	34	33	32	25	24
Midwest	38	41	36	36	24	28
East North Central	31	35	30	32	20	23
West North Central	22	22	20	18	14	16
South	71	64	61	55	46	41
South Atlantic	48	49	44	42	35	33
East South Central	32	23	26	20	15	14
West South Central	40	35	31	29	24	19
West	51	63	52	49	40	34
Mountain	22	25	20	22	17	17
Pacific	46	58	48	44	36	29
COUNTY TYPE¹						
Large Metro	81	81	72	67	57	50
Small Metro	53	57	51	49	38	33
250K – 1 Mil. Pop.	46	47	43	40	34	28
< 250K Pop.	31	30	28	26	19	18
Nonmetro	39	37	35	32	23	25
Urbanized	22	23	21	19	16	17
Less Urbanized	30	26	26	24	17	16
Completely Rural	16	11	15	9	8	7

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.84D Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.42	0.43	0.38	0.36	0.29	0.27
GEOGRAPHIC DIVISION						
Northeast	0.94	0.88	0.83	0.85	0.62	0.65
New England	1.58	1.63	1.46	1.70	0.95	1.35
Middle Atlantic	1.15	1.04	1.00	0.98	0.76	0.74
Midwest	0.67	0.72	0.64	0.64	0.42	0.49
East North Central	0.78	0.88	0.75	0.79	0.49	0.58
West North Central	1.29	1.27	1.17	1.05	0.80	0.92
South	0.81	0.72	0.69	0.62	0.52	0.46
South Atlantic	1.09	1.08	1.00	0.94	0.80	0.73
East South Central	2.22	1.61	1.82	1.38	1.05	0.99
West South Central	1.35	1.17	1.07	0.98	0.83	0.66
West	0.87	1.07	0.88	0.84	0.68	0.57
Mountain	1.31	1.46	1.19	1.29	0.98	0.98
Pacific	1.12	1.39	1.15	1.05	0.88	0.70
COUNTY TYPE¹						
Large Metro	0.62	0.61	0.55	0.50	0.43	0.38
Small Metro	0.73	0.77	0.71	0.66	0.53	0.44
250K – 1 Mil. Pop.	0.94	0.94	0.89	0.80	0.70	0.56
< 250K Pop.	1.31	1.24	1.20	1.05	0.83	0.73
Nonmetro	0.91	0.86	0.81	0.76	0.54	0.58
Urbanized	1.25	1.26	1.23	1.03	0.92	0.93
Less Urbanized	1.42	1.32	1.25	1.20	0.81	0.79
Completely Rural	3.29	2.41	3.23	2.08	1.66	1.55

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.84P Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.5614		0.4872		0.3311	
GEOGRAPHIC DIVISION						
Northeast	0.5303		0.2271		0.4539	
New England	0.9035		0.7326		0.2249	
Middle Atlantic	0.5208		0.2358		0.8384	
Midwest	0.0875		0.1805		0.5414	
East North Central	0.2843		0.3750		0.4725	
West North Central	0.1422		0.2558		0.9403	
South	0.6891		0.6837		0.1179	
South Atlantic	0.0313		0.0915		0.0042	
East South Central	0.6950		0.8092		0.6256	
West South Central	0.0720		0.1351		0.2325	
West	0.3143		0.3181		0.3319	
Mountain	0.9571		0.4905		0.4641	
Pacific	0.2889		0.4228		0.4761	
COUNTY TYPE¹						
Large Metro	0.0767		0.1120		0.1936	
Small Metro	0.0966		0.2892		0.8505	
250K – 1 Mil. Pop.	0.4049		0.7624		0.2625	
< 250K Pop.	0.0956		0.0114		0.0153	
Nonmetro	0.7329		0.7398		0.8687	
Urbanized	0.2132		0.2566		0.2349	
Less Urbanized	0.3349		0.5693		0.1607	
Completely Rural	0.2812		0.0822		0.6931	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.85C Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	156	155	143	153	116	128
GEOGRAPHIC DIVISION						
Northeast	59	61	58	58	41	51
New England	41	26	35	21	23	18
Middle Atlantic	43	56	46	54	34	47
Midwest	59	67	60	67	51	48
East North Central	47	55	50	53	43	39
West North Central	35	37	33	41	27	27
South	105	97	91	89	74	75
South Atlantic	84	73	72	67	59	60
East South Central	38	36	33	33	26	24
West South Central	51	51	44	47	35	39
West	79	79	71	86	60	75
Mountain	31	35	30	36	24	33
Pacific	72	71	64	78	55	67
COUNTY TYPE¹						
Large Metro	115	113	106	106	79	100
Small Metro	81	86	82	92	74	66
250K – 1 Mil. Pop.	64	72	65	82	58	58
< 250K Pop.	52	49	52	46	45	33
Nonmetro	58	53	53	51	42	40
Urbanized	38	35	39	36	31	29
Less Urbanized	40	37	30	33	24	27
Completely Rural	16	15	12	11	10	10

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.85D Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.50	0.49	0.46	0.48	0.37	0.40
GEOGRAPHIC DIVISION						
Northeast	1.07	1.09	1.06	1.03	0.75	0.91
New England	2.83	1.78	2.42	1.41	1.63	1.21
Middle Atlantic	1.05	1.33	1.13	1.29	0.83	1.14
Midwest	0.82	0.91	0.83	0.91	0.71	0.65
East North Central	0.95	1.09	1.00	1.04	0.86	0.78
West North Central	1.59	1.62	1.49	1.82	1.21	1.20
South	0.96	0.86	0.83	0.78	0.67	0.66
South Atlantic	1.55	1.31	1.34	1.20	1.10	1.07
East South Central	2.00	1.89	1.73	1.72	1.34	1.22
West South Central	1.36	1.34	1.19	1.24	0.95	1.01
West	1.09	1.07	0.97	1.16	0.83	1.01
Mountain	1.44	1.55	1.37	1.60	1.11	1.49
Pacific	1.42	1.38	1.25	1.50	1.08	1.30
COUNTY TYPE¹						
Large Metro	0.72	0.68	0.67	0.64	0.50	0.60
Small Metro	0.79	0.84	0.80	0.90	0.73	0.65
250K – 1 Mil. Pop.	0.99	1.08	1.01	1.23	0.91	0.87
< 250K Pop.	1.40	1.37	1.40	1.29	1.20	0.93
Nonmetro	1.17	1.07	1.07	1.04	0.85	0.81
Urbanized	1.69	1.46	1.73	1.51	1.38	1.23
Less Urbanized	1.79	1.69	1.33	1.52	1.04	1.23
Completely Rural	3.41	4.13	2.63	3.09	2.17	2.75

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.85P Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.3244		0.1830		0.8639	
GEOGRAPHIC DIVISION						
Northeast	0.4709		0.4580		0.2335	
New England	0.8382		1.0000		0.4895	
Middle Atlantic	0.4658		0.3791		0.3227	
Midwest	0.3592		0.1746		0.1679	
East North Central	0.8818		0.0125		0.1654	
West North Central	0.1568		0.3300		0.6378	
South	0.8810		0.0912		0.6772	
South Atlantic	0.8463		0.2976		0.8856	
East South Central	0.3208		0.2360		0.4460	
West South Central	0.4295		0.3817		0.5784	
West	0.4269		0.9430		0.3575	
Mountain	0.6289		0.1079		0.7317	
Pacific	0.2965		0.5101		0.2417	
COUNTY TYPE¹						
Large Metro	0.7175		0.1963		0.9671	
Small Metro	0.7422		0.2189		0.6642	
250K – 1 Mil. Pop.	0.5498		0.5666		0.4605	
< 250K Pop.	0.7723		0.2022		0.1019	
Nonmetro	0.1309		0.4351		0.3044	
Urbanized	0.2276		0.5969		0.5894	
Less Urbanized	0.7554		0.7796		0.2972	
Completely Rural	0.2857		0.7044		0.5818	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.86C Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	935	874	514	489	353	363
GEOGRAPHIC DIVISION						
Northeast	377	380	224	182	153	148
New England	202	223	151	123	78	96
Middle Atlantic	319	313	162	137	132	115
Midwest	335	331	184	184	138	138
East North Central	271	271	133	154	93	114
West North Central	198	192	128	100	102	77
South	598	509	293	283	219	213
South Atlantic	468	376	238	237	168	176
East South Central	242	179	112	92	83	80
West South Central	294	293	133	127	113	91
West	502	502	309	303	185	212
Mountain	212	219	78	115	60	84
Pacific	453	451	300	280	176	194
COUNTY TYPE¹						
Large Metro	729	688	412	397	276	291
Small Metro	492	445	261	245	169	183
250K – 1 Mil. Pop.	387	341	200	212	134	145
< 250K Pop.	303	258	166	129	105	107
Nonmetro	314	342	171	154	131	120
Urbanized	205	231	111	92	85	73
Less Urbanized	213	201	105	126	78	100
Completely Rural	112	116	64	36	62	13

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.86D Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.52	0.48	0.29	0.27	0.20	0.20
GEOGRAPHIC DIVISION						
Northeast	1.07	1.08	0.64	0.52	0.44	0.42
New England	2.19	2.41	1.63	1.33	0.85	1.04
Middle Atlantic	1.23	1.21	0.63	0.53	0.51	0.44
Midwest	0.83	0.81	0.45	0.45	0.34	0.34
East North Central	0.95	0.95	0.47	0.54	0.33	0.40
West North Central	1.64	1.58	1.06	0.82	0.84	0.64
South	0.94	0.79	0.46	0.44	0.34	0.33
South Atlantic	1.38	1.10	0.70	0.69	0.50	0.51
East South Central	2.24	1.65	1.04	0.85	0.77	0.74
West South Central	1.54	1.52	0.69	0.66	0.59	0.47
West	1.26	1.24	0.78	0.75	0.46	0.52
Mountain	1.85	1.88	0.68	0.98	0.52	0.72
Pacific	1.60	1.56	1.06	0.97	0.62	0.67
COUNTY TYPE¹						
Large Metro	0.75	0.71	0.43	0.41	0.29	0.30
Small Metro	0.95	0.83	0.50	0.45	0.32	0.34
250K – 1 Mil. Pop.	1.13	0.97	0.59	0.60	0.39	0.41
< 250K Pop.	1.71	1.39	0.93	0.70	0.59	0.58
Nonmetro	1.02	1.10	0.55	0.50	0.43	0.39
Urbanized	1.70	1.70	0.92	0.67	0.70	0.53
Less Urbanized	1.39	1.43	0.69	0.90	0.51	0.71
Completely Rural	3.21	3.53	1.84	1.09	1.79	0.38

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.86P Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.6311		0.7321		0.6286	
GEOGRAPHIC DIVISION						
Northeast	0.5330		0.4310		0.4254	
New England	0.9679		0.7585		0.1379	
Middle Atlantic	0.4602		0.4014		0.8826	
Midwest	0.8273		0.3815		0.9398	
East North Central	0.9281		0.8532		0.9744	
West North Central	0.8103		0.2733		0.9383	
South	0.1194		0.7736		0.9200	
South Atlantic	0.1910		0.5984		0.8167	
East South Central	0.1522		0.4013		0.3474	
West South Central	0.9453		0.6895		0.8723	
West	0.6480		0.4203		0.1930	
Mountain	0.2750		0.3220		0.7490	
Pacific	0.3165		0.2308		0.1277	
COUNTY TYPE¹						
Large Metro	0.7058		0.5547		0.2687	
Small Metro	0.7809		0.9813		0.4366	
250K – 1 Mil. Pop.	0.9010		0.6110		0.7450	
< 250K Pop.	0.5169		0.4915		0.3947	
Nonmetro	0.3571		0.6499		0.9699	
Urbanized	0.3822		0.9748		0.7920	
Less Urbanized	0.0776		0.2219		0.1871	
Completely Rural	0.7651		0.1338		0.0301	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.87C Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	963	902	565	540	379	396
GEOGRAPHIC DIVISION						
Northeast	389	387	228	204	152	166
New England	217	231	144	135	80	101
Middle Atlantic	324	315	172	155	129	133
Midwest	345	341	204	207	144	149
East North Central	282	280	152	176	101	127
West North Central	199	194	136	110	102	77
South	610	527	327	323	247	235
South Atlantic	475	392	275	272	196	197
East South Central	244	185	118	103	90	83
West South Central	306	301	136	142	121	101
West	523	522	346	320	198	226
Mountain	217	227	96	124	67	95
Pacific	474	468	333	296	186	205
COUNTY TYPE¹						
Large Metro	759	717	444	427	285	311
Small Metro	501	451	300	276	198	200
250K – 1 Mil. Pop.	403	346	235	238	153	165
< 250K Pop.	306	265	186	151	129	115
Nonmetro	322	350	197	180	143	131
Urbanized	213	244	134	109	97	83
Less Urbanized	219	204	111	138	80	104
Completely Rural	116	112	73	37	68	15

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.87D Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.46	0.42	0.27	0.25	0.18	0.19
GEOGRAPHIC DIVISION						
Northeast	0.96	0.95	0.56	0.50	0.37	0.41
New England	2.04	2.15	1.35	1.26	0.75	0.95
Middle Atlantic	1.08	1.05	0.57	0.51	0.43	0.44
Midwest	0.72	0.71	0.43	0.43	0.30	0.31
East North Central	0.84	0.83	0.45	0.52	0.30	0.38
West North Central	1.39	1.35	0.95	0.76	0.71	0.53
South	0.81	0.69	0.44	0.43	0.33	0.31
South Atlantic	1.21	0.98	0.70	0.68	0.50	0.49
East South Central	1.92	1.45	0.93	0.81	0.71	0.65
West South Central	1.34	1.30	0.59	0.61	0.53	0.44
West	1.11	1.09	0.73	0.67	0.42	0.47
Mountain	1.60	1.64	0.71	0.89	0.49	0.68
Pacific	1.42	1.38	1.00	0.87	0.56	0.60
COUNTY TYPE¹						
Large Metro	0.67	0.64	0.39	0.38	0.25	0.28
Small Metro	0.81	0.70	0.48	0.43	0.32	0.31
250K – 1 Mil. Pop.	0.99	0.82	0.58	0.57	0.38	0.39
< 250K Pop.	1.43	1.20	0.87	0.69	0.60	0.52
Nonmetro	0.90	0.97	0.55	0.50	0.40	0.36
Urbanized	1.49	1.52	0.94	0.68	0.68	0.52
Less Urbanized	1.25	1.26	0.64	0.85	0.46	0.64
Completely Rural	2.92	3.06	1.84	1.01	1.71	0.42

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.87P Any Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.5013		0.5876		0.7561	
GEOGRAPHIC DIVISION						
Northeast	0.6361		0.6413		0.2386	
New England	0.9955		0.8007		0.1058	
Middle Atlantic	0.5492		0.6765		0.8146	
Midwest	0.6704		0.6212		0.6629	
East North Central	0.8803		0.6162		0.6914	
West North Central	0.6122		0.1701		0.8427	
South	0.1192		0.8978		0.8847	
South Atlantic	0.1889		0.7962		0.7523	
East South Central	0.2144		0.2801		0.2734	
West South Central	0.9303		0.8865		0.9866	
West	0.7563		0.4505		0.3212	
Mountain	0.3059		0.6665		0.8482	
Pacific	0.4363		0.3438		0.2485	
COUNTY TYPE¹						
Large Metro	0.6222		0.5586		0.4089	
Small Metro	0.7744		0.6175		0.6763	
250K – 1 Mil. Pop.	0.8260		0.7741		0.5936	
< 250K Pop.	0.4214		0.2200		0.9962	
Nonmetro	0.2560		0.5764		0.7727	
Urbanized	0.4763		0.9807		0.8176	
Less Urbanized	0.0598		0.1641		0.0868	
Completely Rural	0.7085		0.1339		0.0178	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.