

Table 2.55A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	162,897	70,582	60,785
NOT HISPANIC OR LATINO¹	146,114	62,481	54,244
White	122,701	51,029	44,366
Black or African American	15,921	7,898	6,936
American Indian or Alaska Native	1,042	591	501
Native Hawaiian or Other Pacific Islander	424	245	192
Chinese	812	226	164
Filipino	947	420	334
Japanese	522	146	127
Asian Indian	774	386	293
Korean	475	243	216
Vietnamese	329	175	143
HISPANIC OR LATINO¹	16,783	8,101	6,541
Mexican	10,964	5,323	4,284
Puerto Rican	1,997	1,060	910
Central or South American	2,278	1,080	816
Cuban	752	367	309

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.55B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	68.9	29.9	25.7
NOT HISPANIC OR LATINO¹	70.6	30.2	26.2
White	74.0	30.8	26.8
Black or African American	58.7	29.1	25.6
American Indian or Alaska Native	76.2	43.2	36.6
Native Hawaiian or Other Pacific Islander	65.0	37.7	29.5
Chinese	38.5	10.7	7.8
Filipino	45.1	20.0	15.9
Japanese	61.9	17.3	15.1
Asian Indian	38.7	19.3	14.6
Korean	60.0	30.7	27.3
Vietnamese	40.2	21.3	17.4
HISPANIC OR LATINO¹	56.9	27.5	22.2
Mexican	56.3	27.3	22.0
Puerto Rican	62.9	33.4	28.7
Central or South American	56.3	26.7	20.2
Cuban	59.4	29.0	24.4

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.56A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	7,997	4,887	3,126
NOT HISPANIC OR LATINO¹	6,757	4,181	2,751
White	5,399	3,485	2,361
Black or African American	921	449	248
American Indian or Alaska Native	95	64	47
Native Hawaiian or Other Pacific Islander	*	*	7
Chinese	26	15	6
Filipino	47	16	8
Japanese	*	*	*
Asian Indian	32	22	10
Korean	18	*	2
Vietnamese	25	6	2
HISPANIC OR LATINO¹	1,239	706	375
Mexican	880	506	261
Puerto Rican	147	86	55
Central or South American	131	72	33
Cuban	46	26	17

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.56B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	32.1	19.6	12.6
NOT HISPANIC OR LATINO¹	32.4	20.0	13.2
White	34.7	22.4	15.2
Black or African American	25.0	12.2	6.8
American Indian or Alaska Native	52.3	35.2	25.5
Native Hawaiian or Other Pacific Islander	*	*	8.9
Chinese	12.1	7.2	2.9
Filipino	28.6	9.9	4.6
Japanese	*	*	*
Asian Indian	15.3	10.7	5.1
Korean	19.0	*	2.0
Vietnamese	21.8	5.2	1.5
HISPANIC OR LATINO¹	31.0	17.7	9.4
Mexican	30.9	17.8	9.2
Puerto Rican	31.1	18.1	11.6
Central or South American	30.1	16.5	7.5
Cuban	38.3	21.9	14.4

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.57A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	22,183	15,163	12,707
NOT HISPANIC OR LATINO¹	18,577	12,908	10,911
White	14,883	10,604	8,995
Black or African American	2,358	1,394	1,175
American Indian or Alaska Native	163	125	104
Native Hawaiian or Other Pacific Islander	110	79	69
Chinese	124	73	57
Filipino	162	98	81
Japanese	*	*	*
Asian Indian	144	93	57
Korean	137	101	90
Vietnamese	73	42	28
HISPANIC OR LATINO¹	3,606	2,255	1,796
Mexican	2,559	1,564	1,242
Puerto Rican	383	260	224
Central or South American	449	284	218
Cuban	91	68	56

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.57B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	70.7	48.3	40.5
NOT HISPANIC OR LATINO¹	72.0	50.0	42.3
White	76.4	54.4	46.2
Black or African American	56.5	33.4	28.1
American Indian or Alaska Native	81.7	62.6	52.4
Native Hawaiian or Other Pacific Islander	66.8	48.2	41.8
Chinese	43.0	25.2	19.6
Filipino	58.7	35.6	29.5
Japanese	*	*	*
Asian Indian	49.8	32.0	19.7
Korean	74.3	54.5	48.6
Vietnamese	46.8	26.8	18.0
HISPANIC OR LATINO¹	64.7	40.5	32.2
Mexican	64.7	39.5	31.4
Puerto Rican	69.8	47.5	41.0
Central or South American	61.9	39.1	30.1
Cuban	63.9	47.4	39.2

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.58A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	132,717	50,532	44,952
NOT HISPANIC OR LATINO¹	120,780	45,391	40,582
White	102,420	36,941	33,010
Black or African American	12,642	6,056	5,512
American Indian or Alaska Native	784	403	350
Native Hawaiian or Other Pacific Islander	*	*	*
Chinese	662	138	101
Filipino	738	306	245
Japanese	474	111	97
Asian Indian	599	272	226
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	11,937	5,141	4,370
Mexican	7,524	3,254	2,781
Puerto Rican	1,467	715	630
Central or South American	1,698	724	565
Cuban	615	273	236

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.58B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	73.7	28.0	25.0
NOT HISPANIC OR LATINO¹	75.4	28.3	25.3
White	78.3	28.2	25.2
Black or African American	65.6	31.4	28.6
American Indian or Alaska Native	79.5	40.8	35.5
Native Hawaiian or Other Pacific Islander	*	*	*
Chinese	41.2	8.6	6.3
Filipino	44.5	18.4	14.8
Japanese	65.7	15.5	13.4
Asian Indian	39.7	18.0	15.0
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	60.0	25.8	21.9
Mexican	59.3	25.6	21.9
Puerto Rican	68.1	33.2	29.3
Central or South American	58.8	25.1	19.6
Cuban	61.3	27.2	23.5

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.59A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	154,900	65,695	57,659
NOT HISPANIC OR LATINO¹	139,356	58,300	51,493
White	117,302	47,544	42,005
Black or African American	15,000	7,449	6,687
American Indian or Alaska Native	946	527	454
Native Hawaiian or Other Pacific Islander	398	230	185
Chinese	786	211	158
Filipino	899	404	326
Japanese	517	143	124
Asian Indian	742	364	283
Korean	*	232	214
Vietnamese	305	169	141
HISPANIC OR LATINO¹	15,543	7,395	6,166
Mexican	10,084	4,818	4,023
Puerto Rican	1,850	975	855
Central or South American	2,147	1,008	784
Cuban	706	341	292

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.59B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	73.2	31.1	27.3
NOT HISPANIC OR LATINO¹	74.9	31.3	27.7
White	78.1	31.6	28.0
Black or African American	64.0	31.8	28.5
American Indian or Alaska Native	79.9	44.5	38.4
Native Hawaiian or Other Pacific Islander	69.5	40.2	32.3
Chinese	41.5	11.1	8.3
Filipino	46.5	20.9	16.9
Japanese	65.0	17.9	15.5
Asian Indian	41.3	20.3	15.8
Korean	*	33.3	30.7
Vietnamese	43.1	23.9	19.9
HISPANIC OR LATINO¹	61.0	29.0	24.2
Mexican	60.6	28.9	24.2
Puerto Rican	68.5	36.1	31.7
Central or South American	59.4	27.9	21.7
Cuban	61.6	29.7	25.5

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.60A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	196,493	155,008	119,392
NOT HISPANIC OR LATINO¹	174,326	137,620	106,976
White	143,888	115,023	90,729
Black or African American	20,585	14,737	10,549
American Indian or Alaska Native	1,092	844	594
Native Hawaiian or Other Pacific Islander	485	344	281
Chinese	1,493	1,196	836
Filipino	1,461	1,066	734
Japanese	695	512	427
Asian Indian	1,094	960	729
Korean	569	503	370
Vietnamese	460	429	247
HISPANIC OR LATINO¹	22,166	17,389	12,416
Mexican	14,440	11,333	8,060
Puerto Rican	2,428	1,931	1,303
Central or South American	3,041	2,323	1,678
Cuban	1,039	773	637

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.60B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	83.1	65.6	50.5
NOT HISPANIC OR LATINO¹	84.2	66.5	51.7
White	86.8	69.4	54.7
Black or African American	75.9	54.3	38.9
American Indian or Alaska Native	79.9	61.7	43.4
Native Hawaiian or Other Pacific Islander	74.4	52.8	43.1
Chinese	70.7	56.6	39.6
Filipino	69.6	50.8	35.0
Japanese	82.4	60.7	50.6
Asian Indian	54.6	47.9	36.4
Korean	71.9	63.6	46.7
Vietnamese	56.1	52.3	30.1
HISPANIC OR LATINO¹	75.2	59.0	42.1
Mexican	74.1	58.2	41.4
Puerto Rican	76.5	60.8	41.0
Central or South American	75.1	57.4	41.5
Cuban	82.0	61.0	50.3

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.61A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	10,730	8,564	4,395
NOT HISPANIC OR LATINO¹	8,932	7,182	3,738
White	7,046	5,837	3,159
Black or African American	1,326	905	387
American Indian or Alaska Native	88	71	36
Native Hawaiian or Other Pacific Islander	34	31	12
Chinese	44	35	12
Filipino	61	39	20
Japanese	*	*	4
Asian Indian	41	36	16
Korean	*	*	10
Vietnamese	37	*	7
HISPANIC OR LATINO¹	1,798	1,382	657
Mexican	1,287	980	469
Puerto Rican	212	162	68
Central or South American	187	149	74
Cuban	57	47	25

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.61B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	43.1	34.4	17.7
NOT HISPANIC OR LATINO¹	42.8	34.4	17.9
White	45.3	37.5	20.3
Black or African American	36.0	24.6	10.5
American Indian or Alaska Native	48.1	38.8	19.5
Native Hawaiian or Other Pacific Islander	43.1	39.8	15.6
Chinese	20.5	16.5	5.7
Filipino	36.9	23.6	12.3
Japanese	*	*	7.9
Asian Indian	19.9	17.6	7.6
Korean	*	*	10.3
Vietnamese	33.0	*	6.4
HISPANIC OR LATINO¹	45.0	34.6	16.4
Mexican	45.2	34.4	16.5
Puerto Rican	44.7	34.1	14.3
Central or South American	43.1	34.2	17.1
Cuban	47.9	39.4	21.2

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.62A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	27,255	24,465	19,113
NOT HISPANIC OR LATINO¹	22,681	20,593	16,270
White	17,604	16,212	13,129
Black or African American	3,334	2,859	1,994
American Indian or Alaska Native	175	147	112
Native Hawaiian or Other Pacific Islander	134	113	91
Chinese	232	201	147
Filipino	233	186	134
Japanese	*	*	*
Asian Indian	170	153	111
Korean	154	147	118
Vietnamese	125	107	*
HISPANIC OR LATINO¹	4,574	3,872	2,843
Mexican	3,222	2,685	1,936
Puerto Rican	478	427	324
Central or South American	563	480	367
Cuban	127	118	96

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.62B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	86.9	78.0	60.9
NOT HISPANIC OR LATINO¹	87.9	79.8	63.1
White	90.4	83.2	67.4
Black or African American	79.9	68.5	47.8
American Indian or Alaska Native	87.9	73.9	56.5
Native Hawaiian or Other Pacific Islander	81.4	69.0	55.2
Chinese	80.1	69.4	50.7
Filipino	84.6	67.6	48.7
Japanese	*	*	*
Asian Indian	58.8	52.9	38.5
Korean	83.3	79.1	63.7
Vietnamese	80.6	68.6	*
HISPANIC OR LATINO¹	82.1	69.5	51.0
Mexican	81.5	67.9	49.0
Puerto Rican	87.2	77.9	59.2
Central or South American	77.7	66.2	50.6
Cuban	89.0	83.0	67.2

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.63A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	158,507	121,979	95,885
NOT HISPANIC OR LATINO¹	142,714	109,844	86,968
White	119,239	92,973	74,441
Black or African American	15,926	10,973	8,168
American Indian or Alaska Native	829	626	446
Native Hawaiian or Other Pacific Islander	*	*	*
Chinese	1,217	960	677
Filipino	1,168	841	580
Japanese	*	*	*
Asian Indian	883	771	603
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	15,794	12,135	8,917
Mexican	9,931	7,668	5,655
Puerto Rican	1,739	1,343	911
Central or South American	2,290	1,693	1,236
Cuban	854	607	516

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.63B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	88.0	67.7	53.2
NOT HISPANIC OR LATINO¹	89.1	68.5	54.3
White	91.2	71.1	56.9
Black or African American	82.6	56.9	42.4
American Indian or Alaska Native	84.1	63.5	45.2
Native Hawaiian or Other Pacific Islander	*	*	*
Chinese	75.8	59.7	42.1
Filipino	70.4	50.7	34.9
Japanese	*	*	*
Asian Indian	58.6	51.2	40.0
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	79.3	61.0	44.8
Mexican	78.3	60.4	44.6
Puerto Rican	80.8	62.4	42.3
Central or South American	79.3	58.7	42.8
Cuban	85.1	60.5	51.4

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.64A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	185,763	146,445	114,997
NOT HISPANIC OR LATINO¹	165,395	130,438	103,238
White	136,842	109,186	87,570
Black or African American	19,259	13,832	10,162
American Indian or Alaska Native	1,004	773	558
Native Hawaiian or Other Pacific Islander	451	313	269
Chinese	1,449	1,161	824
Filipino	1,400	1,027	714
Japanese	*	500	423
Asian Indian	1,052	924	714
Korean	*	*	360
Vietnamese	*	*	240
HISPANIC OR LATINO¹	20,368	16,007	11,759
Mexican	13,153	10,353	7,591
Puerto Rican	2,216	1,770	1,235
Central or South American	2,854	2,174	1,603
Cuban	981	726	612

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.64B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	87.8	69.2	54.4
NOT HISPANIC OR LATINO¹	88.9	70.1	55.5
White	91.1	72.7	58.3
Black or African American	82.1	59.0	43.3
American Indian or Alaska Native	84.8	65.2	47.1
Native Hawaiian or Other Pacific Islander	78.7	54.6	46.9
Chinese	76.4	61.2	43.4
Filipino	72.4	53.1	36.9
Japanese	*	62.8	53.1
Asian Indian	58.6	51.4	39.8
Korean	*	*	51.5
Vietnamese	*	*	33.9
HISPANIC OR LATINO¹	79.9	62.8	46.1
Mexican	79.0	62.2	45.6
Puerto Rican	82.1	65.5	45.7
Central or South American	79.0	60.2	44.4
Cuban	85.6	63.3	53.4

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.65A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	119,392	53,779	16,002
NOT HISPANIC OR LATINO¹	106,976	46,554	14,355
White	90,729	38,943	12,557
Black or African American	10,549	5,416	1,208
American Indian or Alaska Native	594	392	127
Native Hawaiian or Other Pacific Islander	281	176	59
Chinese	836	146	18
Filipino	734	253	50
Japanese	427	106	19
Asian Indian	729	219	47
Korean	370	156	53
Vietnamese	247	72	23
HISPANIC OR LATINO¹	12,416	7,224	1,647
Mexican	8,060	4,983	1,134
Puerto Rican	1,303	765	215
Central or South American	1,678	875	127
Cuban	637	280	77

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.65B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	50.5	22.7	6.8
NOT HISPANIC OR LATINO¹	51.7	22.5	6.9
White	54.7	23.5	7.6
Black or African American	38.9	20.0	4.5
American Indian or Alaska Native	43.4	28.7	9.3
Native Hawaiian or Other Pacific Islander	43.1	26.9	9.1
Chinese	39.6	6.9	0.9
Filipino	35.0	12.1	2.4
Japanese	50.6	12.6	2.3
Asian Indian	36.4	10.9	2.3
Korean	46.7	19.7	6.7
Vietnamese	30.1	8.8	2.9
HISPANIC OR LATINO¹	42.1	24.5	5.6
Mexican	41.4	25.6	5.8
Puerto Rican	41.0	24.1	6.8
Central or South American	41.5	21.6	3.1
Cuban	50.3	22.1	6.1

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.66A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	4,395	2,650	641
NOT HISPANIC OR LATINO¹	3,738	2,253	564
White	3,159	1,972	522
Black or African American	387	175	21
American Indian or Alaska Native	36	28	4
Native Hawaiian or Other Pacific Islander	12	7	*
Chinese	12	4	*
Filipino	20	8	*
Japanese	4	1	0
Asian Indian	16	7	*
Korean	10	4	*
Vietnamese	7	*	*
HISPANIC OR LATINO¹	657	397	77
Mexican	469	286	65
Puerto Rican	68	38	4
Central or South American	74	46	5
Cuban	25	*	2

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.66B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	17.7	10.7	2.6
NOT HISPANIC OR LATINO¹	17.9	10.8	2.7
White	20.3	12.7	3.4
Black or African American	10.5	4.8	0.6
American Indian or Alaska Native	19.5	15.4	2.3
Native Hawaiian or Other Pacific Islander	15.6	8.7	*
Chinese	5.7	1.9	*
Filipino	12.3	4.7	*
Japanese	7.9	2.1	1.0
Asian Indian	7.6	3.3	*
Korean	10.3	4.8	*
Vietnamese	6.4	*	*
HISPANIC OR LATINO¹	16.4	9.9	1.9
Mexican	16.5	10.1	2.3
Puerto Rican	14.3	8.1	0.8
Central or South American	17.1	10.6	1.1
Cuban	21.2	*	1.8

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.67A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	19,113	12,943	4,707
NOT HISPANIC OR LATINO¹	16,270	10,956	4,152
White	13,129	9,215	3,697
Black or African American	1,994	1,052	235
American Indian or Alaska Native	112	86	23
Native Hawaiian or Other Pacific Islander	91	73	23
Chinese	147	59	9
Filipino	134	73	20
Japanese	*	*	9
Asian Indian	111	58	19
Korean	118	60	*
Vietnamese	*	33	9
HISPANIC OR LATINO¹	2,843	1,987	554
Mexican	1,936	1,401	390
Puerto Rican	324	212	66
Central or South American	367	227	51
Cuban	96	68	15

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.67B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	60.9	41.3	15.0
NOT HISPANIC OR LATINO¹	63.1	42.5	16.1
White	67.4	47.3	19.0
Black or African American	47.8	25.2	5.6
American Indian or Alaska Native	56.5	43.0	11.7
Native Hawaiian or Other Pacific Islander	55.2	44.1	14.2
Chinese	50.7	20.4	3.2
Filipino	48.7	26.7	7.2
Japanese	*	*	12.4
Asian Indian	38.5	20.2	6.5
Korean	63.7	32.2	*
Vietnamese	*	21.1	6.1
HISPANIC OR LATINO¹	51.0	35.6	9.9
Mexican	49.0	35.4	9.9
Puerto Rican	59.2	38.7	12.1
Central or South American	50.6	31.3	7.1
Cuban	67.2	47.8	10.2

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.68A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	95,885	38,186	10,655
NOT HISPANIC OR LATINO¹	86,968	33,345	9,639
White	74,441	27,756	8,338
Black or African American	8,168	4,189	953
American Indian or Alaska Native	446	278	99
Native Hawaiian or Other Pacific Islander	*	96	33
Chinese	677	83	*
Filipino	580	172	28
Japanese	*	76	9
Asian Indian	603	153	27
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	8,917	4,840	1,016
Mexican	5,655	3,295	680
Puerto Rican	911	515	145
Central or South American	1,236	602	70
Cuban	516	196	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.68B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	53.2	21.2	5.9
NOT HISPANIC OR LATINO¹	54.3	20.8	6.0
White	56.9	21.2	6.4
Black or African American	42.4	21.7	4.9
American Indian or Alaska Native	45.2	28.2	10.1
Native Hawaiian or Other Pacific Islander	*	23.5	8.0
Chinese	42.1	5.1	*
Filipino	34.9	10.4	1.7
Japanese	*	10.5	1.3
Asian Indian	40.0	10.2	1.8
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	44.8	24.3	5.1
Mexican	44.6	26.0	5.4
Puerto Rican	42.3	23.9	6.7
Central or South American	42.8	20.9	2.4
Cuban	51.4	19.5	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.69A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	114,997	51,129	15,361
NOT HISPANIC OR LATINO¹	103,238	44,302	13,791
White	87,570	36,971	12,035
Black or African American	10,162	5,241	1,187
American Indian or Alaska Native	558	364	123
Native Hawaiian or Other Pacific Islander	269	169	56
Chinese	824	142	18
Filipino	714	245	47
Japanese	423	105	19
Asian Indian	714	212	46
Korean	360	152	52
Vietnamese	240	70	23
HISPANIC OR LATINO¹	11,759	6,827	1,570
Mexican	7,591	4,697	1,070
Puerto Rican	1,235	727	212
Central or South American	1,603	829	122
Cuban	612	264	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.69B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	54.4	24.2	7.3
NOT HISPANIC OR LATINO¹	55.5	23.8	7.4
White	58.3	24.6	8.0
Black or African American	43.3	22.3	5.1
American Indian or Alaska Native	47.1	30.7	10.4
Native Hawaiian or Other Pacific Islander	46.9	29.4	9.8
Chinese	43.4	7.5	0.9
Filipino	36.9	12.7	2.5
Japanese	53.1	13.2	2.3
Asian Indian	39.8	11.8	2.5
Korean	51.5	21.7	7.4
Vietnamese	33.9	9.9	3.3
HISPANIC OR LATINO¹	46.1	26.8	6.2
Mexican	45.6	28.2	6.4
Puerto Rican	45.7	26.9	7.8
Central or South American	44.4	23.0	3.4
Cuban	53.4	23.0	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.