

Table 2.25C Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	797	783	883	828	832	803
AGE						
12-17	108	113	92	93	81	80
18-25	132	142	154	152	150	151
26 or Older	763	729	848	774	797	748
GENDER						
Male	454	474	593	596	572	573
Female	593	589	537	520	513	507
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	718	732	848	785	804	756
White	597	563	773	692	731	673
Black or African American	275	307	266	300	256	295
American Indian or Alaska Native	48	42	64	44	59	45
Native Hawaiian or Other Pacific Islander	*	28	*	28	45	26
Asian	215	228	172	151	156	119
Two or More Races	55	67	80	72	80	65
Hispanic or Latino	303	312	292	266	282	248

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.25D Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.34	0.33	0.38	0.35	0.35	0.34
AGE						
12-17	0.44	0.45	0.37	0.37	0.33	0.32
18-25	0.43	0.45	0.50	0.48	0.48	0.48
26 or Older	0.43	0.40	0.47	0.43	0.44	0.41
GENDER						
Male	0.40	0.41	0.52	0.52	0.50	0.50
Female	0.49	0.48	0.44	0.42	0.42	0.41
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.35	0.35	0.41	0.38	0.39	0.36
White	0.36	0.34	0.47	0.42	0.44	0.40
Black or African American	1.02	1.12	0.99	1.09	0.95	1.07
American Indian or Alaska Native	3.25	3.37	4.32	3.54	4.02	3.58
Native Hawaiian or Other Pacific Islander	*	5.78	*	5.62	5.49	5.25
Asian	2.38	2.34	1.90	1.55	1.73	1.22
Two or More Races	2.20	2.60	3.19	2.79	3.20	2.52
Hispanic or Latino	1.04	1.04	1.01	0.89	0.97	0.83

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.25P Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.4499		0.0635		0.1893	
AGE						
12-17	0.0002		0.0438		0.0797	
18-25	0.2277		0.0977		0.4260	
26 or Older	0.9643		0.1433		0.2724	
GENDER						
Male	0.6300		0.1026		0.1377	
Female	0.5244		0.2295		0.6577	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.4694		0.1849		0.3480	
White	0.7698		0.3242		0.4952	
Black or African American	0.2842		0.6154		0.4480	
American Indian or Alaska Native	0.2093		0.6440		0.6697	
Native Hawaiian or Other Pacific Islander	*		*		0.2612	
Asian	0.5606		0.0454		0.0275	
Two or More Races	0.9217		0.4853		0.3581	
Hispanic or Latino	0.9494		0.0887		0.2227	

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.26C Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	108	113	92	93	81	80
GENDER						
Male	76	78	68	64	59	56
Female	71	73	59	64	51	52
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	98	99	84	86	74	74
White	83	86	72	76	65	66
Black or African American	37	39	30	33	23	27
American Indian or Alaska Native	7	9	10	6	10	6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	22	23	17	14	10	10
Two or More Races	11	12	9	11	8	11
Hispanic or Latino	45	52	39	40	29	29
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	58	56	52	51	47	44
Female, White, Not Hispanic	56	58	50	51	44	44
Male, Black, Not Hispanic	27	27	25	23	19	18
Female, Black, Not Hispanic	25	26	17	21	13	18
Male, Hispanic	36	41	30	32	23	23
Female, Hispanic	29	36	23	28	18	19

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.26D Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.44	0.45	0.37	0.37	0.33	0.32
GENDER						
Male	0.60	0.61	0.53	0.50	0.47	0.44
Female	0.59	0.60	0.49	0.52	0.42	0.42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.47	0.47	0.40	0.41	0.35	0.35
White	0.54	0.55	0.46	0.49	0.42	0.42
Black or African American	1.04	1.04	0.82	0.88	0.64	0.72
American Indian or Alaska Native	3.68	4.95	5.16	3.66	5.18	3.37
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.20	2.41	1.66	1.47	1.00	1.08
Two or More Races	2.92	3.06	2.25	2.80	1.96	2.64
Hispanic or Latino	1.15	1.29	0.99	0.98	0.74	0.71
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.72	0.71	0.65	0.64	0.59	0.56
Female, White, Not Hispanic	0.74	0.77	0.66	0.67	0.58	0.58
Male, Black, Not Hispanic	1.46	1.46	1.35	1.20	1.05	0.94
Female, Black, Not Hispanic	1.41	1.42	0.95	1.15	0.74	0.95
Male, Hispanic	1.77	1.96	1.48	1.52	1.16	1.12
Female, Hispanic	1.49	1.80	1.22	1.42	0.96	0.94

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.26P Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.0002		0.0438		0.0797	
GENDER						
Male	0.0067		0.1777		0.5264	
Female	0.0063		0.1095		0.0484	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0001		0.0488		0.1822	
White	0.0005		0.1128		0.1410	
Black or African American	0.0781		0.5579		0.7357	
American Indian or Alaska Native	0.0353		0.0952		0.5650	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6407		0.3387		0.8606	
Two or More Races	0.8800		0.6739		0.3406	
Hispanic or Latino	0.6648		0.6388		0.1667	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.0044		0.4405		0.8742	
Female, White, Not Hispanic	0.0302		0.1346		0.0532	
Male, Black, Not Hispanic	0.2228		0.2930		0.3435	
Female, Black, Not Hispanic	0.1856		0.7498		0.5979	
Male, Hispanic	0.7714		0.7539		0.4449	
Female, Hispanic	0.7557		0.7249		0.2296	

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.27C Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	132	142	154	152	150	151
GENDER						
Male	91	87	102	107	100	106
Female	93	100	103	100	101	93
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	117	122	129	129	130	134
White	92	91	104	108	105	114
Black or African American	46	52	48	52	47	51
American Indian or Alaska Native	5	5	11	8	11	8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	36	39	31	36	30	33
Two or More Races	12	11	15	13	16	12
Hispanic or Latino	58	66	72	70	65	69
EDUCATION						
< High School	64	60	73	70	73	70
High School Graduate	69	72	87	83	83	85
Some College	74	74	85	81	80	80
College Graduate	41	46	46	52	44	49
CURRENT EMPLOYMENT						
Full-Time	78	84	96	100	93	101
Part-Time	63	65	71	69	69	68
Unemployed	30	38	41	46	42	45
Other ¹	60	60	66	63	63	60

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.27D Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.43	0.45	0.50	0.48	0.48	0.48
GENDER						
Male	0.58	0.54	0.66	0.67	0.64	0.67
Female	0.60	0.63	0.67	0.63	0.65	0.59
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.46	0.47	0.51	0.49	0.51	0.51
White	0.48	0.46	0.54	0.55	0.54	0.58
Black or African American	1.13	1.21	1.17	1.21	1.15	1.20
American Indian or Alaska Native	2.40	2.99	5.29	4.57	5.29	4.57
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.61	2.69	2.29	2.47	2.21	2.26
Two or More Races	2.93	3.06	3.65	3.50	3.88	3.35
Hispanic or Latino	1.05	1.17	1.31	1.24	1.19	1.22
EDUCATION						
< High School	0.93	0.88	1.05	1.01	1.06	1.01
High School Graduate	0.65	0.65	0.82	0.75	0.79	0.77
Some College	0.76	0.74	0.87	0.81	0.82	0.81
College Graduate	1.08	1.16	1.22	1.32	1.15	1.23
CURRENT EMPLOYMENT						
Full-Time	0.54	0.58	0.66	0.69	0.64	0.70
Part-Time	0.80	0.79	0.89	0.84	0.87	0.83
Unemployed	1.20	1.43	1.68	1.70	1.72	1.68
Other ¹	0.97	0.96	1.06	1.00	1.02	0.96

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.27P Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.2277		0.0977		0.4260	
GENDER						
Male	0.3523		0.4744		0.6052	
Female	0.3498		0.0788		0.4659	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0287		0.0073		0.0598	
White	0.1578		0.0115		0.0367	
Black or African American	0.1934		0.7903		0.7009	
American Indian or Alaska Native	0.8156		0.3543		0.1181	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5034		0.6151		0.8214	
Two or More Races	0.3390		0.1887		0.1728	
Hispanic or Latino	0.1475		0.1441		0.0431	
EDUCATION						
< High School	0.9598		0.7988		0.3335	
High School Graduate	0.1293		0.4271		0.6579	
Some College	0.9563		0.1367		0.2168	
College Graduate	0.1781		0.2455		0.3628	
CURRENT EMPLOYMENT						
Full-Time	0.7583		0.7555		1.0000	
Part-Time	0.5841		0.7524		0.6329	
Unemployed	0.2567		0.1068		0.2780	
Other ¹	0.0652		0.0437		0.4870	

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.28C Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	763	729	848	774	797	748
GENDER						
Male	423	445	573	567	553	546
Female	574	569	513	488	488	477
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	689	677	815	739	773	710
White	571	518	737	651	699	632
Black or African American	268	293	257	292	248	285
American Indian or Alaska Native	*	40	60	40	57	40
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	211	218	166	136	152	108
Two or More Races	48	64	78	69	78	63
Hispanic or Latino	291	310	282	238	266	222
EDUCATION						
< High School	332	348	358	364	354	356
High School Graduate	426	403	447	405	451	404
Some College	350	304	427	358	388	333
College Graduate	384	403	373	360	332	329
CURRENT EMPLOYMENT						
Full-Time	476	537	577	606	550	578
Part-Time	233	228	268	229	255	215
Unemployed	118	109	136	122	134	129
Other ¹	501	432	439	414	424	405

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.28D Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.43	0.40	0.47	0.43	0.44	0.41
GENDER						
Male	0.50	0.52	0.67	0.66	0.65	0.63
Female	0.61	0.60	0.55	0.52	0.52	0.50
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.43	0.42	0.51	0.46	0.48	0.44
White	0.44	0.40	0.56	0.50	0.54	0.48
Black or African American	1.40	1.51	1.35	1.50	1.30	1.47
American Indian or Alaska Native	*	4.47	5.58	4.46	5.31	4.47
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.16	2.96	2.48	1.85	2.28	1.47
Two or More Races	2.81	3.51	4.53	3.83	4.53	3.50
Hispanic or Latino	1.48	1.54	1.43	1.18	1.35	1.10
EDUCATION						
< High School	1.09	1.12	1.18	1.17	1.17	1.15
High School Graduate	0.74	0.72	0.78	0.72	0.79	0.72
Some College	0.82	0.71	1.00	0.84	0.91	0.78
College Graduate	0.79	0.79	0.76	0.70	0.68	0.64
CURRENT EMPLOYMENT						
Full-Time	0.47	0.52	0.57	0.59	0.54	0.56
Part-Time	1.19	1.11	1.37	1.12	1.31	1.05
Unemployed	2.30	2.03	2.66	2.27	2.62	2.40
Other ¹	0.95	0.82	0.83	0.78	0.80	0.77

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.28P Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.9643		0.1433		0.2724	
GENDER						
Male	0.9006		0.1465		0.1562	
Female	0.8628		0.4459		0.8787	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8907		0.4243		0.5644	
White	0.2989		0.5877		0.7756	
Black or African American	0.5772		0.5291		0.4389	
American Indian or Alaska Native	*		0.6932		0.5379	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5985		0.0518		0.0212	
Two or More Races	0.9180		0.6698		0.4681	
Hispanic or Latino	0.7735		0.0315		0.0892	
EDUCATION						
< High School	0.5197		0.5740		0.7571	
High School Graduate	0.4359		0.0758		0.3944	
Some College	0.4582		0.4711		0.4323	
College Graduate	0.7026		0.5983		0.7407	
CURRENT EMPLOYMENT						
Full-Time	0.8326		0.3821		0.9870	
Part-Time	0.0264		0.2874		0.1054	
Unemployed	0.6070		0.0059		0.0041	
Other ¹	0.3694		0.8913		0.8100	

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.29C Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	780	755	876	810	829	784
GENDER						
Male	431	452	588	585	565	561
Female	584	583	530	510	509	498
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	702	694	839	770	797	739
White	586	531	766	681	725	660
Black or African American	271	300	264	297	254	291
American Indian or Alaska Native	48	40	64	43	59	45
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	211	225	169	152	155	120
Two or More Races	50	64	80	72	80	65
Hispanic or Latino	303	323	293	264	281	246
EDUCATION						
< High School	344	356	367	379	368	369
High School Graduate	439	410	465	421	466	422
Some College	353	312	433	377	394	347
College Graduate	384	405	380	367	338	337
CURRENT EMPLOYMENT						
Full-Time	484	542	592	617	570	592
Part-Time	238	235	288	245	272	229
Unemployed	120	121	142	135	137	140
Other ¹	507	440	450	425	436	416

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.29D Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.37	0.35	0.42	0.38	0.39	0.37
GENDER						
Male	0.43	0.44	0.58	0.57	0.56	0.55
Female	0.53	0.53	0.48	0.46	0.47	0.45
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.38	0.37	0.45	0.41	0.43	0.40
White	0.39	0.35	0.51	0.45	0.48	0.44
Black or African American	1.17	1.27	1.14	1.25	1.10	1.23
American Indian or Alaska Native	3.69	3.74	4.95	4.03	4.60	4.13
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.62	2.56	2.10	1.73	1.93	1.36
Two or More Races	2.36	2.95	3.76	3.31	3.77	2.99
Hispanic or Latino	1.21	1.25	1.16	1.02	1.12	0.95
EDUCATION						
< High School	0.92	0.94	0.99	1.00	0.99	0.97
High School Graduate	0.65	0.61	0.68	0.63	0.69	0.63
Some College	0.67	0.59	0.82	0.72	0.75	0.66
College Graduate	0.73	0.73	0.72	0.67	0.64	0.61
CURRENT EMPLOYMENT						
Full-Time	0.42	0.46	0.51	0.53	0.49	0.51
Part-Time	0.87	0.82	1.05	0.86	0.99	0.80
Unemployed	1.59	1.50	1.87	1.67	1.80	1.73
Other ¹	0.86	0.75	0.77	0.72	0.74	0.71

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.29P Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.7895		0.0973		0.2451	
GENDER						
Male	0.9382		0.1335		0.1479	
Female	0.7534		0.3025		0.8034	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8079		0.2527		0.4021	
White	0.4389		0.4001		0.5746	
Black or African American	0.4191		0.5548		0.4102	
American Indian or Alaska Native	0.4004		0.8382		0.7598	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5204		0.0459		0.0217	
Two or More Races	0.9386		0.4468		0.2951	
Hispanic or Latino	0.9836		0.1036		0.2923	
EDUCATION						
< High School	0.5323		0.5855		0.6532	
High School Graduate	0.3012		0.0850		0.4239	
Some College	0.4832		0.3249		0.3158	
College Graduate	0.5960		0.5012		0.6593	
CURRENT EMPLOYMENT						
Full-Time	0.8000		0.3678		0.9847	
Part-Time	0.0214		0.2606		0.0937	
Unemployed	0.4280		0.0027		0.0025	
Other ¹	0.5184		0.6994		0.7607	

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.