

Table 2.35C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	691	695	318	314	279	284
AGE						
12-17	61	55	41	40	27	30
18-25	133	119	78	76	59	56
26 or Older	654	668	302	295	270	274
GENDER						
Male	567	567	302	286	264	256
Female	311	296	101	130	100	126
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	661	676	312	308	278	277
White	585	612	291	292	260	264
Black or African American	216	224	78	102	75	97
American Indian or Alaska Native	59	55	33	29	29	19
Native Hawaiian or Other Pacific Islander	13	18	4	10	4	6
Asian	130	96	45	31	10	14
Two or More Races	65	54	30	28	25	20
Hispanic or Latino	175	157	59	70	29	50

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.35D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.29	0.29	0.14	0.13	0.12	0.12
AGE						
12-17	0.25	0.22	0.17	0.16	0.11	0.12
18-25	0.43	0.37	0.25	0.24	0.19	0.18
26 or Older	0.36	0.37	0.17	0.16	0.15	0.15
GENDER						
Male	0.50	0.49	0.27	0.25	0.23	0.22
Female	0.26	0.24	0.08	0.11	0.08	0.10
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.32	0.33	0.15	0.15	0.13	0.13
White	0.35	0.37	0.18	0.18	0.16	0.16
Black or African American	0.81	0.82	0.29	0.37	0.28	0.35
American Indian or Alaska Native	4.00	4.37	2.25	2.32	1.98	1.51
Native Hawaiian or Other Pacific Islander	1.59	3.73	0.53	2.06	0.44	1.26
Asian	1.43	0.98	0.49	0.32	0.11	0.14
Two or More Races	2.59	2.09	1.17	1.10	1.01	0.79
Hispanic or Latino	0.60	0.52	0.20	0.23	0.10	0.17

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.35P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.1752		0.4411		0.7189	
AGE						
12-17	0.2370		0.5002		0.6430	
18-25	0.0016		0.5694		0.5084	
26 or Older	0.4716		0.5315		0.7570	
GENDER						
Male	0.1065		0.2919		0.5227	
Female	0.7925		0.6591		0.6295	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1829		0.3697		0.5292	
White	0.7073		0.2232		0.4523	
Black or African American	0.0605		0.4271		0.6133	
American Indian or Alaska Native	0.1120		0.4531		0.8475	
Native Hawaiian or Other Pacific Islander	0.1841		0.1482		0.2823	
Asian	0.4618		0.8706		0.6870	
Two or More Races	0.0141		0.9644		0.7732	
Hispanic or Latino	0.9798		0.4579		0.0321	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.36C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	61	55	41	40	27	30
GENDER						
Male	53	49	38	38	26	29
Female	25	25	18	15	9	6
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	57	53	39	38	27	28
White	53	48	37	37	26	27
Black or African American	11	11	5	6	2	3
American Indian or Alaska Native	5	6	4	4	2	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	5	3	1	1	*	1
Two or More Races	5	5	4	3	2	1
Hispanic or Latino	18	17	13	11	6	8
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	46	43	35	35	25	26
Female, White, Not Hispanic	22	21	17	15	9	5
Male, Black, Not Hispanic	9	10	5	6	2	3
Female, Black, Not Hispanic	6	5	2	1	0	*
Male, Hispanic	17	14	13	11	5	8
Female, Hispanic	6	12	4	3	1	0

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.36D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.25	0.22	0.17	0.16	0.11	0.12
GENDER						
Male	0.42	0.39	0.30	0.30	0.21	0.23
Female	0.21	0.20	0.15	0.12	0.08	0.05
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.27	0.25	0.19	0.18	0.13	0.13
White	0.34	0.31	0.24	0.24	0.17	0.17
Black or African American	0.31	0.31	0.15	0.17	0.07	0.07
American Indian or Alaska Native	2.54	3.37	1.96	2.23	1.22	1.21
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.46	0.33	0.14	0.11	*	0.08
Two or More Races	1.38	1.24	1.05	0.64	0.43	0.36
Hispanic or Latino	0.45	0.42	0.34	0.28	0.14	0.20
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.57	0.54	0.44	0.44	0.31	0.33
Female, White, Not Hispanic	0.29	0.27	0.22	0.19	0.12	0.07
Male, Black, Not Hispanic	0.51	0.54	0.27	0.32	0.13	0.15
Female, Black, Not Hispanic	0.36	0.28	0.11	0.06	0.02	*
Male, Hispanic	0.83	0.70	0.65	0.53	0.26	0.38
Female, Hispanic	0.33	0.60	0.23	0.14	0.07	0.02

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.36P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.2370		0.5002		0.6430	
GENDER						
Male	0.4139		0.9364		0.3174	
Female	0.2755		0.1439		0.0769	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2238		0.8047		0.5684	
White	0.3257		0.6635		0.7109	
Black or African American	0.4572		0.4435		0.7879	
American Indian or Alaska Native	0.2976		0.6526		0.1409	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4835		0.9907		*	
Two or More Races	0.1810		0.8374		0.6125	
Hispanic or Latino	0.9875		0.1894		0.8559	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.6542		0.9787		0.3626	
Female, White, Not Hispanic	0.1824		0.2879		0.0957	
Male, Black, Not Hispanic	0.8644		0.2533		0.7273	
Female, Black, Not Hispanic	0.0941		0.2181		*	
Male, Hispanic	0.4265		0.3455		0.9908	
Female, Hispanic	0.1623		0.1924		0.2952	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.37C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	133	119	78	76	59	56
GENDER						
Male	103	106	69	72	56	55
Female	62	51	24	22	8	11
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	122	111	72	74	56	55
White	105	95	67	68	52	52
Black or African American	24	23	10	9	8	5
American Indian or Alaska Native	11	9	8	6	7	6
Native Hawaiian or Other Pacific Islander	*	*	3	*	3	*
Asian	20	18	5	11	1	4
Two or More Races	13	11	6	8	3	6
Hispanic or Latino	49	37	27	21	18	12
EDUCATION						
< High School	55	51	35	36	25	24
High School Graduate	70	70	45	45	36	34
Some College	72	64	48	37	36	28
College Graduate	41	42	21	26	14	19
CURRENT EMPLOYMENT						
Full-Time	85	86	54	57	43	44
Part-Time	58	54	35	35	26	25
Unemployed	34	32	21	19	15	13
Other ¹	49	43	31	28	22	19

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.37D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.43	0.37	0.25	0.24	0.19	0.18
GENDER						
Male	0.67	0.67	0.44	0.45	0.36	0.34
Female	0.40	0.32	0.16	0.14	0.05	0.07
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.48	0.43	0.28	0.28	0.22	0.21
White	0.54	0.48	0.35	0.35	0.27	0.26
Black or African American	0.59	0.53	0.25	0.22	0.19	0.12
American Indian or Alaska Native	5.07	4.76	3.93	3.50	3.06	3.26
Native Hawaiian or Other Pacific Islander	*	*	2.01	*	1.59	*
Asian	1.48	1.24	0.37	0.80	0.04	0.25
Two or More Races	3.31	3.03	1.37	2.12	0.79	1.74
Hispanic or Latino	0.89	0.65	0.49	0.38	0.32	0.20
EDUCATION						
< High School	0.80	0.75	0.51	0.53	0.37	0.35
High School Graduate	0.66	0.64	0.43	0.41	0.34	0.31
Some College	0.74	0.65	0.49	0.37	0.37	0.29
College Graduate	1.07	1.05	0.55	0.65	0.38	0.47
CURRENT EMPLOYMENT						
Full-Time	0.59	0.59	0.37	0.39	0.30	0.30
Part-Time	0.74	0.66	0.44	0.43	0.33	0.31
Unemployed	1.40	1.18	0.85	0.70	0.61	0.49
Other ¹	0.79	0.69	0.50	0.44	0.36	0.30

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.37P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.0016		0.5694		0.5084	
GENDER						
Male	0.0011		0.3848		0.3210	
Female	0.2144		0.5673		0.1368	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0030		0.7933		0.5835	
White	0.0073		0.6291		0.5793	
Black or African American	0.0460		0.3014		0.0920	
American Indian or Alaska Native	0.1408		0.2628		0.6182	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9112		0.1018		0.1044	
Two or More Races	0.4940		0.0722		0.0561	
Hispanic or Latino	0.2771		0.3513		0.6826	
EDUCATION						
< High School	0.4742		0.1617		0.5957	
High School Graduate	0.0194		0.3607		0.2851	
Some College	0.0505		0.0411		0.2116	
College Graduate	0.1636		0.1477		0.0925	
CURRENT EMPLOYMENT						
Full-Time	0.0258		0.8243		0.7921	
Part-Time	0.1475		0.7122		0.2963	
Unemployed	0.0036		0.2600		0.2900	
Other ¹	0.5756		0.5888		0.8913	

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.38C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	654	668	302	295	270	274
GENDER						
Male	545	543	284	267	252	247
Female	301	291	96	127	99	125
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	630	653	298	290	270	266
White	561	594	281	275	254	256
Black or African American	215	222	76	100	74	97
American Indian or Alaska Native	58	*	29	31	27	18
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	128	94	44	29	10	13
Two or More Races	63	52	29	28	25	19
Hispanic or Latino	162	153	49	65	22	49
EDUCATION						
< High School	324	293	155	156	147	145
High School Graduate	355	358	174	162	159	152
Some College	323	321	119	122	109	107
College Graduate	348	330	152	138	117	130
CURRENT EMPLOYMENT						
Full-Time	501	513	242	240	215	222
Part-Time	194	173	87	58	82	52
Unemployed	101	111	62	50	44	35
Other ¹	335	349	141	153	126	149

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.38D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.36	0.37	0.17	0.16	0.15	0.15
GENDER						
Male	0.64	0.63	0.33	0.31	0.29	0.29
Female	0.32	0.31	0.10	0.13	0.11	0.13
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.39	0.41	0.19	0.18	0.17	0.17
White	0.43	0.45	0.22	0.21	0.19	0.20
Black or African American	1.12	1.14	0.40	0.51	0.39	0.50
American Indian or Alaska Native	5.40	*	2.73	3.44	2.49	2.03
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.91	1.28	0.66	0.39	0.14	0.18
Two or More Races	3.67	2.87	1.67	1.52	1.47	1.05
Hispanic or Latino	0.83	0.76	0.25	0.32	0.11	0.24
EDUCATION						
< High School	1.07	0.94	0.51	0.50	0.48	0.47
High School Graduate	0.62	0.64	0.30	0.29	0.28	0.27
Some College	0.75	0.75	0.28	0.29	0.25	0.25
College Graduate	0.71	0.65	0.31	0.27	0.24	0.25
CURRENT EMPLOYMENT						
Full-Time	0.49	0.50	0.24	0.23	0.21	0.22
Part-Time	0.99	0.84	0.45	0.28	0.42	0.25
Unemployed	1.97	2.06	1.21	0.92	0.85	0.64
Other ¹	0.64	0.66	0.27	0.29	0.24	0.28

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.38P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.4716		0.5315		0.7570	
GENDER						
Male	0.3315		0.3450		0.5573	
Female	0.9450		0.5873		0.6293	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.4435		0.3676		0.5298	
White	0.8957		0.2419		0.4616	
Black or African American	0.1169		0.3721		0.5118	
American Indian or Alaska Native	*		0.7749		0.6323	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4375		0.8295		0.9704	
Two or More Races	0.0224		0.6321		0.4561	
Hispanic or Latino	0.7857		0.1485		0.0151	
EDUCATION						
< High School	0.8091		0.8773		0.7985	
High School Graduate	0.3559		0.4718		0.7823	
Some College	0.5767		0.9319		0.5972	
College Graduate	0.7274		0.5724		0.6076	
CURRENT EMPLOYMENT						
Full-Time	0.8744		0.9804		0.8235	
Part-Time	0.1707		0.2337		0.2794	
Unemployed	0.2981		0.4203		0.1258	
Other ¹	0.5128		0.7514		0.9323	

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.39C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	678	687	312	310	276	283
GENDER						
Male	559	561	296	282	260	255
Female	310	294	99	129	99	126
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	651	670	308	306	275	276
White	578	608	287	289	258	264
Black or African American	216	221	77	101	75	97
American Indian or Alaska Native	63	56	34	31	30	19
Native Hawaiian or Other Pacific Islander	13	*	4	9	3	5
Asian	130	96	45	31	10	14
Two or More Races	64	53	29	29	25	20
Hispanic or Latino	175	157	56	68	28	50
EDUCATION						
< High School	335	298	162	160	151	148
High School Graduate	363	364	179	168	164	156
Some College	326	334	131	131	115	112
College Graduate	352	332	153	141	118	131
CURRENT EMPLOYMENT						
Full-Time	517	524	248	249	220	229
Part-Time	201	179	90	71	80	58
Unemployed	105	118	67	53	48	37
Other ¹	340	353	147	158	128	152

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.39D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.32	0.32	0.15	0.15	0.13	0.13
GENDER						
Male	0.55	0.55	0.29	0.28	0.26	0.25
Female	0.28	0.27	0.09	0.12	0.09	0.11
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.35	0.36	0.17	0.16	0.15	0.15
White	0.39	0.40	0.19	0.19	0.17	0.18
Black or African American	0.93	0.93	0.33	0.42	0.32	0.41
American Indian or Alaska Native	4.86	5.20	2.64	2.87	2.32	1.74
Native Hawaiian or Other Pacific Islander	1.74	*	0.55	2.28	0.45	1.24
Asian	1.61	1.09	0.55	0.35	0.12	0.15
Two or More Races	3.03	2.44	1.38	1.32	1.20	0.93
Hispanic or Latino	0.69	0.61	0.22	0.26	0.11	0.19
EDUCATION						
< High School	0.90	0.79	0.43	0.42	0.41	0.39
High School Graduate	0.53	0.54	0.26	0.25	0.24	0.23
Some College	0.62	0.64	0.25	0.25	0.22	0.21
College Graduate	0.67	0.60	0.29	0.26	0.23	0.24
CURRENT EMPLOYMENT						
Full-Time	0.44	0.45	0.21	0.21	0.19	0.20
Part-Time	0.73	0.62	0.33	0.25	0.29	0.20
Unemployed	1.39	1.46	0.88	0.65	0.64	0.46
Other ¹	0.58	0.60	0.25	0.27	0.22	0.26

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.39P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.2015		0.4865		0.6821	
GENDER						
Male	0.1192		0.2884		0.4529	
Female	0.8662		0.5150		0.5489	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2085		0.3787		0.4892	
White	0.7611		0.2368		0.4258	
Black or African American	0.0664		0.4478		0.6155	
American Indian or Alaska Native	0.1367		0.5017		0.7577	
Native Hawaiian or Other Pacific Islander	*		0.2288		0.3840	
Asian	0.4512		0.8824		0.7504	
Two or More Races	0.0173		0.9446		0.7455	
Hispanic or Latino	0.9861		0.3129		0.0275	
EDUCATION						
< High School	0.7218		0.6633		0.8698	
High School Graduate	0.1785		0.4040		0.6457	
Some College	0.3473		0.5670		0.3929	
College Graduate	0.8659		0.7437		0.4716	
CURRENT EMPLOYMENT						
Full-Time	0.6054		0.9402		0.7908	
Part-Time	0.0741		0.2062		0.1630	
Unemployed	0.8859		0.2593		0.0839	
Other ¹	0.4763		0.6959		0.9427	

*Low precision; no estimate reported.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.