

**Table 3.18A Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Drug Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Approached in Past Month by Someone Selling Drugs <sup>1</sup>			
	Yes		No	
	2002	2003	2002	2003
<b>TOTAL</b>	4,121	4,013	20,599	20,947
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	584 <sup>b</sup>	465	7,682	7,968
14-15	1,453	1,467	7,011	6,784
16-17	2,085	2,081	5,906	6,195
<b>GENDER</b>				
Male	2,508	2,414	10,115	10,333
Female	1,613	1,600	10,484	10,614
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	3,378	3,239	17,417	17,668
White	2,567	2,411	12,944	13,138
Black or African American	571	638	3,040	3,096
American Indian or Alaska Native	59	38	129	139
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	89	75	923	896
Two or More Races	68	63	323	338
Hispanic or Latino	743	774	3,183	3,279
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	2,314	2,218	10,882	11,073
Small Metro	1,188	1,212	6,045	6,177
Nonmetro	619	583	3,673	3,697
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	1,492	1,406	1,376	1,401
Marijuana	1,212	1,162	806	805
Any Illicit Drug Other Than Marijuana <sup>3</sup>	678	633	739	784
Cigarettes	1,465	1,348	1,734	1,686
Alcohol	1,735	1,690	2,626	2,729
Binge Alcohol <sup>4</sup>	1,271	1,248	1,368	1,408
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	2,240	2,183	3,243	3,262
Marijuana	1,839	1,816	2,059	1,922
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,447	1,335	1,881	2,011
Cigarettes	2,014 <sup>a</sup>	1,815	3,013	2,911
Alcohol	2,761	2,655	5,791	5,898
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	2,714	2,635	4,913	4,983
Marijuana	2,200	2,156	2,896	2,724
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,959	1,846	3,311	3,463
Cigarettes	2,685	2,552	5,540 <sup>a</sup>	5,189
Alcohol	3,148	3,057	7,581	7,646

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.18B Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Drug Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Approached in Past Month by Someone Selling Drugs <sup>1</sup>			
	Yes		No	
	2002	2003	2002	2003
<b>TOTAL</b>	16.7	16.1	83.3	83.9
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	7.1 <sup>b</sup>	5.5	92.9 <sup>b</sup>	94.5
14-15	17.2	17.8	82.8	82.2
16-17	26.1	25.1	73.9	74.9
<b>GENDER</b>				
Male	19.9	18.9	80.1	81.1
Female	13.3	13.1	86.7	86.9
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	16.2	15.5	83.8	84.5
White	16.6 <sup>a</sup>	15.5	83.4 <sup>a</sup>	84.5
Black or African American	15.8	17.1	84.2	82.9
American Indian or Alaska Native	31.4	21.3	68.6	78.7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	8.8	7.7	91.2	92.3
Two or More Races	17.5	15.6	82.5	84.4
Hispanic or Latino	18.9	19.1	81.1	80.9
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	17.5	16.7	82.5	83.3
Small Metro	16.4	16.4	83.6	83.6
Nonmetro	14.4	13.6	85.6	86.4
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	36.2	35.0	6.7	6.7
Marijuana	29.4	29.0	3.9	3.8
Any Illicit Drug Other Than Marijuana <sup>3</sup>	16.4	15.8	3.6	3.7
Cigarettes	35.6	33.6	8.4	8.1
Alcohol	42.1	42.1	12.7	13.0
Binge Alcohol <sup>4</sup>	30.8	31.1	6.6	6.7
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	54.4	54.4	15.7	15.6
Marijuana	44.6	45.3	10.0 <sup>a</sup>	9.2
Any Illicit Drug Other Than Marijuana <sup>3</sup>	35.1	33.3	9.1	9.6
Cigarettes	48.9 <sup>a</sup>	45.2	14.6	13.9
Alcohol	67.0	66.2	28.1	28.2
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	65.9	65.7	23.8	23.8
Marijuana	53.4	53.7	14.1 <sup>a</sup>	13.0
Any Illicit Drug Other Than Marijuana <sup>3</sup>	47.5	46.0	16.1	16.5
Cigarettes	65.1	63.6	26.9 <sup>b</sup>	24.8
Alcohol	76.4	76.2	36.8	36.5

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.19A Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Number of Times Moved in Past 5 Years <sup>1</sup>			
	Two or More		Less Than Two	
	2002	2003	2002	2003
<b>TOTAL</b>	5,892	6,178	18,462	18,315
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	2,042 <sup>a</sup>	2,228	6,005	5,946
14-15	2,063	2,064	6,299	6,054
16-17	1,787	1,886	6,157	6,315
<b>GENDER</b>				
Male	3,034	3,177	9,412	9,311
Female	2,857	3,001	9,049	9,004
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	4,685	4,909	15,805	15,646
White	3,069	3,129	12,260	12,215
Black or African American	1,186	1,338	2,334	2,292
American Indian or Alaska Native	65	57	118	102
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	247	221	748	731
Two or More Races	94 <sup>a</sup>	141	291	254
Hispanic or Latino	1,207	1,269	2,656	2,669
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	3,176	3,121	9,845	9,936
Small Metro	1,740 <sup>a</sup>	1,945	5,375	5,286
Nonmetro	976 <sup>a</sup>	1,112	3,242	3,093
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	866	841	1,970	1,916
Marijuana	611	602	1,390	1,337
Any Illicit Drug Other Than Marijuana <sup>3</sup>	446	430	952	952
Cigarettes	1,038	973	2,120	2,005
Alcohol	1,130	1,128	3,197	3,247
Binge Alcohol <sup>4</sup>	724	699	1,897	1,930
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	1,608	1,596	3,810	3,761
Marijuana	1,138	1,098	2,724	2,584
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,038	1,006	2,255	2,279
Cigarettes	1,506	1,430	3,458 <sup>a</sup>	3,212
Alcohol	2,204	2,201	6,272	6,248
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	2,279	2,252	5,241	5,233
Marijuana	1,523	1,481	3,522	3,315
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,657	1,585	3,536	3,624
Cigarettes	2,389	2,372	5,723 <sup>b</sup>	5,240
Alcohol	2,813	2,887	7,797	7,672

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.19B Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Number of Times Moved in Past 5 Years <sup>1</sup>			
	Two or More		Less Than Two	
	2002	2003	2002	2003
<b>TOTAL</b>	24.2	25.2	75.8	74.8
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	25.4	27.3	74.6	72.7
14-15	24.7	25.4	75.3	74.6
16-17	22.5	23.0	77.5	77.0
<b>GENDER</b>				
Male	24.4	25.4	75.6	74.6
Female	24.0	25.0	76.0	75.0
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	22.9	23.9	77.1	76.1
White	20.0	20.4	80.0	79.6
Black or African American	33.7	36.9	66.3	63.1
American Indian or Alaska Native	35.3	35.9	64.7	64.1
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	24.9	23.2	75.1	76.8
Two or More Races	24.4 <sup>b</sup>	35.7	75.6 <sup>b</sup>	64.3
Hispanic or Latino	31.2	32.2	68.8	67.8
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	24.4	23.9	75.6	76.1
Small Metro	24.5 <sup>a</sup>	26.9	75.5 <sup>a</sup>	73.1
Nonmetro	23.1 <sup>b</sup>	26.4	76.9 <sup>b</sup>	73.6
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	14.7	13.6	10.7	10.5
Marijuana	10.4	9.7	7.5	7.3
Any Illicit Drug Other Than Marijuana <sup>3</sup>	7.6	7.0	5.2	5.2
Cigarettes	17.6 <sup>a</sup>	15.8	11.5	10.9
Alcohol	19.2	18.3	17.3	17.7
Binge Alcohol <sup>4</sup>	12.3	11.3	10.3	10.5
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	27.3	25.8	20.6	20.5
Marijuana	19.3	17.8	14.8	14.1
Any Illicit Drug Other Than Marijuana <sup>3</sup>	17.6	16.3	12.2	12.4
Cigarettes	25.6 <sup>a</sup>	23.1	18.7 <sup>a</sup>	17.5
Alcohol	37.4	35.6	34.0	34.1
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	38.7	36.4	28.4	28.6
Marijuana	25.9	24.0	19.1	18.1
Any Illicit Drug Other Than Marijuana <sup>3</sup>	28.1 <sup>a</sup>	25.7	19.2	19.8
Cigarettes	40.5	38.4	31.0 <sup>b</sup>	28.6
Alcohol	47.7	46.7	42.2	41.9

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.