

Table 3.30A Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	21,396	21,642	3,156	3,076
(I) Demographic Characteristic				
AGE				
12-13	7,529	7,655	633	636
14-15	7,280	7,131	1,134	1,064
16-17	6,587	6,856	1,389	1,376
GENDER				
Male	10,755	10,899	1,768	1,701
Female	10,641	10,744	1,388	1,375
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	18,025	18,145	2,640	2,609
White	13,385	13,543	2,055	1,937
Black or African American	3,153	3,161	415 ^a	505
American Indian or Alaska Native	150	154	38	20
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	923	879	79	81
Two or More Races	348	338	41	61
Hispanic or Latino	3,371	3,497	516	467
COUNTY TYPE²				
Large Metro	11,492	11,592	1,615	1,573
Small Metro	6,261	6,403	923	917
Nonmetro	3,643	3,647	618	586
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1,974	1,954	883	821
Marijuana	1,300	1,308	708	643
Any Illicit Drug Other Than Marijuana ³	985	990	426	402
Cigarettes	1,940	1,846	1,240	1,168
Alcohol	3,232	3,337	1,100	1,065
Binge Alcohol ⁴	1,829	1,870	794	770
PAST YEAR				
Any Illicit Drug ³	4,015	4,051	1,446	1,345
Marijuana	2,707	2,650	1,178	1,057
Any Illicit Drug Other Than Marijuana ³	2,391	2,479	919	840
Cigarettes	3,396	3,215	1,609	1,473
Alcohol	6,640	6,822	1,875 ^a	1,683
LIFETIME				
Any Illicit Drug ³	5,778	5,813	1,809	1,744
Marijuana	3,652	3,513	1,423	1,332
Any Illicit Drug Other Than Marijuana ³	3,910	4,055	1,330	1,218
Cigarettes	6,185 ^a	5,827	1,997	1,860
Alcohol	8,515	8,576	2,161	2,057

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.30B Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	87.1	87.6	12.9	12.4
(I) Demographic Characteristic				
AGE				
12-13	92.2	92.3	7.8	7.7
14-15	86.5	87.0	13.5	13.0
16-17	82.6	83.3	17.4	16.7
GENDER				
Male	85.9	86.5	14.1	13.5
Female	88.5	88.7	11.5	11.3
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	87.2	87.4	12.8	12.6
White	86.7	87.5	13.3	12.5
Black or African American	88.4 ^a	86.2	11.6 ^a	13.8
American Indian or Alaska Native	80.0	88.4	20.0	11.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	92.1	91.6	7.9	8.4
Two or More Races	89.6	84.7	10.4	15.3
Hispanic or Latino	86.7	88.2	13.3	11.8
COUNTY TYPE²				
Large Metro	87.7	88.1	12.3	11.9
Small Metro	87.1	87.5	12.9	12.5
Nonmetro	85.5	86.2	14.5	13.8
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	9.2	9.0	28.0	26.7
Marijuana	6.1	6.0	22.4	20.9
Any Illicit Drug Other Than Marijuana ³	4.6	4.6	13.5	13.1
Cigarettes	9.1	8.5	39.3	38.0
Alcohol	15.1	15.4	34.9	34.6
Binge Alcohol ⁴	8.5	8.6	25.2	25.0
PAST YEAR				
Any Illicit Drug ³	18.8	18.7	45.8	43.7
Marijuana	12.7	12.2	37.3	34.4
Any Illicit Drug Other Than Marijuana ³	11.2	11.5	29.1	27.3
Cigarettes	15.9 ^a	14.9	51.0	47.9
Alcohol	31.0	31.5	59.4 ^b	54.7
LIFETIME				
Any Illicit Drug ³	27.0	26.9	57.3	56.7
Marijuana	17.1	16.2	45.1	43.3
Any Illicit Drug Other Than Marijuana ³	18.3	18.7	42.1	39.6
Cigarettes	28.9 ^b	26.9	63.3	60.5
Alcohol	39.8	39.6	68.5	66.9

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.31A Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	19,525	19,762	5,030	4,947
(I) Demographic Characteristic				
AGE				
12-13	7,444	7,635	727	651
14-15	6,612	6,477	1,809	1,716
16-17	5,469	5,650	2,494	2,581
GENDER				
Male	9,708	9,931	2,811	2,658
Female	9,817	9,832	2,219	2,289
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	16,340	16,502	4,322	4,238
White	11,950	12,154	3,495	3,322
Black or African American	2,965	2,984	600	676
American Indian or Alaska Native	*	133	*	37
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	899	850	103	110
Two or More Races	315	315	69	83
Hispanic or Latino	3,186	3,260	708	710
COUNTY TYPE²				
Large Metro	10,349	10,518	2,749	2,640
Small Metro	5,697	5,803	1,492	1,515
Nonmetro	3,479	3,441	789	792
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1,186	1,127	1,673	1,648
Marijuana	608	569	1,403	1,383
Any Illicit Drug Other Than Marijuana ³	725	694	689	698
Cigarettes	1,472 ^b	1,265	1,714	1,752
Alcohol	2,243	2,254	2,088	2,148
Binge Alcohol ⁴	1,191	1,157	1,432	1,485
PAST YEAR				
Any Illicit Drug ³	2,634	2,679	2,829	2,712
Marijuana	1,439	1,416	2,447	2,290
Any Illicit Drug Other Than Marijuana ³	1,729	1,752	1,584	1,561
Cigarettes	2,560 ^a	2,328	2,450	2,363
Alcohol	5,090	5,129	3,425	3,375
LIFETIME				
Any Illicit Drug ³	4,241	4,285	3,343	3,265
Marijuana	2,215	2,116	2,862	2,728
Any Illicit Drug Other Than Marijuana ³	3,026	3,101	2,212	2,165
Cigarettes	4,916 ^a	4,546	3,272	3,139
Alcohol	6,865	6,835	3,816	3,798

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.31B Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	79.5	80.0	20.5	20.0
(I) Demographic Characteristic				
AGE				
12-13	91.1	92.1	8.9	7.9
14-15	78.5	79.1	21.5	20.9
16-17	68.7	68.6	31.3	31.4
GENDER				
Male	77.5 ^a	78.9	22.5 ^a	21.1
Female	81.6	81.1	18.4	18.9
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	79.1	79.6	20.9	20.4
White	77.4	78.5	22.6	21.5
Black or African American	83.2	81.5	16.8	18.5
American Indian or Alaska Native	*	78.2	*	21.8
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	89.8	88.5	10.2	11.5
Two or More Races	82.1	79.1	17.9	20.9
Hispanic or Latino	81.8	82.1	18.2	17.9
COUNTY TYPE²				
Large Metro	79.0	79.9	21.0	20.1
Small Metro	79.2	79.3	20.8	20.7
Nonmetro	81.5	81.3	18.5	18.7
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	6.1	5.7	33.3	33.3
Marijuana	3.1	2.9	27.9	28.0
Any Illicit Drug Other Than Marijuana ³	3.7	3.5	13.7	14.1
Cigarettes	7.5 ^b	6.4	34.1	35.4
Alcohol	11.5	11.4	41.5	43.4
Binge Alcohol ⁴	6.1	5.9	28.5	30.0
PAST YEAR				
Any Illicit Drug ³	13.5	13.6	56.2	54.8
Marijuana	7.4	7.2	48.7	46.3
Any Illicit Drug Other Than Marijuana ³	8.9	8.9	31.5	31.5
Cigarettes	13.1 ^b	11.8	48.7	47.8
Alcohol	26.1	26.0	68.1	68.2
LIFETIME				
Any Illicit Drug ³	21.7	21.7	66.5	66.0
Marijuana	11.3	10.7	56.9	55.1
Any Illicit Drug Other Than Marijuana ³	15.5	15.7	44.0	43.8
Cigarettes	25.2 ^b	23.0	65.0	63.4
Alcohol	35.2	34.6	75.9	76.8

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.32A Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	19,749	19,908	4,817	4,788
(I) Demographic Characteristic				
AGE				
12-13	7,498	7,642	686	634
14-15	6,702	6,522	1,717	1,670
16-17	5,550	5,745	2,414	2,484
GENDER				
Male	9,763	9,989	2,762	2,592
Female	9,986	9,919	2,054	2,196
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	16,571	16,713	4,101	4,023
White	12,228	12,383	3,222	3,092
Black or African American	2,915	2,953	652	703
American Indian or Alaska Native	*	135	*	37
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	905	860	101	100
Two or More Races	315	320	69	79
Hispanic or Latino	3,178	3,195	715	765
COUNTY TYPE²				
Large Metro	10,497	10,570	2,607	2,576
Small Metro	5,736	5,874	1,453	1,441
Nonmetro	3,516	3,464	756	771
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1,141	1,091	1,721	1,682
Marijuana	565	550	1,446	1,398
Any Illicit Drug Other Than Marijuana ³	700	669	716	726
Cigarettes	1,467 ^b	1,273	1,718	1,743
Alcohol	2,302	2,297	2,034	2,099
Binge Alcohol ⁴	1,197	1,145	1,428	1,492
PAST YEAR				
Any Illicit Drug ³	2,694	2,681	2,771	2,709
Marijuana	1,476	1,390	2,408	2,313
Any Illicit Drug Other Than Marijuana ³	1,735	1,760	1,583	1,555
Cigarettes	2,594 ^a	2,341	2,417	2,348
Alcohol	5,213	5,219	3,308	3,279
LIFETIME				
Any Illicit Drug ³	4,333	4,295	3,257	3,247
Marijuana	2,269	2,106	2,806	2,734
Any Illicit Drug Other Than Marijuana ³	3,062	3,113	2,182	2,146
Cigarettes	4,986 ^b	4,608	3,207	3,077
Alcohol	7,010	6,924	3,679	3,703

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.32B Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	80.4	80.6	19.6	19.4
(I) Demographic Characteristic				
AGE				
12-13	91.6	92.3	8.4	7.7
14-15	79.6	79.6	20.4	20.4
16-17	69.7	69.8	30.3	30.2
GENDER				
Male	77.9 ^a	79.4	22.1 ^a	20.6
Female	82.9	81.9	17.1	18.1
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	80.2	80.6	19.8	19.4
White	79.1	80.0	20.9	20.0
Black or African American	81.7	80.8	18.3	19.2
American Indian or Alaska Native	*	78.4	*	21.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	90.0	89.6	10.0	10.4
Two or More Races	82.1	80.2	17.9	19.8
Hispanic or Latino	81.6	80.7	18.4	19.3
COUNTY TYPE²				
Large Metro	80.1	80.4	19.9	19.6
Small Metro	79.8	80.3	20.2	19.7
Nonmetro	82.3	81.8	17.7	18.2
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	5.8	5.5	35.7	35.1
Marijuana	2.9	2.8	30.0	29.2
Any Illicit Drug Other Than Marijuana ³	3.5	3.4	14.9	15.2
Cigarettes	7.4 ^b	6.4	35.7	36.4
Alcohol	11.7	11.5	42.2	43.8
Binge Alcohol ⁴	6.1	5.8	29.6	31.2
PAST YEAR				
Any Illicit Drug ³	13.6	13.5	57.5	56.6
Marijuana	7.5	7.0	50.0	48.3
Any Illicit Drug Other Than Marijuana ³	8.8	8.8	32.9	32.5
Cigarettes	13.1 ^b	11.8	50.2	49.1
Alcohol	26.4	26.2	68.7	68.5
LIFETIME				
Any Illicit Drug ³	21.9	21.6	67.6	67.8
Marijuana	11.5 ^a	10.6	58.3	57.1
Any Illicit Drug Other Than Marijuana ³	15.5	15.6	45.3	44.8
Cigarettes	25.2 ^b	23.1	66.6	64.3
Alcohol	35.5	34.8	76.4	77.3

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.33A Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	20,798	20,875	3,771	3,849
(I) Demographic Characteristic				
AGE				
12-13	7,471	7,588	705	698
14-15	7,023	6,792	1,394	1,408
16-17	6,305	6,496	1,671	1,742
GENDER				
Male	10,249	10,383	2,288	2,215
Female	10,549	10,492	1,482 ^a	1,634
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	17,536	17,554	3,134	3,193
White	13,004	13,060	2,446	2,424
Black or African American	3,051	3,084	509	573
American Indian or Alaska Native	149	144	38	28
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	932	857	72	105
Two or More Races	333	343	56	56
Hispanic or Latino	3,263	3,320	637	656
COUNTY TYPE²				
Large Metro	11,176	11,252	1,938	1,920
Small Metro	6,077	6,115	1,109	1,203
Nonmetro	3,546	3,508	723	726
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1,691	1,650	1,168	1,131
Marijuana	1,077	1,082	935	870
Any Illicit Drug Other Than Marijuana ³	876	843	537	557
Cigarettes	1,894 ^a	1,707	1,288	1,311
Alcohol	2,795	2,797	1,545	1,604
Binge Alcohol ⁴	1,499	1,491	1,130	1,150
PAST YEAR				
Any Illicit Drug ³	3,572	3,550	1,895	1,842
Marijuana	2,350	2,270	1,539	1,435
Any Illicit Drug Other Than Marijuana ³	2,137	2,153	1,178	1,164
Cigarettes	3,257 ^a	2,984	1,751	1,707
Alcohol	6,062	6,004	2,462	2,496
LIFETIME				
Any Illicit Drug ³	5,291	5,241	2,302	2,311
Marijuana	3,246	3,083	1,834	1,762
Any Illicit Drug Other Than Marijuana ³	3,611	3,643	1,633	1,623
Cigarettes	5,857 ^b	5,397	2,333	2,296
Alcohol	7,918	7,775	2,768	2,860

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.33B Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	84.7	84.4	15.3	15.6
(I) Demographic Characteristic				
AGE				
12-13	91.4	91.6	8.6	8.4
14-15	83.4	82.8	16.6	17.2
16-17	79.0	78.9	21.0	21.1
GENDER				
Male	81.7	82.4	18.3	17.6
Female	87.7 ^a	86.5	12.3 ^a	13.5
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	84.8	84.6	15.2	15.4
White	84.2	84.3	15.8	15.7
Black or African American	85.7	84.3	14.3	15.7
American Indian or Alaska Native	79.7	83.6	20.3	16.4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	92.9	89.1	7.1	10.9
Two or More Races	85.6	85.9	14.4	14.1
Hispanic or Latino	83.7	83.5	16.3	16.5
COUNTY TYPE²				
Large Metro	85.2	85.4	14.8	14.6
Small Metro	84.6	83.6	15.4	16.4
Nonmetro	83.1	82.8	16.9	17.2
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	8.1	7.9	31.0	29.4
Marijuana	5.2	5.2	24.8	22.6
Any Illicit Drug Other Than Marijuana ³	4.2	4.0	14.3	14.5
Cigarettes	9.1 ^a	8.2	34.2	34.1
Alcohol	13.4	13.4	41.0	41.7
Binge Alcohol ⁴	7.2	7.1	30.0	29.9
PAST YEAR				
Any Illicit Drug ³	17.2	17.0	50.3	47.9
Marijuana	11.3	10.9	40.8 ^a	37.3
Any Illicit Drug Other Than Marijuana ³	10.3	10.3	31.2	30.2
Cigarettes	15.7 ^b	14.3	46.4	44.4
Alcohol	29.1	28.8	65.3	64.9
LIFETIME				
Any Illicit Drug ³	25.4	25.1	61.1	60.1
Marijuana	15.6	14.8	48.6	45.8
Any Illicit Drug Other Than Marijuana ³	17.4	17.5	43.3	42.2
Cigarettes	28.2 ^b	25.9	61.9	59.7
Alcohol	38.1	37.2	73.4	74.3

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.