

Table 3.54A How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Students in Youths' Grade Who Smoke Cigarettes ¹			
	All/Most of Them		Few/None of Them	
	2002	2003	2002	2003
TOTAL	7,487	7,179	14,326	14,627
(I) Demographic Characteristic				
AGE				
12-13	824	736	6,083	6,189
14-15	2,758 ^a	2,564	4,871	4,822
16-17	3,905	3,880	3,372 ^a	3,617
GENDER				
Male	3,300	3,112	7,844	8,016
Female	4,187	4,067	6,482	6,611
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	6,487 ^a	6,176	12,063	12,442
White	4,990 ^a	4,663	9,209	9,490
Black or African American	1,107	1,133	1,838	1,984
American Indian or Alaska Native	52	50	100	82
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	217	203	628	596
Two or More Races	97	107	247	255
Hispanic or Latino	1,000	1,003	2,263	2,185
COUNTY TYPE²				
Large Metro	3,817	3,572	7,793	8,031
Small Metro	2,275	2,299	4,129	4,204
Nonmetro	1,395	1,308	2,403	2,392
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1,542	1,517	1,052	993
Marijuana	1,174	1,175	700	634
Any Illicit Drug Other Than Marijuana ³	731	705	519	512
Cigarettes	1,986	1,849	909	853
Alcohol	2,330	2,235	1,703	1,817
Binge Alcohol ⁴	1,505	1,463	906	960
PAST YEAR				
Any Illicit Drug ³	2,776	2,647	2,221	2,222
Marijuana	2,210	2,058	1,415	1,370
Any Illicit Drug Other Than Marijuana ³	1,677	1,581	1,331	1,359
Cigarettes	2,835 ^a	2,623	1,737	1,592
Alcohol	4,181	3,965	3,726	3,868
LIFETIME				
Any Illicit Drug ³	3,635	3,551	3,249	3,251
Marijuana	2,817	2,662	1,888	1,813
Any Illicit Drug Other Than Marijuana ³	2,486	2,409	2,244	2,259
Cigarettes	4,166 ^a	3,872	3,306 ^a	3,066
Alcohol	4,992	4,757	4,830	4,968

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.54B How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Students in Youths' Grade Who Smoke Cigarettes ¹			
	All/Most of Them		Few/None of Them	
	2002	2003	2002	2003
TOTAL	34.3 ^a	32.9	65.7 ^a	67.1
(I) Demographic Characteristic				
AGE				
12-13	11.9	10.6	88.1	89.4
14-15	36.2	34.7	63.8	65.3
16-17	53.7	51.8	46.3	48.2
GENDER				
Male	29.6 ^a	28.0	70.4 ^a	72.0
Female	39.2	38.1	60.8	61.9
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	35.0 ^b	33.2	65.0 ^b	66.8
White	35.1 ^b	32.9	64.9 ^b	67.1
Black or African American	37.6	36.3	62.4	63.7
American Indian or Alaska Native	34.0	37.9	66.0	62.1
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	25.7	25.4	74.3	74.6
Two or More Races	28.3	29.6	71.7	70.4
Hispanic or Latino	30.7	31.5	69.3	68.5
COUNTY TYPE²				
Large Metro	32.9 ^a	30.8	67.1 ^a	69.2
Small Metro	35.5	35.4	64.5	64.6
Nonmetro	36.7	35.3	63.3	64.7
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	20.6	21.1	7.3	6.8
Marijuana	15.7	16.4	4.9	4.3
Any Illicit Drug Other Than Marijuana ³	9.8	9.8	3.6	3.5
Cigarettes	26.5	25.7	6.3	5.8
Alcohol	31.1	31.1	11.9	12.4
Binge Alcohol ⁴	20.1	20.4	6.3	6.6
PAST YEAR				
Any Illicit Drug ³	37.1	36.9	15.5	15.2
Marijuana	29.5	28.7	9.9	9.4
Any Illicit Drug Other Than Marijuana ³	22.4	22.0	9.3	9.3
Cigarettes	37.9	36.5	12.1 ^a	10.9
Alcohol	55.8	55.2	26.0	26.4
LIFETIME				
Any Illicit Drug ³	48.6	49.5	22.7	22.2
Marijuana	37.6	37.1	13.2	12.4
Any Illicit Drug Other Than Marijuana ³	33.2	33.6	15.7	15.4
Cigarettes	55.6	53.9	23.1 ^b	21.0
Alcohol	66.7	66.3	33.7	34.0

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.55A How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Students in Youths' Grade Who Use Marijuana/Hashish ¹			
	All/Most of Them		Few/None of Them	
	2002	2003	2002	2003
TOTAL	5,411	5,578	16,069	15,898
(I) Demographic Characteristic				
AGE				
12-13	373	331	6,396	6,454
14-15	1,919	1,935	5,563	5,331
16-17	3,119	3,313	4,109	4,114
GENDER				
Male	2,483	2,459	8,516	8,507
Female	2,928	3,119	7,552	7,391
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	4,546	4,689	13,715	13,640
White	3,332	3,326	10,670	10,619
Black or African American	923 ^a	1,064	1,954	1,997
American Indian or Alaska Native	46	44	107	85
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	132	133	686	647
Two or More Races	96	101	246	258
Hispanic or Latino	865	890	2,354	2,259
COUNTY TYPE²				
Large Metro	3,099	3,108	8,373	8,346
Small Metro	1,565 ^a	1,743	4,709	4,655
Nonmetro	746	727	2,987	2,898
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1,519	1,555	1,066 ^a	943
Marijuana	1,255	1,290	614 ^a	517
Any Illicit Drug Other Than Marijuana ³	648	654	597	553
Cigarettes	1,549	1,483	1,320	1,209
Alcohol	2,020	1,993	2,000	2,053
Binge Alcohol ⁴	1,358	1,352	1,045	1,066
PAST YEAR				
Any Illicit Drug ³	2,579	2,582	2,394	2,251
Marijuana	2,204	2,182	1,412 ^a	1,243
Any Illicit Drug Other Than Marijuana ³	1,468	1,447	1,517	1,458
Cigarettes	2,180	2,103	2,354 ^b	2,086
Alcohol	3,469	3,487	4,404	4,312
LIFETIME				
Any Illicit Drug ³	3,237	3,274	3,607	3,483
Marijuana	2,730	2,720	1,959 ^a	1,751
Any Illicit Drug Other Than Marijuana ³	2,118	2,068	2,575	2,555
Cigarettes	3,250	3,170	4,146 ^b	3,717
Alcohol	4,071	4,061	5,695	5,609

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.55B How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Students in Youths' Grade Who Use Marijuana/Hashish ¹			
	All/Most of Them		Few/None of Them	
	2002	2003	2002	2003
TOTAL	25.2	26.0	74.8	74.0
(I) Demographic Characteristic				
AGE				
12-13	5.5	4.9	94.5	95.1
14-15	25.6	26.6	74.4	73.4
16-17	43.2	44.6	56.8	55.4
GENDER				
Male	22.6	22.4	77.4	77.6
Female	27.9 ^a	29.7	72.1 ^a	70.3
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	24.9	25.6	75.1	74.4
White	23.8	23.8	76.2	76.2
Black or African American	32.1	34.8	67.9	65.2
American Indian or Alaska Native	29.9	34.0	70.1	66.0
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	16.1	17.0	83.9	83.0
Two or More Races	28.1	28.1	71.9	71.9
Hispanic or Latino	26.9	28.3	73.1	71.7
COUNTY TYPE²				
Large Metro	27.0	27.1	73.0	72.9
Small Metro	24.9 ^a	27.2	75.1 ^a	72.8
Nonmetro	20.0	20.0	80.0	80.0
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	28.1	27.9	6.6	5.9
Marijuana	23.2	23.1	3.8 ^a	3.3
Any Illicit Drug Other Than Marijuana ³	12.0	11.7	3.7	3.5
Cigarettes	28.6	26.6	8.2	7.6
Alcohol	37.3	35.7	12.4	12.9
Binge Alcohol ⁴	25.1	24.2	6.5	6.7
PAST YEAR				
Any Illicit Drug ³	47.7	46.3	14.9	14.2
Marijuana	40.7	39.1	8.8 ^a	7.8
Any Illicit Drug Other Than Marijuana ³	27.1	25.9	9.4	9.2
Cigarettes	40.3 ^a	37.7	14.7 ^b	13.1
Alcohol	64.1	62.5	27.4	27.1
LIFETIME				
Any Illicit Drug ³	59.8	58.7	22.4	21.9
Marijuana	50.4	48.8	12.2 ^a	11.0
Any Illicit Drug Other Than Marijuana ³	39.2	37.1	16.0	16.1
Cigarettes	60.1 ^a	56.8	25.8 ^b	23.4
Alcohol	75.2 ^a	72.8	35.4	35.3

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.56A How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Students in Youths' Grade Who Drink Alcoholic Beverages ¹			
	All/Most of Them		Few/None of Them	
	2002	2003	2002	2003
TOTAL	9,558	9,810	12,113	11,841
(I) Demographic Characteristic				
AGE				
12-13	832	909	6,006	5,913
14-15	3,477	3,477	4,066	3,871
16-17	5,249	5,424	2,042	2,057
GENDER				
Male	4,282	4,342	6,785	6,702
Female	5,276	5,468	5,328	5,139
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	8,175	8,384	10,259	10,112
White	6,514	6,496	7,611	7,590
Black or African American	1,162 ^a	1,324	1,753	1,766
American Indian or Alaska Native	60	61	92	70
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	269	327	562	445
Two or More Races	144	151	196	208
Hispanic or Latino	1,383	1,425	1,855	1,730
COUNTY TYPE²				
Large Metro	4,992	5,128	6,569	6,377
Small Metro	2,814	2,945	3,511	3,523
Nonmetro	1,751	1,736	2,033	1,942
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1,808	1,847	779 ^a	660
Marijuana	1,405	1,391	465	413
Any Illicit Drug Other Than Marijuana ³	815	873	433 ^a	345
Cigarettes	2,037	1,925	836	771
Alcohol	3,087	3,099	943	955
Binge Alcohol ⁴	1,953	1,941	457	479
PAST YEAR				
Any Illicit Drug ³	3,335	3,353	1,651	1,499
Marijuana	2,620	2,578	995 ^a	846
Any Illicit Drug Other Than Marijuana ³	1,977	1,993	1,028	932
Cigarettes	3,055	2,916	1,493 ^b	1,292
Alcohol	5,510	5,635	2,394 ^a	2,198
LIFETIME				
Any Illicit Drug ³	4,346	4,481	2,516 ^a	2,301
Marijuana	3,315	3,307	1,375 ^b	1,164
Any Illicit Drug Other Than Marijuana ³	2,938	3,003	1,777	1,646
Cigarettes	4,744	4,607	2,687 ^b	2,314
Alcohol	6,490	6,615	3,325	3,110

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.56B How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Students in Youths' Grade Who Drink Alcoholic Beverages ¹			
	All/Most of Them		Few/None of Them	
	2002	2003	2002	2003
TOTAL	44.1 ^a	45.3	55.9 ^a	54.7
(I) Demographic Characteristic				
AGE				
12-13	12.2	13.3	87.8	86.7
14-15	46.1	47.3	53.9	52.7
16-17	72.0	72.5	28.0	27.5
GENDER				
Male	38.7	39.3	61.3	60.7
Female	49.8 ^a	51.6	50.2 ^a	48.4
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	44.3	45.3	55.7	54.7
White	46.1	46.1	53.9	53.9
Black or African American	39.9	42.9	60.1	57.1
American Indian or Alaska Native	39.6	46.6	60.4	53.4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	32.4 ^a	42.4	67.6 ^a	57.6
Two or More Races	42.4	42.2	57.6	57.8
Hispanic or Latino	42.7	45.2	57.3	54.8
COUNTY TYPE²				
Large Metro	43.2	44.6	56.8	55.4
Small Metro	44.5	45.5	55.5	54.5
Nonmetro	46.3	47.2	53.7	52.8
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	18.9	18.8	6.4 ^a	5.6
Marijuana	14.7	14.2	3.8	3.5
Any Illicit Drug Other Than Marijuana ³	8.5	8.9	3.6 ^a	2.9
Cigarettes	21.3 ^a	19.6	6.9	6.5
Alcohol	32.3	31.6	7.8	8.1
Binge Alcohol ⁴	20.4	19.8	3.8	4.0
PAST YEAR				
Any Illicit Drug ³	34.9	34.2	13.6	12.7
Marijuana	27.4	26.3	8.2 ^a	7.1
Any Illicit Drug Other Than Marijuana ³	20.7	20.3	8.5	7.9
Cigarettes	32.0 ^a	29.7	12.3 ^a	10.9
Alcohol	57.7	57.4	19.8	18.6
LIFETIME				
Any Illicit Drug ³	45.5	45.7	20.8	19.4
Marijuana	34.7	33.7	11.4 ^b	9.8
Any Illicit Drug Other Than Marijuana ³	30.7	30.6	14.7	13.9
Cigarettes	49.6 ^b	47.0	22.2 ^b	19.5
Alcohol	67.9	67.4	27.5	26.3

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.57A How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Students in Youths' Grade Who Get Drunk at Least Once a Week ¹			
	All/Most of Them		Few/None of Them	
	2002	2003	2002	2003
TOTAL	3,918	4,040	17,505	17,389
(I) Demographic Characteristic				
AGE				
12-13	197	188	6,563	6,599
14-15	1,233	1,307	6,218	5,934
16-17	2,488	2,545	4,724	4,857
GENDER				
Male	1,612	1,672	9,324	9,247
Female	2,306	2,368	8,181	8,142
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	3,334	3,436	14,909	14,858
White	2,521	2,600	11,524	11,357
Black or African American	602	634	2,235	2,400
American Indian or Alaska Native	44	25	106	100
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	90	94	717	675
Two or More Races	65	66	272	286
Hispanic or Latino	584	604	2,596	2,531
COUNTY TYPE²				
Large Metro	2,063	2,111	9,337	9,291
Small Metro	1,168	1,257	5,098	5,139
Nonmetro	687	672	3,069	2,959
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	961	1,020	1,607	1,474
Marijuana	735	801	1,122	994
Any Illicit Drug Other Than Marijuana ³	461	481	777	731
Cigarettes	1,054	1,067	1,805 ^a	1,610
Alcohol	1,477	1,505	2,514	2,530
Binge Alcohol ⁴	1,040	1,053	1,351	1,363
PAST YEAR				
Any Illicit Drug ³	1,604	1,624	3,330	3,198
Marijuana	1,280	1,304	2,308 ^a	2,104
Any Illicit Drug Other Than Marijuana ³	1,007	1,009	1,963	1,897
Cigarettes	1,492	1,451	3,022 ^b	2,718
Alcohol	2,384	2,486	5,440	5,287
LIFETIME				
Any Illicit Drug ³	2,101	2,137	4,700	4,594
Marijuana	1,633	1,643	3,022 ^a	2,795
Any Illicit Drug Other Than Marijuana ³	1,483	1,495	3,191	3,123
Cigarettes	2,202	2,168	5,146 ^b	4,686
Alcohol	2,773	2,864	6,938	6,769

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.57B How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Students in Youths' Grade Who Get Drunk at Least Once a Week ¹			
	All/Most of Them		Few/None of Them	
	2002	2003	2002	2003
TOTAL	18.3	18.9	81.7	81.1
(I) Demographic Characteristic				
AGE				
12-13	2.9	2.8	97.1	97.2
14-15	16.5	18.1	83.5	81.9
16-17	34.5	34.4	65.5	65.6
GENDER				
Male	14.7	15.3	85.3	84.7
Female	22.0	22.5	78.0	77.5
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	18.3	18.8	81.7	81.2
White	17.9	18.6	82.1	81.4
Black or African American	21.2	20.9	78.8	79.1
American Indian or Alaska Native	29.2	20.2	70.8	79.8
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11.1	12.3	88.9	87.7
Two or More Races	19.2	18.7	80.8	81.3
Hispanic or Latino	18.4	19.3	81.6	80.7
COUNTY TYPE²				
Large Metro	18.1	18.5	81.9	81.5
Small Metro	18.6	19.6	81.4	80.4
Nonmetro	18.3	18.5	81.7	81.5
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	24.5	25.3	9.2	8.5
Marijuana	18.8	19.8	6.4	5.7
Any Illicit Drug Other Than Marijuana ³	11.8	11.9	4.4	4.2
Cigarettes	26.9	26.4	10.3 ^a	9.3
Alcohol	37.7	37.3	14.4	14.6
Binge Alcohol ⁴	26.6	26.1	7.7	7.8
PAST YEAR				
Any Illicit Drug ³	41.0	40.2	19.0	18.4
Marijuana	32.7	32.3	13.2 ^a	12.1
Any Illicit Drug Other Than Marijuana ³	25.7	25.0	11.2	10.9
Cigarettes	38.1	35.9	17.3 ^b	15.6
Alcohol	60.8	61.5	31.1	30.4
LIFETIME				
Any Illicit Drug ³	53.6	52.9	26.8	26.4
Marijuana	41.7	40.7	17.3 ^a	16.1
Any Illicit Drug Other Than Marijuana ³	37.8	37.0	18.2	18.0
Cigarettes	56.2	53.7	29.4 ^b	26.9
Alcohol	70.8	70.9	39.6	38.9

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.