

**Table 5.59A Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Categories: Numbers in Thousands, 2002 and 2003**

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol <sup>1</sup>	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	1,412 <sup>a</sup>	1,103	1,549	1,298	709	595	2,346 <sup>a</sup>	1,874
12	1	3	3	2	1	2	3	6
13	4	1	1	3	1	*	4	3
14	6	13	7	2	2	1	11	13
15	21	17	19	18	13	7	27	31
16	47	43	47	32	34	23	62	58
17	64 <sup>a</sup>	37	45	39	32	21	79	56
18	45	56	44	51	29	33	63	76
19	34	42	35	21	16	15	54	54
20	41	39	27	31	19	18	52	53
21	55	47	45	30	28	16	75	65
22	33	34	28	49	18	23	54	63
23	33	46	36	46	16	28	53	64
24	22	45	27	44	8 <sup>a</sup>	29	44	61
25	23	32	29	33	15	15	40	51
26-29	136	94	170	112	74	50	238	159
30-34	127	78	142	119	60	39	225	163
35-39	176	199	236	205	80	103	332	303
40-44	182	137	209	209	88	88	316	274
45-49	213 <sup>b</sup>	55	228	140	116 <sup>a</sup>	26	325 <sup>a</sup>	169
50-54	122	76	101	63	62	46	189	105
55-59	*	11	33	20	*	11	33	20
60-64	*	*	16	*	*	*	16	*
65 or Older	27	*	23	28	*	*	50	28

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.59B Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Categories: Percentages, 2002 and 2003**

Age Category	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol <sup>1</sup>	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.6 <sup>a</sup>	0.5	0.7	0.5	0.3	0.3	1.0 <sup>a</sup>	0.8
12	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.1
13	0.1	0.0	0.0	0.1	0.0	*	0.1	0.1
14	0.1	0.3	0.2	0.0	0.1	0.0	0.3	0.3
15	0.5	0.4	0.5	0.4	0.3	0.2	0.7	0.8
16	1.2	1.0	1.2	0.8	0.8	0.6	1.5	1.4
17	1.6 <sup>a</sup>	0.9	1.1	1.0	0.8	0.5	2.0	1.4
18	1.0	1.2	1.0	1.1	0.7	0.7	1.4	1.6
19	0.8	1.1	0.9	0.5	0.4	0.4	1.3	1.4
20	1.0	1.0	0.7	0.8	0.5	0.4	1.3	1.3
21	1.4	1.2	1.1	0.8	0.7	0.4	1.9	1.7
22	0.9	0.8	0.7	1.2	0.5	0.6	1.4	1.6
23	0.9	1.1	0.9	1.1	0.4	0.7	1.4	1.6
24	0.6	1.2	0.8	1.2	0.2 <sup>a</sup>	0.8	1.3	1.7
25	0.7	0.9	0.9	0.9	0.4	0.4	1.2	1.4
26-29	0.9	0.6	1.1	0.8	0.5	0.3	1.6	1.1
30-34	0.6	0.4	0.7	0.6	0.3	0.2	1.1	0.8
35-39	0.8	0.9	1.1	1.0	0.4	0.5	1.5	1.4
40-44	0.8	0.6	1.0	0.9	0.4	0.4	1.4	1.2
45-49	1.0 <sup>b</sup>	0.3	1.1	0.7	0.5 <sup>a</sup>	0.1	1.5 <sup>a</sup>	0.8
50-54	0.6	0.4	0.5	0.3	0.3	0.2	1.0	0.5
55-59	*	0.1	0.2	0.1	*	0.1	0.2	0.1
60-64	*	*	0.1	*	*	*	0.1	*
65 or Older	0.1	*	0.1	0.1	*	*	0.1	0.1

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.60A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol <sup>1</sup>	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	1,412 <sup>a</sup>	1,103	1,549	1,298	709	595	2,346 <sup>a</sup>	1,874
<b>AGE</b>								
12-17	142	113	121	95	81	55	186	168
18-25	287	340	270	305	148	178	435	486
26 or Older	983 <sup>a</sup>	649	1,157	898	480	363	1,724 <sup>b</sup>	1,221
<b>GENDER</b>								
Male	826	732	1,100	897	505	415	1,488	1,263
Female	587 <sup>a</sup>	371	449	401	204	181	858 <sup>a</sup>	612
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,240	1,014	1,410	1,159	630	554	2,113 <sup>a</sup>	1,683
White	894	757	1,120 <sup>a</sup>	832	451	350	1,615 <sup>a</sup>	1,286
Black or African American	285	202	236	251	144	162	414	305
American Indian or Alaska Native	24	21	33	38	21	18	38	43
Native Hawaiian or Other Pacific Islander	1	*	0	5	0	*	2	5
Asian	9	9	4	7	4	6	9	11
Two or More Races	26	24	17	26	10	18	36	32
Hispanic or Latino	172 <sup>a</sup>	89	139	140	79	41	233	191

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup>Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.60B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol <sup>1</sup>	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.6 <sup>a</sup>	0.5	0.7	0.5	0.3	0.3	1.0 <sup>a</sup>	0.8
<b>AGE</b>								
12-17	0.6	0.5	0.5	0.4	0.3	0.2	0.8	0.7
18-25	0.9	1.1	0.9	1.0	0.5	0.6	1.4	1.5
26 or Older	0.5 <sup>a</sup>	0.4	0.6	0.5	0.3	0.2	1.0 <sup>b</sup>	0.7
<b>GENDER</b>								
Male	0.7	0.6	1.0	0.8	0.4	0.4	1.3	1.1
Female	0.5 <sup>a</sup>	0.3	0.4	0.3	0.2	0.1	0.7 <sup>a</sup>	0.5
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6	0.5	0.7	0.6	0.3	0.3	1.0 <sup>a</sup>	0.8
White	0.5	0.5	0.7 <sup>a</sup>	0.5	0.3	0.2	1.0 <sup>a</sup>	0.8
Black or African American	1.1	0.7	0.9	0.9	0.5	0.6	1.5	1.1
American Indian or Alaska Native	1.7	1.7	2.2	3.0	1.4	1.4	2.5	3.4
Native Hawaiian or Other Pacific Islander	0.1	*	0.1	1.1	0.1	*	0.2	1.1
Asian	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.1
Two or More Races	1.1	0.9	0.7	1.0	0.4	0.7	1.4	1.3
Hispanic or Latino	0.6 <sup>a</sup>	0.3	0.5	0.5	0.3	0.1	0.8	0.6

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup>Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.61A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol <sup>1</sup>	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	1,412 <sup>a</sup>	1,103	1,549	1,298	709	595	2,346 <sup>a</sup>	1,874
<b>GEOGRAPHIC DIVISION</b>								
Northeast	342	237	326	247	148	140	530	367
New England	106	54	159	65	69	26	196	100
Middle Atlantic	235	183	167	182	79	114	334	268
Midwest	325	250	469	372	218	132	637	511
East North Central	246	162	322	243	168 <sup>a</sup>	73	415	347
West North Central	78	88	146	129	50	59	222	165
South	450	401	517	385	244	217	730	583
South Atlantic	251	231	304	210	140	126	417	327
East South Central	78	82	54	79	23	52	110	111
West South Central	121	87	159	95	81	39	203	145
West	296	214	237	295	99	106	449	413
Mountain	47	83	76	103	16	30	108	163
Pacific	248 <sup>a</sup>	131	161	191	83	76	341	250
<b>COUNTY TYPE<sup>2</sup></b>								
Large Metro	754	629	747	646	341	333	1,224	959
Small Metro	499 <sup>a</sup>	291	553	386	267 <sup>a</sup>	125	801 <sup>a</sup>	587
250K - 1 Mil. Pop.	336 <sup>a</sup>	209	375	263	153	86	566	412
< 250K Pop.	163	81	178	123	114	39	235	175
Nonmetro	159	183	249	266	101	137	321	329
Urbanized	61	99	107	152	47	81	123	182
Less Urbanized	92	70	124	93	49	43	173	124
Completely Rural	6	13	17	22	4	13	25	23

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.61B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT AT A SPECIALTY FACILITY WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol <sup>1</sup>	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.6 <sup>a</sup>	0.5	0.7	0.5	0.3	0.3	1.0 <sup>a</sup>	0.8
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.8	0.5	0.7	0.5	0.3	0.3	1.2	0.8
New England	0.9	0.5	1.3	0.5	0.6	0.2	1.7	0.8
Middle Atlantic	0.7	0.5	0.5	0.5	0.2	0.3	1.0	0.8
Midwest	0.6	0.5	0.9	0.7	0.4	0.2	1.2	1.0
East North Central	0.7	0.4	0.9	0.6	0.4 <sup>a</sup>	0.2	1.1	0.9
West North Central	0.5	0.5	0.9	0.8	0.3	0.4	1.4	1.0
South	0.5	0.5	0.6	0.5	0.3	0.3	0.9	0.7
South Atlantic	0.6	0.5	0.7	0.5	0.3	0.3	1.0	0.7
East South Central	0.6	0.6	0.4	0.6	0.2	0.4	0.8	0.8
West South Central	0.5	0.3	0.6	0.4	0.3	0.2	0.8	0.6
West	0.6	0.4	0.4	0.5	0.2	0.2	0.8	0.8
Mountain	0.3	0.5	0.5	0.7	0.1	0.2	0.7	1.0
Pacific	0.7 <sup>a</sup>	0.3	0.4	0.5	0.2	0.2	0.9	0.7
<b>COUNTY TYPE<sup>2</sup></b>								
Large Metro	0.6	0.5	0.6	0.5	0.3	0.3	1.0	0.8
Small Metro	0.7 <sup>b</sup>	0.4	0.8	0.5	0.4 <sup>a</sup>	0.2	1.2 <sup>a</sup>	0.8
250K - 1 Mil. Pop.	0.7 <sup>a</sup>	0.4	0.8	0.6	0.3	0.2	1.2 <sup>a</sup>	0.9
< 250K Pop.	0.7	0.3	0.8	0.5	0.5	0.2	1.0	0.7
Nonmetro	0.4	0.5	0.6	0.7	0.3	0.3	0.8	0.8
Urbanized	0.4	0.6	0.7	0.8	0.3	0.5	0.8	1.0
Less Urbanized	0.5	0.4	0.6	0.5	0.3	0.2	0.9	0.7
Completely Rural	0.1	0.3	0.4	0.5	0.1	0.3	0.6	0.6

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.