

Table 5.66A (REVISED) Locations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

| Location of Treatment ¹ | Total | | AGE GROUP (Years) | | | | | |
|--------------------------------------|------------------|------|-------------------|------|-------|------|-------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| Hospital as an Inpatient | 465 | 345 | 44 | 32 | 81 | 106 | * | * |
| Rehabilitation Facility - Inpatient | 676 | 486 | * | 44 | 118 | 145 | 491 | * |
| Rehabilitation Facility - Outpatient | 942 | 769 | 102 | 77 | 180 | 203 | 660 | * |
| Mental Health Center - Outpatient | 659 ^a | 412 | 62 | 45 | 130 | 95 | 466 | 272 |
| Emergency Room | 181 | 125 | 10 ^a | 27 | 36 | 44 | 135 | 55 |
| Private Doctor's Office | 225 | 128 | 17 | 18 | 36 | 24 | * | 86 |
| Self-Help Group | 991 ^a | 726 | 88 | 57 | 167 | 212 | 735 | * |
| Prison/Jail | 117 | 98 | 17 | 14 | 30 | 31 | 70 | * |

*Low precision; no estimate reported.

NOTE: Estimates of past year illicit drug treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only illicit drug treatment in the past year.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug use, or for medical problems associated with drug use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.66B (REVISED) Locations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2002 and 2003

| Location of Treatment ¹ | Total | | AGE GROUP (Years) | | | | | |
|--------------------------------------|-------|------|-------------------|------|-------------------|------|-------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| Hospital as an Inpatient | 32.9 | 31.3 | 31.0 | 28.6 | 28.1 | 31.2 | * | * |
| Rehabilitation Facility - Inpatient | 47.9 | 44.1 | * | 39.2 | 41.0 | 42.8 | 49.9 | * |
| Rehabilitation Facility - Outpatient | 66.7 | 69.7 | 71.8 | 68.2 | 62.8 | 59.7 | 67.1 | * |
| Mental Health Center - Outpatient | 46.7 | 37.4 | 43.8 | 40.1 | 45.5 ^b | 28.0 | 47.4 | 41.8 |
| Emergency Room | 12.8 | 11.3 | 6.7 ^b | 23.7 | 12.7 | 12.9 | 13.7 | 8.4 |
| Private Doctor's Office | 15.9 | 11.6 | 12.0 | 16.3 | 12.6 | 7.1 | * | 13.2 |
| Self-Help Group | 70.2 | 65.9 | 62.1 | 50.7 | 58.3 | 62.3 | 74.8 | * |
| Prison/Jail | 8.3 | 8.9 | 11.7 | 12.4 | 10.5 | 9.2 | 7.2 | * |

*Low precision; no estimate reported.

NOTE: Estimates of past year illicit drug treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only illicit drug treatment in the past year.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug use, or for medical problems associated with drug use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.67A (REVISED) Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

| Location of Treatment ¹ | Total | | AGE GROUP (Years) | | | | | |
|--------------------------------------|------------------|------|-------------------|------|-----------------|------|------------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| Hospital as an Inpatient | 605 | 400 | * | * | 67 | 59 | 493 | 305 |
| Rehabilitation Facility - Inpatient | 736 | 516 | * | * | 105 | 112 | 579 | 364 |
| Rehabilitation Facility - Outpatient | 1,057 | 805 | * | * | 167 | 200 | 812 ^a | 544 |
| Mental Health Center - Outpatient | 608 | 434 | 41 | * | 100 | 94 | 467 | 301 |
| Emergency Room | 291 ^b | 116 | 19 | * | 22 | 16 | 251 ^b | 85 |
| Private Doctor's Office | 298 | 154 | * | * | 37 ^a | 17 | * | 118 |
| Self-Help Group | 983 | 788 | * | * | 153 | 166 | 767 | 577 |
| Prison/Jail | 156 | 120 | * | * | 31 | 22 | 107 | 87 |

*Low precision; no estimate reported.

NOTE: Estimates of past year alcohol treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only alcohol treatment in the past year.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.67B (REVISED) Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2002 and 2003

| Location of Treatment ¹ | Total | | AGE GROUP (Years) | | | | | |
|--------------------------------------|-------------------|------|-------------------|------|-------------------|------|-------------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| Hospital as an Inpatient | 39.1 | 30.8 | * | * | 24.8 | 19.5 | 42.6 | 34.0 |
| Rehabilitation Facility - Inpatient | 47.5 | 39.7 | * | * | 38.8 | 36.6 | 50.0 | 40.6 |
| Rehabilitation Facility - Outpatient | 68.2 | 62.0 | * | * | 61.7 | 65.5 | 70.2 | 60.6 |
| Mental Health Center - Outpatient | 39.2 | 33.4 | 33.9 | * | 36.9 | 30.9 | 40.4 | 33.5 |
| Emergency Room | 18.8 ^a | 9.0 | 15.5 | * | 8.0 | 5.2 | 21.7 ^a | 9.4 |
| Private Doctor's Office | 19.2 | 11.9 | * | * | 13.9 ^a | 5.5 | * | 13.2 |
| Self-Help Group | 63.4 | 60.7 | * | * | 56.6 | 54.3 | 66.3 | 64.3 |
| Prison/Jail | 10.1 | 9.2 | * | * | 11.3 | 7.2 | 9.2 | 9.7 |

*Low precision; no estimate reported.

NOTE: Estimates of past year alcohol treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only alcohol treatment in the past year.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.68A Locations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

| Location of Treatment ¹ | Total | | AGE GROUP (Years) | | | | | |
|--------------------------------------|--------------------|-------|-------------------|------|-------|------|--------------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| Hospital as an Inpatient | 859 ^a | 587 | 72 | 57 | 117 | 123 | 671 ^a | 407 |
| Rehabilitation Facility - Inpatient | 1,094 ^a | 752 | 83 | 65 | 160 | 185 | 852 ^b | 502 |
| Rehabilitation Facility - Outpatient | 1,536 | 1,243 | 127 | 111 | 269 | 316 | 1,140 ^a | 815 |
| Mental Health Center - Outpatient | 1,016 ^a | 729 | 79 | 73 | 169 | 159 | 768 ^a | 496 |
| Emergency Room | 458 ^b | 237 | 28 | 47 | 57 | 58 | 372 ^b | 132 |
| Private Doctor's Office | 401 ^a | 235 | 26 | 35 | 58 | 40 | 316 ^a | 160 |
| Self-Help Group | 1,527 ^a | 1,212 | 113 | 82 | 246 | 292 | 1,167 ^a | 838 |
| Prison/Jail | 198 | 168 | 29 | 21 | 47 | 46 | 123 | 101 |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.68B Locations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2002 and 2003

| Location of Treatment ¹ | Total | | AGE GROUP (Years) | | | | | |
|--------------------------------------|-------------------|------|-------------------|------|-------|------|-------------------|------|
| | | | 12-17 | | 18-25 | | 26 or Older | |
| | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 | 2002 | 2003 |
| Hospital as an Inpatient | 36.6 | 31.3 | 38.6 | 34.3 | 26.8 | 25.3 | 38.9 | 33.3 |
| Rehabilitation Facility - Inpatient | 46.7 | 40.1 | 44.5 | 38.9 | 36.8 | 38.1 | 49.4 | 41.1 |
| Rehabilitation Facility - Outpatient | 65.5 | 66.3 | 68.4 | 66.3 | 61.7 | 65.0 | 66.1 | 66.8 |
| Mental Health Center - Outpatient | 43.3 | 38.9 | 42.7 | 43.8 | 38.9 | 32.7 | 44.5 | 40.7 |
| Emergency Room | 19.5 ^a | 12.6 | 15.3 ^a | 27.8 | 13.1 | 11.9 | 21.6 ^b | 10.8 |
| Private Doctor's Office | 17.1 | 12.5 | 14.2 | 21.0 | 13.4 | 8.3 | 18.3 | 13.1 |
| Self-Help Group | 65.1 | 64.6 | 61.1 | 49.0 | 56.6 | 60.1 | 67.7 | 68.6 |
| Prison/Jail | 8.5 | 9.0 | 15.5 | 12.8 | 10.8 | 9.4 | 7.1 | 8.3 |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.