

**Table 5.38C Received Substance Use Treatment in the Past Year, by Detailed Age Categories: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Age Category | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------|---|------|---------|------|-----------------------------------|------|--|------|
|              | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|              | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b> | 136   | 119  | 146     | 144  | 111                               | 100  | 178                                      | 169  |
| 12           | 2   | 2    | 2       | 2    | 2                                 | 2    | 3  | 3    |
| 13           | 3   | 2    | 1       | 2    | 1                                 | 1    | 3  | 3    |
| 14           | 4   | 7    | 4       | 6    | 3                                 | 5    | 5  | 9    |
| 15           | 10  | 9    | 10      | 9    | 8                                 | 8    | 12                                       | 12   |
| 16           | 12  | 11   | 13      | 11   | 12                                | 9    | 14                                       | 14   |
| 17           | 13  | 11   | 12      | 10   | 11                                | 9    | 16                                       | 13   |
| 18           | 12  | 15   | 11      | 14   | 10                                | 12   | 14                                       | 18   |
| 19           | 8   | 19   | 11      | 11   | 6                                 | 8    | 14                                       | 21   |
| 20           | 12  | 12   | 10      | 11   | 8                                 | 9    | 14                                       | 15   |
| 21           | 12  | 13   | 11      | 15   | 8                                 | 12   | 14                                       | 16   |
| 22           | 14  | 10   | 14      | 13   | 12                                | 9    | 15                                       | 14   |
| 23           | 9   | 11   | 10      | 12   | 7                                 | 10   | 12                                       | 15   |
| 24           | 7   | 13   | 10      | 14   | 6                                 | 10   | 11                                       | 17   |
| 25           | 9   | 11   | 10      | 12   | 7                                 | 9    | 11                                       | 16   |
| 26-29        | 42  | 36   | 42      | 45   | 31                                | 33   | 53                                       | 56   |
| 30-34        | 42  | 27   | 44      | 40   | 37                                | 19   | 51                                       | 44   |
| 35-39        | 54  | 61   | 59      | 65   | 43                                | 54   | 69                                       | 71   |
| 40-44        | 45  | 40   | 53      | 49   | 35                                | 36   | 64                                       | 57   |
| 45-49        | 52  | 26   | 64      | 41   | 44                                | 23   | 70                                       | 47   |
| 50-54        | 72  | 46   | 70      | 41   | 60                                | 33   | 86                                       | 59   |
| 55-59        | *   | 11   | 26      | 17   | *                                 | 11   | 27                                       | 17   |
| 60-64        | 14  | 9    | 21      | 53   | 14                                | 9    | 28                                       | 53   |
| 65 or Older  | 22  | *    | 18      | 19   | *                                 | *    | 37                                       | 26   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.38D Received Substance Use Treatment in the Past Year, by Detailed Age Categories: Standard Errors of Percentages, 2002 and 2003**

| Age Category | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------|---|------|---------|------|-----------------------------------|------|--|------|
|              | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|              | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b> | 0.06  | 0.05 | 0.06    | 0.06 | 0.05                              | 0.04 | 0.08                                     | 0.07 |
| 12           | 0.06  | 0.06 | 0.06    | 0.06 | 0.06                              | 0.06 | 0.06                                     | 0.08 |
| 13           | 0.06  | 0.04 | 0.03    | 0.06 | 0.03                              | 0.03 | 0.08                                     | 0.07 |
| 14           | 0.09  | 0.17 | 0.09    | 0.15 | 0.07                              | 0.13 | 0.12                                     | 0.22 |
| 15           | 0.25  | 0.22 | 0.23    | 0.21 | 0.21                              | 0.19 | 0.30                                     | 0.28 |
| 16           | 0.31  | 0.26 | 0.32    | 0.27 | 0.29                              | 0.21 | 0.34                                     | 0.34 |
| 17           | 0.33  | 0.27 | 0.31    | 0.25 | 0.28                              | 0.21 | 0.41                                     | 0.31 |
| 18           | 0.28  | 0.33 | 0.26    | 0.31 | 0.23                              | 0.26 | 0.32                                     | 0.38 |
| 19           | 0.20  | 0.48 | 0.27    | 0.28 | 0.16                              | 0.21 | 0.35                                     | 0.53 |
| 20           | 0.31  | 0.30 | 0.24    | 0.27 | 0.20                              | 0.22 | 0.35                                     | 0.36 |
| 21           | 0.29  | 0.34 | 0.27    | 0.38 | 0.19                              | 0.31 | 0.35                                     | 0.42 |
| 22           | 0.35  | 0.25 | 0.35    | 0.32 | 0.31                              | 0.22 | 0.39                                     | 0.35 |
| 23           | 0.23  | 0.28 | 0.26    | 0.29 | 0.19                              | 0.24 | 0.31                                     | 0.37 |
| 24           | 0.21  | 0.36 | 0.28    | 0.39 | 0.17                              | 0.29 | 0.30                                     | 0.46 |
| 25           | 0.26  | 0.31 | 0.29    | 0.34 | 0.22                              | 0.23 | 0.33                                     | 0.43 |
| 26-29        | 0.27  | 0.25 | 0.28    | 0.30 | 0.20                              | 0.23 | 0.35                                     | 0.38 |
| 30-34        | 0.21  | 0.13 | 0.22    | 0.20 | 0.19                              | 0.10 | 0.26                                     | 0.22 |
| 35-39        | 0.25  | 0.29 | 0.27    | 0.31 | 0.20                              | 0.26 | 0.31                                     | 0.34 |
| 40-44        | 0.21  | 0.17 | 0.24    | 0.21 | 0.16                              | 0.16 | 0.29                                     | 0.25 |
| 45-49        | 0.24  | 0.12 | 0.30    | 0.19 | 0.21                              | 0.11 | 0.33                                     | 0.22 |
| 50-54        | 0.38  | 0.23 | 0.37    | 0.20 | 0.32                              | 0.16 | 0.46                                     | 0.30 |
| 55-59        | *   | 0.07 | 0.18    | 0.11 | *                                 | 0.07 | 0.18                                     | 0.11 |
| 60-64        | 0.12  | 0.07 | 0.18    | 0.45 | 0.12                              | 0.07 | 0.24                                     | 0.45 |
| 65 or Older  | 0.07  | *    | 0.05    | 0.06 | *                                 | *    | 0.11                                     | 0.08 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.38P Received Substance Use Treatment in the Past Year, by Detailed Age Categories: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Age Category | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------|---|------|---------|------|-----------------------------------|------|--|------|
|              | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|              | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b> | 0.2081  |      | 0.7230  |      | 0.6023                            |      | 0.4398                                   |      |
| 12           | 0.8160  |      | 0.6287  |      | 0.6287                            |      | 0.6021                                   |      |
| 13           | 0.2165  |      | 0.1198  |      | 0.6915                            |      | 0.9291                                   |      |
| 14           | 0.1208  |      | 0.3693  |      | 0.2070                            |      | 0.0882                                   |      |
| 15           | 0.2858  |      | 0.4535  |      | 0.4957                            |      | 0.3284                                   |      |
| 16           | 0.6953  |      | 0.8964  |      | 0.7050                            |      | 0.3269                                   |      |
| 17           | 0.3024  |      | 0.4293  |      | 0.5950                            |      | 0.0700                                   |      |
| 18           | 0.4101  |      | 0.2334  |      | 0.4529                            |      | 0.2019                                   |      |
| 19           | 0.0234  |      | 0.4865  |      | 0.0659                            |      | 0.2387                                   |      |
| 20           | 0.8521  |      | 0.5813  |      | 0.6940                            |      | 0.4598                                   |      |
| 21           | 0.9288  |      | 0.3738  |      | 0.2957                            |      | 0.8800                                   |      |
| 22           | 0.4169  |      | 0.4227  |      | 0.7499                            |      | 0.5486                                   |      |
| 23           | 0.3217  |      | 0.4234  |      | 0.3243                            |      | 0.2523                                   |      |
| 24           | 0.0214  |      | 0.0307  |      | 0.0578                            |      | 0.0032                                   |      |
| 25           | 0.2819  |      | 0.4284  |      | 0.4411                            |      | 0.1689                                   |      |
| 26-29        | 0.4393  |      | 0.8771  |      | 0.8748                            |      | 0.8907                                   |      |
| 30-34        | 0.0527  |      | 0.8918  |      | 0.0385                            |      | 0.4173                                   |      |
| 35-39        | 0.2866  |      | 0.9314  |      | 0.3782                            |      | 0.9102                                   |      |
| 40-44        | 0.7578  |      | 0.9536  |      | 0.5543                            |      | 0.7416                                   |      |
| 45-49        | 0.0006  |      | 0.0402  |      | 0.0073                            |      | 0.0175                                   |      |
| 50-54        | 0.7199  |      | 0.6003  |      | 0.8242                            |      | 0.7271                                   |      |
| 55-59        | *   |      | 0.7451  |      | *                                 |      | 0.5920                                   |      |
| 60-64        | 0.7260  |      | 0.5050  |      | 0.7260                            |      | 0.7543                                   |      |
| 65 or Older  | *   |      | 0.8138  |      | *                                 |      | 0.3775                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.39C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 136   | 119  | 146     | 144  | 111                               | 100  | 178                                      | 169  |
| <b>AGE</b>                                |   |      |         |      |                                   |      |  |      |
| 12-17                                     | 22  | 20   | 22      | 20   | 20                                | 16   | 26                                       | 24   |
| 18-25                                     | 31  | 37   | 30      | 35   | 23                                | 27   | 38                                       | 45   |
| 26 or Older                               | 130   | 108  | 139     | 136  | 106                               | 93   | 169                                      | 160  |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 113   | 101  | 131     | 124  | 103                               | 84   | 150                                      | 145  |
| Female                                    | 82  | 63   | 61      | 72   | 41                                | 54   | 98                                       | 85   |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 130   | 111  | 142     | 122  | 106                               | 93   | 174                                      | 147  |
| White                                     | 111   | 87   | 128     | 96   | 89                                | 66   | 150                                      | 122  |
| Black or African American                 | 67  | 60   | 60      | 68   | 57                                | 58   | 82                                       | 70   |
| American Indian or Alaska Native          | 12  | 12   | 12      | 15   | 12                                | 11   | 27                                       | 18   |
| Native Hawaiian or Other Pacific Islander | 2   | *    | 1       | 4    | 1                                 | *    | 2  | 6    |
| Asian                                     | 5   | 8    | 8       | 7    | 5                                 | 7    | 8  | 19   |
| Two or More Races                         | 12  | 9    | 8       | 10   | 8                                 | 9    | 14                                       | 28   |
| Hispanic or Latino                        | 45  | 44   | 40      | 76   | 35                                | 40   | 49                                       | 79   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.39D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.06  | 0.05 | 0.06    | 0.06 | 0.05                              | 0.04 | 0.08                                     | 0.07 |
| <b>AGE</b>                                |   |      |         |      |                                   |      |  |      |
| 12-17                                     | 0.09  | 0.08 | 0.09    | 0.08 | 0.08                              | 0.06 | 0.11                                     | 0.10 |
| 18-25                                     | 0.10  | 0.12 | 0.10    | 0.11 | 0.08                              | 0.09 | 0.12                                     | 0.14 |
| 26 or Older                               | 0.07  | 0.06 | 0.08    | 0.08 | 0.06                              | 0.05 | 0.09                                     | 0.09 |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.10  | 0.09 | 0.12    | 0.11 | 0.09                              | 0.07 | 0.13                                     | 0.13 |
| Female                                    | 0.07  | 0.05 | 0.05    | 0.06 | 0.03                              | 0.04 | 0.08                                     | 0.07 |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.06  | 0.05 | 0.07    | 0.06 | 0.05                              | 0.04 | 0.08                                     | 0.07 |
| White                                     | 0.07  | 0.05 | 0.08    | 0.06 | 0.05                              | 0.04 | 0.09                                     | 0.07 |
| Black or African American                 | 0.25  | 0.22 | 0.22    | 0.25 | 0.21                              | 0.21 | 0.30                                     | 0.25 |
| American Indian or Alaska Native          | 0.80  | 0.92 | 0.81    | 1.16 | 0.78                              | 0.88 | 1.83                                     | 1.47 |
| Native Hawaiian or Other Pacific Islander | 0.19  | *    | 0.16    | 0.78 | 0.16                              | *    | 0.20                                     | 1.29 |
| Asian                                     | 0.06  | 0.08 | 0.08    | 0.08 | 0.06                              | 0.07 | 0.08                                     | 0.20 |
| Two or More Races                         | 0.48  | 0.37 | 0.33    | 0.39 | 0.31                              | 0.36 | 0.57                                     | 1.07 |
| Hispanic or Latino                        | 0.16  | 0.15 | 0.14    | 0.25 | 0.12                              | 0.13 | 0.17                                     | 0.26 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.39P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.2081  |      | 0.7230  |      | 0.6023                            |      | 0.4398                                   |      |
| <b>AGE</b>                                |   |      |         |      |                                   |      |  |      |
| 12-17                                     | 0.6070  |      | 0.6669  |      | 0.6397                            |      | 0.7783                                   |      |
| 18-25                                     | 0.0193  |      | 0.0045  |      | 0.0148                            |      | 0.0019                                   |      |
| 26 or Older                               | 0.0542  |      | 0.3112  |      | 0.2671                            |      | 0.1163                                   |      |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.5659  |      | 0.5110  |      | 0.3739                            |      | 0.6478                                   |      |
| Female                                    | 0.1642  |      | 0.6609  |      | 0.5053                            |      | 0.4659                                   |      |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.3415  |      | 0.2305  |      | 0.7045                            |      | 0.1457                                   |      |
| White                                     | 0.6944  |      | 0.0951  |      | 0.7406                            |      | 0.1984                                   |      |
| Black or African American                 | 0.2330  |      | 0.8770  |      | 0.7044                            |      | 0.2172                                   |      |
| American Indian or Alaska Native          | 0.6974  |      | 0.2144  |      | 0.5489                            |      | 0.4839                                   |      |
| Native Hawaiian or Other Pacific Islander | *   |      | 0.3026  |      | *                                 |      | 0.1995                                   |      |
| Asian                                     | 0.9443  |      | 0.9223  |      | 0.8632                            |      | 0.4149                                   |      |
| Two or More Races                         | 0.6336  |      | 0.6413  |      | 0.6962                            |      | 0.7063                                   |      |
| Hispanic or Latino                        | 0.3102  |      | 0.0633  |      | 0.6564                            |      | 0.1180                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.40C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 22  | 20   | 22      | 20   | 20                                | 16   | 26                                       | 24   |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 15  | 14   | 15      | 15   | 13                                | 12   | 20                                       | 18   |
| Female                                    | 14  | 13   | 15      | 12   | 13                                | 10   | 17                                       | 16   |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 18  | 18   | 19      | 17   | 16                                | 15   | 22                                       | 21   |
| White                                     | 16  | 16   | 17      | 16   | 14                                | 14   | 20                                       | 19   |
| Black or African American                 | 4   | 6    | 4       | 4    | 4                                 | 4    | 5  | 7    |
| American Indian or Alaska Native          | *   | 2    | *       | 2    | *                                 | 2    | *  | 3    |
| Native Hawaiian or Other Pacific Islander | *   | *    | *       | *    | *                                 | *    | *  | *    |
| Asian                                     | 1   | 3    | 1       | 3    | 1                                 | 2    | 1  | 3    |
| Two or More Races                         | 3   | 3    | 2       | 2    | 2                                 | 2    | 4  | 3    |
| Hispanic or Latino                        | 11  | 7    | 9       | 9    | 8                                 | 6    | 12                                       | 14   |
| <b>GENDER/RACE/HISPANIC ORIGIN</b>        |   |      |         |      |                                   |      |  |      |
| Male, White, Not Hispanic                 | 12  | 13   | 13      | 13   | 10                                | 11   | 17                                       | 15   |
| Female, White, Not Hispanic               | 9   | 10   | 11      | 9    | 8                                 | 8    | 12                                       | 11   |
| Male, Black, Not Hispanic                 | 4   | 4    | 3       | 4    | 3                                 | 3    | 4  | 5    |
| Female, Black, Not Hispanic               | 2   | 4    | 2       | 2    | 2                                 | 2    | 2  | 5    |
| Male, Hispanic                            | 7   | 3    | 5       | 7    | 5                                 | 3    | 8  | 9    |
| Female, Hispanic                          | 7   | 6    | 6       | 6    | 6                                 | 5    | 8  | 11   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.40D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.09  | 0.08 | 0.09    | 0.08 | 0.08                              | 0.06 | 0.11                                     | 0.10 |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.12  | 0.11 | 0.11    | 0.12 | 0.10                              | 0.10 | 0.16                                     | 0.14 |
| Female                                    | 0.12  | 0.11 | 0.12    | 0.09 | 0.11                              | 0.08 | 0.14                                     | 0.13 |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.09  | 0.09 | 0.09    | 0.08 | 0.08                              | 0.07 | 0.11                                     | 0.10 |
| White                                     | 0.10  | 0.10 | 0.11    | 0.10 | 0.09                              | 0.09 | 0.13                                     | 0.12 |
| Black or African American                 | 0.12  | 0.15 | 0.10    | 0.11 | 0.10                              | 0.09 | 0.13                                     | 0.19 |
| American Indian or Alaska Native          | *   | 1.25 | *       | 1.06 | *                                 | 0.96 | *  | 1.45 |
| Native Hawaiian or Other Pacific Islander | *   | *    | *       | *    | *                                 | *    | *  | *    |
| Asian                                     | 0.09  | 0.26 | 0.05    | 0.26 | 0.05                              | 0.25 | 0.09                                     | 0.27 |
| Two or More Races                         | 0.73  | 0.65 | 0.53    | 0.44 | 0.53                              | 0.44 | 0.96                                     | 0.73 |
| Hispanic or Latino                        | 0.27  | 0.17 | 0.22    | 0.22 | 0.21                              | 0.14 | 0.30                                     | 0.35 |
| <b>GENDER/RACE/HISPANIC ORIGIN</b>        |   |      |         |      |                                   |      |  |      |
| Male, White, Not Hispanic                 | 0.15  | 0.17 | 0.16    | 0.16 | 0.13                              | 0.14 | 0.21                                     | 0.19 |
| Female, White, Not Hispanic               | 0.12  | 0.13 | 0.14    | 0.12 | 0.11                              | 0.11 | 0.15                                     | 0.14 |
| Male, Black, Not Hispanic                 | 0.20  | 0.21 | 0.18    | 0.19 | 0.18                              | 0.16 | 0.24                                     | 0.27 |
| Female, Black, Not Hispanic               | 0.12  | 0.21 | 0.10    | 0.10 | 0.10                              | 0.10 | 0.12                                     | 0.27 |
| Male, Hispanic                            | 0.34  | 0.16 | 0.25    | 0.32 | 0.23                              | 0.14 | 0.38                                     | 0.45 |
| Female, Hispanic                          | 0.37  | 0.32 | 0.32    | 0.30 | 0.32                              | 0.25 | 0.42                                     | 0.56 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 5.40P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.6070  |      | 0.6669  |      | 0.6397                            |      | 0.7783                                   |      |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.8681  |      | 0.4686  |      | 0.4567                            |      | 0.8533                                   |      |
| Female                                    | 0.3356  |      | 0.1265  |      | 0.1303                            |      | 0.8204                                   |      |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.7202  |      | 0.6569  |      | 0.9719                            |      | 0.5289                                   |      |
| White                                     | 0.5751  |      | 0.6503  |      | 0.7938                            |      | 0.4342                                   |      |
| Black or African American                 | 0.5936  |      | 0.4959  |      | 0.8179                            |      | 0.2441                                   |      |
| American Indian or Alaska Native          | *   |      | *       |      | *                                 |      | *  |      |
| Native Hawaiian or Other Pacific Islander | *   |      | *       |      | *                                 |      | *  |      |
| Asian                                     | 0.4509  |      | 0.3393  |      | 0.4292                            |      | 0.3424                                   |      |
| Two or More Races                         | 0.7132  |      | 0.6449  |      | 0.7073                            |      | 0.5924                                   |      |
| Hispanic or Latino                        | 0.0586  |      | 0.9139  |      | 0.2135                            |      | 0.6426                                   |      |
| <b>GENDER/RACE/HISPANIC ORIGIN</b>        |   |      |         |      |                                   |      |  |      |
| Male, White, Not Hispanic                 | 0.3410  |      | 0.6216  |      | 0.2988                            |      | 0.7536                                   |      |
| Female, White, Not Hispanic               | 0.7313  |      | 0.1656  |      | 0.3461                            |      | 0.3584                                   |      |
| Male, Black, Not Hispanic                 | 0.7227  |      | 0.4522  |      | 0.8166                            |      | 0.5173                                   |      |
| Female, Black, Not Hispanic               | 0.6817  |      | 0.9543  |      | 0.9543                            |      | 0.2955                                   |      |
| Male, Hispanic                            | 0.0637  |      | 0.7213  |      | 0.4826                            |      | 0.9526                                   |      |
| Female, Hispanic                          | 0.2999  |      | 0.6167  |      | 0.2644                            |      | 0.5643                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.41C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 31  | 37   | 30      | 35   | 23                                | 27   | 38                                       | 45   |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 25  | 31   | 27      | 31   | 20                                | 23   | 32                                       | 39   |
| Female                                    | 17  | 20   | 15      | 19   | 12                                | 15   | 20                                       | 24   |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 26  | 30   | 28      | 31   | 21                                | 23   | 35                                       | 38   |
| White                                     | 22  | 27   | 24      | 28   | 17                                | 20   | 29                                       | 34   |
| Black or African American                 | 8   | 14   | 9       | 13   | 7                                 | 11   | 11                                       | 16   |
| American Indian or Alaska Native          | 5   | 2    | 4       | 3    | *                                 | 2    | 5  | 4    |
| Native Hawaiian or Other Pacific Islander | *   | *    | *       | *    | *                                 | *    | *  | *    |
| Asian                                     | 5   | 3    | 5       | 3    | 5                                 | 2    | 5  | 4    |
| Two or More Races                         | 8   | 4    | 7       | 4    | 7                                 | 4    | 10                                       | 4    |
| Hispanic or Latino                        | 14  | 19   | 11      | 17   | 10                                | 14   | 15                                       | 24   |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 21  | 20   | 20      | 19   | 17                                | 17   | 25                                       | 25   |
| High School Graduate                      | 16  | 25   | 16      | 23   | 13                                | 19   | 20                                       | 30   |
| Some College                              | 15  | 14   | 14      | 17   | 11                                | 12   | 19                                       | 19   |
| College Graduate                          | 2   | 4    | 4       | 10   | 1                                 | 3    | 5  | 10   |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 18  | 23   | 21      | 26   | 14                                | 18   | 24                                       | 32   |
| Part-Time                                 | 15  | 16   | 15      | 18   | 12                                | 14   | 18                                       | 21   |
| Unemployed                                | 11  | 16   | 11      | 10   | 10                                | 8    | 13                                       | 18   |
| Other <sup>2</sup>                        | 15  | 19   | 14      | 17   | 11                                | 15   | 18                                       | 22   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.41D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.10  | 0.12 | 0.10    | 0.11 | 0.08                              | 0.09 | 0.12                                     | 0.14 |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.16  | 0.20 | 0.17    | 0.20 | 0.13                              | 0.15 | 0.21                                     | 0.25 |
| Female                                    | 0.11  | 0.13 | 0.10    | 0.12 | 0.08                              | 0.10 | 0.13                                     | 0.15 |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.10  | 0.12 | 0.11    | 0.12 | 0.08                              | 0.09 | 0.14                                     | 0.15 |
| White                                     | 0.11  | 0.14 | 0.13    | 0.14 | 0.09                              | 0.10 | 0.15                                     | 0.18 |
| Black or African American                 | 0.21  | 0.32 | 0.22    | 0.30 | 0.17                              | 0.26 | 0.26                                     | 0.37 |
| American Indian or Alaska Native          | 2.41  | 1.05 | 1.82    | 1.59 | *                                 | 1.05 | 2.42                                     | 2.34 |
| Native Hawaiian or Other Pacific Islander | *   | *    | *       | *    | *                                 | *    | *  | *    |
| Asian                                     | 0.35  | 0.24 | 0.35    | 0.18 | 0.35                              | 0.16 | 0.35                                     | 0.25 |
| Two or More Races                         | 1.87  | 1.02 | 1.82    | 1.06 | 1.80                              | 1.01 | 2.48                                     | 1.13 |
| Hispanic or Latino                        | 0.26  | 0.34 | 0.20    | 0.30 | 0.18                              | 0.25 | 0.28                                     | 0.42 |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 0.31  | 0.29 | 0.29    | 0.28 | 0.24                              | 0.25 | 0.36                                     | 0.37 |
| High School Graduate                      | 0.15  | 0.23 | 0.15    | 0.21 | 0.12                              | 0.17 | 0.19                                     | 0.27 |
| Some College                              | 0.15  | 0.15 | 0.15    | 0.17 | 0.11                              | 0.12 | 0.19                                     | 0.20 |
| College Graduate                          | 0.06  | 0.11 | 0.10    | 0.24 | 0.03                              | 0.08 | 0.13                                     | 0.25 |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 0.12  | 0.16 | 0.15    | 0.18 | 0.09                              | 0.12 | 0.17                                     | 0.22 |
| Part-Time                                 | 0.19  | 0.20 | 0.19    | 0.22 | 0.16                              | 0.17 | 0.23                                     | 0.25 |
| Unemployed                                | 0.45  | 0.59 | 0.44    | 0.38 | 0.39                              | 0.31 | 0.53                                     | 0.65 |
| Other <sup>2</sup>                        | 0.24  | 0.31 | 0.22    | 0.26 | 0.17                              | 0.23 | 0.29                                     | 0.35 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.41P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.0193  |      | 0.0045  |      | 0.0148                            |      | 0.0019                                   |      |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.0280  |      | 0.0066  |      | 0.0203                            |      | 0.0063                                   |      |
| Female                                    | 0.3658  |      | 0.3728  |      | 0.4433                            |      | 0.1497                                   |      |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.0245  |      | 0.0717  |      | 0.0330                            |      | 0.0409                                   |      |
| White                                     | 0.0451  |      | 0.0968  |      | 0.0376                            |      | 0.0861                                   |      |
| Black or African American                 | 0.0294  |      | 0.1373  |      | 0.0851                            |      | 0.0257                                   |      |
| American Indian or Alaska Native          | 0.3366  |      | 0.6445  |      | *                                 |      | 0.7814                                   |      |
| Native Hawaiian or Other Pacific Islander | *   |      | *       |      | *                                 |      | *  |      |
| Asian                                     | 0.4740  |      | 0.5910  |      | 0.4523                            |      | 0.5998                                   |      |
| Two or More Races                         | 0.2371  |      | 0.3493  |      | 0.3095                            |      | 0.1407                                   |      |
| Hispanic or Latino                        | 0.3517  |      | 0.0040  |      | 0.2341                            |      | 0.0035                                   |      |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 0.7074  |      | 0.6244  |      | 0.3457                            |      | 0.5762                                   |      |
| High School Graduate                      | 0.0022  |      | 0.0092  |      | 0.0113                            |      | 0.0008                                   |      |
| Some College                              | 0.7394  |      | 0.2720  |      | 0.7622                            |      | 0.3705                                   |      |
| College Graduate                          | 0.2146  |      | 0.0357  |      | 0.1550                            |      | 0.0399                                   |      |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 0.0169  |      | 0.0101  |      | 0.0052                            |      | 0.0073                                   |      |
| Part-Time                                 | 0.9021  |      | 0.4383  |      | 0.8362                            |      | 0.6274                                   |      |
| Unemployed                                | 0.4618  |      | 0.7819  |      | 0.7274                            |      | 0.4108                                   |      |
| Other <sup>2</sup>                        | 0.1950  |      | 0.1412  |      | 0.1914                            |      | 0.1024                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.42C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 130   | 108  | 139     | 136  | 106                               | 93   | 169                                      | 160  |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 106   | 92   | 128     | 117  | 100                               | 77   | 143                                      | 137  |
| Female                                    | 77  | 56   | 58      | 67   | 37                                | 49   | 95                                       | 77   |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 124   | 101  | 134     | 113  | 101                               | 85   | 164                                      | 138  |
| White                                     | 104   | 80   | 121     | 90   | 84                                | 61   | 141                                      | 115  |
| Black or African American                 | 66  | 55   | 59      | 63   | 56                                | 54   | 80                                       | 65   |
| American Indian or Alaska Native          | 8   | 11   | 8       | 13   | 8                                 | 11   | *  | 17   |
| Native Hawaiian or Other Pacific Islander | *   | *    | *       | *    | *                                 | *    | *  | *    |
| Asian                                     | 2   | 6    | 6       | 6    | 2                                 | 6    | 6  | 19   |
| Two or More Races                         | 9   | 9    | 2       | 9    | *                                 | 8    | 9  | 27   |
| Hispanic or Latino                        | 41  | 39   | 38      | 74   | 32                                | 37   | 46                                       | 76   |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 72  | 63   | 69      | 85   | 60                                | 59   | 93                                       | 97   |
| High School Graduate                      | 89  | 63   | 88      | 65   | 74                                | 47   | 102                                      | 77   |
| Some College                              | 53  | 43   | 60      | 63   | 35                                | 36   | 77                                       | 72   |
| College Graduate                          | 36  | 30   | 61      | 40   | 30                                | 26   | 65                                       | 52   |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 84  | 80   | 89      | 110  | 58                                | 66   | 117                                      | 131  |
| Part-Time                                 | 39  | 28   | 46      | 37   | 28                                | 23   | 55                                       | 44   |
| Unemployed                                | 67  | 23   | 72      | 26   | 67                                | 18   | 72                                       | 30   |
| Other <sup>2</sup>                        | 63  | 56   | 64      | 60   | 49                                | 53   | 82                                       | 67   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.42D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.07  | 0.06 | 0.08    | 0.08 | 0.06                              | 0.05 | 0.09                                     | 0.09 |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.12  | 0.11 | 0.15    | 0.14 | 0.12                              | 0.09 | 0.17                                     | 0.16 |
| Female                                    | 0.08  | 0.06 | 0.06    | 0.07 | 0.04                              | 0.05 | 0.10                                     | 0.08 |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.08  | 0.06 | 0.08    | 0.07 | 0.06                              | 0.05 | 0.10                                     | 0.09 |
| White                                     | 0.08  | 0.06 | 0.09    | 0.07 | 0.06                              | 0.05 | 0.11                                     | 0.09 |
| Black or African American                 | 0.34  | 0.28 | 0.31    | 0.33 | 0.29                              | 0.28 | 0.42                                     | 0.34 |
| American Indian or Alaska Native          | 0.77  | 1.22 | 0.78    | 1.50 | 0.77                              | 1.18 | *  | 1.93 |
| Native Hawaiian or Other Pacific Islander | *   | *    | *       | *    | *                                 | *    | *  | *    |
| Asian                                     | 0.03  | 0.08 | 0.09    | 0.09 | 0.03                              | 0.08 | 0.09                                     | 0.25 |
| Two or More Races                         | 0.50  | 0.49 | 0.14    | 0.48 | *                                 | 0.45 | 0.52                                     | 1.49 |
| Hispanic or Latino                        | 0.21  | 0.19 | 0.19    | 0.37 | 0.16                              | 0.18 | 0.23                                     | 0.38 |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 0.24  | 0.20 | 0.23    | 0.27 | 0.20                              | 0.19 | 0.31                                     | 0.31 |
| High School Graduate                      | 0.15  | 0.11 | 0.15    | 0.12 | 0.13                              | 0.08 | 0.18                                     | 0.14 |
| Some College                              | 0.12  | 0.10 | 0.14    | 0.15 | 0.08                              | 0.09 | 0.18                                     | 0.17 |
| College Graduate                          | 0.07  | 0.06 | 0.13    | 0.08 | 0.06                              | 0.05 | 0.13                                     | 0.10 |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 0.08  | 0.08 | 0.09    | 0.11 | 0.06                              | 0.06 | 0.11                                     | 0.13 |
| Part-Time                                 | 0.20  | 0.13 | 0.23    | 0.18 | 0.14                              | 0.11 | 0.28                                     | 0.21 |
| Unemployed                                | 1.31  | 0.43 | 1.40    | 0.48 | 1.31                              | 0.34 | 1.41                                     | 0.55 |
| Other <sup>2</sup>                        | 0.12  | 0.11 | 0.12    | 0.11 | 0.09                              | 0.10 | 0.15                                     | 0.13 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.42P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.0542  |      | 0.3112  |      | 0.2671                            |      | 0.1163                                   |      |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.2018  |      | 0.1547  |      | 0.1082                            |      | 0.2425                                   |      |
| Female                                    | 0.1268  |      | 0.6035  |      | 0.3754                            |      | 0.2779                                   |      |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.1014  |      | 0.0962  |      | 0.3493                            |      | 0.0517                                   |      |
| White                                     | 0.2810  |      | 0.0333  |      | 0.3186                            |      | 0.0930                                   |      |
| Black or African American                 | 0.0925  |      | 0.8932  |      | 0.4929                            |      | 0.0770                                   |      |
| American Indian or Alaska Native          | 0.1688  |      | 0.0920  |      | 0.2325                            |      | *  |      |
| Native Hawaiian or Other Pacific Islander | *   |      | *       |      | *                                 |      | *  |      |
| Asian                                     | 0.6110  |      | 0.9616  |      | 0.5569                            |      | 0.3640                                   |      |
| Two or More Races                         | 0.6940  |      | 0.0706  |      | *                                 |      | 0.2662                                   |      |
| Hispanic or Latino                        | 0.2717  |      | 0.2474  |      | 0.5144                            |      | 0.5606                                   |      |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 0.0989  |      | 0.6355  |      | 0.2679                            |      | 0.3201                                   |      |
| High School Graduate                      | 0.3591  |      | 0.8390  |      | 0.4001                            |      | 0.5223                                   |      |
| Some College                              | 0.6421  |      | 0.5435  |      | 0.4288                            |      | 0.8844                                   |      |
| College Graduate                          | 0.5002  |      | 0.0255  |      | 0.5863                            |      | 0.1176                                   |      |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 0.3677  |      | 0.7608  |      | 0.8494                            |      | 0.8241                                   |      |
| Part-Time                                 | 0.2581  |      | 0.7456  |      | 0.6089                            |      | 0.3219                                   |      |
| Unemployed                                | 0.0763  |      | 0.0212  |      | 0.0461                            |      | 0.0383                                   |      |
| Other <sup>2</sup>                        | 0.5732  |      | 0.5868  |      | 0.7976                            |      | 0.3114                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.43C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 134   | 117  | 144     | 143  | 109                               | 99   | 175                                      | 168  |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 111   | 100  | 131     | 123  | 102                               | 83   | 148                                      | 145  |
| Female                                    | 80  | 60   | 60      | 71   | 40                                | 53   | 97                                       | 82   |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 129   | 108  | 140     | 121  | 105                               | 91   | 171                                      | 145  |
| White                                     | 109   | 84   | 126     | 95   | 88                                | 65   | 148                                      | 120  |
| Black or African American                 | 66  | 60   | 59      | 67   | 56                                | 58   | 81                                       | 69   |
| American Indian or Alaska Native          | 10  | 11   | 9       | 14   | 9                                 | 11   | 26                                       | 18   |
| Native Hawaiian or Other Pacific Islander | 1   | *    | 1       | *    | 1                                 | *    | 1  | *    |
| Asian                                     | 5   | 7    | 8       | 7    | 5                                 | 7    | 8  | 19   |
| Two or More Races                         | 12  | 10   | 8       | 10   | 7                                 | 9    | 14                                       | 28   |
| Hispanic or Latino                        | 43  | 43   | 39      | 75   | 34                                | 39   | 47                                       | 78   |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 75  | 66   | 72      | 87   | 62                                | 61   | 97                                       | 98   |
| High School Graduate                      | 89  | 68   | 89      | 70   | 75                                | 51   | 104                                      | 83   |
| Some College                              | 54  | 45   | 62      | 65   | 37                                | 38   | 79                                       | 75   |
| College Graduate                          | 36  | 30   | 62      | 41   | 30                                | 26   | 65                                       | 53   |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 87  | 83   | 93      | 113  | 61                                | 68   | 121                                      | 134  |
| Part-Time                                 | 42  | 32   | 49      | 42   | 31                                | 27   | 59                                       | 49   |
| Unemployed                                | 68  | 28   | 73      | 28   | 68                                | 20   | 73                                       | 35   |
| Other <sup>2</sup>                        | 65  | 60   | 66      | 63   | 50                                | 56   | 85                                       | 72   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 5.43D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.06  | 0.05 | 0.07    | 0.07 | 0.05                              | 0.05 | 0.08                                     | 0.08 |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.11  | 0.10 | 0.13    | 0.12 | 0.10                              | 0.08 | 0.15                                     | 0.14 |
| Female                                    | 0.07  | 0.05 | 0.05    | 0.06 | 0.04                              | 0.05 | 0.09                                     | 0.07 |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.07  | 0.06 | 0.08    | 0.06 | 0.06                              | 0.05 | 0.09                                     | 0.08 |
| White                                     | 0.07  | 0.06 | 0.08    | 0.06 | 0.06                              | 0.04 | 0.10                                     | 0.08 |
| Black or African American                 | 0.29  | 0.25 | 0.26    | 0.28 | 0.24                              | 0.25 | 0.35                                     | 0.29 |
| American Indian or Alaska Native          | 0.76  | 1.04 | 0.73    | 1.33 | 0.69                              | 1.01 | 2.04                                     | 1.68 |
| Native Hawaiian or Other Pacific Islander | 0.14  | *    | 0.14    | *    | 0.14                              | *    | 0.14                                     | *    |
| Asian                                     | 0.07  | 0.08 | 0.09    | 0.08 | 0.06                              | 0.08 | 0.09                                     | 0.21 |
| Two or More Races                         | 0.55  | 0.44 | 0.38    | 0.45 | 0.35                              | 0.41 | 0.65                                     | 1.27 |
| Hispanic or Latino                        | 0.17  | 0.17 | 0.15    | 0.29 | 0.13                              | 0.15 | 0.19                                     | 0.30 |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 0.20  | 0.17 | 0.19    | 0.23 | 0.17                              | 0.16 | 0.26                                     | 0.26 |
| High School Graduate                      | 0.13  | 0.10 | 0.13    | 0.10 | 0.11                              | 0.08 | 0.15                                     | 0.12 |
| Some College                              | 0.10  | 0.09 | 0.12    | 0.12 | 0.07                              | 0.07 | 0.15                                     | 0.14 |
| College Graduate                          | 0.07  | 0.05 | 0.12    | 0.08 | 0.06                              | 0.05 | 0.12                                     | 0.10 |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 0.07  | 0.07 | 0.08    | 0.10 | 0.05                              | 0.06 | 0.10                                     | 0.11 |
| Part-Time                                 | 0.15  | 0.11 | 0.18    | 0.15 | 0.11                              | 0.09 | 0.21                                     | 0.17 |
| Unemployed                                | 0.90  | 0.35 | 0.96    | 0.34 | 0.90                              | 0.25 | 0.97                                     | 0.43 |
| Other <sup>2</sup>                        | 0.11  | 0.10 | 0.11    | 0.11 | 0.08                              | 0.09 | 0.14                                     | 0.12 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.43P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Demographic Characteristic                | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|---|---|------|---------|------|-----------------------------------|------|--|------|
|   | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|   | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                              | 0.2346  |      | 0.7675  |      | 0.6564                            |      | 0.4586                                   |      |
| <b>GENDER</b>                             |   |      |         |      |                                   |      |  |      |
| Male                                      | 0.5480  |      | 0.4520  |      | 0.3190                            |      | 0.6618                                   |      |
| Female                                    | 0.2104  |      | 0.4608  |      | 0.2720                            |      | 0.4783                                   |      |
| <b>HISPANIC ORIGIN AND RACE</b>           |   |      |         |      |                                   |      |  |      |
| Not Hispanic or Latino                    | 0.3099  |      | 0.2470  |      | 0.6962                            |      | 0.1638                                   |      |
| White                                     | 0.6275  |      | 0.1042  |      | 0.7023                            |      | 0.2336                                   |      |
| Black or African American                 | 0.2136  |      | 0.9021  |      | 0.6941                            |      | 0.1807                                   |      |
| American Indian or Alaska Native          | 0.3651  |      | 0.0821  |      | 0.2377                            |      | 0.3317                                   |      |
| Native Hawaiian or Other Pacific Islander | *   |      | *       |      | *                                 |      | *  |      |
| Asian                                     | 0.8795  |      | 0.7354  |      | 0.9547                            |      | 0.4916                                   |      |
| Two or More Races                         | 0.7000  |      | 0.5645  |      | 0.6253                            |      | 0.6449                                   |      |
| Hispanic or Latino                        | 0.5069  |      | 0.0607  |      | 0.8325                            |      | 0.1400                                   |      |
| <b>EDUCATION</b>                          |   |      |         |      |                                   |      |  |      |
| < High School                             | 0.1416  |      | 0.7123  |      | 0.3994                            |      | 0.3948                                   |      |
| High School Graduate                      | 0.9958  |      | 0.5893  |      | 0.9122                            |      | 0.7047                                   |      |
| Some College                              | 0.7374  |      | 0.3853  |      | 0.3965                            |      | 0.9331                                   |      |
| College Graduate                          | 0.5885  |      | 0.0573  |      | 0.6743                            |      | 0.2031                                   |      |
| <b>CURRENT EMPLOYMENT</b>                 |   |      |         |      |                                   |      |  |      |
| Full-Time                                 | 0.7676  |      | 0.3782  |      | 0.6009                            |      | 0.7210                                   |      |
| Part-Time                                 | 0.2765  |      | 0.9826  |      | 0.7111                            |      | 0.4514                                   |      |
| Unemployed                                | 0.1279  |      | 0.0215  |      | 0.0442                            |      | 0.0769                                   |      |
| Other <sup>2</sup>                        | 0.8533  |      | 0.8953  |      | 0.5641                            |      | 0.5924                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.44C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 136   | 119  | 146     | 144  | 111                               | 100  | 178                                      | 169  |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 85  | 45   | 83      | 55   | 67                                | 38   | 101                                      | 62   |
| New England                    | 60  | 19   | 69      | 28   | 56                                | 13   | 74                                       | 33   |
| Middle Atlantic                | 59  | 41   | 46      | 48   | 36                                | 36   | 69                                       | 53   |
| Midwest                        | 55  | 49   | 68      | 61   | 53                                | 42   | 74                                       | 72   |
| East North Central             | 42  | 36   | 52      | 49   | 39                                | 30   | 58                                       | 57   |
| West North Central             | 36  | 33   | 43      | 35   | 35                                | 29   | 46                                       | 44   |
| South                          | 65  | 76   | 80      | 80   | 51                                | 68   | 95                                       | 100  |
| South Atlantic                 | 48  | 65   | 65      | 65   | 40                                | 58   | 77                                       | 86   |
| East South Central             | 29  | 32   | 26      | 32   | 15                                | 29   | 37                                       | 35   |
| West South Central             | 32  | 25   | 39      | 32   | 29                                | 20   | 42                                       | 37   |
| West                           | 64  | 62   | 58      | 87   | 48                                | 46   | 82                                       | 98   |
| Mountain                       | 26  | 21   | 33      | 34   | 24                                | 15   | 46                                       | 37   |
| Pacific                        | 59  | 59   | 47      | 80   | 41                                | 44   | 68                                       | 91   |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 104   | 100  | 106     | 119  | 80                                | 84   | 135                                      | 141  |
| Small Metro                    | 81  | 48   | 90      | 62   | 72                                | 38   | 101                                      | 71   |
| 250K - 1 Mil. Pop.             | 54  | 42   | 65      | 56   | 44                                | 33   | 76                                       | 63   |
| < 250K Pop.                    | 60  | 24   | 63      | 29   | 56                                | 21   | 67                                       | 34   |
| Nonmetro                       | 32  | 39   | 44      | 49   | 30                                | 36   | 58                                       | 65   |
| Urbanized                      | 21  | 30   | 32      | 38   | 21                                | 28   | 36                                       | 41   |
| Less Urbanized                 | 24  | 22   | 29      | 29   | 21                                | 21   | 45                                       | 45   |
| Completely Rural               | 6   | 10   | 10      | 11   | 6                                 | 10   | 11                                       | 11   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.44D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.06  | 0.05 | 0.06    | 0.06 | 0.05                              | 0.04 | 0.08                                     | 0.07 |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.19  | 0.10 | 0.18    | 0.12 | 0.15                              | 0.08 | 0.23                                     | 0.14 |
| New England                    | 0.51  | 0.16 | 0.58    | 0.23 | 0.48                              | 0.11 | 0.63                                     | 0.28 |
| Middle Atlantic                | 0.18  | 0.12 | 0.14    | 0.14 | 0.11                              | 0.11 | 0.21                                     | 0.16 |
| Midwest                        | 0.10  | 0.09 | 0.13    | 0.11 | 0.10                              | 0.08 | 0.14                                     | 0.13 |
| East North Central             | 0.11  | 0.09 | 0.14    | 0.13 | 0.10                              | 0.08 | 0.16                                     | 0.15 |
| West North Central             | 0.22  | 0.21 | 0.27    | 0.22 | 0.22                              | 0.18 | 0.29                                     | 0.27 |
| South                          | 0.08  | 0.09 | 0.09    | 0.09 | 0.06                              | 0.08 | 0.11                                     | 0.12 |
| South Atlantic                 | 0.11  | 0.15 | 0.15    | 0.15 | 0.09                              | 0.13 | 0.18                                     | 0.19 |
| East South Central             | 0.21  | 0.23 | 0.18    | 0.23 | 0.11                              | 0.21 | 0.26                                     | 0.25 |
| West South Central             | 0.12  | 0.10 | 0.15    | 0.12 | 0.11                              | 0.08 | 0.16                                     | 0.14 |
| West                           | 0.12  | 0.12 | 0.11    | 0.16 | 0.09                              | 0.09 | 0.16                                     | 0.18 |
| Mountain                       | 0.17  | 0.13 | 0.22    | 0.22 | 0.16                              | 0.10 | 0.30                                     | 0.24 |
| Pacific                        | 0.16  | 0.15 | 0.13    | 0.21 | 0.11                              | 0.11 | 0.18                                     | 0.24 |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.08  | 0.08 | 0.08    | 0.09 | 0.06                              | 0.07 | 0.11                                     | 0.11 |
| Small Metro                    | 0.12  | 0.07 | 0.13    | 0.09 | 0.10                              | 0.05 | 0.15                                     | 0.10 |
| 250K - 1 Mil. Pop.             | 0.12  | 0.09 | 0.14    | 0.12 | 0.10                              | 0.07 | 0.17                                     | 0.14 |
| < 250K Pop.                    | 0.25  | 0.10 | 0.26    | 0.12 | 0.24                              | 0.08 | 0.28                                     | 0.14 |
| Nonmetro                       | 0.08  | 0.10 | 0.11    | 0.12 | 0.07                              | 0.09 | 0.14                                     | 0.16 |
| Urbanized                      | 0.13  | 0.17 | 0.20    | 0.21 | 0.13                              | 0.16 | 0.22                                     | 0.23 |
| Less Urbanized                 | 0.12  | 0.12 | 0.15    | 0.16 | 0.11                              | 0.12 | 0.23                                     | 0.25 |
| Completely Rural               | 0.15  | 0.24 | 0.22    | 0.27 | 0.15                              | 0.24 | 0.25                                     | 0.27 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.44P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.2081  |      | 0.7230  |      | 0.6023                            |      | 0.4398                                   |      |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.1194  |      | 0.3434  |      | 0.4188                            |      | 0.0991                                   |      |
| New England                    | 0.1313  |      | 0.1523  |      | 0.0912                            |      | 0.1310                                   |      |
| Middle Atlantic                | 0.4159  |      | 0.9080  |      | 0.5835                            |      | 0.3529                                   |      |
| Midwest                        | 0.4414  |      | 0.4363  |      | 0.3177                            |      | 0.7420                                   |      |
| East North Central             | 0.3370  |      | 0.4972  |      | 0.3612                            |      | 0.5081                                   |      |
| West North Central             | 0.9224  |      | 0.6896  |      | 0.6188                            |      | 0.7874                                   |      |
| South                          | 0.9468  |      | 0.8134  |      | 0.5039                            |      | 0.6656                                   |      |
| South Atlantic                 | 0.8405  |      | 0.7402  |      | 0.6164                            |      | 0.7783                                   |      |
| East South Central             | 0.8255  |      | 0.7387  |      | 0.2540                            |      | 0.6892                                   |      |
| West South Central             | 0.5496  |      | 0.8085  |      | 0.4507                            |      | 0.9232                                   |      |
| West                           | 0.7233  |      | 0.2130  |      | 0.9714                            |      | 0.4400                                   |      |
| Mountain                       | 0.4662  |      | 0.7505  |      | 0.7945                            |      | 0.8329                                   |      |
| Pacific                        | 0.4513  |      | 0.2039  |      | 0.8591                            |      | 0.4364                                   |      |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.4036  |      | 0.8978  |      | 0.6552                            |      | 0.7498                                   |      |
| Small Metro                    | 0.0790  |      | 0.4378  |      | 0.3374                            |      | 0.1537                                   |      |
| 250K - 1 Mil. Pop.             | 0.1421  |      | 0.7691  |      | 0.7375                            |      | 0.2130                                   |      |
| < 250K Pop.                    | 0.3213  |      | 0.3607  |      | 0.3125                            |      | 0.4768                                   |      |
| Nonmetro                       | 0.3085  |      | 0.6759  |      | 0.3238                            |      | 0.6322                                   |      |
| Urbanized                      | 0.3481  |      | 0.9020  |      | 0.6139                            |      | 0.9103                                   |      |
| Less Urbanized                 | 0.8904  |      | 0.7403  |      | 0.5676                            |      | 0.6496                                   |      |
| Completely Rural               | 0.2312  |      | 0.7281  |      | 0.2238                            |      | 0.7290                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.45C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 22  | 20   | 22      | 20   | 20                                | 16   | 26                                       | 24   |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 6   | 9    | 6       | 9    | 4                                 | 8    | 9  | 11   |
| New England                    | 4   | 1    | 3       | 3    | 1                                 | 0    | 5  | 3    |
| Middle Atlantic                | 5   | 9    | 6       | 9    | 4                                 | 8    | 7  | 11   |
| Midwest                        | 10  | 8    | 9       | 8    | 9                                 | 6    | 12                                       | 10   |
| East North Central             | 8   | 6    | 8       | 5    | 7                                 | 4    | 11                                       | 7    |
| West North Central             | 6   | 5    | 5       | 6    | 5                                 | 4    | 6  | 7    |
| South                          | 16  | 12   | 15      | 10   | 15                                | 9    | 17                                       | 14   |
| South Atlantic                 | 13  | 6    | 12      | 5    | 12                                | 4    | 13                                       | 8    |
| East South Central             | 3   | 5    | 3       | 4    | 3                                 | 4    | 3  | 6    |
| West South Central             | 9   | 9    | 9       | 7    | 8                                 | 6    | 10                                       | 10   |
| West                           | 10  | 10   | 11      | 12   | 9                                 | 9    | 13                                       | 14   |
| Mountain                       | 5   | 5    | 3       | 6    | 3                                 | 6    | 6  | 6    |
| Pacific                        | 9   | 9    | 10      | 10   | 8                                 | 7    | 12                                       | 13   |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 17  | 15   | 17      | 13   | 15                                | 12   | 19                                       | 18   |
| Small Metro                    | 13  | 11   | 11      | 12   | 11                                | 9    | 16                                       | 14   |
| 250K - 1 Mil. Pop.             | 9   | 9    | 7       | 10   | 7                                 | 7    | 12                                       | 12   |
| < 250K Pop.                    | 9   | 7    | 9       | 7    | 9                                 | 6    | 10                                       | 7    |
| Nonmetro                       | 8   | 8    | 8       | 8    | 7                                 | 6    | 9  | 10   |
| Urbanized                      | 4   | 6    | 4       | 6    | 4                                 | 5    | 4  | 7    |
| Less Urbanized                 | 6   | 5    | 6       | 5    | 5                                 | 4    | 7  | 7    |
| Completely Rural               | 4   | 0    | 4       | 1    | 4                                 | 0    | 4  | 2    |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.45D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.09  | 0.08 | 0.09    | 0.08 | 0.08                              | 0.06 | 0.11                                     | 0.10 |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.15  | 0.21 | 0.14    | 0.20 | 0.10                              | 0.19 | 0.20                                     | 0.25 |
| New England                    | 0.33  | 0.07 | 0.25    | 0.22 | 0.13                              | 0.04 | 0.44                                     | 0.27 |
| Middle Atlantic                | 0.16  | 0.28 | 0.17    | 0.26 | 0.12                              | 0.25 | 0.22                                     | 0.32 |
| Midwest                        | 0.17  | 0.13 | 0.17    | 0.14 | 0.15                              | 0.11 | 0.22                                     | 0.17 |
| East North Central             | 0.20  | 0.14 | 0.20    | 0.13 | 0.18                              | 0.11 | 0.27                                     | 0.17 |
| West North Central             | 0.34  | 0.30 | 0.29    | 0.37 | 0.27                              | 0.26 | 0.37                                     | 0.42 |
| South                          | 0.18  | 0.13 | 0.17    | 0.11 | 0.17                              | 0.10 | 0.19                                     | 0.15 |
| South Atlantic                 | 0.29  | 0.14 | 0.27    | 0.11 | 0.27                              | 0.09 | 0.29                                     | 0.17 |
| East South Central             | 0.20  | 0.35 | 0.24    | 0.30 | 0.19                              | 0.30 | 0.24                                     | 0.39 |
| West South Central             | 0.31  | 0.30 | 0.30    | 0.24 | 0.28                              | 0.21 | 0.35                                     | 0.33 |
| West                           | 0.18  | 0.17 | 0.18    | 0.20 | 0.15                              | 0.16 | 0.23                                     | 0.24 |
| Mountain                       | 0.28  | 0.28 | 0.19    | 0.35 | 0.15                              | 0.34 | 0.33                                     | 0.34 |
| Pacific                        | 0.22  | 0.21 | 0.25    | 0.25 | 0.20                              | 0.17 | 0.29                                     | 0.30 |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.12  | 0.11 | 0.13    | 0.10 | 0.11                              | 0.09 | 0.15                                     | 0.13 |
| Small Metro                    | 0.17  | 0.15 | 0.16    | 0.16 | 0.15                              | 0.12 | 0.21                                     | 0.19 |
| 250K - 1 Mil. Pop.             | 0.18  | 0.18 | 0.15    | 0.21 | 0.14                              | 0.14 | 0.25                                     | 0.24 |
| < 250K Pop.                    | 0.38  | 0.27 | 0.37    | 0.27 | 0.37                              | 0.25 | 0.42                                     | 0.30 |
| Nonmetro                       | 0.20  | 0.18 | 0.18    | 0.18 | 0.17                              | 0.14 | 0.20                                     | 0.24 |
| Urbanized                      | 0.23  | 0.33 | 0.23    | 0.31 | 0.22                              | 0.25 | 0.24                                     | 0.40 |
| Less Urbanized                 | 0.30  | 0.25 | 0.26    | 0.25 | 0.24                              | 0.20 | 0.32                                     | 0.34 |
| Completely Rural               | 0.78  | 0.10 | 0.78    | 0.19 | 0.78                              | 0.10 | 0.78                                     | 0.43 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.45P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.6070  |      | 0.6669  |      | 0.6397                            |      | 0.7783                                   |      |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.9453  |      | 0.2252  |      | 0.1271                            |      | 0.8478                                   |      |
| New England                    | 0.0017  |      | 0.2230  |      | 0.0209                            |      | 0.0487                                   |      |
| Middle Atlantic                | 0.2080  |      | 0.0543  |      | 0.0526                            |      | 0.2079                                   |      |
| Midwest                        | 0.0055  |      | 0.0273  |      | 0.0053                            |      | 0.0167                                   |      |
| East North Central             | 0.0085  |      | 0.0023  |      | 0.0045                            |      | 0.0032                                   |      |
| West North Central             | 0.2510  |      | 0.7850  |      | 0.4301                            |      | 0.9904                                   |      |
| South                          | 0.5260  |      | 0.6542  |      | 0.7674                            |      | 0.6418                                   |      |
| South Atlantic                 | 0.1971  |      | 0.2672  |      | 0.1733                            |      | 0.2991                                   |      |
| East South Central             | 0.0299  |      | 0.7804  |      | 0.3677                            |      | 0.2984                                   |      |
| West South Central             | 0.1439  |      | 0.5360  |      | 0.4250                            |      | 0.1871                                   |      |
| West                           | 0.7438  |      | 0.5718  |      | 0.4975                            |      | 0.4629                                   |      |
| Mountain                       | 0.2840  |      | 0.1850  |      | 0.0244                            |      | 0.7778                                   |      |
| Pacific                        | 0.8613  |      | 0.9112  |      | 0.5828                            |      | 0.4974                                   |      |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 1.0000  |      | 0.5335  |      | 0.9844                            |      | 0.9389                                   |      |
| Small Metro                    | 0.6399  |      | 0.7667  |      | 0.8002                            |      | 0.5242                                   |      |
| 250K - 1 Mil. Pop.             | 0.4785  |      | 0.6070  |      | 0.7146                            |      | 0.5442                                   |      |
| < 250K Pop.                    | 0.9124  |      | 0.8686  |      | 1.0000                            |      | 0.8065                                   |      |
| Nonmetro                       | 0.5069  |      | 0.7023  |      | 0.3598                            |      | 0.6863                                   |      |
| Urbanized                      | 0.4396  |      | 0.7959  |      | 0.8578                            |      | 0.1498                                   |      |
| Less Urbanized                 | 0.3267  |      | 0.7989  |      | 0.6077                            |      | 0.6441                                   |      |
| Completely Rural               | 0.1717  |      | 0.2459  |      | 0.1881                            |      | 0.6247                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 5.46C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 31  | 37   | 30      | 35   | 23                                | 27   | 38                                       | 45   |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 12  | 15   | 9       | 13   | 9                                 | 11   | 14                                       | 17   |
| New England                    | 9   | 7    | 6       | 7    | 6                                 | 5    | 9  | 9    |
| Middle Atlantic                | 8   | 13   | 7       | 11   | 6                                 | 10   | 10                                       | 14   |
| Midwest                        | 12  | 12   | 15      | 16   | 11                                | 10   | 18                                       | 18   |
| East North Central             | 10  | 11   | 12      | 14   | 9                                 | 9    | 15                                       | 16   |
| West North Central             | 7   | 5    | 9       | 9    | 7                                 | 5    | 10                                       | 9    |
| South                          | 18  | 20   | 19      | 20   | 13                                | 16   | 23                                       | 24   |
| South Atlantic                 | 11  | 14   | 15      | 14   | 9                                 | 12   | 16                                       | 17   |
| East South Central             | 8   | 6    | 7       | 6    | 6                                 | 6    | 9  | 6    |
| West South Central             | 12  | 13   | 8       | 12   | 7                                 | 9    | 13                                       | 16   |
| West                           | 18  | 25   | 16      | 20   | 13                                | 16   | 21                                       | 30   |
| Mountain                       | 7   | 9    | 6       | 8    | 3                                 | 7    | 10                                       | 9    |
| Pacific                        | 17  | 24   | 15      | 18   | 13                                | 15   | 18                                       | 28   |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 24  | 32   | 21      | 28   | 18                                | 23   | 27                                       | 36   |
| Small Metro                    | 15  | 17   | 19      | 18   | 12                                | 13   | 23                                       | 24   |
| 250K - 1 Mil. Pop.             | 11  | 13   | 16      | 14   | 9                                 | 11   | 18                                       | 19   |
| < 250K Pop.                    | 11  | 10   | 10      | 11   | 8                                 | 7    | 13                                       | 14   |
| Nonmetro                       | 11  | 12   | 13      | 11   | 9                                 | 9    | 15                                       | 15   |
| Urbanized                      | 7   | 8    | 10      | 7    | 7                                 | 6    | 11                                       | 10   |
| Less Urbanized                 | 8   | 8    | 9       | 7    | 6                                 | 5    | 10                                       | 10   |
| Completely Rural               | 1   | 4    | 3       | 5    | 1                                 | 4    | 3  | 5    |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.46D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.10  | 0.12 | 0.10    | 0.11 | 0.08                              | 0.09 | 0.12                                     | 0.14 |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.22  | 0.26 | 0.17    | 0.23 | 0.16                              | 0.20 | 0.25                                     | 0.30 |
| New England                    | 0.63  | 0.48 | 0.45    | 0.50 | 0.44                              | 0.31 | 0.64                                     | 0.63 |
| Middle Atlantic                | 0.20  | 0.31 | 0.17    | 0.26 | 0.15                              | 0.24 | 0.25                                     | 0.34 |
| Midwest                        | 0.17  | 0.16 | 0.21    | 0.22 | 0.16                              | 0.14 | 0.25                                     | 0.25 |
| East North Central             | 0.20  | 0.21 | 0.24    | 0.27 | 0.18                              | 0.18 | 0.30                                     | 0.31 |
| West North Central             | 0.32  | 0.24 | 0.40    | 0.38 | 0.31                              | 0.21 | 0.47                                     | 0.41 |
| South                          | 0.16  | 0.18 | 0.17    | 0.18 | 0.12                              | 0.14 | 0.21                                     | 0.21 |
| South Atlantic                 | 0.20  | 0.24 | 0.28    | 0.26 | 0.16                              | 0.21 | 0.31                                     | 0.30 |
| East South Central             | 0.40  | 0.31 | 0.38    | 0.33 | 0.34                              | 0.32 | 0.45                                     | 0.29 |
| West South Central             | 0.32  | 0.35 | 0.22    | 0.33 | 0.19                              | 0.24 | 0.35                                     | 0.42 |
| West                           | 0.25  | 0.34 | 0.22    | 0.27 | 0.18                              | 0.22 | 0.28                                     | 0.40 |
| Mountain                       | 0.33  | 0.39 | 0.26    | 0.35 | 0.13                              | 0.31 | 0.46                                     | 0.39 |
| Pacific                        | 0.33  | 0.46 | 0.29    | 0.35 | 0.25                              | 0.29 | 0.35                                     | 0.55 |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.15  | 0.19 | 0.13    | 0.17 | 0.12                              | 0.14 | 0.17                                     | 0.22 |
| Small Metro                    | 0.15  | 0.17 | 0.18    | 0.17 | 0.12                              | 0.13 | 0.22                                     | 0.23 |
| 250K - 1 Mil. Pop.             | 0.17  | 0.20 | 0.24    | 0.21 | 0.14                              | 0.17 | 0.29                                     | 0.28 |
| < 250K Pop.                    | 0.31  | 0.29 | 0.28    | 0.32 | 0.22                              | 0.20 | 0.36                                     | 0.39 |
| Nonmetro                       | 0.22  | 0.24 | 0.27    | 0.22 | 0.19                              | 0.19 | 0.31                                     | 0.30 |
| Urbanized                      | 0.32  | 0.32 | 0.43    | 0.30 | 0.30                              | 0.25 | 0.49                                     | 0.44 |
| Less Urbanized                 | 0.36  | 0.37 | 0.39    | 0.30 | 0.28                              | 0.24 | 0.46                                     | 0.44 |
| Completely Rural               | 0.29  | 1.17 | 0.58    | 1.32 | 0.29                              | 1.17 | 0.61                                     | 1.38 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.46P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.0193  |      | 0.0045  |      | 0.0148                            |      | 0.0019                                   |      |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.2667  |      | 0.1736  |      | 0.3724                            |      | 0.2122                                   |      |
| New England                    | 0.6162  |      | 0.9725  |      | 0.4614                            |      | 0.9733                                   |      |
| Middle Atlantic                | 0.0855  |      | 0.0943  |      | 0.1117                            |      | 0.1329                                   |      |
| Midwest                        | 0.6705  |      | 0.6894  |      | 0.7102                            |      | 0.5422                                   |      |
| East North Central             | 0.5036  |      | 0.7674  |      | 0.4026                            |      | 0.7500                                   |      |
| West North Central             | 0.7910  |      | 0.7808  |      | 0.5651                            |      | 0.5292                                   |      |
| South                          | 0.1335  |      | 0.2418  |      | 0.0729                            |      | 0.2599                                   |      |
| South Atlantic                 | 0.0780  |      | 0.3556  |      | 0.0587                            |      | 0.3931                                   |      |
| East South Central             | 0.9118  |      | 0.6827  |      | 0.8759                            |      | 0.4791                                   |      |
| West South Central             | 0.5025  |      | 0.2195  |      | 0.4007                            |      | 0.2324                                   |      |
| West                           | 0.1434  |      | 0.0053  |      | 0.1035                            |      | 0.0029                                   |      |
| Mountain                       | 0.1386  |      | 0.0076  |      | 0.0022                            |      | 0.0546                                   |      |
| Pacific                        | 0.3468  |      | 0.0571  |      | 0.5906                            |      | 0.0147                                   |      |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.1534  |      | 0.0042  |      | 0.1756                            |      | 0.0076                                   |      |
| Small Metro                    | 0.2418  |      | 0.1328  |      | 0.0657                            |      | 0.1487                                   |      |
| 250K - 1 Mil. Pop.             | 0.0068  |      | 0.2522  |      | 0.0065                            |      | 0.1157                                   |      |
| < 250K Pop.                    | 0.3335  |      | 0.3270  |      | 0.7405                            |      | 0.7091                                   |      |
| Nonmetro                       | 0.0597  |      | 0.8041  |      | 0.1746                            |      | 0.2998                                   |      |
| Urbanized                      | 0.1324  |      | 0.6071  |      | 0.4205                            |      | 0.4477                                   |      |
| Less Urbanized                 | 0.5628  |      | 0.6493  |      | 0.7696                            |      | 0.8715                                   |      |
| Completely Rural               | 0.0809  |      | 0.1882  |      | 0.0809                            |      | 0.1285                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.47C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 130   | 108  | 139     | 136  | 106                               | 93   | 169                                      | 160  |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 81  | 40   | 80      | 51   | 67                                | 34   | 95                                       | 56   |
| New England                    | 56  | 17   | 66      | 25   | 56                                | 11   | 68                                       | 31   |
| Middle Atlantic                | 58  | 36   | 45      | 44   | 36                                | 33   | 66                                       | 47   |
| Midwest                        | 53  | 47   | 66      | 57   | 51                                | 41   | 70                                       | 67   |
| East North Central             | 40  | 35   | 51      | 47   | 38                                | 30   | 56                                       | 55   |
| West North Central             | 34  | 31   | 41      | 33   | 34                                | 28   | 42                                       | 39   |
| South                          | 60  | 70   | 76      | 76   | 48                                | 63   | 91                                       | 96   |
| South Atlantic                 | 43  | 60   | 60      | 61   | 35                                | 54   | 74                                       | 83   |
| East South Central             | 29  | 30   | 24      | 31   | 16                                | 28   | 33                                       | 33   |
| West South Central             | 30  | 21   | 39      | 31   | 28                                | 17   | 43                                       | 35   |
| West                           | 62  | 54   | 53      | 83   | 43                                | 42   | 80                                       | 93   |
| Mountain                       | 25  | 18   | 33      | 28   | 24                                | 11   | 44                                       | 33   |
| Pacific                        | 57  | 51   | 42      | 78   | 35                                | 41   | 67                                       | 87   |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 100   | 91   | 99      | 113  | 74                                | 77   | 128                                      | 133  |
| Small Metro                    | 76  | 41   | 88      | 58   | 70                                | 34   | 95                                       | 66   |
| 250K - 1 Mil. Pop.             | 52  | 37   | 64      | 53   | 43                                | 30   | 73                                       | 60   |
| < 250K Pop.                    | 56  | 20   | 61      | 25   | 56                                | 18   | 61                                       | 29   |
| Nonmetro                       | 30  | 35   | 40      | 47   | 28                                | 34   | 56                                       | 60   |
| Urbanized                      | 20  | 28   | 30      | 37   | 19                                | 27   | 33                                       | 38   |
| Less Urbanized                 | 22  | 19   | 27      | 27   | 20                                | 19   | 44                                       | 43   |
| Completely Rural               | 5   | 9    | 8       | 10   | 5                                 | 9    | 10                                       | 10   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.47D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.07  | 0.06 | 0.08    | 0.08 | 0.06                              | 0.05 | 0.09                                     | 0.09 |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.23  | 0.11 | 0.23    | 0.14 | 0.19                              | 0.10 | 0.27                                     | 0.16 |
| New England                    | 0.61  | 0.19 | 0.71    | 0.27 | 0.61                              | 0.12 | 0.74                                     | 0.33 |
| Middle Atlantic                | 0.22  | 0.14 | 0.17    | 0.17 | 0.14                              | 0.13 | 0.25                                     | 0.18 |
| Midwest                        | 0.13  | 0.11 | 0.16    | 0.14 | 0.12                              | 0.10 | 0.17                                     | 0.16 |
| East North Central             | 0.14  | 0.12 | 0.18    | 0.17 | 0.13                              | 0.11 | 0.20                                     | 0.19 |
| West North Central             | 0.28  | 0.25 | 0.34    | 0.27 | 0.28                              | 0.23 | 0.34                                     | 0.32 |
| South                          | 0.09  | 0.11 | 0.12    | 0.12 | 0.07                              | 0.10 | 0.14                                     | 0.15 |
| South Atlantic                 | 0.13  | 0.17 | 0.18    | 0.18 | 0.10                              | 0.16 | 0.22                                     | 0.24 |
| East South Central             | 0.27  | 0.28 | 0.22    | 0.29 | 0.15                              | 0.26 | 0.31                                     | 0.30 |
| West South Central             | 0.16  | 0.11 | 0.21    | 0.16 | 0.15                              | 0.09 | 0.22                                     | 0.18 |
| West                           | 0.16  | 0.13 | 0.13    | 0.20 | 0.11                              | 0.10 | 0.20                                     | 0.23 |
| Mountain                       | 0.22  | 0.15 | 0.29    | 0.24 | 0.21                              | 0.10 | 0.38                                     | 0.28 |
| Pacific                        | 0.20  | 0.18 | 0.15    | 0.27 | 0.12                              | 0.14 | 0.24                                     | 0.30 |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.10  | 0.09 | 0.10    | 0.12 | 0.08                              | 0.08 | 0.13                                     | 0.14 |
| Small Metro                    | 0.15  | 0.08 | 0.17    | 0.11 | 0.14                              | 0.06 | 0.18                                     | 0.12 |
| 250K - 1 Mil. Pop.             | 0.15  | 0.10 | 0.19    | 0.15 | 0.13                              | 0.08 | 0.21                                     | 0.17 |
| < 250K Pop.                    | 0.31  | 0.11 | 0.34    | 0.14 | 0.31                              | 0.10 | 0.34                                     | 0.16 |
| Nonmetro                       | 0.10  | 0.11 | 0.13    | 0.15 | 0.09                              | 0.11 | 0.18                                     | 0.19 |
| Urbanized                      | 0.16  | 0.21 | 0.25    | 0.27 | 0.16                              | 0.20 | 0.27                                     | 0.28 |
| Less Urbanized                 | 0.14  | 0.14 | 0.17    | 0.19 | 0.13                              | 0.14 | 0.29                                     | 0.30 |
| Completely Rural               | 0.15  | 0.28 | 0.24    | 0.30 | 0.15                              | 0.28 | 0.28                                     | 0.30 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.47P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.0542  |      | 0.3112  |      | 0.2671                            |      | 0.1163                                   |      |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.0569  |      | 0.1608  |      | 0.2328                            |      | 0.0378                                   |      |
| New England                    | 0.2181  |      | 0.1540  |      | 0.1424                            |      | 0.1453                                   |      |
| Middle Atlantic                | 0.1453  |      | 0.5850  |      | 0.8593                            |      | 0.1302                                   |      |
| Midwest                        | 0.6056  |      | 0.5202  |      | 0.4568                            |      | 0.8657                                   |      |
| East North Central             | 0.4323  |      | 0.6951  |      | 0.4767                            |      | 0.7403                                   |      |
| West North Central             | 0.9125  |      | 0.5897  |      | 0.7409                            |      | 0.8854                                   |      |
| South                          | 0.6229  |      | 0.6336  |      | 0.7768                            |      | 0.4095                                   |      |
| South Atlantic                 | 0.9739  |      | 0.6910  |      | 0.6969                            |      | 0.7309                                   |      |
| East South Central             | 0.9782  |      | 0.6265  |      | 0.3212                            |      | 0.6918                                   |      |
| West South Central             | 0.1401  |      | 0.4142  |      | 0.1645                            |      | 0.3545                                   |      |
| West                           | 0.3413  |      | 0.6730  |      | 0.4708                            |      | 0.8549                                   |      |
| Mountain                       | 0.9370  |      | 0.6354  |      | 0.2955                            |      | 0.8247                                   |      |
| Pacific                        | 0.2747  |      | 0.4707  |      | 0.7962                            |      | 0.9329                                   |      |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.1840  |      | 0.4447  |      | 0.3804                            |      | 0.3238                                   |      |
| Small Metro                    | 0.0402  |      | 0.2391  |      | 0.1902                            |      | 0.0788                                   |      |
| 250K - 1 Mil. Pop.             | 0.0408  |      | 0.5302  |      | 0.3560                            |      | 0.1104                                   |      |
| < 250K Pop.                    | 0.4479  |      | 0.2577  |      | 0.3579                            |      | 0.4443                                   |      |
| Nonmetro                       | 0.5351  |      | 0.5458  |      | 0.3802                            |      | 0.8598                                   |      |
| Urbanized                      | 0.6741  |      | 0.8089  |      | 0.7172                            |      | 0.7712                                   |      |
| Less Urbanized                 | 0.8912  |      | 0.6049  |      | 0.5424                            |      | 0.6351                                   |      |
| Completely Rural               | 0.3889  |      | 0.8578  |      | 0.3889                            |      | 0.9182                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.48C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 134   | 117  | 144     | 143  | 109                               | 99   | 175                                      | 168  |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 84  | 44   | 82      | 55   | 67                                | 37   | 100                                      | 61   |
| New England                    | 60  | 19   | 68      | 28   | 56                                | 13   | 73                                       | 33   |
| Middle Atlantic                | 59  | 40   | 45      | 47   | 36                                | 35   | 68                                       | 52   |
| Midwest                        | 55  | 49   | 67      | 60   | 52                                | 42   | 73                                       | 71   |
| East North Central             | 42  | 36   | 52      | 49   | 39                                | 30   | 58                                       | 56   |
| West North Central             | 35  | 33   | 43      | 35   | 35                                | 30   | 44                                       | 43   |
| South                          | 62  | 75   | 78      | 79   | 49                                | 67   | 93                                       | 99   |
| South Atlantic                 | 45  | 65   | 63      | 66   | 37                                | 59   | 75                                       | 87   |
| East South Central             | 30  | 31   | 26      | 31   | 16                                | 28   | 36                                       | 33   |
| West South Central             | 31  | 23   | 38      | 31   | 28                                | 19   | 41                                       | 35   |
| West                           | 64  | 61   | 58      | 86   | 48                                | 45   | 82                                       | 98   |
| Mountain                       | 26  | 20   | 34      | 31   | 24                                | 13   | 46                                       | 35   |
| Pacific                        | 58  | 57   | 47      | 81   | 41                                | 43   | 67                                       | 91   |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 102   | 99   | 104     | 118  | 78                                | 83   | 131                                      | 140  |
| Small Metro                    | 80  | 46   | 89      | 62   | 71                                | 38   | 99                                       | 69   |
| 250K - 1 Mil. Pop.             | 53  | 41   | 65      | 55   | 44                                | 33   | 74                                       | 62   |
| < 250K Pop.                    | 60  | 23   | 61      | 29   | 56                                | 20   | 65                                       | 32   |
| Nonmetro                       | 31  | 38   | 43      | 49   | 29                                | 36   | 57                                       | 64   |
| Urbanized                      | 21  | 30   | 32      | 38   | 20                                | 28   | 35                                       | 40   |
| Less Urbanized                 | 23  | 22   | 28      | 28   | 20                                | 21   | 44                                       | 44   |
| Completely Rural               | 5   | 10   | 9       | 11   | 5                                 | 10   | 11                                       | 11   |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.48D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.06  | 0.05 | 0.07    | 0.07 | 0.05                              | 0.05 | 0.08                                     | 0.08 |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.21  | 0.11 | 0.20    | 0.13 | 0.16                              | 0.09 | 0.25                                     | 0.15 |
| New England                    | 0.56  | 0.17 | 0.64    | 0.26 | 0.53                              | 0.12 | 0.68                                     | 0.31 |
| Middle Atlantic                | 0.20  | 0.13 | 0.15    | 0.16 | 0.12                              | 0.12 | 0.23                                     | 0.17 |
| Midwest                        | 0.11  | 0.10 | 0.14    | 0.13 | 0.11                              | 0.09 | 0.15                                     | 0.15 |
| East North Central             | 0.13  | 0.11 | 0.16    | 0.15 | 0.12                              | 0.09 | 0.17                                     | 0.17 |
| West North Central             | 0.24  | 0.23 | 0.30    | 0.24 | 0.24                              | 0.20 | 0.31                                     | 0.30 |
| South                          | 0.08  | 0.10 | 0.10    | 0.10 | 0.07                              | 0.09 | 0.12                                     | 0.13 |
| South Atlantic                 | 0.11  | 0.16 | 0.16    | 0.17 | 0.09                              | 0.15 | 0.19                                     | 0.22 |
| East South Central             | 0.23  | 0.24 | 0.20    | 0.24 | 0.13                              | 0.22 | 0.29                                     | 0.26 |
| West South Central             | 0.13  | 0.10 | 0.17    | 0.13 | 0.12                              | 0.08 | 0.18                                     | 0.15 |
| West                           | 0.14  | 0.13 | 0.12    | 0.18 | 0.10                              | 0.09 | 0.17                                     | 0.20 |
| Mountain                       | 0.19  | 0.15 | 0.25    | 0.22 | 0.18                              | 0.09 | 0.34                                     | 0.25 |
| Pacific                        | 0.17  | 0.17 | 0.14    | 0.24 | 0.12                              | 0.13 | 0.20                                     | 0.27 |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.09  | 0.09 | 0.09    | 0.11 | 0.07                              | 0.07 | 0.12                                     | 0.12 |
| Small Metro                    | 0.13  | 0.07 | 0.14    | 0.10 | 0.11                              | 0.06 | 0.16                                     | 0.11 |
| 250K - 1 Mil. Pop.             | 0.13  | 0.10 | 0.16    | 0.13 | 0.11                              | 0.08 | 0.18                                     | 0.15 |
| < 250K Pop.                    | 0.28  | 0.10 | 0.28    | 0.13 | 0.26                              | 0.09 | 0.30                                     | 0.15 |
| Nonmetro                       | 0.09  | 0.11 | 0.12    | 0.14 | 0.08                              | 0.10 | 0.16                                     | 0.18 |
| Urbanized                      | 0.15  | 0.18 | 0.22    | 0.24 | 0.14                              | 0.17 | 0.24                                     | 0.25 |
| Less Urbanized                 | 0.13  | 0.13 | 0.16    | 0.17 | 0.12                              | 0.13 | 0.25                                     | 0.27 |
| Completely Rural               | 0.14  | 0.27 | 0.24    | 0.30 | 0.14                              | 0.27 | 0.27                                     | 0.30 |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 5.48P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

| Geographic Characteristic      | SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR |      |         |      |                                   |      |  |      |
|--------------------------------|---|------|---------|------|-----------------------------------|------|--|------|
|                                | Any Illicit Drug  |      | Alcohol |      | Both Any Illicit Drug and Alcohol |      | Any Illicit Drug or Alcohol <sup>1</sup> |      |
|                                | 2002  | 2003 | 2002    | 2003 | 2002                              | 2003 | 2002                                     | 2003 |
| <b>TOTAL</b>                   | 0.2346  |      | 0.7675  |      | 0.6564                            |      | 0.4586                                   |      |
| <b>GEOGRAPHIC DIVISION</b>     |   |      |         |      |                                   |      |  |      |
| Northeast                      | 0.1148  |      | 0.2638  |      | 0.3058                            |      | 0.0881                                   |      |
| New England                    | 0.1972  |      | 0.1715  |      | 0.1044                            |      | 0.1803                                   |      |
| Middle Atlantic                | 0.3158  |      | 0.8485  |      | 0.8405                            |      | 0.2586                                   |      |
| Midwest                        | 0.7079  |      | 0.6145  |      | 0.5386                            |      | 0.9926                                   |      |
| East North Central             | 0.5776  |      | 0.7736  |      | 0.6501                            |      | 0.8247                                   |      |
| West North Central             | 0.9539  |      | 0.6572  |      | 0.6779                            |      | 0.7812                                   |      |
| South                          | 0.9567  |      | 0.8687  |      | 0.4622                            |      | 0.6083                                   |      |
| South Atlantic                 | 0.6719  |      | 0.8598  |      | 0.4478                            |      | 0.8845                                   |      |
| East South Central             | 0.9969  |      | 0.7124  |      | 0.2974                            |      | 0.6019                                   |      |
| West South Central             | 0.2480  |      | 0.6774  |      | 0.3008                            |      | 0.6469                                   |      |
| West                           | 0.6855  |      | 0.2473  |      | 0.8654                            |      | 0.5095                                   |      |
| Mountain                       | 0.5767  |      | 0.9091  |      | 0.8068                            |      | 0.8563                                   |      |
| Pacific                        | 0.4699  |      | 0.2036  |      | 0.9468                            |      | 0.5091                                   |      |
| <b>COUNTY TYPE<sup>2</sup></b> |   |      |         |      |                                   |      |  |      |
| Large Metro                    | 0.4006  |      | 0.9676  |      | 0.6484                            |      | 0.7552                                   |      |
| Small Metro                    | 0.0898  |      | 0.4049  |      | 0.3625                            |      | 0.1773                                   |      |
| 250K - 1 Mil. Pop.             | 0.1785  |      | 0.7091  |      | 0.7971                            |      | 0.2458                                   |      |
| < 250K Pop.                    | 0.3008  |      | 0.3603  |      | 0.3041                            |      | 0.4869                                   |      |
| Nonmetro                       | 0.2385  |      | 0.6260  |      | 0.2345                            |      | 0.6792                                   |      |
| Urbanized                      | 0.4181  |      | 0.9301  |      | 0.5828                            |      | 0.9197                                   |      |
| Less Urbanized                 | 0.6943  |      | 0.6967  |      | 0.4799                            |      | 0.6018                                   |      |
| Completely Rural               | 0.1011  |      | 0.4940  |      | 0.1011                            |      | 0.6247                                   |      |

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.