

Table 5.53C (REVISED) Locations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	81	49	10	6	13	17	76	47
Rehabilitation Facility - Inpatient	88	65	15	8	16	20	83	62
Rehabilitation Facility - Outpatient	104	77	15	11	19	21	99	72
Mental Health Center - Outpatient	91	50	12	8	19	14	86	47
Emergency Room	38	23	3	7	8	12	37	20
Private Doctor's Office	65	37	7	7	10	10	64	35
Self-Help Group	113	96	18	12	23	32	106	89
Prison/Jail	31	32	7	6	9	10	29	30

*Low precision; no estimate reported.

NOTE: Estimates of past year illicit drug treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only illicit drug treatment in the past year.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.53D (REVISED) Locations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2002 and 2003

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	3.35	2.41	3.33	2.50	2.81	2.62	4.69	4.09
Rehabilitation Facility - Inpatient	3.42	2.92	4.61	3.17	3.23	3.02	4.76	4.95
Rehabilitation Facility - Outpatient	3.52	3.07	4.04	3.56	3.49	3.08	4.96	5.18
Mental Health Center - Outpatient	3.43	2.33	3.90	2.88	3.58	2.42	4.86	3.84
Emergency Room	1.82	1.28	1.03	2.62	1.83	2.07	2.65	1.91
Private Doctor's Office	2.86	1.92	2.51	2.80	2.25	1.73	4.21	3.20
Self-Help Group	3.27	2.91	4.37	3.95	3.56	3.30	4.59	4.63
Prison/Jail	1.53	1.65	2.55	2.32	2.00	1.77	2.13	2.72

*Low precision; no estimate reported.

NOTE: Estimates of past year illicit drug treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only illicit drug treatment in the past year.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.53P (REVISED) Locations Received Any Illicit Drug Treatment in the Past Year among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	0.3457		0.3378		0.9386		0.4241	
Rehabilitation Facility - Inpatient	0.1480		0.1331		0.7577		0.2817	
Rehabilitation Facility - Outpatient	0.3971		0.1267		0.2298		0.8740	
Mental Health Center - Outpatient	0.0184		0.2274		0.0014		0.1997	
Emergency Room	0.4301		0.0053		0.9855		0.1452	
Private Doctor's Office	0.6924		0.3130		0.1492		0.8884	
Self-Help Group	0.9035		0.0234		0.8561		0.6080	
Prison/Jail	0.9286		0.8524		0.5865		0.8221	

*Low precision; no estimate reported.

NOTE: Estimates of past year illicit drug treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only illicit drug treatment in the past year.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug Treatment refers to treatment received in order to reduce or stop drug use, or for medical problems associated with drug use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.54C (REVISED) Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	89	58	10	8	13	11	89	56
Rehabilitation Facility - Inpatient	94	72	*	8	15	17	93	68
Rehabilitation Facility - Outpatient	106	75	12	9	18	21	103	71
Mental Health Center - Outpatient	85	52	9	8	15	15	84	49
Emergency Room	59	26	5	6	7	6	58	25
Private Doctor's Office	76	38	6	6	10	7	74	38
Self-Help Group	115	115	16	12	23	25	110	112
Prison/Jail	34	35	7	5	8	7	32	34

*Low precision; no estimate reported.

NOTE: Estimates of past year alcohol treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only alcohol treatment in the past year.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.54D (REVISED) Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2002 and 2003

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	3.00	2.23	3.83	3.30	2.54	1.74	4.07	3.31
Rehabilitation Facility - Inpatient	3.04	2.58	*	3.33	2.93	2.68	4.10	3.71
Rehabilitation Facility - Outpatient	3.19	2.73	3.96	3.80	3.15	2.90	4.23	4.00
Mental Health Center - Outpatient	2.89	1.99	3.28	3.29	2.84	2.25	3.98	2.94
Emergency Room	2.24	1.09	2.33	2.71	1.46	1.00	3.04	1.58
Private Doctor's Office	2.76	1.52	2.65	2.79	2.00	1.17	3.73	2.35
Self-Help Group	2.96	2.83	4.89	4.34	3.34	2.95	3.96	4.04
Prison/Jail	1.38	1.41	3.06	2.23	1.69	1.16	1.80	2.07

*Low precision; no estimate reported.

NOTE: Estimates of past year alcohol treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only alcohol treatment in the past year.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.54P (REVISED) Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	0.0262		0.4791		0.1149		0.0903	
Rehabilitation Facility - Inpatient	0.0280		*		0.2401		0.0723	
Rehabilitation Facility - Outpatient	0.0240		0.2811		0.4246		0.0498	
Mental Health Center - Outpatient	0.0507		0.9817		0.0733		0.1270	
Emergency Room	0.0035		0.8992		0.2406		0.0066	
Private Doctor's Office	0.0520		0.5550		0.0246		0.1198	
Self-Help Group	0.5880		0.2897		0.2811		0.9387	
Prison/Jail	0.4903		0.1842		0.1201		0.9199	

*Low precision; no estimate reported.

NOTE: Estimates of past year alcohol treatment at specific locations reported in previously published versions of this table were under-reported by excluding respondents who reported having received only alcohol treatment in the past year.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.55C Locations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	103	66	12	9	16	17	100	63
Rehabilitation Facility - Inpatient	112	80	15	11	19	22	107	76
Rehabilitation Facility - Outpatient	124	94	16	13	23	27	119	88
Mental Health Center - Outpatient	108	68	13	11	20	18	104	66
Emergency Room	68	35	6	10	11	14	67	31
Private Doctor's Office	81	45	9	9	13	12	79	43
Self-Help Group	137	131	20	14	27	36	131	126
Prison/Jail	39	37	8	7	10	11	37	34

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.55D Locations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2002 and 2003

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	2.47	1.79	2.76	2.48	2.14	1.76	3.37	2.79
Rehabilitation Facility - Inpatient	2.54	2.08	3.48	2.76	2.39	2.20	3.43	3.14
Rehabilitation Facility - Outpatient	2.59	2.34	3.21	3.03	2.55	2.36	3.54	3.55
Mental Health Center - Outpatient	2.47	1.80	3.01	2.58	2.46	1.81	3.43	2.82
Emergency Room	1.81	1.05	1.64	2.51	1.49	1.44	2.53	1.49
Private Doctor's Office	2.06	1.30	2.22	2.32	1.75	1.31	2.91	2.01
Self-Help Group	2.52	2.36	3.60	3.32	2.77	2.63	3.48	3.62
Prison/Jail	1.11	1.07	2.12	1.95	1.41	1.25	1.49	1.57

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.55P Locations Received Any Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Location of Treatment ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Hospital as an Inpatient	0.0177		0.3201		0.2499		0.0581	
Rehabilitation Facility - Inpatient	0.0058		0.3163		0.4243		0.0161	
Rehabilitation Facility - Outpatient	0.0522		0.3804		0.2971		0.1248	
Mental Health Center - Outpatient	0.0167		0.7473		0.0281		0.0793	
Emergency Room	0.0023		0.0354		0.4978		0.0007	
Private Doctor's Office	0.1235		0.4573		0.2424		0.1744	
Self-Help Group	0.8617		0.0302		0.6492		0.7753	
Prison/Jail	0.4366		0.4573		0.4735		0.5733	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Received Any Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.