

Table 5.56C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol ¹	
	2002	2003	2002	2003	2002	2003	2002	2003
DEPENDENCE								
None	88	85	87	106	65	68	115	134
Any Illicit Drug or Alcohol	106	79	120	91	91	69	139	103
Any Illicit Drug	96	73	80	64	79	63	98	76
Alcohol	85	44	113	73	83	43	123	78
Both Any Illicit Drug and Alcohol	72	31	72	32	70	31	74	33
DEPENDENCE OR ABUSE								
None	81	67	75	85	55	49	102	107
Any Illicit Drug or Alcohol	111	96	125	114	96	86	147	130
Any Illicit Drug	102	87	89	78	85	77	106	92
Alcohol	91	80	120	108	89	78	131	119
Both Any Illicit Drug and Alcohol	80	69	82	68	78	66	86	74

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.56D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status: Standard Errors of Percentages, 2002 and 2003

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol ¹	
	2002	2003	2002	2003	2002	2003	2002	2003
DEPENDENCE								
None	0.04	0.04	0.04	0.05	0.03	0.03	0.05	0.06
Any Illicit Drug or Alcohol	0.86	0.69	0.96	0.78	0.75	0.61	1.10	0.88
Any Illicit Drug	1.77	1.52	1.56	1.33	1.55	1.32	1.80	1.56
Alcohol	0.98	0.57	1.26	0.92	0.96	0.56	1.35	0.97
Both Any Illicit Drug and Alcohol	4.25	2.61	4.22	2.64	4.25	2.60	4.19	2.68
DEPENDENCE OR ABUSE								
None	0.04	0.03	0.03	0.04	0.03	0.02	0.05	0.05
Any Illicit Drug or Alcohol	0.49	0.43	0.55	0.50	0.43	0.39	0.64	0.56
Any Illicit Drug	1.30	1.17	1.19	1.06	1.14	1.05	1.35	1.21
Alcohol	0.48	0.43	0.64	0.57	0.48	0.42	0.69	0.62
Both Any Illicit Drug and Alcohol	2.19	1.95	2.23	1.93	2.16	1.91	2.26	2.03

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.56P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Past Year Dependence and/or Abuse Status:
P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Dependence and/or Abuse Status	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug		Alcohol		Both Any Illicit Drug and Alcohol		Any Illicit Drug or Alcohol ¹	
	2002	2003	2002	2003	2002	2003	2002	2003
DEPENDENCE								
None	0.9945		0.3081		0.4411		0.3594	
Any Illicit Drug or Alcohol	0.1633		0.3405		0.3316		0.1120	
Any Illicit Drug	0.3019		0.8017		0.6604		0.4227	
Alcohol	0.0772		0.1236		0.0934		0.0439	
Both Any Illicit Drug and Alcohol	0.3684		0.3912		0.4259		0.2677	
DEPENDENCE OR ABUSE								
None	0.6536		0.8401		0.6292		0.9507	
Any Illicit Drug or Alcohol	0.2918		0.7607		0.4840		0.5138	
Any Illicit Drug	0.3037		0.4117		0.5065		0.3151	
Alcohol	0.5962		0.9070		0.6411		0.7601	
Both Any Illicit Drug and Alcohol	0.6840		0.5651		0.7156		0.5579	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.57C Received Substance Use Treatment in the Past Year among Persons 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2002 and 2003

Past Year Dependence or Abuse	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug ¹		Alcohol		Both Any Illicit Drug and Alcohol ¹		Any Illicit Drug or Alcohol ^{1,2}	
	2002	2003	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	102	87	89	78	85	77	106	92
Marijuana and Hashish	71	49	69	44	69	42	72	54
Cocaine	73	63	74	60	68	59	78	65
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	14	12	12	11	12	11	15	13
Inhalants	5	5	5	6	5	4	6	6
Nonmedical Use of Any Psychotherapeutic ³	77	39	65	32	63	30	80	40
Pain Relievers	75	29	63	22	61	20	77	31
Tranquilizers	*	*	*	*	*	*	*	22
Stimulants	*	21	*	17	*	17	*	21
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	91	80	120	108	89	78	131	119
ANY ILLICIT DRUG OR ALCOHOL¹	111	96	125	114	96	86	147	130
BOTH ANY ILLICIT DRUG AND ALCOHOL¹	80	69	82	68	78	66	86	74

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.57D Received Substance Use Treatment in the Past Year among Persons 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2002 and 2003

Past Year Dependence or Abuse	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug ¹		Alcohol		Both Any Illicit Drug and Alcohol ¹		Any Illicit Drug or Alcohol ^{1,2}	
	2002	2003	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	1.30	1.17	1.19	1.06	1.14	1.05	1.35	1.21
Marijuana and Hashish	1.51	1.11	1.48	0.99	1.49	0.97	1.53	1.20
Cocaine	3.83	3.55	4.00	3.42	3.88	3.38	3.87	3.63
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	3.04	3.65	2.59	3.24	2.53	3.17	3.17	3.81
Inhalants	2.61	2.69	2.95	3.31	2.61	2.63	3.33	3.57
Nonmedical Use of Any Psychotherapeutic ³	3.36	1.90	2.95	1.60	2.86	1.51	3.42	1.97
Pain Relievers	4.22	1.93	3.71	1.50	3.62	1.34	4.27	2.11
Tranquilizers	*	*	*	*	*	*	*	4.77
Stimulants	*	4.74	*	4.03	*	4.00	*	4.77
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	0.48	0.43	0.64	0.57	0.48	0.42	0.69	0.62
ANY ILLICIT DRUG OR ALCOHOL¹	0.49	0.43	0.55	0.50	0.43	0.39	0.64	0.56
BOTH ANY ILLICIT DRUG AND ALCOHOL¹	2.19	1.95	2.23	1.93	2.16	1.91	2.26	2.03

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.57P Received Substance Use Treatment in the Past Year among Persons 12 or Older, by Past Year Dependence or Abuse of Specific Substances: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Past Year Dependence or Abuse	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Any Illicit Drug ¹		Alcohol		Both Any Illicit Drug and Alcohol ¹		Any Illicit Drug or Alcohol ^{1,2}	
	2002	2003	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG¹	0.3037		0.4117		0.5065		0.3151	
Marijuana and Hashish	0.7383		0.5499		0.4065		0.9681	
Cocaine	0.0942		0.1114		0.3374		0.0257	
Heroin	*		*		*		*	
Hallucinogens	0.4680		0.3839		0.3257		0.6061	
Inhalants	0.9834		0.8143		0.9033		0.8776	
Nonmedical Use of Any Psychotherapeutic ³	0.2498		0.2557		0.3201		0.1901	
Pain Relievers	0.0581		0.0844		0.0885		0.0605	
Tranquilizers	*		*		*		*	
Stimulants	*		*		*		*	
Sedatives	*		*		*		*	
ALCOHOL	0.5962		0.9070		0.6411		0.7601	
ANY ILLICIT DRUG OR ALCOHOL¹	0.2918		0.7607		0.4840		0.5138	
BOTH ANY ILLICIT DRUG AND ALCOHOL¹	0.6840		0.5651		0.7156		0.5579	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Estimates include persons who received treatment specifically for any illicit drug or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.