

Table 5.58C Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME							
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year			
					Dependence or Abuse in the Past Year		No Dependence or Abuse in the Past Year	
	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	400	390	178	169	190	173	296	304
AGE								
12-17	31	28	26	24	9	12	12	14
18-25	62	74	38	45	33	37	33	42
26 or Older	396	382	169	160	188	170	295	301
GENDER								
Male	334	339	150	145	175	152	251	254
Female	197	195	98	85	67	73	154	164
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	389	365	174	147	187	165	281	290
White	343	331	150	122	170	142	252	269
Black or African American	152	146	82	70	74	81	107	105
American Indian or Alaska Native	38	26	27	18	17	10	26	17
Native Hawaiian or Other Pacific Islander	5	7	2	6	2	3	4	4
Asian	28	23	8	19	14	13	23	4
Two or More Races	65	54	14	28	23	23	62	42
Hispanic or Latino	116	113	49	79	39	45	95	82

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.58D Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME							
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year			
					Dependence or Abuse in the Past Year		No Dependence or Abuse in the Past Year	
	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.17	0.16	0.08	0.07	0.08	0.07	0.13	0.13
AGE								
12-17	0.12	0.11	0.11	0.10	0.04	0.05	0.05	0.05
18-25	0.20	0.23	0.12	0.14	0.11	0.12	0.11	0.13
26 or Older	0.22	0.21	0.09	0.09	0.10	0.09	0.16	0.17
GENDER								
Male	0.29	0.29	0.13	0.13	0.15	0.13	0.22	0.22
Female	0.16	0.16	0.08	0.07	0.05	0.06	0.13	0.13
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.19	0.18	0.08	0.07	0.09	0.08	0.14	0.14
White	0.21	0.20	0.09	0.07	0.10	0.09	0.15	0.16
Black or African American	0.57	0.53	0.30	0.25	0.28	0.30	0.40	0.38
American Indian or Alaska Native	2.54	2.09	1.83	1.47	1.15	0.76	1.73	1.39
Native Hawaiian or Other Pacific Islander	0.64	1.44	0.20	1.29	0.25	0.57	0.50	0.78
Asian	0.31	0.24	0.08	0.20	0.16	0.13	0.25	0.04
Two or More Races	2.60	2.08	0.57	1.07	0.92	0.91	2.48	1.62
Hispanic or Latino	0.40	0.38	0.17	0.26	0.13	0.15	0.33	0.27

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.58P Received Illicit Drug or Alcohol Treatment in Lifetime, Receipt of Illicit Drug or Alcohol Treatment in the Past Year, and Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	RECEIVED ILLICIT DRUG OR ALCOHOL TREATMENT IN LIFETIME							
	Total		Received Treatment in the Past Year		Did Not Receive Treatment in the Past Year			
					Dependence or Abuse in the Past Year		No Dependence or Abuse in the Past Year	
	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.6277		0.4398		0.7203		0.1911	
AGE								
12-17	0.9453		0.7783		0.6514		0.7443	
18-25	0.0005		0.0019		0.2080		0.0726	
26 or Older	0.8870		0.1163		0.5020		0.2743	
GENDER								
Male	0.5806		0.6478		0.7550		0.2371	
Female	0.9950		0.4659		0.8293		0.5883	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9167		0.1457		0.6547		0.2212	
White	0.5778		0.1984		0.8844		0.1395	
Black or African American	0.4841		0.2172		0.6229		0.8090	
American Indian or Alaska Native	0.7404		0.4839		0.2851		0.5694	
Native Hawaiian or Other Pacific Islander	0.0723		0.1995		0.1731		0.6847	
Asian	0.6685		0.4149		0.7706		0.1089	
Two or More Races	0.9771		0.7063		0.8915		0.9504	
Hispanic or Latino	0.1869		0.1180		0.7398		0.6447	

*Low precision; no estimate reported.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use. It includes treatment received at any location, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail. Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.