

Table 5.72C Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: Standard Errors of Numbers in Thousands, 2002 and 2003

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	231	215	121	91	205	192	1.39	1.12
12	6	6	1	2	6	6	*	*
13	11	11	2	1	11	11	*	*
14	20	18	2	5	20	18	1.03	2.54
15	21	21	6	5	19	20	2.11	1.90
16	24	26	10	8	23	25	2.60	2.16
17	28	24	11	7	25	24	2.16	1.79
18	29	34	10	11	27	32	2.08	2.14
19	27	35	7	11	25	33	1.72	2.33
20	28	28	9	9	27	27	2.31	2.10
21	29	27	10	11	28	25	2.37	3.23
22	25	27	10	9	25	26	3.01	2.66
23	25	21	8	10	24	19	2.33	3.90
24	23	24	6	11	22	21	2.25	3.91
25	19	19	6	8	18	18	3.33	4.05
26-29	87	85	36	31	79	81	4.50	3.70
30-34	74	63	32	21	67	59	4.66	3.67
35-39	88	86	48	44	74	77	*	*
40-44	76	76	43	34	63	69	*	*
45-49	74	72	46	21	66	69	*	*
50-54	90	58	67	33	61	49	*	*
55-59	27	28	*	11	27	26	*	*
60-64	52	*	*	*	52	*	*	*
65 or Older	24	6	22	*	8	6	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.72D Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: Standard Errors of Percentages, 2002 and 2003

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.10	0.09	0.05	0.04	0.09	0.08	1.39	1.12
12	0.14	0.16	0.01	0.05	0.14	0.15	*	*
13	0.27	0.24	0.04	0.01	0.27	0.24	*	*
14	0.46	0.45	0.04	0.12	0.45	0.43	1.03	2.54
15	0.50	0.50	0.15	0.12	0.47	0.49	2.11	1.90
16	0.60	0.63	0.26	0.20	0.56	0.60	2.60	2.16
17	0.71	0.60	0.28	0.18	0.64	0.59	2.16	1.79
18	0.66	0.73	0.22	0.24	0.62	0.69	2.08	2.14
19	0.66	0.90	0.18	0.27	0.61	0.84	1.72	2.33
20	0.71	0.70	0.22	0.22	0.67	0.67	2.31	2.10
21	0.71	0.70	0.25	0.29	0.69	0.63	2.37	3.23
22	0.65	0.67	0.25	0.22	0.63	0.64	3.01	2.66
23	0.67	0.52	0.20	0.26	0.62	0.46	2.33	3.90
24	0.65	0.66	0.17	0.29	0.64	0.59	2.25	3.91
25	0.58	0.53	0.19	0.23	0.53	0.48	3.33	4.05
26-29	0.57	0.58	0.24	0.21	0.52	0.55	4.50	3.70
30-34	0.37	0.31	0.16	0.11	0.34	0.29	4.66	3.67
35-39	0.40	0.41	0.22	0.21	0.34	0.37	*	*
40-44	0.34	0.34	0.20	0.15	0.29	0.31	*	*
45-49	0.35	0.34	0.21	0.10	0.31	0.32	*	*
50-54	0.48	0.29	0.36	0.16	0.32	0.24	*	*
55-59	0.19	0.19	*	0.07	0.19	0.17	*	*
60-64	0.45	*	*	*	0.45	*	*	*
65 or Older	0.07	0.02	0.07	*	0.02	0.02	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.72P Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.1053		0.0394		0.5292		0.0859	
12	0.2440		0.3143		0.3455		*	
13	0.6072		0.0693		0.7564		*	
14	0.8470		0.1629		0.9363		0.1617	
15	0.5068		0.5893		0.5875		0.6993	
16	0.6291		0.6812		0.7283		0.7864	
17	0.0384		0.0307		0.1606		0.1037	
18	0.7163		0.5845		0.8555		0.6586	
19	0.3493		0.4154		0.4526		0.5773	
20	0.3148		0.8479		0.2583		0.5771	
21	0.0361		0.6721		0.0426		0.7365	
22	0.8895		0.9392		0.9060		0.9708	
23	0.0114		0.4007		0.0018		0.0625	
24	0.5224		0.0672		0.1661		0.0265	
25	0.8072		0.5643		0.6088		0.4573	
26-29	0.5043		0.4176		0.3010		0.2669	
30-34	0.3901		0.1884		0.6975		0.2906	
35-39	0.5576		0.6188		0.7045		*	
40-44	0.5869		0.3663		0.2440		*	
45-49	0.1284		0.0014		0.9783		*	
50-54	0.4636		0.4925		0.7241		*	
55-59	1.0000		*		0.7700		*	
60-64	*		*		*		*	
65 or Older	0.2233		*		0.8138		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.73C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	231	215	121	91	205	192	1.39	1.12
AGE								
12-17	51	46	18	14	46	45	1.17	1.02
18-25	78	75	25	29	72	70	0.86	1.03
26 or Older	213	187	116	84	178	168	2.66	2.24
GENDER								
Male	189	175	95	75	167	158	1.73	1.48
Female	141	120	77	50	119	110	2.30	1.66
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	216	196	116	89	188	170	1.55	1.24
White	185	174	102	69	159	156	1.78	1.25
Black or African American	107	78	53	50	96	60	3.82	4.43
American Indian or Alaska Native	15	15	11	9	12	11	*	*
Native Hawaiian or Other Pacific Islander	10	12	1	*	10	12	*	*
Asian	23	31	4	6	22	30	*	*
Two or More Races	23	26	11	9	20	25	*	*
Hispanic or Latino	98	91	36	21	94	90	3.02	1.98

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.73D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.10	0.09	0.05	0.04	0.09	0.08	1.39	1.12
AGE								
12-17	0.20	0.18	0.07	0.05	0.19	0.18	1.17	1.02
18-25	0.25	0.24	0.08	0.09	0.23	0.22	0.86	1.03
26 or Older	0.12	0.10	0.06	0.05	0.10	0.09	2.66	2.24
GENDER								
Male	0.17	0.15	0.08	0.06	0.15	0.14	1.73	1.48
Female	0.12	0.10	0.06	0.04	0.10	0.09	2.30	1.66
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.11	0.09	0.06	0.04	0.09	0.08	1.55	1.24
White	0.11	0.10	0.06	0.04	0.10	0.09	1.78	1.25
Black or African American	0.40	0.28	0.20	0.18	0.36	0.22	3.82	4.43
American Indian or Alaska Native	1.01	1.16	0.72	0.74	0.78	0.86	*	*
Native Hawaiian or Other Pacific Islander	1.24	2.35	0.08	*	1.23	2.35	*	*
Asian	0.25	0.31	0.04	0.07	0.25	0.31	*	*
Two or More Races	0.93	1.01	0.43	0.34	0.81	0.96	*	*
Hispanic or Latino	0.34	0.31	0.12	0.07	0.32	0.30	3.02	1.98

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.73P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.1053		0.0394		0.5292		0.0859	
AGE								
12-17	0.1272		0.1751		0.2651		0.3163	
18-25	0.2668		0.2247		0.0918		0.0907	
26 or Older	0.2772		0.0218		0.8758		0.0334	
GENDER								
Male	0.1392		0.3973		0.2321		0.6899	
Female	0.4728		0.0192		0.6028		0.0176	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1976		0.1216		0.6102		0.2039	
White	0.7127		0.2619		0.7989		0.2658	
Black or African American	0.0140		0.2331		0.0336		0.8148	
American Indian or Alaska Native	0.5616		0.9725		0.4776		*	
Native Hawaiian or Other Pacific Islander	0.4310		*		0.4049		*	
Asian	0.3645		0.9366		0.3449		*	
Two or More Races	0.7286		0.8464		0.6424		*	
Hispanic or Latino	0.3199		0.0363		0.7096		0.0633	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.74C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	51	46	18	14	46	45	1.17	1.02
GENDER								
Male	39	33	12	10	36	33	1.36	1.41
Female	31	31	12	9	28	30	1.71	1.37
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	43	42	15	13	40	41	1.16	1.13
White	38	37	12	12	36	36	1.17	1.26
Black or African American	16	13	4	4	16	13	2.31	*
American Indian or Alaska Native	8	4	*	1	4	4	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	4	10	1	0	4	10	*	*
Two or More Races	6	9	1	2	6	9	*	*
Hispanic or Latino	24	22	8	4	23	21	3.04	2.17
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	29	27	9	10	27	25	1.67	1.86
Female, White, Not Hispanic	24	25	6	6	23	25	1.41	1.52
Male, Black, Not Hispanic	14	10	3	3	14	10	*	*
Female, Black, Not Hispanic	9	10	2	3	9	9	*	*
Male, Hispanic	18	16	5	2	17	16	3.26	*
Female, Hispanic	15	16	5	4	14	15	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.74D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.20	0.18	0.07	0.05	0.19	0.18	1.17	1.02
GENDER								
Male	0.31	0.26	0.09	0.08	0.28	0.26	1.36	1.41
Female	0.25	0.25	0.10	0.07	0.23	0.25	1.71	1.37
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.21	0.20	0.07	0.06	0.19	0.20	1.16	1.13
White	0.25	0.24	0.08	0.08	0.23	0.23	1.17	1.26
Black or African American	0.45	0.36	0.10	0.12	0.43	0.35	2.31	*
American Indian or Alaska Native	3.99	2.24	*	0.46	2.19	2.17	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.44	0.99	0.08	0.04	0.43	0.99	*	*
Two or More Races	1.60	2.35	0.22	0.60	1.55	2.31	*	*
Hispanic or Latino	0.61	0.54	0.20	0.11	0.58	0.52	3.04	2.17
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.37	0.34	0.12	0.12	0.34	0.31	1.67	1.86
Female, White, Not Hispanic	0.32	0.33	0.08	0.09	0.31	0.32	1.41	1.52
Male, Black, Not Hispanic	0.78	0.54	0.17	0.16	0.76	0.52	*	*
Female, Black, Not Hispanic	0.50	0.54	0.09	0.18	0.49	0.51	*	*
Male, Hispanic	0.90	0.78	0.24	0.09	0.87	0.78	3.26	*
Female, Hispanic	0.77	0.79	0.28	0.20	0.73	0.73	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.74P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.1272		0.1751		0.2651		0.3163	
GENDER								
Male	0.1342		0.6173		0.1560		0.9854	
Female	0.5308		0.1133		0.9502		0.1310	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4930		0.5430		0.6127		0.6677	
White	0.3936		0.8337		0.4132		0.9618	
Black or African American	0.3587		0.9486		0.3339		*	
American Indian or Alaska Native	0.4424		*		0.7049		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.0878		0.6481		0.0807		*	
Two or More Races	0.3400		0.3935		0.4343		*	
Hispanic or Latino	0.0626		0.0387		0.1836		0.0881	
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.4728		0.7032		0.3677		0.4978	
Female, White, Not Hispanic	0.6586		0.3522		0.8517		0.4115	
Male, Black, Not Hispanic	0.1213		0.9882		0.1080		*	
Female, Black, Not Hispanic	0.5755		0.9362		0.5723		*	
Male, Hispanic	0.0895		0.0736		0.1787		*	
Female, Hispanic	0.3430		0.1567		0.6260		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.75C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	78	75	25	29	72	70	0.86	1.03
GENDER								
Male	64	61	20	23	61	56	1.08	1.28
Female	44	46	14	17	41	43	1.40	1.68
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	68	68	22	25	63	63	0.86	1.05
White	58	59	18	22	55	56	0.92	1.21
Black or African American	27	26	6	10	25	23	1.90	2.98
American Indian or Alaska Native	5	5	3	2	4	5	*	*
Native Hawaiian or Other Pacific Islander	*	5	*	*	*	5	*	*
Asian	16	13	4	2	15	13	*	*
Two or More Races	11	9	7	4	9	8	*	*
Hispanic or Latino	36	32	12	15	34	32	2.97	3.30
EDUCATION								
< High School	40	42	18	18	37	39	2.11	2.00
High School Graduate	44	45	12	19	42	40	1.23	1.87
Some College	40	38	11	11	38	38	1.32	1.48
College Graduate	20	19	2	4	20	18	1.11	2.15
CURRENT EMPLOYMENT								
Full-Time	54	49	16	18	51	45	1.27	1.44
Part-Time	39	38	11	11	37	37	1.58	1.60
Unemployed	26	28	9	10	24	27	2.61	2.71
Other ^f	31	34	11	17	29	30	2.09	3.06

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

^f Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.75D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.25	0.24	0.08	0.09	0.23	0.22	0.86	1.03
GENDER								
Male	0.41	0.39	0.13	0.15	0.39	0.35	1.08	1.28
Female	0.29	0.29	0.09	0.11	0.27	0.27	1.40	1.68
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.27	0.26	0.08	0.10	0.25	0.24	0.86	1.05
White	0.30	0.30	0.09	0.11	0.28	0.28	0.92	1.21
Black or African American	0.66	0.60	0.16	0.24	0.62	0.54	1.90	2.98
American Indian or Alaska Native	2.49	2.98	1.59	0.95	1.87	2.87	*	*
Native Hawaiian or Other Pacific Islander	*	3.33	*	*	*	3.33	*	*
Asian	1.14	0.92	0.29	0.11	1.08	0.91	*	*
Two or More Races	2.61	2.36	1.62	1.02	2.15	2.18	*	*
Hispanic or Latino	0.65	0.57	0.21	0.26	0.61	0.57	2.97	3.30
EDUCATION								
< High School	0.59	0.61	0.26	0.25	0.53	0.57	2.11	2.00
High School Graduate	0.42	0.41	0.11	0.18	0.40	0.37	1.23	1.87
Some College	0.41	0.38	0.11	0.11	0.39	0.38	1.32	1.48
College Graduate	0.53	0.47	0.05	0.09	0.53	0.46	1.11	2.15
CURRENT EMPLOYMENT								
Full-Time	0.37	0.33	0.11	0.12	0.35	0.31	1.27	1.44
Part-Time	0.49	0.47	0.14	0.13	0.47	0.45	1.58	1.60
Unemployed	1.05	1.05	0.37	0.36	0.99	1.00	2.61	2.71
Other ¹	0.50	0.54	0.18	0.27	0.48	0.47	2.09	3.06

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.75P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.2668		0.2247		0.0918		0.0907	
GENDER								
Male	0.2470		0.1780		0.0749		0.0572	
Female	0.7968		0.8367		0.7247		0.7619	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0720		0.2128		0.0150		0.0445	
White	0.1232		0.2116		0.0342		0.0629	
Black or African American	0.4625		0.1272		0.1927		0.0540	
American Indian or Alaska Native	0.6998		0.6240		0.4858		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.5366		0.1979		0.7182		*	
Two or More Races	0.7856		0.5584		0.9492		*	
Hispanic or Latino	0.2151		0.7758		0.2712		0.9380	
EDUCATION								
< High School	0.4359		0.8854		0.3636		0.6466	
High School Graduate	0.6055		0.0108		0.1102		0.0028	
Some College	0.0711		0.4585		0.1021		0.8127	
College Graduate	0.4590		0.3216		0.3671		0.2677	
CURRENT EMPLOYMENT								
Full-Time	0.5969		0.2330		0.3100		0.1420	
Part-Time	0.4676		0.9929		0.4570		0.8342	
Unemployed	0.5627		0.4793		0.7231		0.6162	
Other ^f	0.5933		0.1887		0.2251		0.1011	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

^f Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.76C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	213	187	116	84	178	168	2.66	2.24
GENDER								
Male	175	155	89	70	148	142	3.22	2.94
Female	126	107	75	44	101	98	4.65	3.37
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	197	171	110	83	164	150	2.95	2.47
White	165	151	96	63	135	137	3.54	2.48
Black or African American	102	71	52	50	91	56	*	*
American Indian or Alaska Native	12	12	*	9	10	8	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	16	25	0	6	16	24	*	*
Two or More Races	19	23	9	8	17	21	*	*
Hispanic or Latino	88	80	34	14	82	78	*	*
EDUCATION								
< High School	118	108	60	50	102	94	4.95	4.77
High School Graduate	128	103	83	43	98	94	5.65	3.58
Some College	105	100	44	38	95	92	4.13	3.58
College Graduate	78	56	28	19	73	53	*	*
CURRENT EMPLOYMENT								
Full-Time	158	148	70	56	142	139	3.01	2.43
Part-Time	76	55	38	26	68	49	*	*
Unemployed	80	40	62	20	54	35	*	*
Other ^f	91	90	58	49	70	77	5.96	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

^f Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.76D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.12	0.10	0.06	0.05	0.10	0.09	2.66	2.24
GENDER								
Male	0.20	0.18	0.10	0.08	0.17	0.16	3.22	2.94
Female	0.13	0.11	0.08	0.05	0.11	0.10	4.65	3.37
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.12	0.11	0.07	0.05	0.10	0.09	2.95	2.47
White	0.13	0.12	0.07	0.05	0.10	0.10	3.54	2.48
Black or African American	0.53	0.37	0.27	0.25	0.47	0.29	*	*
American Indian or Alaska Native	1.12	1.32	*	1.01	0.95	0.84	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.24	0.34	0.01	0.08	0.24	0.33	*	*
Two or More Races	1.11	1.25	0.50	0.45	0.98	1.17	*	*
Hispanic or Latino	0.45	0.40	0.17	0.07	0.42	0.39	*	*
EDUCATION								
< High School	0.39	0.35	0.20	0.16	0.34	0.30	4.95	4.77
High School Graduate	0.22	0.18	0.15	0.08	0.17	0.17	5.65	3.58
Some College	0.24	0.24	0.10	0.09	0.22	0.22	4.13	3.58
College Graduate	0.16	0.11	0.06	0.04	0.15	0.10	*	*
CURRENT EMPLOYMENT								
Full-Time	0.16	0.14	0.07	0.05	0.14	0.14	3.01	2.43
Part-Time	0.39	0.27	0.19	0.13	0.35	0.24	*	*
Unemployed	1.57	0.75	1.20	0.36	1.06	0.65	*	*
Other ^f	0.17	0.17	0.11	0.09	0.13	0.15	5.96	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

^f Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.76P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.2772		0.0218		0.8758		0.0334	
GENDER								
Male	0.3638		0.2320		0.7414		0.3475	
Female	0.5499		0.0241		0.4876		0.0193	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5037		0.0639		0.6705		0.0703	
White	0.7498		0.1362		0.1948		0.0638	
Black or African American	0.0223		0.1459		0.0824		*	
American Indian or Alaska Native	0.3986		*		0.8002		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.3075		0.3580		0.3952		*	
Two or More Races	0.7337		0.9851		0.7164		*	
Hispanic or Latino	0.2622		0.0461		0.5998		*	
EDUCATION								
< High School	0.3075		0.1200		0.7643		0.2306	
High School Graduate	0.8650		0.0619		0.2816		0.0307	
Some College	0.8083		0.9900		0.7913		0.8963	
College Graduate	0.2145		0.3792		0.3176		*	
CURRENT EMPLOYMENT								
Full-Time	0.8184		0.2848		0.4481		0.1973	
Part-Time	0.2564		0.2674		0.4886		*	
Unemployed	0.0324		0.1153		0.1658		*	
Other ^f	0.6558		0.2303		0.7326		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

^f Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.77C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	230	209	120	89	201	187	1.65	1.33
GENDER								
Male	188	171	94	73	166	155	2.04	1.73
Female	138	118	76	48	114	108	2.84	2.05
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	214	191	116	87	182	166	1.83	1.47
White	181	168	101	67	151	152	2.14	1.49
Black or African American	107	78	53	50	96	61	4.31	5.05
American Indian or Alaska Native	13	14	8	9	11	10	*	*
Native Hawaiian or Other Pacific Islander	10	11	*	*	10	11	*	*
Asian	22	28	4	6	22	28	*	*
Two or More Races	22	24	11	9	19	23	*	*
Hispanic or Latino	93	86	35	20	89	86	3.72	2.39
EDUCATION								
< High School	127	121	63	54	111	106	3.02	2.72
High School Graduate	135	113	84	47	108	103	3.36	2.11
Some College	115	110	45	40	106	102	2.37	2.16
College Graduate	80	61	28	19	75	57	*	3.23
CURRENT EMPLOYMENT								
Full-Time	167	160	74	59	151	149	2.04	1.66
Part-Time	85	67	39	28	77	62	3.29	2.66
Unemployed	85	50	62	22	61	46	*	3.69
Other ¹	99	100	59	53	78	84	3.79	3.75

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.77D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.11	0.10	0.06	0.04	0.10	0.09	1.65	1.33
GENDER								
Male	0.19	0.17	0.09	0.07	0.16	0.15	2.04	1.73
Female	0.13	0.11	0.07	0.04	0.10	0.10	2.84	2.05
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.12	0.10	0.06	0.05	0.10	0.09	1.83	1.47
White	0.12	0.11	0.07	0.04	0.10	0.10	2.14	1.49
Black or African American	0.46	0.33	0.23	0.21	0.41	0.26	4.31	5.05
American Indian or Alaska Native	1.02	1.25	0.61	0.86	0.84	0.89	*	*
Native Hawaiian or Other Pacific Islander	1.33	2.65	*	*	1.33	2.65	*	*
Asian	0.28	0.32	0.05	0.07	0.27	0.31	*	*
Two or More Races	1.05	1.12	0.51	0.41	0.91	1.05	*	*
Hispanic or Latino	0.37	0.33	0.14	0.08	0.36	0.33	3.72	2.39
EDUCATION								
< High School	0.34	0.32	0.17	0.14	0.30	0.28	3.02	2.72
High School Graduate	0.20	0.17	0.12	0.07	0.16	0.15	3.36	2.11
Some College	0.22	0.21	0.09	0.08	0.20	0.19	2.37	2.16
College Graduate	0.15	0.11	0.05	0.03	0.14	0.10	*	3.23
CURRENT EMPLOYMENT								
Full-Time	0.14	0.14	0.06	0.05	0.13	0.13	2.04	1.66
Part-Time	0.31	0.23	0.14	0.10	0.28	0.22	3.29	2.66
Unemployed	1.12	0.62	0.82	0.27	0.80	0.57	*	3.69
Other ¹	0.17	0.17	0.10	0.09	0.13	0.14	3.79	3.75

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.77P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.1942		0.0590		0.7054		0.1081	
GENDER								
Male	0.2398		0.4306		0.3764		0.6797	
Female	0.5511		0.0324		0.5833		0.0287	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2486		0.1373		0.6910		0.2209	
White	0.8556		0.2691		0.6434		0.2446	
Black or African American	0.0210		0.2279		0.0507		0.8478	
American Indian or Alaska Native	0.3438		0.4560		0.5670		*	
Native Hawaiian or Other Pacific Islander	0.4324		*		0.4324		*	
Asian	0.6664		0.9721		0.6522		*	
Two or More Races	0.9661		0.7312		0.8335		*	
Hispanic or Latino	0.5526		0.0888		0.9496		0.1193	
EDUCATION								
< High School	0.4479		0.1290		0.9784		0.1654	
High School Graduate	0.8918		0.2412		0.5459		0.1949	
Some College	0.7081		0.8448		0.7509		0.9485	
College Graduate	0.1680		0.4512		0.2305		*	
CURRENT EMPLOYMENT								
Full-Time	0.9518		0.4846		0.6920		0.4240	
Part-Time	0.1563		0.2902		0.3015		0.5160	
Unemployed	0.0309		0.0948		0.2016		*	
Other ^f	0.5932		0.4067		0.9439		0.4919	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

^f Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.78C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	231	215	121	91	205	192	1.39	1.12
GEOGRAPHIC DIVISION								
Northeast	111	85	79	40	91	75	4.25	2.51
New England	66	49	57	17	47	45	*	3.29
Middle Atlantic	89	70	54	36	77	61	4.27	3.36
Midwest	93	92	44	35	79	81	2.28	2.01
East North Central	81	76	40	26	66	69	2.74	2.19
West North Central	45	50	19	24	42	43	3.98	4.23
South	131	134	58	64	122	114	2.06	2.17
South Atlantic	101	112	43	56	88	92	2.63	3.42
East South Central	67	43	27	26	65	37	*	*
West South Central	51	59	27	18	54	56	3.99	2.07
West	123	112	56	36	113	109	2.70	2.01
Mountain	43	46	17	18	38	41	2.98	2.86
Pacific	115	102	53	31	106	101	3.53	2.61
COUNTY TYPE¹								
Large Metro	189	165	88	77	170	144	1.85	1.72
Small Metro	120	114	77	35	99	107	2.82	1.44
250K - 1 Mil. Pop.	88	85	48	33	76	76	2.73	2.07
< 250K Pop.	83	77	60	15	65	75	*	1.71
Nonmetro	74	73	29	33	67	66	2.37	2.83
Urbanized	46	57	19	29	43	50	4.07	4.55
Less Urbanized	54	46	21	14	45	44	3.09	2.94
Completely Rural	23	14	4	9	21	10	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.78D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.10	0.09	0.05	0.04	0.09	0.08	1.39	1.12
GEOGRAPHIC DIVISION								
Northeast	0.25	0.19	0.17	0.09	0.20	0.17	4.25	2.51
New England	0.56	0.41	0.48	0.14	0.40	0.38	*	3.29
Middle Atlantic	0.27	0.21	0.16	0.11	0.23	0.18	4.27	3.36
Midwest	0.17	0.17	0.08	0.07	0.15	0.15	2.28	2.01
East North Central	0.22	0.20	0.11	0.07	0.18	0.18	2.74	2.19
West North Central	0.28	0.31	0.12	0.15	0.26	0.27	3.98	4.23
South	0.16	0.16	0.07	0.08	0.15	0.13	2.06	2.17
South Atlantic	0.23	0.25	0.10	0.13	0.20	0.21	2.63	3.42
East South Central	0.48	0.31	0.19	0.19	0.46	0.26	*	*
West South Central	0.20	0.23	0.10	0.07	0.21	0.21	3.99	2.07
West	0.23	0.21	0.11	0.07	0.21	0.20	2.70	2.01
Mountain	0.28	0.29	0.11	0.12	0.25	0.26	2.98	2.86
Pacific	0.31	0.27	0.14	0.08	0.28	0.26	3.53	2.61
COUNTY TYPE¹								
Large Metro	0.15	0.13	0.07	0.06	0.13	0.11	1.85	1.72
Small Metro	0.17	0.16	0.11	0.05	0.14	0.15	2.82	1.44
250K - 1 Mil. Pop.	0.19	0.18	0.11	0.07	0.17	0.16	2.73	2.07
< 250K Pop.	0.35	0.32	0.25	0.06	0.27	0.31	*	1.71
Nonmetro	0.18	0.18	0.07	0.08	0.17	0.16	2.37	2.83
Urbanized	0.29	0.32	0.12	0.16	0.27	0.28	4.07	4.55
Less Urbanized	0.28	0.25	0.11	0.07	0.23	0.24	3.09	2.94
Completely Rural	0.51	0.33	0.09	0.21	0.48	0.25	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.78P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.1053		0.0394		0.5292		0.0859	
GEOGRAPHIC DIVISION								
Northeast	0.1665		0.2333		0.5489		0.3332	
New England	0.9610		0.3705		0.4081		*	
Middle Atlantic	0.1084		0.4240		0.1554		0.7402	
Midwest	0.3407		0.2295		0.6624		0.2991	
East North Central	0.1568		0.0893		0.4644		0.1487	
West North Central	0.7183		0.8135		0.7651		0.8910	
South	0.8125		0.5543		0.9454		0.5654	
South Atlantic	0.7117		0.7569		0.8038		0.8310	
East South Central	0.2316		0.9406		0.1666		*	
West South Central	0.1078		0.2835		0.0294		0.1214	
West	0.3397		0.1818		0.6445		0.3001	
Mountain	0.3857		0.1655		0.7263		0.1968	
Pacific	0.1748		0.0414		0.5498		0.1136	
COUNTY TYPE¹								
Large Metro	0.1816		0.3030		0.3321		0.5149	
Small Metro	0.5118		0.0099		0.4231		0.0072	
250K - 1 Mil. Pop.	0.3055		0.0193		0.8483		0.0283	
< 250K Pop.	0.9186		0.1764		0.3400		*	
Nonmetro	0.5843		0.6048		0.3945		0.4365	
Urbanized	0.3551		0.3905		0.5651		0.5461	
Less Urbanized	0.2175		0.5091		0.2587		0.8980	
Completely Rural	0.0596		0.3390		0.0140		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.79C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	51	46	18	14	46	45	1.17	1.02
GEOGRAPHIC DIVISION								
Northeast	22	18	5	5	21	17	1.65	2.05
New England	11	9	3	1	11	9	3.09	1.14
Middle Atlantic	19	16	4	5	18	14	1.92	2.88
Midwest	18	23	7	6	18	22	2.16	1.87
East North Central	15	19	6	4	15	19	2.67	1.65
West North Central	11	12	3	5	9	12	3.40	*
South	34	28	14	8	29	28	2.62	1.85
South Atlantic	27	19	12	3	22	19	3.51	1.27
East South Central	13	9	2	4	12	8	*	*
West South Central	16	18	8	7	13	18	*	4.00
West	25	21	6	8	24	22	1.91	2.30
Mountain	11	13	3	2	11	12	2.43	1.75
Pacific	22	17	6	7	21	18	2.56	3.42
COUNTY TYPE¹								
Large Metro	39	34	14	10	35	34	1.71	1.47
Small Metro	28	22	10	7	25	21	2.07	1.67
250K - 1 Mil. Pop.	23	18	6	6	22	17	1.95	2.10
< 250K Pop.	16	13	8	5	13	12	*	3.04
Nonmetro	18	19	6	6	17	18	2.27	2.36
Urbanized	11	11	2	4	11	11	2.60	3.64
Less Urbanized	13	13	4	4	12	12	2.74	3.51
Completely Rural	8	6	*	0	5	6	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.79D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.20	0.18	0.07	0.05	0.19	0.18	1.17	1.02
GEOGRAPHIC DIVISION								
Northeast	0.49	0.40	0.11	0.10	0.47	0.37	1.65	2.05
New England	0.98	0.76	0.27	0.06	0.91	0.75	3.09	1.14
Middle Atlantic	0.56	0.47	0.12	0.14	0.55	0.42	1.92	2.88
Midwest	0.32	0.40	0.13	0.11	0.31	0.39	2.16	1.87
East North Central	0.38	0.48	0.16	0.10	0.38	0.48	2.67	1.65
West North Central	0.62	0.70	0.20	0.28	0.55	0.70	3.40	*
South	0.38	0.31	0.16	0.09	0.33	0.31	2.62	1.85
South Atlantic	0.60	0.43	0.27	0.06	0.50	0.43	3.51	1.27
East South Central	0.88	0.62	0.15	0.25	0.81	0.56	*	*
West South Central	0.54	0.61	0.27	0.24	0.45	0.62	*	4.00
West	0.43	0.36	0.11	0.13	0.41	0.37	1.91	2.30
Mountain	0.66	0.72	0.15	0.12	0.64	0.70	2.43	1.75
Pacific	0.54	0.41	0.14	0.18	0.51	0.42	2.56	3.42
COUNTY TYPE¹								
Large Metro	0.29	0.26	0.10	0.08	0.27	0.26	1.71	1.47
Small Metro	0.39	0.30	0.14	0.10	0.34	0.28	2.07	1.67
250K - 1 Mil. Pop.	0.47	0.37	0.12	0.12	0.44	0.34	1.95	2.10
< 250K Pop.	0.70	0.52	0.35	0.19	0.57	0.51	*	3.04
Nonmetro	0.41	0.45	0.14	0.14	0.39	0.43	2.27	2.36
Urbanized	0.66	0.62	0.14	0.22	0.64	0.59	2.60	3.64
Less Urbanized	0.64	0.65	0.18	0.22	0.58	0.60	2.74	3.51
Completely Rural	1.60	1.32	*	0.10	1.09	1.32	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.79P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.1272		0.1751		0.2651		0.3163	
GEOGRAPHIC DIVISION								
Northeast	0.0021		0.1106		0.0044		0.3700	
New England	0.0404		0.0163		0.1230		0.0197	
Middle Atlantic	0.0179		0.5995		0.0165		0.9779	
Midwest	0.6575		0.1097		0.3136		0.0798	
East North Central	0.8693		0.0170		0.3438		0.0151	
West North Central	0.5755		0.6307		0.7064		*	
South	0.3197		0.5446		0.4092		0.6958	
South Atlantic	0.0026		0.0537		0.0111		0.0718	
East South Central	0.5150		0.0990		0.8720		*	
West South Central	0.0993		0.5468		0.1433		*	
West	0.7253		0.5979		0.8434		0.6548	
Mountain	0.3708		0.8237		0.3283		0.5697	
Pacific	0.9174		0.5211		0.7412		0.4842	
COUNTY TYPE¹								
Large Metro	0.1904		0.3954		0.2903		0.5701	
Small Metro	0.3279		0.1724		0.5751		0.2317	
250K - 1 Mil. Pop.	0.2279		0.2603		0.3471		0.4542	
< 250K Pop.	0.9711		0.4176		0.6301		*	
Nonmetro	1.0000		0.9410		0.9787		0.9376	
Urbanized	0.6989		0.4023		0.8677		0.4620	
Less Urbanized	0.9708		0.9863		0.9625		0.9748	
Completely Rural	0.4528		*		0.6086		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.80C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	78	75	25	29	72	70	0.86	1.03
GEOGRAPHIC DIVISION								
Northeast	33	31	10	12	31	28	1.68	2.17
New England	21	13	7	6	18	12	3.73	3.23
Middle Atlantic	26	28	7	11	26	25	1.73	2.78
Midwest	32	32	11	11	27	29	1.65	1.71
East North Central	26	26	10	9	23	22	2.02	1.87
West North Central	18	18	6	6	16	19	2.86	3.62
South	46	41	15	16	43	38	1.59	1.76
South Atlantic	31	32	9	10	30	30	1.93	2.23
East South Central	22	11	4	5	20	11	*	*
West South Central	25	24	11	11	23	21	3.60	3.39
West	44	45	13	18	40	42	1.87	2.40
Mountain	17	17	2	7	17	17	1.21	3.25
Pacific	40	42	13	17	36	39	2.66	3.12
COUNTY TYPE¹								
Large Metro	60	61	19	24	56	57	1.26	1.57
Small Metro	41	36	13	14	38	34	1.31	1.65
250K - 1 Mil. Pop.	31	29	9	11	29	27	1.62	1.90
< 250K Pop.	27	20	9	9	25	18	2.35	2.97
Nonmetro	25	22	9	9	22	21	2.28	2.18
Urbanized	17	16	7	5	15	15	*	2.38
Less Urbanized	18	16	6	7	16	15	3.29	3.97
Completely Rural	7	4	1	*	7	3	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.80D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.25	0.24	0.08	0.09	0.23	0.22	0.86	1.03
GEOGRAPHIC DIVISION								
Northeast	0.60	0.55	0.18	0.22	0.56	0.50	1.68	2.17
New England	1.44	0.88	0.51	0.39	1.24	0.81	3.73	3.23
Middle Atlantic	0.64	0.67	0.16	0.26	0.63	0.60	1.73	2.78
Midwest	0.44	0.43	0.15	0.14	0.38	0.40	1.65	1.71
East North Central	0.53	0.52	0.19	0.18	0.46	0.44	2.02	1.87
West North Central	0.80	0.79	0.26	0.24	0.70	0.82	2.86	3.62
South	0.41	0.36	0.14	0.14	0.39	0.34	1.59	1.76
South Atlantic	0.58	0.56	0.18	0.18	0.56	0.53	1.93	2.23
East South Central	1.15	0.56	0.22	0.27	1.07	0.58	*	*
West South Central	0.67	0.62	0.30	0.29	0.63	0.55	3.60	3.39
West	0.60	0.61	0.18	0.25	0.55	0.57	1.87	2.40
Mountain	0.80	0.77	0.11	0.32	0.78	0.76	1.21	3.25
Pacific	0.78	0.81	0.25	0.33	0.71	0.75	2.66	3.12
COUNTY TYPE¹								
Large Metro	0.38	0.37	0.12	0.15	0.35	0.34	1.26	1.57
Small Metro	0.41	0.35	0.12	0.14	0.38	0.33	1.31	1.65
250K - 1 Mil. Pop.	0.48	0.44	0.14	0.17	0.45	0.41	1.62	1.90
< 250K Pop.	0.72	0.56	0.25	0.25	0.68	0.51	2.35	2.97
Nonmetro	0.49	0.45	0.19	0.18	0.45	0.42	2.28	2.18
Urbanized	0.75	0.69	0.30	0.22	0.69	0.65	*	2.38
Less Urbanized	0.78	0.74	0.28	0.30	0.72	0.68	3.29	3.97
Completely Rural	1.48	1.03	0.29	*	1.47	0.77	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.80P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.2668		0.2247		0.0918		0.0907	
GEOGRAPHIC DIVISION								
Northeast	0.4164		0.4016		0.2318		0.2152	
New England	0.8398		0.4589		0.9453		0.4594	
Middle Atlantic	0.3979		0.1069		0.1330		0.0336	
Midwest	0.4234		0.8473		0.3203		0.5913	
East North Central	0.5177		0.6830		0.3424		0.4667	
West North Central	0.6379		0.7570		0.6914		0.8919	
South	0.0529		0.9227		0.0333		0.5849	
South Atlantic	0.1299		0.8485		0.0758		0.4456	
East South Central	0.0386		0.6331		0.0139		*	
West South Central	0.8789		0.5990		0.9160		0.5904	
West	0.2918		0.1323		0.5908		0.2066	
Mountain	0.6774		0.0121		0.6204		0.0095	
Pacific	0.3308		0.4563		0.4669		0.6444	
COUNTY TYPE¹								
Large Metro	0.6275		0.3175		0.3644		0.2203	
Small Metro	0.1761		0.7601		0.1005		0.4063	
250K - 1 Mil. Pop.	0.8230		0.3923		0.9380		0.3913	
< 250K Pop.	0.0162		0.6747		0.0119		0.6819	
Nonmetro	0.8619		0.4541		0.6026		0.3901	
Urbanized	0.2523		0.6020		0.3239		*	
Less Urbanized	0.4556		0.7164		0.3187		0.4633	
Completely Rural	0.0305		*		0.0087		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.81C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	213	187	116	84	178	168	2.66	2.24
GEOGRAPHIC DIVISION								
Northeast	106	78	74	37	76	70	*	4.85
New England	66	48	53	16	41	45	*	*
Middle Atlantic	83	62	52	34	64	54	*	*
Midwest	80	73	43	34	66	67	4.58	4.75
East North Central	73	58	39	24	57	55	*	*
West North Central	34	43	18	24	32	38	*	*
South	120	123	54	62	109	106	4.14	4.07
South Atlantic	89	106	40	55	78	88	5.19	*
East South Central	63	43	26	24	60	36	*	*
West South Central	51	48	26	13	47	46	*	*
West	114	91	56	27	98	88	*	3.66
Mountain	38	42	16	16	32	39	*	*
Pacific	107	81	54	22	92	79	*	*
COUNTY TYPE¹								
Large Metro	170	143	84	72	147	124	3.44	3.41
Small Metro	110	105	73	29	84	100	5.54	2.60
250K - 1 Mil. Pop.	79	76	48	28	65	69	5.47	3.96
< 250K Pop.	77	72	56	12	55	71	*	*
Nonmetro	68	63	27	31	60	56	*	*
Urbanized	41	50	18	28	37	43	*	*
Less Urbanized	49	37	20	11	39	36	*	*
Completely Rural	19	12	*	8	19	8	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.81D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.12	0.10	0.06	0.05	0.10	0.09	2.66	2.24
GEOGRAPHIC DIVISION								
Northeast	0.30	0.22	0.21	0.11	0.22	0.20	*	4.85
New England	0.71	0.52	0.57	0.18	0.44	0.49	*	*
Middle Atlantic	0.32	0.24	0.20	0.13	0.25	0.21	*	*
Midwest	0.20	0.18	0.10	0.08	0.16	0.16	4.58	4.75
East North Central	0.26	0.20	0.14	0.08	0.20	0.19	*	*
West North Central	0.28	0.36	0.15	0.20	0.27	0.31	*	*
South	0.19	0.19	0.08	0.10	0.17	0.16	4.14	4.07
South Atlantic	0.26	0.31	0.12	0.16	0.23	0.26	5.19	*
East South Central	0.58	0.40	0.24	0.22	0.55	0.33	*	*
West South Central	0.27	0.25	0.14	0.07	0.25	0.24	*	*
West	0.29	0.23	0.14	0.07	0.25	0.22	*	3.66
Mountain	0.33	0.36	0.14	0.14	0.28	0.33	*	*
Pacific	0.38	0.28	0.19	0.07	0.33	0.27	*	*
COUNTY TYPE¹								
Large Metro	0.18	0.15	0.09	0.08	0.15	0.13	3.44	3.41
Small Metro	0.21	0.20	0.14	0.05	0.16	0.19	5.54	2.60
250K - 1 Mil. Pop.	0.23	0.21	0.14	0.08	0.19	0.20	5.47	3.96
< 250K Pop.	0.43	0.39	0.31	0.06	0.31	0.38	*	*
Nonmetro	0.22	0.20	0.09	0.10	0.20	0.18	*	*
Urbanized	0.34	0.37	0.15	0.21	0.31	0.31	*	*
Less Urbanized	0.32	0.27	0.13	0.08	0.26	0.26	*	*
Completely Rural	0.55	0.35	*	0.25	0.55	0.24	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.81P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.2772		0.0218		0.8758		0.0334	
GEOGRAPHIC DIVISION								
Northeast	0.6132		0.1922		0.6371		*	
New England	0.6152		0.4807		0.2543		*	
Middle Atlantic	0.3682		0.2635		0.7638		*	
Midwest	0.3293		0.2822		0.6503		0.4323	
East North Central	0.1432		0.1212		0.4254		*	
West North Central	0.6314		0.8154		0.6939		*	
South	0.5634		0.6209		0.3396		0.3918	
South Atlantic	0.4822		0.9695		0.3944		*	
East South Central	0.4046		0.8692		0.3936		*	
West South Central	0.2616		0.2451		0.0769		*	
West	0.1086		0.0485		0.4126		*	
Mountain	0.5905		0.4345		0.8106		*	
Pacific	0.0512		0.0153		0.3329		*	
COUNTY TYPE¹								
Large Metro	0.2198		0.2144		0.4833		0.4140	
Small Metro	0.8774		0.0094		0.0764		0.0016	
250K - 1 Mil. Pop.	0.3971		0.0133		0.5888		0.0199	
< 250K Pop.	0.2811		0.2273		0.0448		*	
Nonmetro	0.6320		0.7446		0.4834		*	
Urbanized	0.4727		0.5190		0.6620		*	
Less Urbanized	0.2198		0.3729		0.3030		*	
Completely Rural	0.3058		*		0.1087		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.82C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	230	209	120	89	201	187	1.65	1.33
GEOGRAPHIC DIVISION								
Northeast	115	85	78	39	90	76	4.97	2.91
New England	70	51	57	17	48	49	*	3.93
Middle Atlantic	90	68	53	35	76	60	4.94	3.87
Midwest	89	85	45	35	75	74	2.82	2.50
East North Central	79	70	40	26	63	61	3.33	2.72
West North Central	42	49	20	23	40	41	*	*
South	128	132	56	64	118	112	2.42	2.58
South Atlantic	95	112	41	56	84	92	3.14	3.94
East South Central	68	44	27	25	66	38	*	*
West South Central	52	55	26	17	50	52	4.47	2.53
West	124	109	56	34	112	105	3.18	2.30
Mountain	44	46	17	18	39	40	*	3.48
Pacific	115	98	53	28	104	97	4.11	2.91
COUNTY TYPE¹								
Large Metro	189	161	86	76	168	140	2.17	2.03
Small Metro	116	111	77	33	94	105	3.37	1.66
250K - 1 Mil. Pop.	83	81	48	31	71	74	3.36	2.38
< 250K Pop.	82	75	60	14	62	74	*	2.06
Nonmetro	71	68	29	33	65	61	2.98	3.55
Urbanized	45	55	19	29	42	48	*	*
Less Urbanized	52	41	21	13	42	39	3.77	3.75
Completely Rural	20	12	1	9	20	9	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.82D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.11	0.10	0.06	0.04	0.10	0.09	1.65	1.33
GEOGRAPHIC DIVISION								
Northeast	0.28	0.21	0.19	0.10	0.22	0.19	4.97	2.91
New England	0.66	0.48	0.53	0.16	0.45	0.45	*	3.93
Middle Atlantic	0.30	0.23	0.18	0.12	0.25	0.20	4.94	3.87
Midwest	0.19	0.18	0.09	0.07	0.16	0.15	2.82	2.50
East North Central	0.24	0.21	0.12	0.08	0.19	0.18	3.33	2.72
West North Central	0.29	0.34	0.14	0.16	0.28	0.29	*	*
South	0.17	0.17	0.07	0.08	0.16	0.15	2.42	2.58
South Atlantic	0.24	0.28	0.10	0.14	0.21	0.23	3.14	3.94
East South Central	0.53	0.34	0.22	0.20	0.52	0.30	*	*
West South Central	0.23	0.24	0.11	0.07	0.22	0.22	4.47	2.53
West	0.26	0.23	0.12	0.07	0.24	0.22	3.18	2.30
Mountain	0.32	0.33	0.12	0.13	0.29	0.29	*	3.48
Pacific	0.34	0.29	0.16	0.08	0.31	0.29	4.11	2.91
COUNTY TYPE¹								
Large Metro	0.17	0.14	0.08	0.07	0.15	0.12	2.17	2.03
Small Metro	0.19	0.17	0.12	0.05	0.15	0.16	3.37	1.66
250K - 1 Mil. Pop.	0.20	0.19	0.12	0.07	0.17	0.18	3.36	2.38
< 250K Pop.	0.38	0.34	0.28	0.07	0.29	0.34	*	2.06
Nonmetro	0.20	0.19	0.08	0.09	0.18	0.17	2.98	3.55
Urbanized	0.31	0.34	0.14	0.18	0.29	0.30	*	*
Less Urbanized	0.29	0.25	0.12	0.08	0.24	0.24	3.77	3.75
Completely Rural	0.49	0.33	0.03	0.24	0.49	0.23	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.82P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.1942		0.0590		0.7054		0.1081	
GEOGRAPHIC DIVISION								
Northeast	0.4783		0.2783		0.9674		0.3096	
New England	0.6568		0.4441		0.2978		*	
Middle Atlantic	0.2761		0.4414		0.4178		0.6684	
Midwest	0.2776		0.3367		0.4710		0.4970	
East North Central	0.1347		0.1806		0.3034		0.3468	
West North Central	0.7816		0.8681		0.8233		*	
South	0.9943		0.6263		0.7854		0.5813	
South Atlantic	0.7749		0.9932		0.7402		0.9101	
East South Central	0.2002		0.9329		0.1604		*	
West South Central	0.3036		0.1843		0.0673		0.0779	
West	0.3033		0.1441		0.6175		0.2692	
Mountain	0.5127		0.1496		0.9538		*	
Pacific	0.1776		0.0269		0.5859		0.0836	
COUNTY TYPE¹								
Large Metro	0.2760		0.3560		0.4545		0.5611	
Small Metro	0.6579		0.0158		0.3344		0.0095	
250K - 1 Mil. Pop.	0.4722		0.0269		0.6362		0.0324	
< 250K Pop.	0.9243		0.2137		0.3656		*	
Nonmetro	0.5791		0.6078		0.3888		0.4256	
Urbanized	0.3802		0.4593		0.5672		*	
Less Urbanized	0.1760		0.4872		0.2127		0.9617	
Completely Rural	0.0595		0.1393		0.0097		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

¹ Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.83C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	210	198	42	51	21	*	36	*	210	189
AGE										
12-17	48	47	10	8	*	*	*	*	47	46
18-25	80	76	16	15	*	*	*	*	77	73
26 or Older	180	172	37	47	*	*	*	*	181	165
GENDER										
Male	168	160	33	41	*	*	*	*	168	155
Female	119	111	25	28	*	*	*	*	116	106

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment. Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.83D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.00	0.00	0.66	0.78	5.03	*	5.03	*	0.66	0.78
AGE										
12-17	0.00	0.00	0.75	0.68	*	*	*	*	0.75	0.68
18-25	0.00	0.00	0.64	0.63	*	*	*	*	0.64	0.63
26 or Older	0.00	0.00	1.42	1.66	*	*	*	*	1.42	1.66
GENDER										
Male	0.00	0.00	0.83	1.05	*	*	*	*	0.83	1.05
Female	0.00	0.00	1.08	1.13	*	*	*	*	1.08	1.13

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment. Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.83P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	.	.	0.2776		*		*		0.2776	
AGE										
12-17	.	.	0.2760		*		*		0.2760	
18-25	.	.	0.4122		*		*		0.4122	
26 or Older	.	.	0.0992		*		*		0.0992	
GENDER										
Male	.	.	0.2461		*		*		0.2461	
Female	.	.	0.8464		*		*		0.8464	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment. Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.