

Table 5.86C Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	436	415	151	118	429	390	0.65	0.50
AGE								
12-17	61	61	19	17	57	61	0.81	0.74
18-25	122	117	30	33	120	115	0.43	0.47
26 or Older	406	378	145	110	397	357	1.03	0.79
GENDER								
Male	357	330	123	97	347	318	0.79	0.65
Female	254	232	89	65	241	218	1.08	0.78
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	403	371	146	113	390	346	0.71	0.55
White	352	331	129	90	345	313	0.79	0.54
Black or African American	162	145	66	59	149	136	2.23	2.37
American Indian or Alaska Native	32	28	11	13	29	25	*	*
Native Hawaiian or Other Pacific Islander	19	16	1	4	19	15	*	*
Asian	72	67	4	7	72	66	1.09	1.07
Two or More Races	49	42	12	10	47	40	3.40	3.11
Hispanic or Latino	156	158	41	36	156	153	1.31	1.18

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug or alcohol; (2) abuse of any illicit drug or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.86D Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.19	0.17	0.06	0.05	0.18	0.16	0.65	0.50
AGE								
12-17	0.25	0.24	0.08	0.07	0.23	0.24	0.81	0.74
18-25	0.39	0.37	0.10	0.10	0.39	0.36	0.43	0.47
26 or Older	0.23	0.21	0.08	0.06	0.22	0.20	1.03	0.79
GENDER								
Male	0.31	0.29	0.11	0.08	0.31	0.28	0.79	0.65
Female	0.21	0.19	0.07	0.05	0.20	0.18	1.08	0.78
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.18	0.07	0.05	0.19	0.17	0.71	0.55
White	0.21	0.20	0.08	0.05	0.21	0.19	0.79	0.54
Black or African American	0.60	0.53	0.24	0.21	0.56	0.50	2.23	2.37
American Indian or Alaska Native	2.14	2.21	0.75	1.04	1.99	2.02	*	*
Native Hawaiian or Other Pacific Islander	2.39	3.17	0.15	0.78	2.38	3.06	*	*
Asian	0.80	0.68	0.04	0.07	0.80	0.67	1.09	1.07
Two or More Races	1.94	1.63	0.47	0.37	1.88	1.56	3.40	3.11
Hispanic or Latino	0.53	0.53	0.14	0.12	0.54	0.51	1.31	1.18

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug or alcohol; (2) abuse of any illicit drug or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.86P Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
TOTAL	0.1133		0.0110		0.4659		0.0274	
AGE								
12-17	0.7538		0.4461		0.9419		0.4756	
18-25	0.2108		0.3730		0.1273		0.2239	
26 or Older	0.1844		0.0054		0.7033		0.0125	
GENDER								
Male	0.0859		0.1190		0.2157		0.2597	
Female	0.7570		0.0299		0.6227		0.0274	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2088		0.0176		0.6846		0.0313	
White	0.4316		0.0357		0.9509		0.0492	
Black or African American	0.0455		0.1858		0.0947		0.4901	
American Indian or Alaska Native	0.2741		0.4639		0.3835		*	
Native Hawaiian or Other Pacific Islander	0.3249		0.2846		0.4334		*	
Asian	0.0537		0.8015		0.0542		0.7920	
Two or More Races	0.4424		0.7865		0.4641		0.9360	
Hispanic or Latino	0.2758		0.3839		0.3716		0.5757	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug or alcohol; (2) abuse of any illicit drug or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.87C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	466	416	106	94	79	47	72	81	451	398
AGE										
12-17	61	65	11	12	*	*	*	*	60	64
18-25	161	145	25	25	12	8	22	24	156	141
26 or Older	425	377	102	89	*	46	*	76	412	364
GENDER										
Male	374	337	87	81	*	*	*	*	366	322
Female	245	220	59	50	*	*	*	*	234	214

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment. Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.87D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	0.00	0.00	0.50	0.44	4.72	3.97	4.72	3.97	0.50	0.44
AGE										
12-17	0.00	0.00	0.52	0.55	*	*	*	*	0.52	0.55
18-25	0.00	0.00	0.37	0.39	4.08	3.40	4.08	3.40	0.37	0.39
26 or Older	0.00	0.00	0.83	0.72	*	5.36	*	5.36	0.83	0.72
GENDER										
Male	0.00	0.00	0.63	0.59	*	*	*	*	0.63	0.59
Female	0.00	0.00	0.81	0.68	*	*	*	*	0.81	0.68

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment. Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 5.87P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
TOTAL	.	.	0.2829		0.0719		0.0719		0.2829	
AGE										
12-17	.	.	0.4080		*		*		0.4080	
18-25	.	.	0.3012		0.5512		0.5512		0.3012	
26 or Older	.	.	0.4592		*		*		0.4592	
GENDER										
Male	.	.	0.5172		*		*		0.5172	
Female	.	.	0.3334		*		*		0.3334	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment. Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.