

**Table 6.30A Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling:
Numbers in Thousands, 2002 and 2003**

Drug	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	29,638	29,538	5,677	5,980	23,908	23,512
Marijuana and Hashish	21,850	21,486	3,959	3,977	17,865	17,479
Cocaine	5,394	5,470	1,311	1,076	4,067	4,379
Crack	1,454	1,310	446	371	1,004	938
Heroin	353	278	122	90	229	188
Hallucinogens	3,804 ^b	3,158	707	552	3,083 ^b	2,598
LSD	684 ^b	409	140 ^a	67	545 ^b	341
PCP	126	130	28	34	92	94
Ecstasy	2,621 ^b	1,790	487 ^b	314	2,126 ^b	1,471
Inhalants	1,005	956	215	203	790	747
Nonmedical Use of Any Psychotherapeutic ⁴	12,397	12,697	2,908	3,200	9,454	9,475
Pain Relievers	9,122	9,753	2,095	2,279	6,999	7,462
Tranquilizers	4,281	4,465	1,228	1,379	3,046	3,073
Stimulants	2,531	2,183	642	553	1,870	1,627
Methamphetamine	1,315	1,141	296	255	1,013	887
Sedatives	843	700	355	320	476	380
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	17,086	16,954	3,800	3,928	13,236	12,991

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year use for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.30B Illicit Drug Use in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Percentages, 2002 and 2003

Drug	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	14.1	13.9	20.8	21.3	13.1	12.8
Marijuana and Hashish	10.4	10.1	14.5	14.2	9.8	9.5
Cocaine	2.6	2.6	4.8	3.8	2.2	2.4
Crack	0.7	0.6	1.6	1.3	0.6	0.5
Heroin	0.2	0.1	0.4	0.3	0.1	0.1
Hallucinogens	1.8 ^b	1.5	2.6 ^a	2.0	1.7 ^b	1.4
LSD	0.3 ^b	0.2	0.5 ^a	0.2	0.3 ^b	0.2
PCP	0.1	0.1	0.1	0.1	0.1	0.1
Ecstasy	1.2 ^b	0.8	1.8 ^b	1.1	1.2 ^b	0.8
Inhalants	0.5	0.4	0.8	0.7	0.4	0.4
Nonmedical Use of Any Psychotherapeutic ⁴	5.9	6.0	10.6	11.4	5.2	5.1
Pain Relievers	4.3	4.6	7.7	8.1	3.8	4.1
Tranquilizers	2.0	2.1	4.5	4.9	1.7	1.7
Stimulants	1.2	1.0	2.3	2.0	1.0	0.9
Methamphetamine	0.6	0.5	1.1	0.9	0.6	0.5
Sedatives	0.4	0.3	1.3	1.1	0.3	0.2
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	8.1	8.0	13.9	14.0	7.3	7.1

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year use for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.31A Tobacco and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Numbers in Thousands, 2002 and 2003

Drug	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2002	2003	2002	2003	2002	2003
PAST YEAR						
Any Tobacco ³	78,892	77,781	11,404	11,674	67,321	65,950
Cigarettes	66,273	65,116	10,300	10,458	55,839	54,517
Smokeless Tobacco	9,514	9,312	938	953	8,548	8,338
Cigars	23,417	22,898	2,924	2,927	20,462	19,934
Pipe Tobacco ⁴	--	--	--	--	--	--
Alcohol	146,912	145,978	19,185	20,093	127,475	125,671
Binge Alcohol Use ⁵	--	--	--	--	--	--
Heavy Alcohol Use ⁵	--	--	--	--	--	--
PAST MONTH						
Any Tobacco ³	67,732	67,147	9,850	10,235	57,737	56,771
Cigarettes	57,928	57,391	9,117	9,395	48,698	47,868
Smokeless Tobacco	7,299	7,214	611	685	6,661	6,507
Cigars	11,634	11,722	1,350	1,370	10,256	10,318
Pipe Tobacco	1,679	1,458	243	271	1,435	1,188
Alcohol	115,455	114,539	14,735	15,218	100,506	99,155
Binge Alcohol Use ⁵	51,146	51,112	5,978	5,911	45,017	45,106
Heavy Alcohol Use ⁵	15,231	15,492	1,773	1,763	13,431	13,680

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year and past month use for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

⁴ Information about past year use of pipe tobacco was not collected.

⁵ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.31B Tobacco and Alcohol Use in the Past Year and Past Month among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Percentages, 2002 and 2003

Drug	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2002	2003	2002	2003	2002	2003
PAST YEAR						
Any Tobacco ³	37.5	36.6	41.7	41.6	36.9	35.8
Cigarettes	31.5	30.6	37.7	37.3	30.6	29.6
Smokeless Tobacco	4.5	4.4	3.4	3.4	4.7	4.5
Cigars	11.1	10.8	10.7	10.4	11.2	10.8
Pipe Tobacco ⁴	--	--	--	--	--	--
Alcohol	69.8 ^a	68.6	70.2	71.6	69.8 ^a	68.2
Binge Alcohol Use ⁵	--	--	--	--	--	--
Heavy Alcohol Use ⁵	--	--	--	--	--	--
PAST MONTH						
Any Tobacco ³	32.2	31.6	36.1	36.5	31.6	30.8
Cigarettes	27.5	27.0	33.4	33.5	26.7	26.0
Smokeless Tobacco	3.5	3.4	2.2	2.4	3.6	3.5
Cigars	5.5	5.5	4.9	4.9	5.6	5.6
Pipe Tobacco	0.8	0.7	0.9	1.0	0.8	0.6
Alcohol	54.9	53.9	53.9	54.2	55.1	53.8
Binge Alcohol Use ⁵	24.3	24.0	21.9	21.1	24.7	24.5
Heavy Alcohol Use ⁵	7.2	7.3	6.5	6.3	7.4	7.4

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year and past month use for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

⁴ Information about past year use of pipe tobacco was not collected.

⁵ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.32A Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Numbers in Thousands, 2002 and 2003

Dependence/Abuse	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2002	2003	2002	2003	2002	2003
DEPENDENCE OR ABUSE³						
Any Illicit Drug or Alcohol ⁴	19,797	19,372	4,276	3,956	15,469	15,385
Any Illicit Drug ⁴	5,740	5,548	1,665	1,525	4,059	4,014
Alcohol	16,647	16,334	3,298	3,116	13,298	13,191
DEPENDENCE³						
Any Illicit Drug or Alcohol ⁴	10,425	9,832	2,813	2,493	7,581	7,319
Any Illicit Drug ⁴	3,855	3,680	1,171	1,153	2,680	2,523
Alcohol	7,695	7,051	1,999	1,660	5,668	5,373

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year dependence/abuse for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.32B Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Percentages, 2002 and 2003

Dependence/Abuse	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2002	2003	2002	2003	2002	2003
DEPENDENCE OR ABUSE³						
Any Illicit Drug or Alcohol ⁴	9.4	9.1	15.6	14.1	8.5	8.4
Any Illicit Drug ⁴	2.7	2.6	6.1	5.4	2.2	2.2
Alcohol	7.9	7.7	12.1	11.1	7.3	7.2
DEPENDENCE³						
Any Illicit Drug or Alcohol ⁴	5.0	4.6	10.3	8.9	4.2	4.0
Any Illicit Drug ⁴	1.8	1.7	4.3	4.1	1.5	1.4
Alcohol	3.7	3.3	7.3 ^a	5.9	3.1	2.9

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year dependence/abuse for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

⁴ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.