

Table 6.35A Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	5,883	5,744	811	924	3,621	3,458	1,451	1,362
Family Member Not Living in Household	247 ^a	394	170	196	50 ^b	170	28	28
Private Health Insurance	7,077	7,254	764	736	4,248	4,238	2,064	2,281
Medicare	1,473	1,313	89	106	487	600	897	608
Medicaid	1,240	1,245	150	166	774	801	316	278
Rehabilitation Program	79	54	10	6	49	36	*	12
Employer	1,368	1,448	111	96	955	962	302	390
VA or Other Military Program	371	450	22	38	227	161	122	251
Other Public Source	407	485	85	71	237	367	85	47
Other Private Source	257	181	47	49	63	113	147 ^a	19
Free Treatment	1,060 ^a	714	318 ^b	221	567 ^b	301	175	191

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.35B Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Percentages, 2002 and 2003

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	37.6	37.7	38.4 ^a	43.3	40.2	39.4	32.2	31.6
Family Member Not Living in Household	1.6 ^b	2.6	8.1	9.2	0.6 ^b	1.9	0.6	0.6
Private Health Insurance	45.3	47.7	36.2	34.5	47.2	48.3	45.8	52.9
Medicare	9.4	8.6	4.2	5.0	5.4	6.8	19.9	14.1
Medicaid	7.9	8.2	7.1	7.8	8.6	9.1	7.0	6.4
Rehabilitation Program	0.5	0.4	0.5	0.3	0.5	0.4	*	0.3
Employer	8.8	9.5	5.3	4.5	10.6	11.0	6.7	9.1
VA or Other Military Program	2.4	3.0	1.1	1.8	2.5	1.8	2.7	5.8
Other Public Source	2.6	3.2	4.0	3.3	2.6	4.2	1.9	1.1
Other Private Source	1.6	1.2	2.2	2.3	0.7	1.3	3.3 ^a	0.4
Free Treatment	6.8 ^a	4.7	15.1 ^b	10.4	6.3 ^b	3.4	3.9	4.4

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.36A Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Numbers in Thousands, 2002 and 2003

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	2,025	2,253	418	503	1,403	1,250	*	*
Family Member Not Living in Household	126	187	95	104	17 ^a	82	*	1
Private Health Insurance	2,682	2,694	393	394	1,664	1,579	*	*
Medicare	512	707	37	35	272	390	*	*
Medicaid	684	757	95	101	401	505	*	151
Rehabilitation Program	30	43	4	2	27	29	*	*
Employer	410	432	29 ^a	56	364	284	*	92
VA or Other Military Program	158	221	10	17	117	116	*	88
Other Public Source	208	258	44	35	133	220	*	3
Other Private Source	71	82	29	28	33	48	*	*
Free Treatment	378	298	120 ^b	70	190	113	*	*

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.36B Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Percentages, 2002 and 2003

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	35.3	37.1	42.5	47.4	39.1	34.9	*	*
Family Member Not Living in Household	2.2	3.1	9.7	9.7	0.5 ^a	2.3	*	0.1
Private Health Insurance	46.8	44.3	39.9	37.1	46.4	44.0	*	*
Medicare	8.9	11.6	3.8	3.3	7.6	10.9	*	*
Medicaid	11.9	12.5	9.6	9.5	11.2	14.1	*	10.6
Rehabilitation Program	0.5	0.7	0.4	0.2	0.7	0.8	*	*
Employer	7.1	7.1	2.9	5.2	10.1	7.9	*	6.4
VA or Other Military Program	2.8	3.6	1.0	1.6	3.3	3.2	*	6.2
Other Public Source	3.6	4.2	4.5	3.3	3.7	6.1	*	0.2
Other Private Source	1.2	1.4	3.0	2.6	0.9	1.3	*	*
Free Treatment	6.6	4.9	12.2 ^b	6.6	5.3	3.2	*	*

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.