

**Table 7.1A Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	8,886	8,365	1,489	1,453	2,998	2,788	4,399	4,124
12-49	4,891	5,073	809	773	1,794	1,723	2,288	2,577
50-99	2,675	2,683	363	401	908	914	1,404	1,368
100-299	6,174	6,019	887	835	2,201	2,244	3,086	2,940
300 or More	3,129	3,090	358 <sup>a</sup>	282	1,336	1,375	1,435	1,433
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	3,561	3,905	579	646	1,283	1,238	1,699	2,021
3-5	2,691	2,515	394	376	874	855	1,423	1,284
6-19	3,576	3,324	447	467	1,221	1,227	1,908	1,630
20 or More	4,756	4,894	603 <sup>b</sup>	482	1,997	2,079	2,156	2,332

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.1B Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	34.5	33.2	38.1	38.8	32.5	30.8	34.9	33.1
12-49	19.0	20.1	20.7	20.6	19.4	19.1	18.1	20.7
50-99	10.4	10.6	9.3	10.7	9.8	10.1	11.1	11.0
100-299	24.0	23.9	22.7	22.3	23.8	24.8	24.5	23.6
300 or More	12.2	12.2	9.2	7.5	14.5	15.2	11.4	11.5
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	24.4	26.7	28.6 <sup>a</sup>	32.8	23.9	22.9	23.6	27.8
3-5	18.4	17.2	19.5	19.1	16.3	15.8	19.8	17.7
6-19	24.5	22.7	22.1	23.7	22.7	22.7	26.5	22.4
20 or More	32.6	33.4	29.8 <sup>b</sup>	24.4	37.2	38.5	30.0	32.1

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.2A Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	3,073	3,108	327	287	1,244	1,224	1,502	1,597
12-49	1,298	1,343	97	72	477	505	723	766
50-99	630	698	37	36	184	202	410	460
100-299	780	675	38	33	165	143	578	499
300 or More	121	84	10	10	17	24	94	51
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	941	1,153	*	93	375	412	492	647
3-5	472	616	*	22	147	164	282	430
6-19	494	379	22	30	86	92	386	258
20 or More	113	133	7	8	23	29	83	96

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.2B Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Percentages, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	52.1	52.6	64.3	65.6	59.6	58.3	45.4	47.4
12-49	22.0	22.7	19.2	16.4	22.9	24.1	21.9	22.7
50-99	10.7	11.8	7.3	8.3	8.8	9.6	12.4	13.6
100-299	13.2	11.4	7.4	7.5	7.9	6.8	17.5	14.8
300 or More	2.0	1.4	1.9	2.2	0.8	1.1	2.8	1.5
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	46.6	50.6	*	61.1	59.5	59.2	39.5	45.2
3-5	23.4	27.0	*	14.3	23.3	23.5	22.7	30.1
6-19	24.5 <sup>a</sup>	16.6	15.3	19.4	13.6	13.1	31.1 <sup>b</sup>	18.0
20 or More	5.6	5.8	4.6	5.3	3.6	4.1	6.7	6.7

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.3A Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	3,437 <sup>b</sup>	2,886	600	523	1,936 <sup>b</sup>	1,580	901	783
12-49	875 <sup>b</sup>	668	208 <sup>a</sup>	151	462 <sup>b</sup>	345	204	172
50-99	288	227	78	58	126	124	84	45
100-299	146	135	57	40	84	52	5	*
300 or More	4 <sup>a</sup>	19	2	6	3	10	*	3
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	970 <sup>a</sup>	782	162	194	458	418	*	*
3-5	159	152	56 <sup>b</sup>	25	102	83	*	*
6-19	47	93	29	35	16	34	*	*
20 or More	20	15	7	6	12	9	*	*

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.3B Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Percentages, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	72.4	73.3	63.5	67.2	74.2	74.8	75.5	74.9
12-49	18.4	17.0	22.0	19.4	17.7	16.4	17.1	16.4
50-99	6.1	5.8	8.3	7.5	4.8	5.9	7.0	4.3
100-299	3.1	3.4	6.0	5.1	3.2	2.5	0.4	*
300 or More	0.1 <sup>a</sup>	0.5	0.2	0.7	0.1	0.5	*	0.3
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	81.1	75.0	63.6 <sup>a</sup>	74.6	77.8	76.8	*	*
3-5	13.3	14.6	21.9 <sup>b</sup>	9.8	17.4	15.3	*	*
6-19	3.9 <sup>a</sup>	8.9	11.5	13.4	2.8 <sup>a</sup>	6.2	*	*
20 or More	1.7	1.5	2.9	2.3	2.1	1.7	*	*

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.4A Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	1,325	1,410	661	720	483	520	*	*
12-49	478	370	241	220	142 <sup>a</sup>	87	*	*
50-99	138	155	86	102	43	34	*	*
100-299	132	130	80	67	17	21	*	*
300 or More	11	10	11	10	*	*	*	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	435	377	198	201	*	*	*	*
3-5	113	115	59	73	23	*	*	*
6-19	75	56	33	29	*	*	*	*
20 or More	12	23	12	16	*	*	*	*

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.4B Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Percentages, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	63.6	67.9	61.3	64.3	70.4 <sup>a</sup>	78.5	*	*
12-49	22.9 <sup>a</sup>	17.8	22.3	19.6	20.8 <sup>b</sup>	13.1	*	*
50-99	6.6	7.5	8.0	9.1	6.3	5.2	*	*
100-299	6.3	6.3	7.4	6.0	2.5	3.2	*	*
300 or More	0.5	0.5	1.0	0.9	*	*	*	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	68.5	66.1	65.6	63.0	*	*	*	*
3-5	17.7	20.2	19.4	22.7	15.0	*	*	*
6-19	11.9	9.8	11.0	9.1	*	*	*	*
20 or More	1.9	4.0	4.0	5.1	*	*	*	*

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 7.5A Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Numbers in Thousands, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	6,072	5,521	723	760	1,533	1,539	3,817	3,222
3-5	4,024	4,180	494 <sup>a</sup>	391	1,174	1,182	2,356	2,607
6-19	6,215	5,954	550	513	1,714	1,651	3,951	3,789
20-29	6,087	6,791	420	475	1,680	1,666	3,986	4,649
30	38,738	37,989	1,021 <sup>a</sup>	904	6,549	6,726	31,168	30,359
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS</b>								
Fewer Than 6	6,012	6,152	362	324	1,371	1,492	4,280	4,337
6-15 (1/2 Pack)	12,081	11,490	434	381	2,610	2,731	9,036	8,378
16-25 (1 Pack)	13,879	13,823	180	172	2,121	2,097	11,578	11,554
26 or More (More Than a Pack)	6,641	6,461	41	27	435	397	6,165	6,037
Not Reported	125	63	5	1	12	9	109	53

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.5B Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Percentages, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	9.9	9.1	22.5	25.0	12.1	12.1	8.4	7.2
3-5	6.6	6.9	15.4 <sup>a</sup>	12.8	9.3	9.3	5.2	5.8
6-19	10.2	9.9	17.2	16.9	13.6	12.9	8.7	8.5
20-29	10.0 <sup>a</sup>	11.2	13.1 <sup>a</sup>	15.6	13.3	13.1	8.8 <sup>a</sup>	10.4
30	63.4	62.9	31.8	29.7	51.8	52.7	68.8	68.0
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS</b>								
Fewer Than 6	15.5	16.2	35.4	35.8	20.9	22.2	13.7	14.3
6-15 (1/2 Pack)	31.2	30.2	42.5	42.1	39.9	40.6	29.0	27.6
16-25 (1 Pack)	35.8	36.4	17.6	19.0	32.4	31.2	37.1	38.1
26 or More (More Than a Pack)	17.1	17.0	4.0	2.9	6.6	5.9	19.8	19.9
Not Reported	0.3	0.2	0.4	0.1	0.2	0.1	0.3	0.2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.6A Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	36,677	35,813	4,018	3,914	5,022	5,084	27,636	26,814
12-49	40,426	40,508	2,265	2,386	6,723	6,771	31,438	31,351
50-99	24,479	24,412	1,140	1,170	4,361	4,571	18,977	18,672
100-299	44,217	44,169	1,039	1,003	7,366	7,619	35,812	35,548
300 or More	9,678	9,638	102	89	681	733	8,896	8,816
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	34,512	33,967	2,022	2,132	5,236	5,350	27,254	26,486
3-5	32,078	31,309	1,252	1,264	5,372	5,521	25,454	24,523
6-19	33,485	34,636	926	893	6,411	6,775	26,148	26,969
20 or More	19,745	19,053	165	137	1,741	1,820	17,839	17,095

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.6B Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Percentages, 2002 and 2003**

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	23.6	23.2	46.9	45.7	20.8	20.5	22.5	22.1
12-49	26.0	26.2	26.5	27.9	27.8	27.3	25.6	25.9
50-99	15.7	15.8	13.3	13.7	18.1	18.4	15.5	15.4
100-299	28.4	28.6	12.1	11.7	30.5	30.7	29.2	29.3
300 or More	6.2	6.2	1.2	1.0	2.8	3.0	7.2	7.3
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	28.8	28.6	46.3	48.2	27.9	27.5	28.2	27.9
3-5	26.8	26.3	28.7	28.6	28.6	28.4	26.3	25.8
6-19	27.9	29.1	21.2	20.2	34.2	34.8	27.0	28.4
20 or More	16.5	16.0	3.8	3.1	9.3	9.4	18.4	18.0

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.7B Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption, by Detailed Age Categories: 2003**

Age Category	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	50.1	8.5	3.1	29.6	3,522,777
12	2.9	2.6	2.9	11.2	1,337
13	6.1	3.1	2.5	11.2	2,947
14	13.1	3.9	3.5	21.5	11,660
15	20.9	4.4	4.2	27.4	23,647
16	28.5	4.7	5.0	30.8	36,776
17	35.3	5.2	5.7	36.8	53,130
18	43.7	6.1	5.3	39.9	80,242
19	52.4	6.7	5.2	44.5	90,719
20	59.6	6.9	5.0	42.2	101,369
21	69.7	7.9	4.5	42.6	116,553
22	69.8	7.8	4.1	37.7	105,531
23	67.4	7.7	4.2	36.9	99,726
24	65.5	7.9	4.2	39.5	94,012
25	66.1	7.3	4.0	33.5	80,474
26-29	61.7	7.4	4.0	33.2	302,429
30-34	59.2	6.9	3.1	25.6	306,033
35-39	59.5	8.1	2.9	27.8	346,559
40-44	58.6	8.2	2.9	30.5	405,062
45-49	57.7	9.6	2.6	29.2	360,999
50-54	54.0	9.6	2.4	29.2	314,961
55-59	52.9	9.1	2.2	23.6	186,296
60-64	46.2	9.6	2.0	22.1	119,896
65 or Older	34.4	11.8	1.7	24.1	284,148

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

**Table 7.8B Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption, by Demographic Characteristics: 2003**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	50.1	8.5	3.1	29.6	3,522,777
<b>AGE</b>					
12-17	17.7	4.5	4.7	29.5	130,690
18-25	61.4	7.4	4.5	39.5	768,236
26 or Older	52.5	8.9	2.7	27.6	2,625,251
<b>GENDER</b>					
Male	57.3	9.7	3.5	37.9	2,498,589
Female	43.2	7.0	2.5	19.2	1,019,686
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	51.3	8.8	3.0	29.5	3,147,576
White	54.4	9.1	3.0	30.3	2,742,256
Black or African American	37.9	7.2	2.8	26.8	278,643
American Indian or Alaska Native	42.0	7.9	5.3	44.4	23,422
Native Hawaiian or Other Pacific Islander	43.3	8.4	6.0	66.8	14,191
Asian	39.8	6.0	2.1	14.5	56,320
Two or More Races	44.4	7.4	3.1	26.6	30,428
Hispanic or Latino	41.5	6.1	3.8	30.3	375,714

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

**Table 7.9B Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption among Persons Aged 12 to 20, by Demographic Characteristics: 2003**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	29.0	5.8	5.0	37.3	405,179
<b>GENDER</b>					
Male	29.9	6.5	5.9	48.7	278,599
Female	28.1	5.0	4.0	24.7	127,232
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	29.7	5.8	5.0	36.9	342,970
White	33.2	6.0	5.3	39.3	304,640
Black or African American	18.2	4.7	2.9	20.0	20,072
American Indian or Alaska Native	26.0	5.0	7.3	39.8	2,603
Native Hawaiian or Other Pacific Islander	*	7.6	10.5	*	*
Asian	18.2	5.4	3.3	25.7	7,141
Two or More Races	27.7	4.8	4.0	22.6	3,357
Hispanic or Latino	25.6	5.6	5.0	39.3	62,308
<b>GENDER/RACE/HISPANIC ORIGIN</b>					
Male, White, Not Hispanic	33.8	6.7	6.2	50.8	204,425
Female, White, Not Hispanic	32.6	5.2	4.3	26.9	100,452
Male, Black, Not Hispanic	19.5	5.4	3.4	27.8	15,065
Female, Black, Not Hispanic	17.0	3.7	2.5	11.5	5,335
Male, Hispanic	27.8	6.4	6.1	52.8	47,362
Female, Hispanic	23.2	4.6	3.6	21.8	14,983

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

**Table 7.10B Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption among Persons Aged 21 or Older, by Demographic Characteristics: 2003**

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month <sup>1</sup>	Average Number of Drinks Consumed Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Drinks Consumed in Past Month <sup>3</sup>
<b>TOTAL</b>	54.0	8.7	2.9	28.9	3,121,377
<b>GENDER</b>					
Male	62.8	10.0	3.3	36.9	2,223,324
Female	45.9	7.2	2.3	18.7	893,448
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	55.1	9.0	2.8	28.9	2,807,824
White	57.8	9.4	2.8	29.5	2,440,589
Black or African American	42.8	7.5	2.8	27.5	258,065
American Indian or Alaska Native	46.0	8.3	5.1	44.9	20,765
Native Hawaiian or Other Pacific Islander	*	8.6	4.8	63.3	*
Asian	43.8	6.1	2.0	13.6	49,277
Two or More Races	48.8	7.8	3.0	27.2	27,048
Hispanic or Latino	45.6	6.2	3.6	29.0	313,653
<b>GENDER/RACE/HISPANIC ORIGIN</b>					
Male, White, Not Hispanic	65.4	10.7	3.2	38.1	1,712,483
Female, White, Not Hispanic	50.8	7.7	2.3	19.2	724,739
Male, Black, Not Hispanic	55.7	8.9	3.2	34.9	187,080
Female, Black, Not Hispanic	32.7	5.6	2.3	17.4	70,060
Male, Hispanic	56.3	7.1	4.2	36.5	247,806
Female, Hispanic	34.5	4.6	2.6	15.9	63,833

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

<sup>3</sup> The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.



**Table 7.11B Cigarette Use in the Past Month and Measures of Past Month Cigarette Consumption, by Detailed Age Categories: 2003**

Age Category	Percentage Using Cigarettes in Past Month	MEASURES OF PAST MONTH CIGARETTE CONSUMPTION AMONG PAST MONTH CIGARETTE USERS			
		Average Number of Days Smoked Cigarettes in Past Month	Average Number of Cigarettes Smoked Per Day of Use in Past Month <sup>1</sup>	Average Number of Cigarettes Smoked Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Cigarettes Smoked in Past Month <sup>3</sup>
<b>TOTAL</b>	25.4	23.1	13.0	353.5	21,365,684
12	1.7	7.1	2.0	29.1	2,054
13	3.3	7.7	2.8	42.9	6,145
14	8.4	11.5	3.8	71.9	24,966
15	13.6	13.7	4.3	97.3	54,636
16	20.1	15.8	5.4	121.3	102,062
17	26.4	18.8	6.4	164.0	177,071
18	33.7	19.2	7.3	192.5	298,648
19	37.2	20.0	7.7	200.4	289,503
20	44.1	20.3	8.3	218.7	388,077
21	42.0	21.6	9.3	256.1	421,678
22	43.5	21.7	9.4	254.1	444,473
23	41.6	21.8	9.8	265.5	442,267
24	42.1	21.5	9.8	260.1	398,466
25	38.6	21.5	10.0	274.6	384,502
26-29	36.8	22.1	10.7	290.3	1,577,337
30-34	30.9	22.9	12.3	332.3	2,071,481
35-39	29.0	24.6	14.4	391.9	2,382,094
40-44	31.1	24.7	15.4	424.7	2,999,420
45-49	28.9	24.8	15.9	433.4	2,678,648
50-54	25.0	24.5	16.9	468.6	2,339,248
55-59	21.8	25.0	19.1	530.2	1,727,401
60-64	16.5	25.3	13.5	376.0	730,790
65 or Older	10.0	25.2	14.7	411.9	1,418,657

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> The number of cigarettes smoked per user in the past month is defined as the product of the number of days that a respondent smoked cigarettes in the past month and the average number of cigarettes smoked per day on the days that cigarettes were smoked in the past month.

<sup>3</sup> The total number of cigarettes smoked in the past month is defined as the product of the total number of persons who smoked cigarettes in the past month and the average number of cigarettes smoked per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

**Table 7.12B Cigarette Use in the Past Month and Measures of Past Month Cigarette Consumption, by Demographic Characteristics: 2003**

Demographic Characteristic	Percentage Using Cigarettes in Past Month	MEASURES OF PAST MONTH CIGARETTE CONSUMPTION AMONG PAST MONTH CIGARETTE USERS			
		Average Number of Days Smoked Cigarettes in Past Month	Average Number of Cigarettes Smoked Per Day of Use in Past Month <sup>1</sup>	Average Number of Cigarettes Smoked Per User in Past Month <sup>1,2</sup>	Total Number (in Thousands) of Cigarettes Smoked in Past Month <sup>3</sup>
<b>TOTAL</b>	25.4	23.1	13.0	353.5	21,365,684
<b>AGE</b>					
12-17	12.2	15.4	5.2	121.0	368,318
18-25	40.2	21.0	9.0	240.4	3,068,598
26 or Older	24.7	24.2	14.6	401.7	17,924,305
<b>GENDER</b>					
Male	28.1	23.1	13.8	374.3	12,077,293
Female	23.0	23.0	12.0	329.7	9,288,455
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	26.0	23.8	13.7	377.8	20,416,113
White	26.6	24.2	14.7	409.4	18,136,437
Black or African American	25.9	21.7	9.0	223.5	1,587,069
American Indian or Alaska Native	36.1	20.1	8.7	236.6	107,367
Native Hawaiian or Other Pacific Islander	33.1	21.6	8.6	242.1	39,292
Asian	12.6	21.3	8.3	217.5	267,285
Two or More Races	30.7	23.3	12.5	349.2	275,736
Hispanic or Latino	21.4	17.3	6.3	147.3	942,265

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> The number of cigarettes smoked per user in the past month is defined as the product of the number of days that a respondent smoked cigarettes in the past month and the average number of cigarettes smoked per day on the days that cigarettes were smoked in the past month.

<sup>3</sup> The total number of cigarettes smoked in the past month is defined as the product of the total number of persons who smoked cigarettes in the past month and the average number of cigarettes smoked per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.