

Table 7.13C Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	277	272	265	264
Marijuana and Hashish	245	238	210	200
Cocaine	115	132	48	53
Crack	67	88	14	18
Heroin	32	26	26	10
Hallucinogens	61	55	52	43
LSD	17	15	6	11
PCP	15	12	*	*
Ecstasy	47	38	44	38
Inhalants	29	30	59	32
Nonmedical Use of Any Psychotherapeutic ²	161	139	157	190
Pain Relievers	121	121	130	155
Tranquilizers	101	85	86	83
Stimulants	74	65	50	58
Methamphetamine	61	55	36	43
Sedatives	48	34	43	42
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	198	181	179	198

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.13D Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	0.45	0.45	0.15	0.15
Marijuana and Hashish	0.40	0.39	0.12	0.11
Cocaine	0.19	0.22	0.03	0.03
Crack	0.11	0.15	0.01	0.01
Heroin	0.05	0.04	0.02	0.01
Hallucinogens	0.10	0.09	0.03	0.02
LSD	0.03	0.02	0.00	0.01
PCP	0.02	0.02	*	*
Ecstasy	0.08	0.06	0.03	0.02
Inhalants	0.05	0.05	0.03	0.02
Nonmedical Use of Any Psychotherapeutic ²	0.26	0.23	0.09	0.11
Pain Relievers	0.20	0.20	0.07	0.09
Tranquilizers	0.17	0.14	0.05	0.05
Stimulants	0.12	0.11	0.03	0.03
Methamphetamine	0.10	0.09	0.02	0.02
Sedatives	0.08	0.06	0.02	0.02
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	0.32	0.30	0.10	0.11

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.13P Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	0.6156		0.5089	
Marijuana and Hashish	0.2733		0.2786	
Cocaine	0.2055		0.4319	
Crack	0.7546		0.7418	
Heroin	0.6244		0.3577	
Hallucinogens	0.1973		0.4942	
LSD	0.9626		0.0945	
PCP	0.7720		*	
Ecstasy	0.0047		0.5991	
Inhalants	0.8482		0.3748	
Nonmedical Use of Any Psychotherapeutic ²	0.8406		0.5370	
Pain Relievers	0.3765		0.4406	
Tranquilizers	0.9910		0.8060	
Stimulants	0.5482		0.6588	
Methamphetamine	0.9571		0.7639	
Sedatives	0.0426		0.6966	
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	0.7418		0.5745	

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.14C Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	39	36	49	46
Marijuana and Hashish	37	35	33	38
Cocaine	17	14	6	8
Crack	8	7	3	3
Heroin	5	6	1	2
Hallucinogens	17	16	11	12
LSD	11	8	5	6
PCP	6	5	1	3
Ecstasy	14	11	6	5
Inhalants	16	15	17	19
Nonmedical Use of Any Psychotherapeutic ²	27	25	31	31
Pain Relievers	25	22	29	28
Tranquilizers	16	15	8	15
Stimulants	14	15	13	12
Methamphetamine	10	9	6	6
Sedatives	6	7	6	7
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	32	28	37	36

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.14D Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	1.21	1.17	0.23	0.21
Marijuana and Hashish	1.15	1.14	0.15	0.17
Cocaine	0.53	0.44	0.03	0.04
Crack	0.26	0.23	0.01	0.01
Heroin	0.16	0.19	0.01	0.01
Hallucinogens	0.51	0.53	0.05	0.05
LSD	0.34	0.26	0.02	0.03
PCP	0.18	0.18	0.01	0.01
Ecstasy	0.44	0.35	0.03	0.02
Inhalants	0.50	0.50	0.08	0.09
Nonmedical Use of Any Psychotherapeutic ²	0.86	0.81	0.14	0.14
Pain Relievers	0.79	0.74	0.13	0.13
Tranquilizers	0.49	0.48	0.04	0.07
Stimulants	0.43	0.48	0.06	0.05
Methamphetamine	0.32	0.29	0.03	0.03
Sedatives	0.19	0.22	0.03	0.03
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	1.01	0.92	0.17	0.16

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.14P Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	0.8496		0.7426	
Marijuana and Hashish	0.4123		0.4491	
Cocaine	0.9369		0.1318	
Crack	0.6874		0.4626	
Heroin	0.4640		0.5084	
Hallucinogens	0.6914		0.8307	
LSD	0.3853		0.6040	
PCP	0.4302		0.1219	
Ecstasy	0.2654		0.2827	
Inhalants	0.3506		0.9376	
Nonmedical Use of Any Psychotherapeutic ²	0.2741		0.8549	
Pain Relievers	0.2822		0.6460	
Tranquilizers	0.9360		0.0080	
Stimulants	0.1995		0.9852	
Methamphetamine	0.8248		0.5158	
Sedatives	0.5874		0.6383	
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	0.7349		0.9546	

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.15C Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	84	89	63	75
Marijuana and Hashish	82	86	58	70
Cocaine	34	36	13	18
Crack	9	13	1	2
Heroin	9	7	3	1
Hallucinogens	33	34	18	17
LSD	7	10	3	9
PCP	6	10	1	*
Ecstasy	27	21	13	8
Inhalants	15	14	10	12
Nonmedical Use of Any Psychotherapeutic ²	48	54	34	38
Pain Relievers	42	47	29	34
Tranquilizers	31	30	18	17
Stimulants	27	27	12	14
Methamphetamine	18	20	8	8
Sedatives	8	10	5	5
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	59	63	40	43

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.15D Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	0.66	0.70	0.34	0.39
Marijuana and Hashish	0.65	0.67	0.31	0.37
Cocaine	0.27	0.28	0.07	0.10
Crack	0.07	0.10	0.01	0.01
Heroin	0.07	0.05	0.02	0.01
Hallucinogens	0.26	0.27	0.10	0.09
LSD	0.06	0.07	0.02	0.05
PCP	0.05	0.08	0.00	*
Ecstasy	0.21	0.17	0.07	0.04
Inhalants	0.12	0.11	0.06	0.06
Nonmedical Use of Any Psychotherapeutic ²	0.38	0.42	0.19	0.20
Pain Relievers	0.33	0.37	0.16	0.18
Tranquilizers	0.24	0.23	0.10	0.09
Stimulants	0.21	0.21	0.06	0.07
Methamphetamine	0.14	0.16	0.04	0.04
Sedatives	0.06	0.07	0.03	0.03
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	0.47	0.49	0.22	0.23

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.15P Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	0.6767		0.2022	
Marijuana and Hashish	0.1478		0.2180	
Cocaine	0.4471		0.3970	
Crack	1.0000		0.5185	
Heroin	0.3059		0.4203	
Hallucinogens	0.4314		0.5110	
LSD	0.1967		0.1431	
PCP	0.2005		*	
Ecstasy	0.0047		0.0483	
Inhalants	0.1776		0.5428	
Nonmedical Use of Any Psychotherapeutic ²	0.0866		0.1093	
Pain Relievers	0.0622		0.0466	
Tranquilizers	0.8018		0.4016	
Stimulants	0.8289		0.3837	
Methamphetamine	0.3078		0.7108	
Sedatives	0.6571		0.6801	
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	0.3558		0.1227	

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.16C Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	250	244	247	249
Marijuana and Hashish	210	211	196	176
Cocaine	106	124	46	50
Crack	65	87	14	17
Heroin	31	24	26	9
Hallucinogens	47	38	48	37
LSD	11	7	*	*
PCP	13	4	*	*
Ecstasy	33	29	41	36
Inhalants	19	21	53	24
Nonmedical Use of Any Psychotherapeutic ²	147	127	149	183
Pain Relievers	111	109	122	148
Tranquilizers	92	79	82	79
Stimulants	67	56	48	55
Methamphetamine	57	50	35	42
Sedatives	47	32	42	42
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	184	170	168	192

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.16D Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	0.55	0.55	0.18	0.18
Marijuana and Hashish	0.46	0.47	0.15	0.13
Cocaine	0.23	0.28	0.03	0.04
Crack	0.14	0.20	0.01	0.01
Heroin	0.07	0.05	0.02	0.01
Hallucinogens	0.10	0.09	0.04	0.03
LSD	0.02	0.02	*	*
PCP	0.03	0.01	*	*
Ecstasy	0.07	0.06	0.03	0.03
Inhalants	0.04	0.05	0.04	0.02
Nonmedical Use of Any Psychotherapeutic ²	0.33	0.28	0.11	0.13
Pain Relievers	0.24	0.24	0.09	0.11
Tranquilizers	0.20	0.18	0.06	0.06
Stimulants	0.15	0.13	0.04	0.04
Methamphetamine	0.13	0.11	0.03	0.03
Sedatives	0.10	0.07	0.03	0.03
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	0.41	0.38	0.13	0.14

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.16P Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	0.5208		0.3078	
Marijuana and Hashish	0.1033		0.1312	
Cocaine	0.2692		0.7440	
Crack	0.7716		0.8953	
Heroin	0.7204		0.3730	
Hallucinogens	0.1946		0.5668	
LSD	0.8465		*	
PCP	0.2725		*	
Ecstasy	0.2111		0.8757	
Inhalants	0.8804		0.2190	
Nonmedical Use of Any Psychotherapeutic ²	0.2875		0.7465	
Pain Relievers	0.9906		0.6728	
Tranquilizers	0.9264		0.7368	
Stimulants	0.3677		0.8132	
Methamphetamine	0.6465		0.7778	
Sedatives	0.0229		0.7052	
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	0.4662		0.8322	

*Low precision; no estimate reported.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any

Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.