

Table 7.58C Specialty Cigarette (Bidis and Cloves) Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	519	521	178	172	132	120
AGE						
12-17	57	47	40	33	25	22
18-25	142	148	80	70	57	52
26 or Older	471	465	154	154	122	103
GENDER						
Male	339	353	140	137	106	102
Female	350	321	111	104	78	62
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	494	504	163	165	116	117
White	435	440	143	117	95	78
Black or African American	175	188	81	108	67	81
American Indian or Alaska Native	34	26	10	4	6	3
Native Hawaiian or Other Pacific Islander	26	18	5	7	4	7
Asian	74	109	25	45	20	32
Two or More Races	44	59	15	20	10	18
Hispanic or Latino	157	157	73	64	65	51

*Low precision; no estimate reported.

NOTE: Specialty Cigarettes include bidi cigarettes and clove cigarettes. Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread. Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.58D Specialty Cigarette (Bidis and Cloves) Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.22	0.22	0.08	0.07	0.06	0.05
AGE						
12-17	0.23	0.19	0.16	0.13	0.10	0.09
18-25	0.46	0.47	0.26	0.22	0.18	0.16
26 or Older	0.26	0.26	0.09	0.08	0.07	0.06
GENDER						
Male	0.30	0.31	0.12	0.12	0.09	0.09
Female	0.29	0.26	0.09	0.08	0.06	0.05
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.24	0.24	0.08	0.08	0.06	0.06
White	0.26	0.26	0.09	0.07	0.06	0.05
Black or African American	0.65	0.69	0.30	0.39	0.25	0.30
American Indian or Alaska Native	2.29	2.05	0.65	0.30	0.38	0.20
Native Hawaiian or Other Pacific Islander	3.16	3.74	0.61	1.51	0.48	1.35
Asian	0.82	1.11	0.27	0.46	0.22	0.32
Two or More Races	1.76	2.29	0.59	0.76	0.41	0.68
Hispanic or Latino	0.54	0.52	0.25	0.21	0.22	0.17

*Low precision; no estimate reported.

NOTE: Specialty Cigarettes include bidi cigarettes and clove cigarettes. Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread. Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.58P Specialty Cigarette (Bidis and Cloves) Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.7226		0.0001		0.0001	
AGE						
12-17	0.0000		0.0000		0.0000	
18-25	0.0001		0.0000		0.0004	
26 or Older	0.1128		0.7568		0.0824	
GENDER						
Male	0.7689		0.0005		0.0037	
Female	0.7971		0.0683		0.0051	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7884		0.0005		0.0018	
White	0.5221		0.0004		0.0032	
Black or African American	0.7081		0.3035		0.2859	
American Indian or Alaska Native	0.5030		0.0403		0.0951	
Native Hawaiian or Other Pacific Islander	0.2776		0.4728		0.4458	
Asian	0.4213		0.9431		0.4486	
Two or More Races	0.0019		0.9803		0.7880	
Hispanic or Latino	0.8001		0.0895		0.0099	

*Low precision; no estimate reported.

NOTE: Specialty Cigarettes include bidi cigarettes and clove cigarettes. Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread. Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.59C Bidi Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	325	327	125	119	103	90
AGE						
12-17	47	31	30	17	18	10
18-25	114	113	49	43	29	27
26 or Older	286	305	112	112	97	85
GENDER						
Male	228	254	98	106	83	87
Female	214	184	72	63	57	21
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	308	312	115	113	93	80
White	230	224	87	49	71	31
Black or African American	162	185	74	96	58	74
American Indian or Alaska Native	21	14	8	3	3	2
Native Hawaiian or Other Pacific Islander	21	12	3	*	1	*
Asian	61	91	14	32	7	5
Two or More Races	23	39	6	7	5	4
Hispanic or Latino	105	116	49	47	45	41

*Low precision; no estimate reported.

NOTE: Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.59D Bidi Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.14	0.14	0.05	0.05	0.04	0.04
AGE						
12-17	0.19	0.13	0.12	0.07	0.07	0.04
18-25	0.37	0.36	0.16	0.14	0.09	0.08
26 or Older	0.16	0.17	0.06	0.06	0.05	0.05
GENDER						
Male	0.20	0.22	0.09	0.09	0.07	0.08
Female	0.18	0.15	0.06	0.05	0.05	0.02
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.15	0.15	0.06	0.05	0.05	0.04
White	0.14	0.13	0.05	0.03	0.04	0.02
Black or African American	0.60	0.68	0.28	0.35	0.22	0.27
American Indian or Alaska Native	1.42	1.13	0.56	0.23	0.17	0.16
Native Hawaiian or Other Pacific Islander	2.61	2.35	0.36	*	0.16	*
Asian	0.67	0.93	0.15	0.32	0.08	0.05
Two or More Races	0.93	1.50	0.26	0.27	0.19	0.15
Hispanic or Latino	0.36	0.39	0.17	0.16	0.15	0.14

*Low precision; no estimate reported.

NOTE: Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.59P Bidi Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.0778		0.0000		0.0002	
AGE						
12-17	0.0000		0.0000		0.0000	
18-25	0.0001		0.0000		0.0039	
26 or Older	0.4694		0.0989		0.0295	
GENDER						
Male	0.7593		0.0024		0.0240	
Female	0.0091		0.0002		0.0000	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0637		0.0000		0.0004	
White	0.0034		0.0000		0.0001	
Black or African American	0.9607		0.0619		0.1609	
American Indian or Alaska Native	0.4601		0.3387		0.9167	
Native Hawaiian or Other Pacific Islander	0.9867		*		*	
Asian	0.4072		0.5279		0.4835	
Two or More Races	0.1162		0.9670		0.7211	
Hispanic or Latino	0.9944		0.2165		0.1921	

*Low precision; no estimate reported.

NOTE: Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.60C Clove Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	475	470	142	158	94	96
AGE						
12-17	41	40	31	29	21	19
18-25	133	131	73	61	50	45
26 or Older	423	417	115	141	79	77
GENDER						
Male	303	307	106	125	73	73
Female	307	289	96	86	61	58
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	459	451	130	146	78	88
White	409	422	121	111	69	71
Black or African American	101	120	41	87	33	37
American Indian or Alaska Native	27	24	5	2	5	2
Native Hawaiian or Other Pacific Islander	14	16	4	7	4	*
Asian	53	75	22	33	18	31
Two or More Races	40	58	14	18	10	17
Hispanic or Latino	132	131	60	44	51	29

*Low precision; no estimate reported.

NOTE: Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.60D Clove Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.20	0.20	0.06	0.07	0.04	0.04
AGE						
12-17	0.17	0.16	0.12	0.12	0.08	0.08
18-25	0.43	0.41	0.24	0.19	0.16	0.14
26 or Older	0.24	0.23	0.06	0.08	0.04	0.04
GENDER						
Male	0.27	0.27	0.09	0.11	0.06	0.06
Female	0.25	0.24	0.08	0.07	0.05	0.05
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.22	0.22	0.06	0.07	0.04	0.04
White	0.25	0.25	0.07	0.07	0.04	0.04
Black or African American	0.38	0.44	0.15	0.32	0.12	0.14
American Indian or Alaska Native	1.86	1.90	0.36	0.17	0.33	0.12
Native Hawaiian or Other Pacific Islander	1.73	3.25	0.54	1.51	0.48	*
Asian	0.58	0.76	0.24	0.34	0.20	0.32
Two or More Races	1.61	2.23	0.55	0.71	0.38	0.66
Hispanic or Latino	0.45	0.44	0.21	0.15	0.18	0.10

*Low precision; no estimate reported.

NOTE: Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.60P Clove Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	0.4423		0.1039		0.0582	
AGE						
12-17	0.0000		0.0002		0.0654	
18-25	0.0131		0.0000		0.0106	
26 or Older	0.0518		0.3916		0.7030	
GENDER						
Male	0.7675		0.0647		0.1095	
Female	0.3663		0.7867		0.3006	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.4333		0.2014		0.2277	
White	0.7557		0.0549		0.2090	
Black or African American	0.7089		0.2846		0.7970	
American Indian or Alaska Native	0.7974		0.0172		0.0539	
Native Hawaiian or Other Pacific Islander	0.0699		0.3131		*	
Asian	0.4787		0.5183		0.5301	
Two or More Races	0.0021		0.8987		0.8574	
Hispanic or Latino	0.8741		0.1713		0.0430	

*Low precision; no estimate reported.

NOTE: Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.61C Specialty Cigarette (Bidis and Cloves) Use in the Past Month, by Age Group and Past Month Cigarette Smoking Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Smoking Status/Specialty Cigarette	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
PAST MONTH CIGARETTE SMOKERS								
Any Specialty	110	114	20	19	52	46	99	101
Bidis	76	78	14	8	25	22	71	74
Cloves	89	86	18	17	47	42	73	71
NOT PAST MONTH CIGARETTE SMOKERS								
Any Specialty	74	61	14	11	24	21	68	52
Bidis	66	45	12	7	18	15	63	42
Cloves	38	40	8	9	17	16	32	32

*Low precision; no estimate reported.

NOTE: Specialty Cigarettes include bidi cigarettes and clove cigarettes. Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread. Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.61D Specialty Cigarette (Bidis and Cloves) Use in the Past Month, by Age Group and Past Month Cigarette Smoking Status: Standard Errors of Percentages, 2002 and 2003

Smoking Status/Specialty Cigarette	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
PAST MONTH CIGARETTE SMOKERS								
Any Specialty	0.18	0.18	0.61	0.60	0.38	0.35	0.22	0.22
Bidis	0.12	0.13	0.43	0.25	0.19	0.17	0.15	0.16
Cloves	0.14	0.14	0.54	0.53	0.35	0.32	0.16	0.16
NOT PAST MONTH CIGARETTE SMOKERS								
Any Specialty	0.04	0.03	0.07	0.05	0.13	0.11	0.05	0.04
Bidis	0.04	0.03	0.06	0.03	0.09	0.08	0.05	0.03
Cloves	0.02	0.02	0.04	0.04	0.09	0.08	0.02	0.02

*Low precision; no estimate reported.

NOTE: Specialty Cigarettes include bidi cigarettes and clove cigarettes. Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread. Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.61P Specialty Cigarette (Bidis and Cloves) Use in the Past Month, by Age Group and Past Month Cigarette Smoking Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Smoking Status/Specialty Cigarette	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
PAST MONTH CIGARETTE SMOKERS								
Any Specialty	0.0030		0.0037		0.0008		0.2062	
Bidis	0.0052		0.0003		0.0558		0.0637	
Cloves	0.0721		0.0716		0.0072		0.7500	
NOT PAST MONTH CIGARETTE SMOKERS								
Any Specialty	0.0551		0.0003		0.1393		0.3870	
Bidis	0.0147		0.0000		0.0263		0.2491	
Cloves	0.9600		0.9134		0.8054		0.9921	

*Low precision; no estimate reported.

NOTE: Specialty Cigarettes include bidi cigarettes and clove cigarettes. Bidi cigarettes are small, brown cigarettes from India consisting of tobacco wrapped in a leaf and tied with a thread. Clove cigarettes contain both tobacco and clove flavoring.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.