

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 3662
National Average: 35
2x National Average: 70
National Median: 21
Average for Selected Dockets: 35

Facility Name: Ginna Docket (050- 00244)

Details	Department	Work Type	Docket/Report
Fitness for Duty / IR			
124 - Training LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
Number of Items for this Docket: 1			
Percent of Total for this Docket: 4			
Human-System Interface & Environmnt / IR			
170 - HSI or information availability / quality LTA	E - Electrical	M - Maintenance / Repair	050-00244/2008-004
170 - HSI or information availability / quality LTA	M - Mechanical	M - Maintenance / Repair	050-00244/2008-002
Number of Items for this Docket: 2			
Percent of Total for this Docket: 8			
Oversight / IR			
130 - Inadequate suprevison / command and control	M - Mechanical	M - Maintenance / Repair	050-00244/2008-002
131 - Management expectations or directions LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
131 - Management expectations or directions LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
Number of Items for this Docket: 3			
Percent of Total for this Docket: 12			
Problem Identification & Resolution / IR			
147 - Individual corrective action LTA	M - Mechanical	M - Maintenance / Repair	050-00244/2008-002
150 - Programmatic deficiency	M - Mechanical	M - Maintenance / Repair	050-00244/2008-002
Number of Items for this Docket: 2			
Percent of Total for this Docket: 8			
Training / IR			
102 - Individual knowledge LTA	O - Operations	O - Control Room Ops	050-00244/2008-003
Number of Items for this Docket: 1			
Percent of Total for this Docket: 4			
Work Planning & Practices / IR			
180 - Scheduling and planning LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
180 - Scheduling and planning LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
180 - Scheduling and planning LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
181 - Inadequate staffing / task allocation	H - Health Physics	H - Health Physics	050-00244/2008-003
183 - Pre-job activities LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
183 - Pre-job activities LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
185 - Procedural adherence LTA	E - Electrical	M - Maintenance / Repair	050-00244/2008-004
185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00244/2008-002

U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report

Total Number of Hits: 3662
National Average: 35
2x National Average: 70
National Median: 21
Average for Selected Dockets: 35

Facility Name: Ginna Docket (050- 00244)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / IR			
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00244/2008-003
186 - Failure to take action / meet requirements	M - Mechanical	M - Maintenance / Repair	050-00244/2008-002
186 - Failure to take action / meet requirements	O - Operations	O - Control Room Ops	050-00244/2008-002
191 - Team interactions LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
191 - Team interactions LTA	H - Health Physics	H - Health Physics	050-00244/2008-003
Number of Items for this Docket: 13			
Percent of Total for this Docket: 52			
<hr/>			
Procedures & Reference Document / LER			
112 - Procedure / reference document contains human factors deficienc	O - Operations	O - Control Room Ops	050-00244/2008-001-00
Number of Items for this Docket: 1			
Percent of Total for this Docket: 4			
<hr/>			
Work Planning & Practices / LER			
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00244/2008-001-00
196 - Independent verification / plant tours LTA	O - Operations	O - Control Room Ops	050-00244/2008-001-00
Number of Items for this Docket: 2			
Percent of Total for this Docket: 8			
<hr/>			
Total Items for this Docket: 25			
