FISHERMEN'S CLAM REPORT

Surfclam - Ocean Quahog Survey Preliminary Catch Summary DELAWARE II Cape Hatteras - Georges Bank June 03 - July 21, 1999

The 1999 region-wide survey for Atlantic surfclam, *Spisula solidissima*; and Ocean Quahog, *Arctica islandica* was conducted in continental shelf waters, from Cape Hatteras, North Carolina to Georges Bank aboard the R/V DELAWARE II. The survey, by the NMFS, Northeast Fisheries Science Center, provides indices of abundance and recruitment for both species. In addition, tows were made at 153 non-random sites during the survey to evaluate gear performance.

The following charts and station data indicate the distribution of surfclams and ocean quahogs during the survey. Five-minute tows were made at the speed of 1.5 knots with a hydraulic jet dredge equipped with a 5-foot wide blade and submersible pump positioned on the dredge. Survey stations were randomly selected to give unbiased abundance measurements. Therefore, these data were not always on or near known locations of clam concentrations.

In this report, catch quantity is recorded in numbers of clams, depth in fathoms and bottom temperature in degrees Fahrenheit. Temperature data were recorded for 10 stations. Percent estimates of surfclams are also given by four categories of shell height between 0 to 4.75", 4.76 to 5.00", 5.01 to 5.50", and greater than 5.50". Distribution plots indicate relative numbers of surfclams and ocean quahogs caught on each tow.

In an effort to make this report timely, the data are summarized from unaudited catch files. Therefore, all information in this report is considered provisional and subject to change.

For further information contact Thomas Azarovitz (508-495-2283), Ecosystem Surveys Branch, National Marine Fisheries Service, Northeast Fisheries Science Center, 166 Water Street, Woods Hole, MA 02543-1097.




Figure 1. Dredge hauls made from R/V DELAWARE II, during National Marine Fisheries Service, Northeast Fisheries Science Center Surfclam/ Ocean Quahog Survey (99–07), June 03 – July 21, 1999.

Map 1 of 3




Figure 2. Dredge hauls made from R/V DELAWARE II, during National Marine Fisheries Service, Northeast Fisheries Science Center Surfclam/ Ocean Quahog Survey (99 – 07), June 03 – July 21, 1999.

Map 2 of 3




Figure 3. Dredge hauls made from R/V DELAWARE II, during National Marine Fisheries Service, Northeast Fisheries Science Center Surfclam/Ocean Quahog Survey (99 – 07), June 03 – July 21, 1999.

Map 3 of 3

			Stat	ion Da	ta				ottom			Surf Clams			Ocean Quahog
a	Q5 - 5	D	ition		Loran			Te Depth	emperati	ıre · Catch	Dan	cent of Surve	. Cabab		Catch Number
Survey Stratum	Station Number		ude Long:	itude	Time D	elays	Heading	(FM)	(F)	Number	0-4.74"	4.76-5.00"	5.01-5.50"	>5.50"	cacen numbe
09	0276	3746.0	7446.0	X2693	1.5 Y4	1964.2		21.3		65	44.6	18.5	24.6	12.3	27
09	0280	3704.0	7532.0	X2707	4.5 Y4	1421.3		13.7		0 -	0.0	0.0	0.0	0.0	0
09	0281	3706.0	7527.0	X2705	6.3 Y4	1453.2		14.8		0	0.0	0.0	0.0	0.0	0
* 09	0282	3709.0	7530.0	X2707	4.3 Y4	1481.2		9.8		0	0.0	0.0	0.0	0.0	0
* 09	0283	3711.0	7526.0	X2706	0.2 Y4	1511.1		13.7		0	0.0	0.0	0.0	0.0	0
* 09	0284	3716.0	7521.0	X2704	6.5 Y4	1576.1		13.1		15	6.7	0.0	13.3	80.0	0
09	0285	3718.0	7520.0	X2704	5.4 Y4	1600.3		15.3		0	0.0	0.0	0.0	0.0	0
09	0286	3723.0	7524.0	X2707	1.9 Y4	1649.5		14.2		0	0.0	0.0	0.0	0.0	0
* 09		3724.0	7517.0	X2704	2.0 Y4	1672.6		17.5		0	0.0	0.0	0.0	0.0	0
09		3723.0	7514.0	X2702		1666.5		15.3		0	0.0	0.0	0.0	0.0	0
* 09		3721.0	7513.0	X2701		1645.9		18.0		38	42.1	50.0	7.9	0.0	0
09		3718.0	7513.0	X2701	4.1 Y4	1612.6		14.8		255	20.4	38.8	36.9	3.9	0
09		3720.0	7506.0		5.6 Y4			14.2		5	20.0	40.0	20.0	20.0	0
09	0292	3713.0	7505.0		0.4 Y4			17.5		40	65.0	12.5	12.5	10.0	o
09	0293	3713.0	7510.0	X2699		1562.8		12.0		15	33.3	13.3	13.3	40.0	ō
09	0294	3706.0	7516.0	X2700		1474.3		18.6		0	0.0	0.0	0.0	0.0	ő
09	0295	3708.0	7519.0	X2702		1490.7		16.4		17	29.4	0.0	23.5	47.1	í
09	0295	3657.0	7522.0	X2702		1363.1		17.0		0	0.0	0.0	0.0	0.0	0
* 09	0297	3657.0	7527.0	X2704		1353.0		14.8		. 0	0.0	0.0	0.0	0.0	ñ
09	0297	3656.0	7528.0	X2704		1339.8		14.8		5	0.0	0.0	0.0	100.0	0
			7528.0	X2704 X2701		1319.1		15.9		4	75.0	0.0	0.0	25.0	0
09 * 09	0299	3653.0						17.5		4	100.0	0.0	0.0	0.0	0
0,5	0300	3658.0	7514.0	X2698		1390.5		20.2		8	100.0	0.0	0.0	0.0	a
09	0301	3658.0	7512.0		9.2 Y4			20.2		221	55.7		19.9	10.4	0
09	0302	3658.0	7508.0		1.9 Y4			16.4		136	68.4	14.0	7.4	2.2	0
09	0303	3653.0	7509.0		9.2 Y4							22.1			
09	0304	3648.0	7508.0		8.1 Y4			16.4		499	55.9	34.1	9.0	1.0	0
09	0305	3646.0	7504.0		8.4 Y4			15.9		235	80.0	18.7	1.3	0.0	0
09	0306	3648.0	7504.0		1.0 Y4			18.0		139	78.4	15.1	3.6	2.9	0
* 09	0307	3651.0	7501.0		2.1 Y4			19.1		238	69.7	18.5	6.3	5.5	0
09	0308	3648.0	7454.0		8.2 Y4			19.7		275	88.0	9.5	1.8	0.7	0
* 09	0310	3654.0	7454.0		5.6 Y4			21.9		61	91.8	1.6	3.3	3.3	0
09	0311	3653.0	7458.0		1.7 Y4			19.7		630	80.2	9.7	5.4	4.8	0
* 09	0312	3653.0	7503.0		3.4 Y4			18.6		0	0.0	0.0	0.0	0.0	0
* 09	0313	3654.0	7503.0		4.7 Y4			19.7		322	74.2	11.2	9.3	5.3	0
* 09	0314	3659.0	7500.0		8.4 Y4			23.0		23	100.0	0.0	0.0	0.0	0
0.9	0315	3656.0	7500.0		4.4 Y4			21.3		149	0.0	0.0	0.0	0.0	0
* 09	0316	3653.0	7458.0	X2691	.1.7 Y4	1370.1		19.1		477	70.2	21.0	5.9	2.9	0
* 09	0317	3654.0	7458.0	X2691	.3.0 Y4	1380.7		19.7		340	0.0	0.0	0.0	0.0	0
* 09	0318	3654.0	7458.0	X2691	3.0 Y4	1380.7		19.7		243	0.0	0.0	0.0	0.0	0
* 09	0319	3653.0	7458.0	X2691	1.7 Y4	1370.1		19.7		525	0.0	0.0	0.0	0.0	0
* 09	0320	3654.0	7458.0	X2691	3.0 Y4	1380.7		19.7		723	0.0	0.0	0.0	0.0	0
* 09	0321	3654.0	7458.0	X2691	3.0 Y4	1380.7		19.7		387	0.0	0.0	0.0	0.0	0
* 09	0322	3653.0	7458.0	X2691	1.7 Y4	1370.1		19.7		210	0.0	0.0	0.0	0.0	0
* 09	0323	3654.0	7458.0	X2691		1380.7		19.1		519	70.9	18.1	8.3	2.7	0
* 09	0324	3654.0	7458.0	X2691		1380.7		19.1		150	0.0	0.0	0.0	0.0	0
* 09	0325	3653.0	7458.0		1.7 Y4			19.1		334	0.0	0.0	0.0	0.0	Ó
* 09	0326	3654.0	7458.0		3.0 Y4			19.1		657	0.0	0.0	0.0	0.0	Ö
* 09	0327	3653.0	7458.0		1.7 Y4			19.1		516	0.0	0.0	0.0	0.0	Ö
* 09	0328	3654.0	7458.0		3.0 Y4			19.1		720	0.0	0.0	0.0	0.0	o
	fies a no									0				0	*

			Stat	ion Data							Surf Clams			Ocean Quahogs
								ottom						
								mperat		_				
Survey	Station		ition		oran	77 34	Depth	(F)	Catch	0-4.74"	cent of Survey 4.76-5.00"	5.01-5.50"	>5.50"	Catch Number
Stratum	Number	Latit	ude Longi	itude T	ime Delays	Heading	(FM)	(1)	Number	0-4.74	4.76-5.00	5.01-5.50	>5.50"	
* 09	0329	3654.0	7458.0	X26913.	Y41380.7		19.1		311	0.0	0.0	0.0	0.0	0
* 09		3654.0	7458.0	X26913.			19.1		211	67.3	24.6	5.7	2.4	0
* 09		3653.0	7458.0		7 Y41370.1		19.1		771	0.0	0.0	0.0	0.0	0
* 09		3653.0	7458.0	X26911.			19.1		389	0.0	0.0	0.0	0.0	0
* 09		3654.0	7458.0	X26913.	Y41380.7		19.1		477	0.0	0.0	0.0	0.0	0
* 09		3654.0	7458.0	X26913.	941380.7		19.7		600	0.0	0.0	0.0	0.0	0
* 09		3654.0	7458.0	X26913.	0 Y41380.7		19.7		211	0.0	0.0	0.0	0.0	0
* 09		3654.0	7458.0	X26913.	0 ¥41380.7		19.7		751	0.0	0.0	0.0	0.0	0
* 09	0337	3654.0	7458.0	X26913.	0 Y41380.7		19.7		143	74.1	14.7	7.0	4.2	0
* 09		3654.0	7458.0	X26913.	0 Y41380.7		19.1		660	0.0	0.0	0.0	0.0	0
* 09		3654.0	7458.0	X26913.	0 Y41380.7		19.1		722	0.0	0.0	0.0	0.0	0
* 09		3654.0	7458.0	X26913.	0 Y41380.7		19.1		216	0.0	0.0	0.0	0.0	0
* 09		3654.0	7458.0	X26913.	0 Y41380.7		19.1		744	0.0	0.0	0.0	0.0	0
* 09		3653.0	7458.0	X26911.	7 Y41370.1		19.1		637	0.0	0.0	0.0	0.0	0
* 09	0343	3654.0	7458.0	X26913.	0 Y41380.7		19.1		479	0.0	0.0	0.0	0.0	0
* 09	0344	3654.0	7458.0	X26913.	0 Y41380.7		19.1		907	73.5	18.1	6.1	2.3	0
* 09		3654.0	7458.0	X26913.	0 Y41380.7		19.1		628	0.0	0.0	0.0	0.0	0
* 09	0346	3654.0	7458.0	X26913.	0 Y41380.7		19.1		765	0.0	0.0	0.0	0.0	0
* 09	0347	3654.0	7458.0	X26913.	0 Y41380.7		19.1		0	0.0	0.0	0.0	0.0	0
* 09	0348	3654.0	7458.0	X26913.	0 Y41380.7		19.1		596	0.0	0.0	0.0	0.0	0
* 09	0349	3654.0	7458.0	X26913.	0 Y41380.7		19.7		63	0.0	0.0	0.0	0.0	0
* 09	0350	3654.0	7458.0	X26913.	0 Y41380.7		19.7		330	0.0	0.0	0.0	0.0	0
* 09	0351	3654.0	7458.0	X26913.	0 Y41380.7		19.7		202	70.3	18.8	7.9	3.0	0
* 09	0352	3654.0	7458.0	X26913.	0 Y41380.7		19.7		575	0.0	0.0	0.0	0.0	0
* 09	0353	3654.0	7458.0	X26913.	0 Y41380.7		19.7		548	0.0	0.0	0.0	0.0	0
* 09	0354	3654.0	7458.0	X26913.	0 Y41380.7		19.7		599	0.0	0.0	0.0	0.0	0
* 09	0355	3654.0	7458.0	X26913.	0 Y41380.7		19.1		723	0.0	0.0	0.0	0.0	0
* 09	0356	3654.0	7458.0	X26913.	0 Y41380.7		19.1		354	0.0	0.0	0.0	0.0	0
* 09	0357	3654.0	7458.0	X26913.	0 Y41380.7		19.1		393	0.0	0.0	0.0	0.0	0
* 09	0358	3654.0	7458.0	X26913.	0 Y41380.7		19.7		440	74.1	15.9	6.1	3.9	0
* 09	0359	3653.0	7458.0	X26911.	7 Y41370.1		19.1		476	0.0	0.0	0.0	0.0	0
* 09	0360	3654.0	7458.0	X26913.	0 Y41380.7		19.1		345	0.0	0.0	0.0	0.0	0
* 09	0361	3654.0	7458.0	X26913.	0 Y41380.7		19.1		300	0.0	0.0	0.0	0.0	0
* 09	0362	3654.0	7458.0	X26913.	0 Y41380.7		19.1		189	0.0	0.0	0.0	0.0	0
* 09	0363	3653.0	7458.0	X26911.	7 Y41370.1		19.1		457	0.0	0.0	0.0	0.0	0
* 09	0364	3653.0	7458.0	X26911.	7 ¥41370.1		19.7		851	0.0	0.0	0.0	0.0	0
* 09	0365	3654.0	7458.0	X26913.	0 Y41380.7		19.1		786	0.0	0.0	0.0	0.0	0
* 09	0366	3654.0	7458.0	X26913.	0 Y41380.7		19.1		487	72:3	17.7	5.7	4.3	0
* 09	0367	3654.0	7458.0	X26913.	0 Y41380.7		19.1		629	0.0	0.0	0.0	0.0	0
* 09	0368	3654.0	7458.0	X26913.	0 ¥41380.7		19.1		195	0.0	0.0	0.0	0.0	0
* 09	0369	3654.0	7458.0	X26913.	0 Y41380.7		19.1		249	0.0	0.0	0.0	0.0	0
* 09	0370	3654.0	7458.0	X26913.			19.7		143	0.0	0.0	0.0	0.0	0
09	0404	3753.0	7502.0	X27021.			10.9		45	0.0	0.0	13.3	86.7	0
09	0410	3740.0	7512.0	X27046.			14.2		0	0.0	0.0	0.0	0.0	0
09	0411	3741.0	7502.0	X27001.			14.2		79	19.0	20.3	41.8	19.0	0
09	0412	3736.0	7500.0	X26983.			14.2		36	8.3	16.7	44.4	30.6	0
* 09	0413	3730.0	7506.0		5 Y41757.6		15.9		336	53.0	31.2	15.2	0.6	0
09	0414	3736.0	7511.0	X27035.			15.3		0	0.0	0.0	0.0	0.0	0
09	0415	3733.0	7518.0	X27062.			11.5		0	0.0	0.0	0.0	0.0	O
			om statio											

			Stat	tion Da	ta						Surf Clams			Ocean Quahog
								Bottom						
Survey	Station	Pos	ition		Loran			emperat						
Stratum	Number		ude Longi	tudo	Time Delay	s Heading	Depth (FM)	(13)	Catch		cent of Survey			Catch Numbe
JCIACUIII	Manimet	Dacic	ude bong.	rcuue	Time Delay	e neading	(FPI)	(F)	Number	0-4.74"	4.76-5.00"	5.01-5.50"	>5.50"	
09		3701.0	7508.0	X2696	5.1 Y41435	.3	20.8		4	25.0	50.0	25.0	0.0	0
09		3701.0	7456.0	X2691	3.4 Y41459	.6	25.2		53	88.7	3.8	7.5	0.0	0
09	0420	3703.0	7502.0	X2694	2.6 Y41469	.1	21.9		4	100.0	0.0	0.0	0.0	Ď
* 09	0421	3708.0	7458.0	X2693	1.8 Y41530	.9	21.9		21	90.5	9.5	0.0	0.0	D
• 09	0422	3711.0	7457.0	X2693	1.5 Y41565	.3	21.9		122	76.2	9.8	9.0	4.9	3
09	0423	3713.0	7452.0	X2691	1.7 Y41596	. 2	26.8		1	100.0	0.0	0.0	0.0	ō
09	0424	3716.0	7448.0	X2689	7.5 Y41635	. 8	27.9		8	100.0	0.0	0.0	0.0	11
* 09	0425	3718.0	7457.0	X2694	1.5 Y41641	. 2	20.2		18	77.8	11.1	5.6	5.6	0
* 09	0426	3723.0	7451.0	X2694	3.9 Y41695	. 7	21.3		139	74.1	3.6	16.5	5.8	1
* 09		3725.0	7459.0		l.1 Y41714		17.5		91	23.1	13.2	11.0	52.7	1
09		3728.0	7500.0		0.4 Y41745		15.3		112	44.6	18.8	20.5	16.1	0
09	0429	3733.0	7454.0		0.0 Y41810		17.5		86	43.0	15.1	20.9	20.9	0
* 09		3728.0	7453.0		7.7 ¥41757		14.8		423	37.8	20.6	25.1		-
· 09		3723.0	7450.0		5.4 Y41707		24.6		202	92.1	4.0		16.5	0
+ 09		3723.0	7444.0		3.4 Y41718		30.6		31	100.0	0.0	3.0 0.0	1.0	0
09		3726.0	7442.0		3.1 Y41753		29.0		1				0.0	0
09		3738.0	7448.0		3.9 Y41873		21.9		86	100.0 86.0	0.0	0.0	0.0	0
10		3736.0	7445.0	X2691			26.2				4.7	8.1	1.2	4
11		3736.0	7440.0	X2688			29.5		5	60.0	40.0	0.0	0.0	0
13		3823.0	7419.0						3	66.7	33.3	0.0	0.0	34
				X2684			23.0		14	28.6	7.1	21.4	42.9	27
13		3823.0	7422.0		5.0 Y42394		19.1		14	21.4	14.3	28.6	35.7	19
13		3806.0	7418.0		3.1 Y42215		25.7		10	80.0	0.0	20.0	0.0	30
13		3751.0	7448.0		9.3 Y42016		17.5		9	33.3	0.0	22.2	44.4	1
13		3841.0	7446.0		1.7 Y42572		8.2		0	0.0	0.0	0.0	0.0	0
13		3833.0	7448.0		5.1 Y42481		13.7		0	0.0	0.0	0.0	0.0	0
13		3833.0	7438.0		1.0 Y424 89		12.6		92	1.1	0.0	5.4	93.5	0
13		3831.0	7430.0	X2692			20.2		0	0.0	0.0	0.0	0.0	0
13		3821.0	7448 .0		2.3 Y42347		11.5		18	5.6	0.0	16.7	77.8	0
13		3813.0	7448.0	X2698			12.0		16	18.8	0.0	12.5	68.8	0
13		3813.0	7446.0	X2697	5.8 Y42261	. 2	13.1		26	15.4	0.0	15.4	69.2	0
13		3758.0	7450.0		L.O Y42090		14.2		65	1.5	0.0	20.0	78.5	0
13	0440	3804.0	7440.0	X2693	0.1 Y42168	.9	19.1		0	0.0	0.0	0.0	0.0	0
13	0441	3803.0	7436.0	X2690	7.8 Y42162	. 7	19.7		7	42.9	14.3	0.0	42.9	0
13	0442	3806.0	7434.0	X2690	2.2 Y42197	.7	20.8		7	14.3	14.3	42.9	28.6	í
13	0443	3808.0	7436.0	X2691	5.9 Y42217	. 2	21.9		16	43.8	12.5	6.2	37.5	1
13	0444	3816.0	7434.0	X26918	3.6 Y42306	.6	23.5		5	20.0	0.0	0.0	80.0	17
13	0445	3818.0	7436.0	X2693	2.7 Y42326	.5	20.8		. 0	0.0	0.0	0.0	0.0	0
13		3821.0	7430.0		5.4 Y42365		18.0		13	15.4	15.4	15.4	53.8	0
14		3819.0	7414.0	X2681			30.6		1	100.0	0.0	0.0	0.0	_
14		3818.0	7418.0	X2683			26.2		10	50.0				55
17		3853.0	7402.0	X2679			15.9		2	0.0	10.0	20.0	20.0	13
17		3848.0	7432.0	X2696			12.0		7		0.0	0.0	100.0	2
17		3843.0	7432.0		3.5 Y42606		18.6		7	42.9	0.0	0.0	57.1	0
17		3843.0	7428.0						,	14.3	0.0	28.6	57.1	0
				X26990			14.8		42	2.4	0.0	0.0	97.6	0
17		3843.0	7440.0		2.0 Y42598		13.7		0	0.0	0.0	0.0	0.0	0
17		3836.0	7432.0		3.1 Y42527		17.5		33	6.1	0.0	21.2	72.7	0
17		3841.0	7415.0	X26854			21.3		4	50.0	0.0	25.0	25.0	18
21		3956.0	7346.0	X2680'			15.3		37	10.8	5.4	18.9	64.9	0
21	0103	3943.0	7343.0 m station		3.3 Y43248	. 2	15.9		62	3.2	6.5	4.8	85.5	0

			Stat	tion Da	ta							Surf Clams			Ocean Quahogs
									ottom.						
	a				.				emperatu		_				
Survey Stratum	Station Number		ition ude Longi	itude	Loran Time	ı Delays	Heading	Depth (FM)	(F)	Catch Number	0-4.74"	cent of Survey 4.76-5.00"	5.01-5.50"	>5.50"	Catch Number
21	0104	3943.0	7340.0	X2673	9.2 Y	743247.2		15.3		47	0.0	2.1	6.4	91.5	1
* 21	0105	3940.0	7344.0	X2676	1.6 Y	743218.0		13.7		108	0.9	0.9	6.5	91.7	0
* 21	0106	3940.0	7344.0	X2676	1.6 Y	43218.0		13.1		58	6.9	5.2	12.1	75.9	Ō
* 21	0107	3940.0	7344.0	X2676	1.6 Y	743218.0		12.6		88	2.3	3.4	3.4	90.9	0
* 21	0108	3940.0	7344.0	X2676	1.6 Y	743218.0		13.1		46	4.3	2.2	8.7	84.8	D
21	0109	3936.0	7346.0	X2676	8.1 Y	43177.7		11.5		78	9.0	1.3	12.8	76.9	0
21		3936.0	7340.0	X2672	6.7 Y	743176.2		17.5		29	10.3	10.3	17.2	62.1	0
21	0111	3933.0	7342.0	X2673	5.2 Y	743146.1		16.4		68	8.8	5.9	39.7	45.6	0
* 21	0112	3931.0	7346.0	X2675	9.0 Y	743126.4		14.2		214	6.1	2.3	27.6	64.0	0
* 21		3931.0	7346.0	X2675		43126.4		14.2		67	14.9	6.0	19.4	59.7	0
* 21		3931.0	7346.0	X2675		43126.4		14.2		77	13.0	3.9	13.0	70.1	0
* 21	0115	3931.0	7346.0	X2675		43126.4		14.2		145	6.9	3.4	22.1	67.6	0
* 21	0116	3926.0	7346.0	X2675		43075.0		17.5		61	11.5	8.2	36.1	44.3	0
21		3923.0	7341.0	X2671		743043.9		19.1		186	9.1	8.6	39.8	42.5	ō
21	0118	3921.0	7350.0	X2676		43023.5		20.2		119	2.5	3.4	20.2	73.9	o o
* 21	0119	3916.0	7350.0	X2675		42971.7		20.2		65	6.2	4.6	30.8	58.5	2
21	0120	3916.0	7352.0	X2677		42971.5		19.1		219	4.6	1.8	26.5	67.1	20
21	0121	3913.0	7358.0	X2680		42939.5		15.3		51	3.9	2.0	13.7	80.4	0
21	0122	3908.0	7358.0	X2679		42887.0		19.7		13	7.7	7.7	30.8	53.8	28
21	0123	3906.0	7406.0	X2684		742864.0		17.5		39	10.3	2.6	10.3	76.9	9
21		3901.0	7422.0	X2693		742805.2		14.8		216	5.1	0.9	4.2	89.8	G G
21	0127	3858.0	7404.0	X2681		(42779.8		19.7		4	25.0	0.0	50.0	25.0	5
21	0128	3853.0	7358.0			42729.5		24.1		4	75.0	0.0	25.0	0.0	277
21	0131	3851.0	7347.0	X2670		(42713.4		23.5		11	18.2	36.4	27.3	18.2	121
21	0131	3901.0	7351.0	X2674		42815.7		23.5		6	0.0	33.3	50.0	16.7	121
21	0133	3906.0	7348.0			42868.4		20.8		4	0.0	0.0	50.0	50.0	11
21	0135	3913.0	7333.0			42942.4		23.5		24	37.5	25.0	25.0	12.5	25
21	0137	3918.0	7333.0			(42993.0		25.2		16	100.0	0.0	0.0	0.0	0
21	0137	3911.0	7347.0	X2673		42920.3		23.2		11	18.2	18.2	18.2	45.5	45
21	0140	3913.0	7347.0			42941.1		22.4		1	0.0	0.0	0.0	100.0	45 46
* 21	0141	3916.0	7352.0	X2677		42971.5		19.7		19	5.3	5.3	10.5	78.9	
* 21	0141	3916.0	7352.0	X2677		742971.5		18.0		62	6.5	3.2	9.7		2 1
21	0142	3925.0	7333.0			(43063.7		20.2		37	8.1	5.4	40.5	80.6	
21	0143	3925.0	7333.0			(43093.7		19.1		52	7.7			45.9	4
21	0144	3931.0	7330.0	X2664		743123.7		23.5		33	30.3	9.6	26.9	55.8	9
21	0145	3931.0	7323.0			743142.2		19.1		168	14.9	12.1	36.4	21.2	13
21	0146	3931.0	7318.0	X2656		743142.2		19.1		154	26.0	2.4 3.9	13.1	69.6	5
													14.9	55.2	6
21	0148	3928.0	7317.0	X2655		743091.6		19.1		79	25.3	3.8	10.1	60.8	0
21	0158	3941.0	7330.0	X2666		743223.7		23.0		154	16.9	16.2	40.3	26.6	6
21	0159	3946.0	7332.0	X2668		43274.3		19.7		56	10.7	14.3	44.6	30.4	30
* 21	0372	3923.0	7342.0	X2671		743044.0		18.0		61	4.9	3.3	19.7	72.1	0
* 21	0373	3916.0	7353.0	X2677		42971.5		18.6		107	2.8	11.2	26.2	59.8	0
* 21	0374	3913.0	7358.0	X2680		742939.5		15.9		44	2.3	2.3	13.6	81.8	0
23	0449	3843.0	7329.0	X2658		742640.4		38.3		0	0.0	0.0	0.0	0.0	0
25	0014	4021.0	7348.0	X2688		743634.0		22.4		0	0.0	0.0	0.0	0.0	0
25	0100	3956.0	7332.0			743373.8		20.2	48.4	17	47.1	17.6	29.4	5.9	23
25	0102	4003.0	7342.0	X2679		(43449.6		18.0		143	23.1	15.4	39.2	22.4	16
25	0155	3938.0	7307.0	X2649		743186.7		23.5		143	59.4	9.1	20.3	11.2	31
25	0156	3936.0	7317.0		6.7 Y	(43170.2		20.2		56	26.8	1.8	17.9	53.6	0
'*' Signii	fies a no	n-rando	m statio	n.											

			Stat	tion Da	ta]	Bottom			Surf Clams			Ocean Quahog
								mperat	ıre					
Survey	Station	Pos	ition		Loran		Depth	•	Catch	Per	cent of Survey	Catch		Catch Numbe
Stratum	Number	Latit	ude Long:	itude	Time Delays	Heading	(FM)	(F)	Number	0-4.74"	4.76-5.00"	5.01-5.50"	>5.50"	
25		3941.0	7314.0	X2655			23.0		25	84.0	12.0	0.0	4.0	31
25		3948.0	7326.0		8.1 Y43291.6		19.7		62	67.7	12.9	6.5	12.9	40
26		3948.0	7308.0		7.9 Y43283.3		26.8		5	100.0	0.0	0.0	0.0	5
29		4021.0	7322.0		9.1 ¥43609.2		17.0		1	100.0	0.0	0.0	0.0	20
29	0173	4023.0	7317.0	X2664	3.7 Y43623.3		17.0		1	100.0	0.0	0.0	0.0	7
29	0175	4018.0	7258.0	X2648	4.3 Y43558.4		23.5		1	100.0	0.0	0.0	0.0	68
31	0188	4001.0	7222.0		8.6 Y43376.5		38.8		0	0.0	0.0	0.0	0.0	0
32	0597	4003.0	7200.0	X2602	4.1 Y43378.9		42.1		0	0.0	0.0	0.0	0.0	0
32	0598	3953.0	7207.0	X2607	6.2 Y43297.2		48.1		0	0.0	0.0	0.0	0.0	0
32	0599	3949.0	7215.0	X2613	3.9 ¥43266.5		46.5		0	0.0	0.0	0.0	0.0	0
32	0600	3946.0	7221.0	X2617	6.5 Y43242.7		47.0		0	0.0	0.0	0.0	0.0	O
32	0601	3946.0	7224.0	X2619	8.0 Y43244.1		47.6		0	0.0	0.0	0.0	0.0	o o
33	0603	4055.0	7158.0	X2603	8.3 Y43803.9		15.9		5	100.0	0.0	0.0	0.0	113
36	0591	4013.0	7132.0	X2581	1.2 Y43441.0		47.6		0	0.0	0.0	0.0	0.0	0
36	0592	4004.0	7133.0	X2582	5.2 Y43368.8		48.7		0	0.0	0.0	0.0	0.0	Õ
36	0593	4003.0	7142.0	X2589	1.2 Y43366.6		49.2		0	0.0	0.0	0.0	0.0	0
36	0595	4006.0	7148.0	X2593	4.0 Y43395.7		43.2		0	0.0	0.0	0.0	0.0	ō
37	0466	4103.0	7100.0	X2553	8.4 Y43787.1		19.1		2	100.0	0.0	0.0	0.0	117
37	0606	4121.0	7112.0	X2567	8.5 Y43930.4		14.8		2	100.0	0.0	0.0	0.0	59
39	0461	4036.0	7129.0	X2577	8.4 Y43620.4		36.1		1	100.0	0.0	0.0	0.0	1
40	0586	4022.0	7043.0	X2544	8.1 Y43471.2		49.2		0	0.0	0.0	0.0	0.0	ō
40	0587	4024.0	7055.0	X2552	6.9 Y43496.1		47.6		0	0.0	0.0	0.0	0.0	ő
40	0588	4030.0	7103.0	X2557	6.8 Y43548.5		42.7		0	0.0	0.0	0.0	0.0	ő
40	0589	4026.0	7108.0	X2561	9.3 Y43522.7		44.8		0 -	0.0	0.0	0.0	0.0	ō
40	0590	4028.0	7115.0	X2567	0.6 Y43544.5		41.0		0	0.0	0.0	0.0	0.0	Ô
44	0582	4019.0	7002.0	X2522	7.0 Y43418.7		47.6		. 0	0.0	0.0	0.0	0.0	ő
44		4018.0	7010.0		7.5 Y43417.2		47.6		ō	0.0	0.0	0.0	0.0	ő
44	0584	4020.0	7023.0	X2532	9.9 Y43441.0		48.1		ā	0.0	0.0	0.0	0.0	ŏ
44		4020.0	7029.0		4.7 Y43445.6		50.3		o o	0.0	0.0	0.0	0.0	0
45		4056.0	6942.0		4.3 Y43651.0		18.0		13	15.4	0.0	7.7	76.9	1
45		4051.0	6936.0		1.7 Y43612.8		21.9		5	100.0	0.0	0.0	0.0	0
45		4048.0	6940.0		4.1 Y43597.1		20.2		2	100.0	0.0	0.0	0.0	1
45		4045.0	693 0 .0		3.1 Y43568.5		25.2		5	100.0	0.0	0.0	0.0	8
46		4038.0	6932.0		9.3 Y43524.5		26.2		26	92.3	7.7	0.0	0.0	54
46		4036.0	6922.0		5.5 Y43503.5		27.9		10	100.0	0.0	0.0	0.0	62
46		4043.0	6918.0		9.1 Y43545.4		32.3		0	0.0	0.0	0.0	0.0	0
47		4031.0	6920.0		3.6 Y43469.5		32.3		11	90.9	9.1	0.0	0.0	83
47		4048.0	6906.0		9.2 Y43566.9		38.8		0	0.0	0.0	0.0	0.0	0.0
48		4008.0	6931.0		7.5 Y43323.5		48.7		ŏ	0.0	0.0	0.0	0.0	0
59		4055.0	6748.0		3.1 Y43547.2		31.7		61	19.7	11.5	39.3	29.5	1171
* 59		4048.0	6743.0		0.9 Y43504.2		37.2		1	100.0	0.0	0.0	0.0	
* 59		4055.0	6741.0		2.5 Y43542.2		36.1		16	75.0				113
* 59		4102.0	6737.0		4.8 Y43578.1		32.8		12	8.3	25.0 16.7	0.0 58.3	0.0	1228
* 59		4102.0	6726.0		3.6 Y43575.4		32.8		108	8.3 75.9			16.7	1684
* 59 * 59		4103.0	6717.0	W1326 W1322			35.5		108		1.9	8.3	13.9	2211
- 55		4103.0	6717.0		7.3 Y43592.8		35.5			100.0	0.0	0.0	0.0	570
61 * 61			6711.0		7.3 143592.8 5.6 Y43607.2		31.7		1	100.0	0.0	0.0	0.0	106
			6820.0		2.5 Y43607.2		25.2		1	100.0	0.0	0.0	0.0	919
69			6824.0		2.5 143606.5 2.7 143621.5		26.2		11	18.2	0.0	0.0	81.8	0
69	0499		m station		4., 143041.5		26.2		0	0.0	0.0	0.0	0.0	0

			Sta	tion Da	ta		ī	Bottom			Surf Clams		100	Ocean Quahog
								mperatu:		****		*		
Survey	Station	n Pos	sition		Loran		Depth	-mporacu.	Catch	Der	cent of Survey	Catab		G-1-1-171
Stratum	Number	Latit	ude Long	itude	Time Delays	Heading	(FM)	(F)		0-4.74"	4.76-5.00"	5.01-5:50"	>5.50"	Catch Numbe
	0500	4105.0											,,,,,	
69 69	0500 0501	4106.0	6820.0	W1349			0.0		0	0.0	0.0	0.0	0.0	0
69	0501	4106.0	6813.0	W1345			0.0		0	0.0	0.0	0.0	0.0	0
69	0502	4106.0	6813.0	W1345			24.1		4	100.0	0.0	0.0	0.0	0
69	0503	4110.0	6800.0	W1338;			24.6		7	100.0	0.0	0.0	0.0	0
69	0512		6751.0 6739.0	W13354			27.3		1	100.0	0.0	0.0	0.0	11
69	0512	4111.0	6732.0		3.4 Y43629.0		27.9		32	68.8	9.4	0.0	21.9	3
70	0494	4043.0	6827.0		1.3 Y43661.1 D.0 Y43505.8		24.1		58	77.6	8.6	1.7	12.1	0
70	0495	4046.0					31.7		2	100.0	0.0	0.0	0.0	279
70	0495	4046.0	6821.0		9.9 Y43519.3		30.1		5	100.0	0.0	0.0	0.0	461
71	0552		6824.0 6722.0		3.3 Y43551.2		0.0		0	0.0	0.0	0.0	0.0	0
71	_	4158.0			3.3 Y43858.7		26.8		215	43.3	24.2	24.7	7.9	0
72	0553 0542	4203.0	6720.0		9.0 Y43881.3		27.9		0	0.0	0.0	0.0	0.0	0
72 72	0542	4141.0	6747.0		7.2 Y43797.1		18.6		1292	62.2	14.5	22.1	8.7	0
		4142.0	6756.0		2.7 Y43811.5		18.0		80	23.8	20.0	41.2	15.0	0
72	0544	4146.0	6751.0		0.3 Y43827.4		0.0		0	0.0	0.0	0.0	0.0	0
72 72	0545	4148.0	6746.0		7.9 Y43832.6		0.0		0	0.0	0.0	0.0	0.0	0
	0546	4141.0	6741.0		0.7 Y43791.1		20.2		552	52.4	14.1	19.2	14.3	0
72	0547	4144.0	6738.0	W13122			0.0		0	0.0	0.0	0.0	0.0	0
72	0548	4153.0	6746.0		2.6 Y43858.4		21.3		0	0.0	0.0	0.0	0.0	0
72	0549	4155.0	6738.0		7.2 Y43860.2		0.0		0	0.0	0.0	0.0	0.0	Ô
72	0550	4148.0	6732.0		.8 Y43818.4		19.1		47	66.0	10.6	17.0	6.4	Ó
72	0551	4159.0	6724.0		6.6 Y43865.7		13.1		4	50.0	0.0	0.0	50.0	0
73	0514	4116.0	6722.0		3.2 Y43642.3		0.0		0	0.0	0.0	0.0	0.0	ŏ
73	0531	4148.0	6716.0		9.4 ¥43802.7		0.0		0	0.0	0.0	0.0	0.0	Ō
73	0532	4143.0	6728.0	W13084			29.0		142	30.3	19.0	34.5	16.2	2
73	0533	4143.0	6720.0		0.9 Y43781.2		0.0		0	0.0	0.0	0.0	0.0	0
73	0536	4132.0	6722.0		3.0 Y43726.4		29.0		67	47.8	14.9	19.4	17.9	ō
73	0538	4126.0	6720.0		3.2 Y43693.4		24.6		8	25.0	25.0	12.5	37.5	ō
73	0539	4128.0	6728.0		7.4 Y43710.8		20.8		65	10.8	4.6	29.2	55.4	ā
73	0540	4128.0	6731 _j .0).2 Y43713.5		17.5		26	69.2	3.8	15.4	11.5	ō
73	0541	4129.0	6743.0		7.5 Y43729.7		0.0		0	0.0	0.0	0.0	0.0	ō
74	0530	4146.0	6702.0		2.6 Y43779.5		33.9		3	100.0	0.0	0.0	0.0	ì
74	0534	4138.0	6708.0		5.2 Y43744.7		0.0		0	0.0	0.0	0.0	0.0	0
74	0535	4132.0	6716.0		3.0 Y43721.1		27.9		3	66.7	0.0	0.0	33.3	2
74	0537	4126.0	6714.0	W13108	3.4 Y43688.3		23.0		21	28.6	9.5	38.1	23.8	õ
82	0278	3703.0	7540.0		3.8 Y41394.7		9.3		0	0.0	0.0	0.0	0.0	Ö
82	0279	3704.0	7539.0		.3 ¥41408.0		8.2		О	0.0	0.0	0.0	0.0	ů .
83	0416	3728.0	7532.0	X27116	.7 Y41693.0		8.2		0	0.0	0.0	0.0	0.0	0
83	0417	3728.0	7528.0	X27098	1.8 Y41699.5		8.7		0	0.0	0.0	0.0	0.0	o o
84	0406	3756.0	7512.0	X27076	.4 Y42040.3		8.2		0	0.0	0.0	0.0	0.0	0
84	0407	3748.0	7518.0	X27089	.9 Y41941.6		6.6		0	0.0	0.0	0.0	0.0	0
84	0408	3744.0	7520.0	X27091	.8 Y41893.4		9.8		0	0.0	0.0	0.0	0.0	0
84	0409	3738.0	7522.0	X27089	.8 Y41822.3		8.7		ō	0.0	0.0	0.0	0.0	0
85	0397	3818.0	7458.0	X27049	.1 Y42304.5		9.3		Ö	0.0	0.0	0.0	0.0	-
85	0398	3816.0	7458.0	X27045	.2 Y42282.0		12.0		Ô	0.0	0.0	0.0	0.0	0
85	0399	3810.0	7458.0		.4 Y42214.8		11.5		Ď	0.0	0.0	0.0	0.0	
85	0400	3814.0	7454.0		.5 Y42263.8		12.0		8	12.5	0.0			0
85		3801.0	7510.0		.4 Y42099.3		6.6		0	0.0		12.5	75.0	0
86		3843.0	7458.0		.9 Y42586.2		9.8		0	0.0	0.0	0.0	0.0	0
			m station				2.0		•	0.0	0.0	0.0	0.0	0

			Stat	ion Da	ta		:	Bottom			Surf Clams			Ocean Quahog
								emperatu						
Survey Stratum	Station Number		ition ude Longi	tude	Loran Time Delays	Heading	Depth (FM)	(F)	Catch Number	Per 0-4.74"	cent of Survey 4.76-5.00"	7 Catch	>5.50"	Catch Numbe
86	0390	3836.0	7458.0	X2708	7.1 Y42507.2		7.7		0	0.0	0.0	0.0	0.0	0
86		3833.0	7458.0	X2708			6.6		8	100.0	0.0	0.0	0.0	ő
87		3908.0	7432.0		8.9 Y42878.2		8.2	52.7	41	2.4	0.0	0.0	97.6	o o
87		3906.0	7422.0		3.4 Y42859.4		13.1	-2	2	0.0	0.0	0.0	100.0	o o
87		3908.0	7420.0	X2693			12.0		26	0.0	0.0	0.0	100.0	Ô
87		3858.0	7432.0		7.0 Y42768.4		7.7		5	20.0	20.0	20.0	40.0	Ď.
87		3901.0	7444.0		4.7 Y42796.3		6.6		0	0.0	0.0	0.0	0.0	Ď
87		3853.0	7448.0		9.4 Y42705.0		7.1		1110	15.7	33.4	44.7	6.2	ō
87		3853.0	7436.0		9.9 Y42711.4		9.8		6	0.0	0.0	0.0	100.0	ŏ
87		3846.0	7445.0		6.7 Y42628.6		9.3		0	0.0	0.0	0.0	0.0	Ô
87		3846.0	7450.0		5.0 Y42625.4		8.7		0	0.0	0.0	0.0	0.0	Ď
88		3933.0	7408.0		1.3 Y43150.3		9.8	52.9	31	9.7	0.0	3.2	87.1	0
* 88		3933.0	7408.0		1.3 Y43150.3		9.8	52.5	15	20.0	0.0	0.0	80.0	0
* 88		3931.0	7410.0		0.2 Y43129.3		9.8		-0	0.0	0.0	0.0	0.0	0
88		3931.0	7410.0	X2692			9.8		í	0.0	0.0	0.0	100.0	0
88		3928.0	7406.0		7.3 Y43097.2		10.9		18	5.6	11.1	16.7	66.7	Ö
* 88		3928.0	7406.0		7.3 Y43097.2		10.9		9	0.0	0.0	0.0	100.0	0
* 88		3926.0	7412.0		2.4 Y43076.2		9.8		3	0.0	0.0	0.0	100.0	ŏ
88		3926.0	7412.0	X2692			9.3	52.9	20	10.0	0.0	0.0	90.0	ŏ
88		3918.0	7416.0		1.0 Y42990.3		9.3	32.3	190	0.0	0.5	11.1	88.4	o o
* 88		3918.0	7416.0		1.0 Y42990.3		9.8		238	0.8	0.0	7.1	92.0	ŏ
* 88		3918.0	7418.0	X2694			8.7		106	4.7	0.9	11.3	83.0	ő
88		3918.0	7418.0		3.8 Y42990.0		8.2		39	25.6	0.0	2.6	71.8	0
88		3916.0	7418.0 7420.0		2.1 Y42968.2		8.7		4	50.0	0.0	25.0	25.0	0
* 88		3916.0	7420.0		2.1 Y42968.2		9.3		309	1.3	11.0	64.7	23.0	0
		3913.0	7422.0		8.2 Y42935.3		9.8		258	1.6	1.6	19.4	77.5	0
* 88		3913.0	7422.0		8.2 Y42935.3		9.8	54	262	0.8	2.3	19.5	77.5	o o
88		3913.0	7424.0		0.7 Y42934.9		9.8	24	167	4.2	7.8	35.9	52.1	0
88		3913.0	7424.0		0.7 Y42934.9		9.8		194	4.6	6.2	39.7	49.5	0
* 88			7424.0		5.5 Y42934.0		8.7		48	14.6	4.2	27.1	54.2	0
* 88		3913.0	7428.0		5.5 Y42934.0		8.7		21	0.0	4.2	14.3	81.0	0
88		3913.0					7.7		56	1.8	0.0		87.5	0
88		3913.0	7432.0		0.3 Y42933.1		7.7		29	0.0	0.0	10.7 3.4	96.6	0
* 88		3913.0	7432.0		0.3 Y42933.1		11.5		49	4.1	0.0		95.6	0
88		3913.0	7416.0		0.6 Y42936.5		11.5		49	2.3	0.0	0.0 2.3	95.9	0
* 88		3913.0	7416.0		0.6 Y42936.5			FD 7						
* 88		3916.0	7412.0		1.4 Y42969.3		14.2	52.7	85	4.7	2.4	8.2	84.7	0
88		3916.0	7412.0		1.4 Y42969.3		14.2		71	5.6	2.8	7.0	84.5	0
* 88		3915.0	7410.0		6.6 Y42958.9		12.0		50	20.0	0.0	2.0	78.0	0
* 88		3915.0	7410.0		6.6 Y42958.9		12.0		71	19.7	1.4	7.0	71.8	0
* 88		3920.0	7403.0		1.4 Y43012.7		13.7		29	20.7	0.0	6.9	72.4	0
* 88		3921.0	7431.0		3.0 Y43021.0		13.1		26	23.1	3.8	11.5	61.5	0
88		3921.0	7356.0	X2680			15.3		116	9.5	3.4	12.9	74.1	0
* 88		3921.0	7356.0	X2680			15.3		112	4.5	5.4	13.4	76.8	0
* 88		3923.0	7354.0		8.1 Y43044.3		15.9		44	4.5	4.5	11.4	79.5	0
88		3923.0	7354.0		8.1 Y43044.3		15.9		44	15.9	0.0	13.6	70.5	0
88	0063	3928.0	7355.0		4.1 Y43096.4		13.7	51.3	0	0.0	0.0	0.0	0.0	0
88	0064	3928.0	7356.0	X2682			13.7		33	3.0	0.0	6.1	90.9	0
* 88	0065	3929.0	7356.0		2.7 Y43106.9		13.7		105	8.6	0.0	7.6	83.8	0
* 88	0066	3925.0	7357.0	¥2682	1.7 Y43065.2	1	14.2		37	0.0	0.0	0.0	0.0	0

			Stat	tion Da	ta						Surf Clams	-		Ocean Quahogs
								Bottom						
Q	a+ -+ 1	T			•			emperatu		_				
Survey Stratum	Station Number		ition ude Long:		Loran	77	Depth	/ T)	Catch		cent of Survey			Catch Numbe:
Stratum	Number	Lacic	ude Long:	ıtuae	Time Delays	Heading	(FM)	(F)	Number	0-4.74"	4.76-5.00"	5.01-5.50"	>5.50"	
* 88		3926.0	7357.0	X2682			13.7		20	0.0	0.0	0.0	0.0	0
* 88		3925.0	7356.0	X2681			14.2		9	0.0	0.0	0.0	0.0	0
* 88		3928.0	7356.0	X2682			14.2		8.0	7.5	0.0	2.5	90.0	0
* 88		3929.0	7356.0	X2682			13.1		0	0.0	0.0	0.0	0.0	0
* 88		3929.0	7356.0	X2682			13.1		53	5.7	0.0	0.0	94.3	0
* 88		3929.0	7356.0	X2682			13.7		54	0.0	0.0	0.0	0.0	0
88		3931.0	7401.0		0.2 Y43128.4		13.1		5	0.0	0.0	20.0	80.0	0
* 88		3931.0	7400.0	X2685			13.7		148	2.0	0.7	2.7	94.6	0
* 88		3931.0	7400.0	X2685			13.1		0	0.0	0.0	0.0	0.0	0
88		3931.0	7402.0	X2686			12.0		54	0.0	1.9	5.6	92.6	0
* 88		3931.0	7402.0	X2686			12.0		45	0.0	0.0	0.0	0.0	0
* 88		3930.0	7403.0		1.5 Y43118.1		12.6		10	0.0	0.0	0.0	100.0	0
* 88		3931.0	7403.0	X2687			12.6		13	0.0	0.0	7.7	92.3	0
* 88		3931.0	7402.0	X2686			12.6		11	0.0	0.0	0.0	100.0	0
88		3933.0	7354.0	X2681			14.8		0	0.0	0.0	0.0	0.0	0
88		3933.0	7354.0		7.0 Y43148.3		13.7		136	6.6	2.2	18.4	72.8	0
* 88		3933.0	7354.0	X2681			14.2		180	2.8	2.8	13.9	80.6	0
* 88		3933.0	7354.0		7.0 Y43148.3		14.2		42	7.1	4.8	23.8	64.3	0
* 88		3933.0	7354.0		7.0 Y43148.3		14.2		19	0.0	5.3	31.6	63.2	0
* 88		3936.0	7354.0	X2682			14.8		117	0.0	0.0	0.0	0.0	0
88		3936.0	7354.0	X2682			14.8		161	1.9	1.2	26.1	70.8	0
89		4008.0	7350.0		4.4 Y43505.4		15.3		18	11.1	0.0	11.1	77.8	10
89		4006.0	7350.0		9.7 Y43485.2		14.8		162	8.0	3.7	25.3	63.0	0
89		4001.0	7354.0		7.3 Y43436.9		13.1		138	8.0	8.7	50.0	33.3	0
89		4001.0	7356.0		1.8 Y43438.1		10.9		82	14.6	1.2	23.2	61.0	0
89		3956.0	7356.0		0.0 Y43386.8		11.5		56	3.6	0.0	17.9	78.6	0
89		3956.0	7400.0	X2690			10.9		18	0.0	0.0	11.1	88.9	0
89		3956.0	7402.0	X2692			9.8		34	2.9	8.8	58.8	29.4	0
89		3946.0	7402.0		9.5 Y43285.6		7.7	54.5	28	21.4	14.3	46.4	17.9	0
89		3941.0	7400.0		4.5 Y43232.8		10.9		84	3.6	2.4	14.3	79.8	0
89		3941.0	7404.0		2.0 Y43233.9		8.7		8	0.0	0.0	25.0	75.0	0
* 89		3945.0	7355.0		8.4 Y43272.9		12.6		110	1.8	0.0	26.4	71.8	0
* 89		3946.0	7355.0		0.6 Y43283.2		13.1		37	2.7	0.0	18.9	78.4	0
* 89		3946.0	7354.0		3.6 Y43282.8		13.1		59	5.1	3.4	10.2	81.4	0
89		3946.0	7350.0		5.4 Y43281.4		14.2		74	8.1	1.4	8.1	82.4	0
89		3946.0	7348.0		1.3 Y43280.6		13.7		56	5.4	1.8	25.0	67.9	0
89		3948.0	7348.0		5.4 Y43301.1		13.7		64	3.1	4.7	12.5	79.7	0
89		3951.0	7348.0		1.6 Y43331.7		12.6		110	2.7	0.0	5.5	91.8	0
89		3948.0	7354.0		7.9 ¥43303.5		12.6		42	14.3	2.4	7.1	76.2	0
89		3948.0	7358.0		5.0 Y43305.0		11.5		42	7.1	0.0	7.1	85.7	0
89		3951.0	7356.0	X2686			13.1		46	8.7	0.0	10.9	80.4	0
89		3953.0	7352.0		4.6 Y43354.0		13.7		54	18.5	1.9	18.5	61.1	0
90		4013.0	7352.0		1.7 Y43557.4		13.1		37	0.0	0.0	29.7	70.3	0
91		4033.0	7321.0		7.3 Y43721.4		9.8	50	155	12.9	1.9	31.6	53.5	0
91		4031.0	7342.0		0.6 Y43726.2		10.9		12	16.7	0.0	8.3	75.0	0
91		4026.0	7347.0		6.7 Y43682.6		17.5		0	0.0	0.0	0.0	0.0	0
92		4036.0	7302.0	X2654			12.0		30	3.3	3.3	13.3	80.0	1
92		4036.0	7306.0	X2658			9.8		40	0.0	2.5	2.5	95.0	2
93		4059.0	7200.0		2.1 Y43838.0		9.8		16	18.8	0.0	0.0	81.2	86
<pre>'*' Signif</pre>	ies a no	n-rando	m station	n										

			Stat	ion Data							Surf Clams			Ocean Quahogs
								Bottom emperati	ıre	***************************************				
Survey	Station	ı Pos	ition	Lo	ran		Depth		Catch	Per	cent of Survey	/ Catch		Catch Number
Stratum	Number		ude Long	itude Ti	me Delays	Heading	(FM)	(F)	Number	0-4.74"	4.76-5.00"	5.01-5.50"	>5.50"	
94	0471	4113.0	7054.0	X25497.5	Y43849.3		0.0		0	0.0	0.0	0.0	0.0	0
94	0605	4106.0	7144.0	X25933.0	Y43868.9		0.0		0	0.0	0.0	0.0	0.0	0
95	0472	4113.0	7046.0	X25425.3	Y43838.5		15.3		1	0.0	0.0	0.0	100.0	157
95	0474	4116.0	7032.0	X25304.4	Y43840.2		13.7		59	22.0	1.7	8.5	67.8	12
95	0475	4113.0	7014.0	X25136.4	Y43797.5		11.5.		4	25.0	0.0	0.0	75.0	0
95	0476		7004.0	X25067.1	Y43739.8		12.6		140	0.7	2.1	2.9	94.3	0