

ENERGY STAR Commercial Refrigerator Qualified Product List

List Current as of February 20, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------------|---------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Admiral Craft Equipment Corp. | ADCRAFT | FZ-1D | FZ-1D | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.6 | 2.44 | | 82.5 | 29 | 32.2 | 6.3 | R-404A | 1/20/2011 | 10/19/2012 |
| Admiral Craft Equipment Corp. | ADCRAFT | FZ-2D | FZ-2D | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 41.33 | 2.26 | | 82.5 | 54 | 32.2 | 11.06 | R-404A | 1/20/2011 | 10/19/2012 |
| Admiral Craft Equipment Corp. | ADCRAFT | FZS-2D | FZS-2D | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 28 | 2.33 | | 80 | 48 | 26 | 16.93 | R-404A | 1/20/2011 | 11/19/2012 |
| Admiral Craft Equipment Corp. | ADCRAFT | RF-1D | RF-1D | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.6 | 2.44 | | 82.5 | 29 | 32.2 | 2.24 | R-134A | 1/20/2011 | 10/19/2012 |
| Admiral Craft Equipment Corp. | ADCRAFT | RF-2D | RF-2D | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 41.33 | 2.26 | | 82.5 | 54 | 32.2 | 2.57 | R-134A | 1/20/2011 | 10/19/2012 |
| Admiral Craft Equipment Corp. | ADCRAFT | RF-3D | RF-3D | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.46 | 0 | 66.46 | 82.48 | 80.87 | 32.2 | 3.58 | R-134A | 4/30/2011 | 9/21/2012 |
| Admiral Craft Equipment Corp. | ADCRAFT | RF-3D | RF-3D | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.46 | 2.26 | | 82.5 | 81 | 32.2 | 3.58 | R-134A | 1/20/2011 | 10/19/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------------|--------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Admiral Craft Equipment Corp. | ADCRAFT | RFS-1D | RFS-1D | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 22.99 | 1.98 | | 79 | 28 | 32 | 3.4 | R-134A | 1/20/2011 | 10/19/2012 | |
| Admiral Craft Equipment Corp. | ADCRAFT | RFS-2D | RFS-2D | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Sliding | 42.5 | 1.77 | | 79 | 53 | 32 | 4.92 | R-134A | 1/20/2011 | 10/19/2012 | |
| Asbury Foodservice | MAXX-COLD | MCR-23FD | MCR-23FD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 30 | 2.58 | R-134A | 1/5/2002 | 9/21/2012 | |
| Asbury Foodservice | MAXX-COLD | MCR-49FD | MCR-49FD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 42.7 | 0 | 42.7 | 76.9 | 53.9 | 31 | 3.36 | R-134A | 1/5/2002 | 9/21/2012 | |
| Asbury Foodservice | MAXX-COLD | MCRT-23FD | MCRT-23FD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 2.53 | R-134A | 1/13/2011 | 9/21/2012 | |
| Asbury Foodservice | MAXX-COLD | MCRT-49FD | MCRT-49FD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 43.64 | 0 | 43.64 | 76.9 | 31 | 31 | 3.96 | R-134A | 1/3/2011 | 9/21/2012 | |
| Beverage-Air Corp. | Beverage-Air | BB68G-1 | BB68G-1 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 28.3 | 28.3 | 0 | 37.25 | 69 | 28.18 | 4.01 | R-134A | 12/20/2002 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | BM23 | BM23 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 7.8 | 0 | 7.8 | 39 | 24 | 29.5 | 1.85 | R-134A | 7/15/1993 | 9/10/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|--------------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR1-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 22.3 | 22.3 | 0 | 78.5 | 26 | 32 | 4.11 | R-134A | 7/17/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR1-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 21.7 | 0 | 21.7 | 78.5 | 26 | 32 | 2.94 | R-134A | 7/17/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR1W-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 31.3 | 31.3 | 0 | 78.5 | 35 | 32 | 4.9 | R-134A | 7/20/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR1W-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 30.6 | 0 | 30.6 | 78.5 | 35 | 32 | 3.2 | R-134A | 7/20/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR2-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 48 | 48 | 0 | 78.5 | 52 | 32 | 5.8 | R-134A | 7/17/2009 | 11/8/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR2-1HG | HRPS2-1HG,HRPS2-1HG,; HRPS2-1HG-003,HRPS2-1HG-003,; HRPS2-1HG-044,HRPS2-1HG-044,; HRPS2-1HG-18,HRPS2-1HG-18,; HRPS2-1HG-B8105,HRPS2-1HG-B8105,; HRS2-1HG,HRS2-1HG,; HRS2-1HG-001,HRS2-1HG-001,. | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 | Hinged | 48.2 | 48.2 | 0 | 78.75 | 52 | 33.75 | 5.59 | R-134A | 11/4/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR2-1HS | HRPS2-1HS,HRPS2-1HS-018,HR2-1HS-018,; HRP2-1HS,HRP2-1HS,; HRP2-1HS,HRPS2-1HS,; HRP2-1HS,HRPS2-1HS-005,HRPS2-1HS-005,; HRP2-1HS-B8338,HRPS2-1HS-B8338,; HRS2-1HS,HRS2-1HS,; HRS2-1HS-001,HRS2-1HS-001,. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 48.2 | 0 | 48.2 | 78.75 | 52 | 33.75 | 3.56 | R-134A | 11/4/2009 | 9/10/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|--------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR2-1HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 48.2 | 0 | 48.2 | 78.75 | 52 | 33.75 | 3.56 | R-134A | 11/4/2009 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR2-1S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 46.9 | 0 | 46.9 | 78.5 | 52 | 32 | 3.5 | R-134A | 7/17/2009 | 11/8/2012 | |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR3-1G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 3 | 0 | Hinged | 73.6 | 73.6 | 0 | 78.5 | 78 | 32 | 6.9 | R-134A | 1/18/2010 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | Horizon | HR3-1S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 72 | 0 | 72 | 78.5 | 78 | 32 | 4.1 | R-134A | 1/18/2010 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | Lumavue | LV38-1 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Sliding | 35.37 | 35.37 | 0 | 78 | 43.5 | 32 | 5.17 | R-134A | 2/17/2009 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | Lumavue | LV45-1 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Sliding | 42.98 | 42.98 | 0 | 78 | 52 | 32 | 5.92 | R-134A | 4/7/2009 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | Lumavue | LV49-1 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 45.42 | 45.42 | 0 | 78 | 52 | 32 | 5.82 | R-134A | 4/1/2009 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | Lumavue | LV66Y-1 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 3 | 0 | Sliding | 64.7 | 64.7 | 0 | 78 | 75 | 32 | 7.68 | R-134A | 10/9/2009 | 9/10/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|--------------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Beverage-Air Corp. | Beverage-Air | Lumavue | LV72Y-1 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 70.16 | 70.16 | 0 | 78 | 75 | 32 | 7.68 | R-134A | 9/10/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | LumaVue | LV27-1 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 26.17 | 26.17 | 0 | 78 | 30 | 32 | 4.13 | R-134A | 1/16/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Reach-In | RI18-HS | .RI18-HS-26/; RI18-HS-26/RI18-HS-26/ | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16.8 | 0 | 16.8 | 69.25 | 26.5 | 27.5 | 2.08 | R-134A | 4/9/2011 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | RI Series | RI18-HGS | .RI18-HGS-26/; .RI18-HGS-26/; .RI18-HGS-26/-18/; .RI18-HGS/; RI18-HGS-26/RI18-HGS-26/; RI18-HGS-26/RI18-HGS-26/; RI18-HGS-26/; RI18-HGS-26/-18/RI18-HGS-26/-18/; RI18-HGS/RI18-HGS/; | Mixed Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 1 | Hinged | 16.9 | 7.94 | 8.95 | 69 | 27.25 | 25.5 | 4.2 | R-134A | 7/20/1993 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | SM34N | SM34N | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 12.83 | 0 | 12.83 | 39.5 | 34.5 | 31 | 2 | R-404A | 7/11/1993 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | SM-49N | SM-49N | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 18.5 | 0 | 18.5 | 39.5 | 49.5 | 31 | 1.83 | R-404A | 7/12/1993 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | SM 58N | SM 58N | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 24.5 | 0 | 24.5 | 39.5 | 58.5 | 31 | 2.25 | R-404A | 7/14/1993 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | SMF34 | SMF34 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 13.35 | 0 | 13.35 | 47 | 34 | 33.25 | 2.5 | R-134A | 7/21/2008 | 9/10/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------|--------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Beverage-Air Corp. | Beverage-Air | SMF49Y | SMF49Y | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 17.28 | 0 | 17.28 | 47.13 | 49 | 33.5 | 2.18 | R-134A | 7/21/2008 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | ST 34N | ST 34N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 13.1 | 0 | 13.1 | 39.5 | 34 | 31.5 | 1.85 | R-404A | 7/11/1993 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | ST 49N | ST 49N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 19.2 | 0 | 19.2 | 39.5 | 49 | 31.5 | 2.2 | R-404A | 7/12/1993 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | Undercounter | UCR27A | UCR27A-07, UCR27A-09, UCR27A-09-001, UCR27A-09-001, UCR27A-09-23, UCR27A-16, UCR27A-16, UCR27A-17, UCR27A-17, UCR27A-23, UCR27A-23, UCR27A-24, UCR27A-24 | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 6.2 | 0 | 6.2 | 28.5 | 27 | 29.5 | 1.76 | R-134A | 9/10/1998 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | Work Top | WTR27A | WTR27A-001, WTR27A-001, WTR27A-07, WTR27A-07, WTR27A-09, WTR27A-09, WTR27A-16, WTR27A-16, WTR27A-17, WTR27A-17, WTR27A-23, WTR27A-23, WTR27A-24, WTR27A-24 | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 6.2 | 0 | 6.2 | 33.5 | 27 | 29.5 | 1.76 | R-134A | 9/10/1998 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | WTR 48A | WTR 48A | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 11.6 | 0 | 11.6 | 35.5 | 48 | 30.75 | 2.37 | R-134A | 9/7/1998 | 9/10/2012 | |
| Beverage-Air Corp. | Beverage-Air | WTR67A | WTR67A | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 19.21 | 0 | 19.21 | 39.63 | 67 | 35.87 | 2.56 | R-134A | 11/1/1998 | 9/10/2012 | |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASR1 | BASR1 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 20.5 | 0 | 20.93 | 83.8 | 212.7 | 31.25 | 2.26 | R-134A | 12/1/2011 | 11/16/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|------------|---------------------------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASR2 | BASR2 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 44.2 | 43.11 | 83.8 | 212.7 | 31.25 | 3.31 | R-134A | 12/1/2011 | 11/16/2011 | |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASR3 | BASR3 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.58 | 66.58 | 84.5 | 214.63 | 31.25 | 5.36 | R-134A | 9/15/2010 | 3/23/2011 | |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BAUR1 | BAUR1 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 6.81 | 6.81 | 35.87 | 91.12 | 30 | 1.16 | R-134A | 12/1/2010 | 3/23/2011 | |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BAUR2 | BAUR2 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 13.05 | 13.05 | 35.87 | 91.12 | 30 | 1.68 | R-134A | 12/1/2010 | 3/23/2011 | |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BAUR3 | BAUR3 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 19.51 | 19.51 | 35.87 | 91.12 | 30 | 2.33 | R-134A | 12/1/2010 | 3/23/2011 | |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BAUR60 | BAUR60 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16.18 | 16.18 | 35.87 | 91.12 | 30 | 2.05 | R-134A | 12/1/2010 | 3/23/2011 | |
| Broich Enterprises, Inc. | Arctic Air | Commercial storage refrigerator | AR23E | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 18.1 | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 10/30/2012 | 10/16/2012 | |
| Broich Enterprises, Inc. | Arctic Air | Commercial storage refrigerator | AR49E | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 41.8 | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 10/30/2012 | 10/16/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|------------|---------------------------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Broich Enterprises, Inc. | Arctic Air | Commercial storage refrigerator | ARTM23E | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 10/30/2012 | 10/16/2012 | |
| Broich Enterprises, Inc. | Arctic Air | Commercial storage refrigerator | ARTM49E | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 43 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 10/30/2012 | 10/30/2012 | |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | EBB59 | EBB59 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | Hinged | 18.82 | | 18.82 | 37.1 | 57.7 | 27 | 2.47 | R-134A | 1/13/2011 | 10/19/2012 | |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | EBB69G | EBB69G | | Glass Door Refrigerator Cabinet | Vertical | Manual | 2 | 0 | Hinged | 24.14 | 24.14 | 24.14 | 37.1 | 68 | 27 | 3.19 | R-134A | 12/7/2010 | 10/19/2012 | |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | EMGR24 | EMGR24 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 24 | 24 | 24 | 79.25 | 28.5 | 33.5 | 3.85 | R-134A | 12/30/2010 | 10/19/2012 | |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | ESR1 | ESR1 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 18.23 | | 18.12 | 79.2 | 29.1 | 31.6 | 2.02 | R-134A | 12/10/2010 | 10/19/2012 | |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | ESWR2 | ESWR2 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 43.07 | | 43.07 | 79.2 | 59 | 31.6 | 2.15 | R-134A | 10/10/2010 | 10/19/2012 | |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | ETBR2 | ETBR2 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 11.85 | | 11.85 | 34 | 47.2 | 31.5 | 2.2 | R-134A | 1/13/2011 | 10/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|-------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | ETBWR2 | ETBWR2 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 15.08 | | 15.08 | 34 | 59 | 315 | 2.06 | R-134A | 12/30/2010 | 10/19/2012 |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | ETR1 | ETR1 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 7.81 | | 7.81 | 34 | 35.5 | 31.5 | 1.27 | R-134A | 12/10/2010 | 10/19/2012 |
| BuSung America Corporation (DBA Everest Refrigeration) | Everest | ETR3 | ETR3 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 20.61 | | 20.61 | 34 | 70.9 | 31.5 | 2.02 | R-134A | 12/10/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 1R | 1R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 18.87 | 0 | 18.87 | 82.3 | 26 | 35.5 | 2.59 | R-134A | 1/1/2010 | 10/17/2012 |
| Continental Refrigerator | Continental | 1RE | 1RE | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.68 | 0 | 20.68 | 82.3 | 28.5 | 35.5 | 2.89 | R-134A | 1/1/2010 | 10/17/2012 |
| Continental Refrigerator | Continental | 1RE-HD | 1RE-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20.63 | 0 | 20.63 | 82.3 | 28.5 | 35.5 | 2.89 | R-134A | 1/1/2010 | 10/17/2012 |
| Continental Refrigerator | Continental | 1RE-PT | 1RE-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 23.14 | 0 | 23.14 | 82.3 | 28.5 | 35.5 | 3.05 | R-134A | 1/1/2010 | 10/17/2012 |
| Continental Refrigerator | Continental | 1RE-PT-HD | 1RE-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 23.04 | 0 | 23.04 | 82.3 | 28.5 | 35.5 | 3.05 | R-134A | 1/1/2010 | 10/17/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|-------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Continental Refrigerator | Continental | 1R-HD | 1R-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 18.69 | 0 | 18.69 | 82.3 | 26 | 35.5 | 2.59 | R-134A | 1/1/2010 | 10/17/2012 |
| Continental Refrigerator | Continental | 1R-PT | 1R-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 21.57 | 0 | 21.57 | 82.3 | 26 | 35.5 | 2.98 | R-134A | 1/1/2010 | 10/17/2012 |
| Continental Refrigerator | Continental | 1R-PT-HD | 1R-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 21.47 | 0 | 21.47 | 82.3 | 26 | 35.5 | 2.98 | R-134A | 1/1/2010 | 10/17/2012 |
| Continental Refrigerator | Continental | 1RS | 1RS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 16.21 | 0 | 16.21 | 82.3 | 26 | 30.5 | 2.69 | R-134A | 1/1/2010 | 10/17/2012 |
| Continental Refrigerator | Continental | 1RS-HD | 1RS-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 16.16 | 0 | 16.16 | 82.3 | 26 | 30.5 | 2.69 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 1RXS | 1RXS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 22.6 | 0 | 22.6 | 82.3 | 36.3 | 30.5 | 3.01 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 1RXS-HD | 1RXS-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 22.55 | 0 | 22.55 | 82.3 | 36.3 | 30.5 | 3.01 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 2RE | 2RE | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 50 | 0 | 50 | 82.3 | 57 | 35.5 | 4.25 | R-134A | 1/1/2010 | 10/18/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|-------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Continental Refrigerator | Continental | 2RE-HD | 2RE-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 49.9 | 0 | 49.9 | 82.3 | 57 | 35.5 | 4.25 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 2RE-PT | 2RE-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 50 | 0 | 50 | 82.3 | 57 | 35.5 | 4.25 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 2RE-PT-HD | 2RE-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 8 | Hinged | 49.8 | 0 | 49.8 | 82.3 | 57 | 35.5 | 4.25 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 2R-HD | 2R-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 46.51 | 0 | 46.51 | 82.3 | 52 | 35.5 | 4.16 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 2R-PT | 2R-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 46.61 | 0 | 46.61 | 82.3 | 52 | 35.5 | 4.16 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 2R-PT-HD | 2R-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 8 | Hinged | 46.41 | 0 | 46.41 | 82.3 | 52 | 35.5 | 4.16 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 3R | 3R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 68.38 | 0 | 68.38 | 82.3 | 78 | 35.5 | 5.01 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | 3RE | 3RE | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 75.76 | 0 | 75.76 | 82.3 | 85.5 | 35.5 | 5.23 | R-134A | 1/1/2010 | 10/18/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|-------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Continental Refrigerator | Continental | 3RE-HD | 3RE-HD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 75.61 | 0 | 75.61 | 82.3 | 85.5 | 35.5 | 5.23 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | 3RE-PT | 3RE-PT | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 80.2 | 0 | 80.2 | 82.3 | 85.5 | 35.5 | 6 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | 3RE-PT-HD | 3RE-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 12 | Hinged | 79.9 | 0 | 79.9 | 82.3 | 85.5 | 35.5 | 6 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | 3R-HD | 3R-HD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 68.2 | 0 | 68.2 | 82.3 | 78 | 35.5 | 5.01 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | 3R-PT | 3R-PT | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 73.16 | 0 | 73.16 | 82.3 | 78 | 35.5 | 5.75 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | 3R-PT-HD | 3R-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 12 | Hinged | 72.86 | 0 | 72.86 | 82.3 | 78 | 35.5 | 5.75 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | DL1R | DL1R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 21.57 | 0 | 21.57 | 83.3 | 26 | 35.5 | 2.98 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | DL1RE | DL1RE | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 23.14 | 0 | 23.14 | 83.3 | 28.5 | 35.5 | 3.05 | R-134A | 1/1/2010 | 10/18/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|-------------|--------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Continental Refrigerator | Continental | DL1RE-HD | DL1RE-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 23.09 | 0 | 23.09 | 83.3 | 28.5 | 35.5 | 3.05 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | DL1RE-PT | DL1RE-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 23.14 | 0 | 23.14 | 83.3 | 28.5 | 35.5 | 3.05 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | DL1RE-PT-HD | DL1RE-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 23.09 | 0 | 23.09 | 83.3 | 28.5 | 35.5 | 3.05 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | DL1RES | DL1RES | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 17.6 | 0 | 17.6 | 83.3 | 28.5 | 28.5 | 2.81 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | DL1RES-HD | DL1RES-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 17.55 | 0 | 17.55 | 83.3 | 28.5 | 30.5 | 2.81 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | DL1RES-PT | DL1RES-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 17.6 | 0 | 17.6 | 83.3 | 28.5 | 28.5 | 2.81 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | DL1RES-PT-HD | DL1RES-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 17.5 | 0 | 17.5 | 83.3 | 28.5 | 30.5 | 2.81 | R-134A | 1/1/2010 | 10/18/2012 |
| Continental Refrigerator | Continental | DL1R-HD | DL1R-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 21.52 | 0 | 21.52 | 83.3 | 26 | 35.5 | 2.98 | R-134A | 1/1/2010 | 10/18/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|-------------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Continental Refrigerator | Continental | DL1R-PT | DL1R-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | 21.57 | 0 | 21.57 | 82.3 | 26 | 35.5 | 2.98 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | DL1R-PT-HD | DL1R-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | 21.47 | 0 | 21.47 | 83.3 | 26 | 35.5 | 2.98 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | DL1RS | DL1RS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | 17.38 | 0 | 17.38 | 83.3 | 26 | 30.5 | 2.51 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL1RS-HD | DL1RS-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | 17.33 | 0 | 17.33 | 83.3 | 26 | 30.5 | 2.51 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL1RS-PT | DL1RS-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | 17.38 | 0 | 17.38 | 83.3 | 26 | 30.5 | 2.51 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | DL1RS-PT-HD | DL1RS-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | 17.28 | 0 | 17.28 | 83.3 | 26 | 30.5 | 2.51 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | DL1RXS | DL1RXS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | 24.26 | 0 | 24.26 | 83.3 | 36.3 | 30.5 | 3.01 | R-134A | 1/1/2010 | 10/18/2012 | |
| Continental Refrigerator | Continental | DL1RXS-HD | DL1RXS-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | 24.21 | 0 | 24.21 | 83.3 | 36.3 | 30.5 | 3.01 | R-134A | 1/1/2010 | 10/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|-------------|--------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Continental Refrigerator | Continental | DL1RXS-PT | DL1RXS-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | 24.26 | 0 | 24.26 | 83.3 | 36.3 | 30.5 | 3.01 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL1RXS-PT-HD | DL1RXS-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | 24.16 | 0 | 24.16 | 83.3 | 36.3 | 30.5 | 3.01 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL2R | DL2R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | 49.54 | 0 | 49.54 | 83.3 | 52 | 35.5 | 4.36 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL2R-HD | DL2R-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | 49.44 | 0 | 49.44 | 83.3 | 52 | 35.5 | 4.36 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL3R | DL3R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | 73.16 | 0 | 73.16 | 83.3 | 78 | 35.5 | 5.75 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL3RE | DL3RE | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | 80.2 | 0 | 80.2 | 83.3 | 85.5 | 35.5 | 6 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL3RE-HD | DL3RE-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 Hinged | 80.05 | 0 | 80.05 | 83.3 | 85.5 | 35.5 | 6 | R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL3RE-PT | DL3RE-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 Hinged | 80.2 | 0 | 80.2 | 83.3 | 85.5 | 35.5 | 6 | R-134A | 1/1/2010 | 10/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|-------------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Continental Refrigerator | Continental | DL3RE-PT-HD | DL3RE-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 12 Hinged | | 79.9 | 0 | 79.9 | 83.3 | 85.5 | 35.5 | 6 R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL3R-HD | DL3R-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 Hinged | | 73.01 | 0 | 73.01 | 83.3 | 78 | 35.5 | 5.75 R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL3R-PT | DL3R-PT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 Hinged | | 73.16 | 0 | 73.16 | 83.3 | 78 | 35.5 | 5.75 R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | DL3R-PT-HD | DL3R-PT-HD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 12 Hinged | | 72.89 | 0 | 72.89 | 83.3 | 78 | 35.5 | 5.75 R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | MC3-DCW | MC3-DCW | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 13.21 | 0 | 13.21 | 41.5 | 34 | 33 | 2.19 R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | MC3-SCW | MC3-SCW | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 13.21 | 0 | 13.21 | 41.5 | 34 | 33 | 2.48 R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | MC4-DCW | MC4-DCW | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 19.79 | 0 | 19.79 | 41.5 | 49 | 33 | 2.1 R-134A | 1/1/2010 | 10/19/2012 | |
| Continental Refrigerator | Continental | MC4-SCW | MC4-SCW | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.79 | 0 | 19.79 | 41.5 | 49 | 33 | 2.84 R-134A | 1/1/2010 | 10/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|---------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Continental Refrigerator | Continental | MC5-DCW | MC5-DCW | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 23.74 | 0 | 23.74 | 41.5 | 58 | 33 | 2.64 | R-134A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | MC5-SCW | MC5-SCW | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 23.74 | 0 | 23.74 | 41.5 | 58 | 33 | 2.97 | R-134A | 1/1/2010 | 10/19/2012 |
| Daeyeong E&B Co., Ltd. | DAEYONG E & B | DY-1220RNM | DY-1220RNM | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.7 | 0 | 42.7 | 76.9 | 53.9 | 31 | 3.36 | R-134A | 1/5/2002 | 9/21/2012 |
| Daeyeong E&B Co., Ltd. | DAEYONG E & B | DY-610RNM | DY-610RNM | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 30 | 2.58 | R-134A | 1/5/2002 | 9/21/2012 |
| Daeyeong E&B Co., Ltd. | Lassele | LRT-23S | LRT-23S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 2.53 | R-134A | 1/13/2011 | 9/21/2012 |
| Daeyeong E&B Co., Ltd. | Lassele | LRT-49D | LRT-49D | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.64 | 0 | 43.64 | 76.9 | 31 | 31 | 3.96 | R-134A | 1/3/2011 | 9/21/2012 |
| Danby Products Inc. | ColdTech | CRR229-1 | CRR229-1 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.6 | 0 | 20.6 | 82.5 | 28.98 | 32.2 | 2.24 | R-134A | 3/25/2011 | 1/21/2013 |
| Danby Products Inc. | ColdTech | CRR466-2 | CRR466-2 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 41.33 | 0 | 41.33 | 82.48 | 53.98 | 32.2 | 2.57 | R-134A | 3/25/2011 | 1/22/2013 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|----------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Danby Products Inc. | ColdTech | CRR720-3 | CRR720-3 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.46 | 0 | 66.46 | 82.48 | 80.87 | 32.2 | 3.58 | R-134A | 3/25/2011 | 1/22/2013 |
| Danby Products Inc. | ColdTech | CUR063-27 | CUR063-27 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 5.51 | 0 | 5.51 | 35.63 | 27.17 | 29.72 | 1 | R-134A | 3/25/2011 | 1/23/2013 |
| Danby Products Inc. | ColdTech | CUR119-47 | CUR119-47 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 11.2 | 0 | 11.2 | 35.63 | 47.24 | 29.72 | 1.59 | R-134A | 3/25/2011 | 1/23/2013 |
| Danby Products Inc. | Danby | CRR229-1 | CRR229-1 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.6 | 0 | 20.6 | 82.5 | 28.98 | 32.2 | 2.24 | R-134A | 3/25/2011 | 2/7/2013 |
| Danby Products Inc. | Danby | CRR466-2 | CRR466-2 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 41.33 | 0 | 41.33 | 82.48 | 53.98 | 32.2 | 2.57 | R-134A | 3/25/2011 | 2/7/2013 |
| Danby Products Inc. | Danby | CRR720-3 | CRR720-3 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.46 | 0 | 66.46 | 82.48 | 80.87 | 32.2 | 3.58 | R-134A | 3/25/2011 | 2/7/2013 |
| Danby Products Inc. | Danby | CUR063-27 | CUR063-27 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 5.51 | 0 | 5.51 | 35.63 | 27.17 | 29.72 | 1 | R-134A | 3/25/2011 | 2/7/2013 |
| Danby Products Inc. | Danby | CUR119-47 | CUR119-47 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 11.2 | 0 | 11.2 | 35.63 | 47.24 | 29.72 | 1.59 | R-134A | 3/25/2011 | 2/7/2013 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|-------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Duke Manufacturing Co. | Backcounter | RBC | RBC 60 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 12.4 | | | 36 | 91.4 | 29.5 | 1.93 | R-134A | 5/11/2004 | 4/7/2011 | |
| Duke Manufacturing Co. | Backcounter | RUF | RUF 48 M | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 17 | | | 36 | 91.4 | 29.5 | 2.78 | R-134A | 1/6/1995 | 4/7/2011 | |
| Electrolux Home Products | Arctic Air | Arctic Air | GDR22CWLF | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 20 | 20 | 0 | 70.6 | 32 | 29 | 3 | R-134A | 4/1/1999 | 2/18/2011 | |
| Electrolux Home Products | Arctic Air | Arctic Air | GDR22CWRF | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 20 | 20 | 0 | 70.6 | 32 | 29 | 3 | R-134A | 4/1/1999 | 2/18/2011 | |
| Electrolux Home Products | Arctic Air | Arctic Air | R22CWF | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 18 | 0 | 18 | 70.6 | 32 | 29 | 1 | R-134A | 1/1/1996 | 2/18/2011 | |
| Electrolux Home Products | Frigidaire | Frigidaire | FCGM201RFB | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 20 | 20 | 0 | 70.6 | 32 | 29 | 3 | R-134A | 5/1/2012 | 2/18/2011 | |
| Electrolux Home Products | Frigidaire | Frigidaire | FORS201LFB | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 19 | 0 | 19 | 70.6 | 32 | 29 | 1 | R-134A | 5/1/2006 | 2/18/2011 | |
| Electrolux Home Products | Frigidaire | Frigidaire | FORS201RFB | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 19 | 0 | 19 | 70.6 | 32 | 29 | 1 | R-134A | 5/1/2006 | 2/18/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-----------------------------|---------------------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Electrolux Home Products | Gibson | Gibson | RR18R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 18 | | 18 | 70.6 | 32 | 29 | 1 R-134A | | 9/4/2012 | 9/4/2012 |
| Electrolux Home Products | Kelvinator | Kelvinator | KGM220RHY | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 20 | 20 | 0 | 70.6 | 32 | 29 | 3 R-134A | | 12/1/2008 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KRS220RHY | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19 | 0 | 19 | 70.6 | 32 | 29 | 1 R-134A | | 12/1/2008 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KRS221LHY | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19 | 0 | 19 | 70.6 | 32 | 29 | 1 R-134A | | 12/1/2008 | 2/18/2011 |
| Everest Import Distribution | GLOBAL 1ST PRODUCTS | GDC-1-22NRJ | GDC-1-22NRJ | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 8.55 | 8.55 | 0 | 67.72 | 21.65 | 23.07 | 1.98 R-134A | | 4/30/2011 | 9/21/2012 |
| Everest Import Distribution | GLOBAL 1ST PRODUCTS | GDC-1-26NRJ | GDC-1-26NRJ | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 13.28 | 13.28 | 0 | 83.27 | 25.59 | 24.41 | 2.23 R-134A | | 4/30/2011 | 9/21/2012 |
| Everest Import Distribution | GLOBAL 1ST PRODUCTS | GDC-1-27NRJ | GDC-1-27NRJ | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 22.9 | 22.9 | 0 | 83.27 | 28.35 | 31.89 | 3.4 R-134A | | 4/30/2011 | 9/21/2012 |
| Everest Import Distribution | GLOBAL 1ST PRODUCTS | GDC-2-53NRJ | GDC-2-53NRJ | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Sliding | | 42.5 | 42.5 | 0 | 83.27 | 53.15 | 31.89 | 4.92 R-134A | | 4/30/2011 | 9/21/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-----------------------------|--------------------------------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Everest Import Distribution | GLOBAL 1ST PRODUCTS | SDC-1-29NRJ | SDC-1-29NRJ | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.6 | 0 | 20.6 | 82.5 | 28.98 | 32.2 | 2.24 | R-134A | 4/30/2011 | 9/21/2012 |
| Everest Import Distribution | GLOBAL 1ST PRODUCTS | SDC-2-54NRJ | SDC-2-54NRJ | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 41.33 | 0 | 41.33 | 82.48 | 53.98 | 32.2 | 2.57 | R-134A | 4/30/2011 | 9/21/2012 |
| Everest Import Distribution | GLOBAL 1ST PRODUCTS | SDC-3-81NRJ | SDC-3-81NRJ | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.46 | 0 | 66.46 | 82.48 | 80.87 | 32.2 | 3.58 | R-134A | 4/30/2011 | 9/21/2012 |
| Excellence Industries | Excellence | EMM-2S | EMM-2S | EMM-2SD,EMM-2SD, | Glass Door Refrigerator Cabinet | Vertical | | Manual | 1 | 0 Hinged | | 1.78 | 1.78 | 0 | 19.69 | 17.2 | 19.69 | 1.11 | R-134A | 4/1/2012 | 12/19/2012 |
| Excellence Industries | Excellence | EMM-3S | EMM-3S | EMM-3SD,EMM-3SD, | Glass Door Refrigerator Cabinet | Vertical | | Manual | 1 | 0 Hinged | | 2.52 | 2.52 | 0 | 27.17 | 17.24 | 20 | 1.17 | R-134A | 4/1/2012 | 12/19/2012 |
| Excellence Industries | Excellence | EMM-4S | EMM-4S | EMM-4SD,EMM-4SD, | Glass Door Refrigerator Cabinet | Vertical | | Manual | 1 | 0 Hinged | | 3.41 | 3.41 | 0 | 32.87 | 18.9 | 18.9 | 1.52 | R-134A | 4/1/2012 | 12/19/2012 |
| Excellence Industries | Excellence Commercial Products | CC-7-BEV | CTM-7 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 5.94 | | | 37.8 | 96 | 25 | 2.08 | R-134A | 7/13/2009 | 12/22/2011 |
| Excellence Industries | Excellence Commercial Products | VR-10-G | VR-10-G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 8.49 | | | 54 | 137.16 | 22.8 | 2.19 | R-134A | 4/19/2009 | 12/22/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-----------------------------|--------------------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Excellence Industries | Excellence Commercial Products | VR-12-G | VR-12-G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 10.38 | | | 62 | 157.48 | 22.8 | 2.1 | R-134A | 4/19/2009 | 12/22/2011 | |
| Excellence Industries | Excellence Commercial Products | VR-26-G | VR-26-G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 22.06 | | | 78 | 198.1 | 29.5 | 3.32 | R-134A | 6/14/2009 | 12/22/2011 | |
| Excellence Industries | Excellence Commercial Products | VR-45-SLD | VR-45-SLD | | Glass Door Refrigerator Cabinet | Vertical | Manual | 2 | 0 | Sliding | 38.6 | | | 55.44 | 140.8 | 29.5 | 5.77 | R-134A | 8/6/2011 | 12/22/2011 | |
| Fogel de Centroamerica S.A. | Fogel | CC-7-BEV | CC-7-BEV | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 5.94 | | | 37.8 | 96 | 25 | 2.08 | R-134A | 7/13/2009 | 4/7/2011 | |
| Fogel de Centroamerica S.A. | Fogel | DECK-10 | DECK-10 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 8.12 | | | 54 | 137.16 | 22.8 | 1.82 | R-134A | 9/17/2009 | 4/7/2011 | |
| Fogel de Centroamerica S.A. | Fogel | DECK-12 | DECK-12 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 9.97 | | | 62 | 157.48 | 22.8 | 1.85 | R-134A | 1/10/2009 | 4/7/2011 | |
| Fogel de Centroamerica S.A. | Fogel | DECK-26 | DECK-26 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 22.1 | | | 77.3 | 196.2 | 29.6 | 4.01 | R-134A | 11/15/2010 | 4/7/2011 | |
| Fogel de Centroamerica S.A. | Fogel | HC-12-US | HC-12 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 10.38 | | | 62 | 157.48 | 22.8 | 2.09 | Other | 12/18/2009 | 4/7/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------------|-------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|-------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Fogel de Centroamerica S.A. | Fogel | VR-10-BEV | VR-10-BEV | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 Hinged | 8.49 | | | | 54 | 137.16 | 22.8 | 2.19 R-134A | | 4/19/2009 | 4/7/2011 |
| Fogel de Centroamerica S.A. | Fogel | VR-12-BEV | VR-12-BEV | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 Hinged | 10.38 | | | | 62 | 157.48 | 22.8 | 2.1 R-134A | | 4/19/2009 | 4/7/2011 |
| Fogel de Centroamerica S.A. | Fogel | VR-26-BEV | VR-26-BEV | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 Hinged | 22.06 | | | | 78 | 198.1 | 29.5 | 3.32 R-134A | | 6/14/2009 | 4/7/2011 |
| Fogel de Centroamerica S.A. | Fogel | VR-45-SD | VR-45-SD | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | 38.61 | | | | 55.44 | 140.8 | 29.5 | 5.77 R-134A | | 8/6/2011 | 6/16/2011 |
| FoodServiceWarehouse.com, LLC | FSW | FSW-1R-LX | FSW-1R-LX | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 1 Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 30 | 2.58 R-134A | | 1/5/2002 | 9/21/2012 | |
| FoodServiceWarehouse.com, LLC | FSW | FSW-2R-LX | FSW-2R-LX | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 2 Hinged | 42.7 | 0 | 42.7 | 76.9 | 53.9 | 31 | 3.36 R-134A | | 1/5/2002 | 9/21/2012 | |
| FoodServiceWarehouse.com, LLC | FSW | FSW-STM23R | FSW-STM23R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 1 Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 2.53 R-134A | | 1/13/2011 | 9/21/2012 | |
| FoodServiceWarehouse.com, LLC | FSW | FSW-STM49R | FSW-STM49R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 2 Hinged | 43.64 | 0 | 43.64 | 76.9 | 31 | 31 | 3.96 R-134A | | 1/3/2011 | 9/21/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|------------------------|-------------|----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Frigoglass North America | Frigoglass | Miracool | MC260-CC-CO2-E | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 9.38 | 9.38 | | | 54 | 24.5 | 26 | 1.97 | Other | 3/15/2012 | 9/20/2012 |
| Frigoglass North America | Frigoglass | Miracool | MC260-CC-CO2-S | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 9.38 | 9.38 | | | 54 | 24.5 | 26 | 2.24 | Other | 3/15/2012 | 9/20/2012 |
| Frigoglass North America | Frigoglass | Miracool | MC300-CC-CO2-E | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 11.94 | 11.94 | | | 62 | 24.5 | 26 | 2.18 | Other | 3/15/2012 | 9/20/2012 |
| Frigoglass North America | Frigoglass | Miracool | MC300-CC-CO2-S | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 11.94 | 11.94 | | | 62 | 24.5 | 26 | 2.4 | Other | 3/15/2012 | 9/20/2012 |
| Frigoglass North America | Frigoglass | Miracool | MC750-CC-CO2-E | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 25.74 | 25.74 | | | 78 | 30 | 32 | 3.9 | Other | 3/15/2012 | 9/20/2012 |
| Frigoglass North America | Frigoglass | Miracool | MC750-CC-CO2-S | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 25.74 | 25.74 | | | 78 | 30 | 32 | 4.14 | Other | 3/15/2012 | 9/20/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC1100S-1-B | MC1100S-1-B | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Sliding | 38.82 | 38.82 | | | 78 | 43.5 | 32 | 4.68 | R-134A | 2/8/2010 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC1100S-V2 | MC1100S-V2 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Sliding | 38.82 | 38.82 | | | 78 | 43.5 | 32 | 5.45 | R-134A | 6/7/2011 | 9/20/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|------------------------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Frigoglass North America | MiraCool by Frigoglass | MC1300H | MC1300H | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 47.72 | 47.72 | | 78 | 52 | 32 | 6.78 | R-134A | 9/23/2010 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC1300H-V2 | MC1300H-V2 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 47.72 | 47.72 | | 78 | 52 | 32 | 6.38 | R-134A | 1/31/2011 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC1300S | MC1300S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 46.96 | 46.96 | | 78 | 52 | 32 | 6.46 | R-134A | 9/23/2010 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC1300S-V2 | MC1300S-V2 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 46.96 | 46.96 | | 78 | 52 | 32 | 5.93 | R-134A | 6/7/2011 | 9/20/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC2000H-1-B | MC2000H-1-B | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 69.2 | 69.2 | | 78 | 78 | 32 | 6.86 | R-134A | 9/23/2010 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC2000S | MC2000S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 | Sliding | 64.96 | 64.96 | | 78 | 78 | 32 | 8.63 | R-134A | 9/23/2010 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC260-1-B | MC260-1-B | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 9.08 | 9.08 | | 54 | 24.5 | 24 | 2.15 | R-134A | 2/8/2010 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC260-CC | MC260-CC | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 9.38 | 9.38 | | 54 | 24.5 | 25.5 | 1.98 | R-134A | 1/20/2011 | 10/19/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|------------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Frigoglass North America | MiraCool by Frigoglass | MC260-V2 | MC260-V2 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 9.38 | 9.38 | | 54 | 24.5 | 25.5 | 2.41 | R-134A | 1/20/2011 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC300-1-B | MC300-1-B | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 11.12 | 11.12 | | 62 | 24.5 | 24 | 2.47 | R-134A | 2/8/2010 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC300-CC | MC300-CC | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 11.94 | 11.94 | | 62 | 24.5 | 25.5 | 2.34 | R-134A | 1/20/2011 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC300-V2 | MC300-V2 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 11.9 | 11.9 | | 62 | 24.5 | 25.5 | 2.4 | R-134A | 1/20/2011 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC750-1-B | MC750-1-B | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 25.74 | 25.74 | | 78 | 30 | 32 | 4.1 | R-134A | 2/8/2010 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC750-CC | MC750-CC | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 25.74 | 25.74 | | 78 | 30 | 32 | 3.14 | R-134A | 1/20/2011 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | MC750-V2 | MC750-V2 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 25.74 | 25.74 | | 78 | 30 | 32 | 3.99 | R-134A | 1/20/2011 | 10/19/2012 |
| Frigoglass North America | MiraCool by Frigoglass | Retro US | Retro US | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 9.38 | 9.38 | | 74.4 | 19.5 | 26 | 2.47 | R-134A | 1/13/2011 | 10/19/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|------------------------|---------------|---------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Frigoglass North America | MiraCool by Frigoglass | UR30-CC | UR30-CC | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 6.14 | | | 36.5 | 20.3 | 24.3 | 1.64 | R-134A | 3/14/2011 | 11/21/2012 | |
| Frigoglass North America | MiraCool by Frigoglass | UR30-ST | UR30-ST | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 6.14 | | | 36.5 | 20.3 | 26.63 | 1.77 | R-134A | 3/14/2011 | 11/21/2012 | |
| Frigoglass North America | MiraCool by Frigoglass | UR30-V2 | UR30-V2 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 6.14 | 6.14 | | 36.5 | 20.3 | 24.3 | 1.87 | R-134A | 3/14/2011 | 11/21/2012 | |
| Frigoglass North America | Mircool by Frigoglass | MC260-C02 | MC260-C02 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 9.38 | | | 35.5 | 90.17 | 22.5 | 2.17 | R744 | 1/24/2013 | 1/24/2013 | |
| Frigoglass North America | Mircool by Frigoglass | MC300-C02 | MC300-C02 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 11.94 | | | 43.5 | 110.49 | 23.25 | 2.51 | R744 | 1/24/2013 | 1/24/2013 | |
| Frigoglass North America | Mircool by Frigoglass | RERTO 400-C02 | RETRO 400-C02 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 13.7 | | | 53.56 | 136.04 | 20.31 | 2.78 | R744 | 1/24/2013 | 1/24/2013 | |
| Guangdong Xingxing Refrigeration Equipment Co.,Ltd | Xingxing | CFD-1RR | CFD-1RR | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 20.6 | 0 | 18.4 | 82.48 | 28.98 | 32.2 | 2.03 | R134a | 10/1/2012 | 1/15/2013 | |
| Guangdong Xingxing Refrigeration Equipment Co.,Ltd | Xingxing | CFD-2RR | CFD-2RR | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 41.33 | 0 | 29.29 | 82.48 | 5.4 | 32.2 | 3.2 | R134a | 10/1/2012 | 1/15/2013 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|-------------------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Guangdong Xingxing Refrigeration Equipment Co.,Ltd | Xingxing | G1.2YBM2F | G1.2YBM2F | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Sliding | 42.5 | 42.5 | 0 | 83.27 | 53.15 | 31.89 | 4.88 | R134a | 11/14/2012 | 1/15/2013 | |
| Guangdong Xingxing Refrigeration Equipment Co.,Ltd | Xingxing | G258BMF | G258BMF | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 8.55 | 8.55 | 0 | 67.72 | 21.65 | 23.07 | 2.23 | R134a | 9/25/2012 | 1/15/2013 | |
| Guangdong Xingxing Refrigeration Equipment Co.,Ltd | Xingxing | G648BMF | G648BMF | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 22.99 | 22.99 | 0 | 83.27 | 28.35 | 31.89 | 3.81 | R134a | 11/1/2012 | 1/15/2013 | |
| H&K International Inc. | H&K International | HCPPT-01** | HCPPT-01** | | Solid Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 8 | 0 | 0.57 | 18.5 | 43.25 | 34 | 1.86 | R-134A | 8/1/2012 | 9/20/2012 | |
| H&K International Inc. | H&K International | HCPPT-02* | HCPPT-02* | | Solid Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 8 | 0 | 0.57 | 18.5 | 43.25 | 34 | 2.02 | R-134A | 8/1/2012 | 9/20/2012 | |
| HMC Enterprises LLC | Howard-McCray | GR102BM-S | GR102BM-S | GR102BM-LH.; GR102BM-LH.; GR102BM-SB.; GR102BM-SB.; GR102BM-SE.; GR102BM-SE.; GR102BM-SI.; GR102BM-SI.; GR102BM-SP.; GR102BM-SP.; GR102BM-W.; GR102BM-W.; GR102BM-WE.; GR102BM-WE.; GR102BM-WI.; GR102BM-WI. | Glass Door Refrigerator Cabinet | Vertical | Automatic | 4 | 0 | Hinged | 99.28 | 99.28 | 0 | 83 | 103.75 | 36 | 12.26 | R134a | 2/9/2013 | 2/1/2013 | |
| HMC Enterprises LLC | Howard-McCray | GR48BM-S | GR48BM-S | GR48BM-LH.; GR48BM-LH.; GR48BM-SB.; GR48BM-SB.; GR48BM-SE.; GR48BM-SE.; GR48BM-SI.; GR48BM-SI.; GR48BM-SP.; GR48BM-SP.; GR48BM-W.; GR48BM-W.; GR48BM-WE.; GR48BM-WE.; GR48BM-WI.; GR48BM-WI. | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 48.35 | 48.35 | 0 | 82.25 | 52.25 | 33.88 | 6.87 | R134a | 2/9/2013 | 2/6/2013 | |
| HMC Enterprises LLC | Howard-McCray | SR48-S | SR48-S | SR48-BE.; SR48-BE.; SR48-BI.; SR48-BI.; SR48-CS.; SR48-CS.; SR48-H.; SR48-H.; SR48-L.; SR48-L.; SR48-LED.; SR48-LED.; SR48-LH.; SR48-LH.; SR48-SB.; SR48-SB.; SR48-SE.; SR48-SE.; SR48-SI.; SR48-SI.; SR48-SP.; SR48-SP.; SR48-W.; SR48-W.; SR48-WE.; SR48-WE.; SR48-WI.; SR48-WI. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 47.42 | 0 | 47.42 | 83 | 52.25 | 35.67 | 4.01 | R134a | 2/9/2013 | 2/6/2013 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------|-----------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Hoshizaki America, Inc. | Hoshizaki | CR1B-FG | CR1B-FG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 20.94 | | | 75.61 | 192 | 33.58 | 3.12 | R-134A | 7/15/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CR1B-FS | CR1B-FS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.94 | | | 75.61 | 192 | 33.58 | 2.52 | R-134A | 2/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CR1B-FSL | CR1B-FSL | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.94 | 0 | 20.94 | 75.61 | 192 | 33.58 | 2.52 | r134a | 5/25/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CR1B-HS | CR1B-HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20.84 | | | 75.61 | 192 | 33.58 | 2.28 | R-134A | 2/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CR1B-HSL | CR1B-HSL | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20.84 | 0 | 20.84 | 75.61 | 192 | 33.58 | 2.28 | r134a | 5/25/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CR2B-FG | CR2B-FG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 47.24 | | | 75.61 | 192 | 33.58 | 4.97 | R-134A | 8/15/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CR2B-FS | CR2B-FS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 47.24 | | | 75.61 | 192 | 33.58 | 3.05 | R-134A | 2/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CR2B-HS | CR2B-HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 47.03 | | | 75.61 | 192 | 33.58 | 3.52 | R-134A | 2/1/2011 | 2/27/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------|-----------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Hoshizaki America, Inc. | Hoshizaki | CR3B-FS | CR3B-FS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 68.18 | | | 75.61 | 192 | 33.58 | 5.05 | R-134A | 2/1/2011 | 2/27/2012 | |
| Hoshizaki America, Inc. | Hoshizaki | CR3B-HS | CR3B-HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 67.9 | | | 75.61 | 192 | 33.58 | 5.48 | R-134A | 2/1/2011 | 2/27/2012 | |
| Hoshizaki America, Inc. | Hoshizaki | CRMR27 | CRMR27 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 6.22 | | | 30 | 76 | 30 | 0.64 | R-134A | 7/15/2011 | 2/27/2012 | |
| Hoshizaki America, Inc. | Hoshizaki | CRMR27-01 | CRMR27-01 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 6.22 | 0 | 6.22 | 30 | 76 | 30 | 0.64 | r134a | 7/15/2011 | 12/18/2012 | |
| Hoshizaki America, Inc. | Hoshizaki | CRMR27-W | CRMR27-W | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 6.22 | | | 30 | 76 | 30 | 0.64 | R-134A | 7/15/2011 | 2/27/2012 | |
| Hoshizaki America, Inc. | Hoshizaki | CRMR27-W01 | CRMR27-W01 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 6.22 | 0 | 6.22 | 30 | 76 | 30 | 0.64 | r134a | 7/15/2011 | 12/18/2012 | |
| Hoshizaki America, Inc. | Hoshizaki | CRMR48 | CRMR48 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 11.95 | | | 30 | 76 | 30 | 1.44 | R-134A | 7/15/2011 | 2/27/2012 | |
| Hoshizaki America, Inc. | Hoshizaki | CRMR48-01 | CRMR48-01 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 11.95 | 0 | 11.95 | 30 | 76 | 30 | 1.44 | r134a | 7/15/2011 | 12/18/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------|-----------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Hoshizaki America, Inc. | Hoshizaki | CRMR48-W | CRMR48-W | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 11.95 | | | 30 | 76 | 30 | 1.44 | R-134A | 7/15/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMR48-W01 | CRMR48-W01 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 11.95 | 0 | 11.95 | 30 | 76 | 30 | 1.44 | r134a | 7/15/2011 | 12/18/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMR60 | CRMR60 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16.58 | 0 | 16.58 | 30 | 76 | 30 | 2.15 | r134a | 6/8/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMR60-W | CRMR60-W | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16.58 | 0 | 16.58 | 30 | 76 | 30 | 2.15 | r134a | 6/8/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMR72 | CRMR72 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 19.68 | 0 | 19.68 | 30 | 76 | 30 | 2.84 | r134a | 5/25/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMR72-W | CRMR72-W | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 19.68 | 0 | 19.68 | 30 | 76 | 30 | 2.84 | r134a | 5/25/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | HR24A | HR24A | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 3.7 | | | 32.68 | 83 | 25.2 | 0.38 | R-134A | 8/15/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH1-SSE-FG | RH1-SSE-FG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 20.85 | | | 84.5 | 215 | 33.6 | 2.99 | R-134A | 3/1/2009 | 2/27/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------|-----------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Hoshizaki America, Inc. | Hoshizaki | RH1-SSE-FS | RH1-SSE-FS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 21.9 | | | 84.5 | 215 | 33.6 | 3 R-134A | | 12/1/2009 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH1-SSE-HG | RH1-SSE-HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 20.85 | | | 84.5 | 215 | 33.6 | 2.99 R-134A | | 6/1/2009 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH1-SSE-HS | RH1-SSE-HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 21.9 | | | 84.5 | 215 | 33.6 | 1.93 R-134A | | 5/1/2010 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH2-SSE-FG | RH2-SSE-FG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 45.9 | | | 84.5 | 215 | 33.6 | 3.88 R-134A | | 12/1/2009 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH2-SSE-FS | RH2-SSE-FS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 45.9 | | | 84.5 | 215 | 33.6 | 3.36 R-134A | | 1/1/2010 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH2-SSE-HG | RH2-SSE-HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 Hinged | | 45.9 | | | 84.5 | 215 | 33.6 | 3.88 R-134A | | 1/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH2-SSE-HS | RH2-SSE-HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 45.9 | | | 84.5 | 215 | 33.6 | 3.9 R-134A | | 11/1/2009 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH3-SSB-FG | RH3-SSB-FG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 Hinged | | 74.1 | | | 84.5 | 215 | 33.6 | 7.25 R-404A | | 3/1/2011 | 2/27/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------|-----------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Hoshizaki America, Inc. | Hoshizaki | RH3-SSB-HG | RH3-SSB-HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 6 | 0 | Hinged | 73.61 | | | 84.5 | 215 | 33.6 | 8.17 | R-404A | 3/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH3-SSE-FS | RH3-SSE-FS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 72.25 | | | 84.5 | 215 | 33.6 | 4.26 | R-134A | 1/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | RH3-SSE-HS | RH3-SSE-HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 | Hinged | 72.25 | | | 84.5 | 215 | 33.6 | 4.26 | R-134A | 2/1/2011 | 2/27/2012 |
| Imbera S.A. de C.V. | Imbera | G313 | G313 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 12.81 | | | 58.7 | 149 | 23.6 | 2.89 | R-134A | 1/1/2010 | 4/7/2011 |
| Imbera S.A. de C.V. | Imbera | G319 | G319 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 19.2 | | | 80 | 203.2 | 26 | 3.04 | R-134A | 1/1/2010 | 4/7/2011 |
| Imbera S.A. de C.V. | Imbera | G342 | G342 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 41 | | | 81.5 | 207.01 | 26 | 6.21 | R-134A | 1/1/2010 | 4/7/2011 |
| Imbera S.A. de C.V. | Imbera | VR04 | VR04 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 3.92 | | | 39.2 | 99.56 | 21.6 | 1.21 | R-134A | 1/4/2011 | 4/28/2011 |
| Imbera S.A. de C.V. | Imbera | VR06 | VR06 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 5.1 | | | 36 | 91.44 | 25.5 | 1.74 | R-134A | 1/1/2010 | 4/7/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|-------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Imbera S.A. de C.V. | Imbera | VR08 | VR08 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 7.77 | | | 69.29 | 176 | 18.11 | 2.12 | R-134A | 1/1/2010 | 4/7/2011 |
| Imbera S.A. de C.V. | Imbera | VR10 | VR10 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 8.95 | | | 52.44 | 133.2 | 24.84 | 1.74 | R-134A | 1/1/2010 | 4/7/2011 |
| Imbera S.A. de C.V. | Imbera | VR12 | VR12 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 11.59 | | | 63 | 160.02 | 22.75 | 2.39 | R-134A | 1/1/2010 | 4/7/2011 |
| Imbera S.A. de C.V. | Imbera | VR1.5 | VR1.5 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 1.59 | | | 30.3 | 76.96 | 18.1 | 1.07 | R-134A | 1/4/2011 | 4/28/2011 |
| Imbera S.A. de C.V. | Imbera | VRD21 | VRD21 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 16.8 | | | 58.46 | 148.5 | 23.81 | 2.9 | R-134A | 1/4/2011 | 4/28/2011 |
| Imbera S.A. de C.V. | Imbera | VRD37 | VRD37 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 37.42 | | | 79.72 | 202.5 | 29.92 | 5.17 | R-134A | 1/4/2011 | 4/28/2011 |
| Imbera S.A. de C.V. | Imbera | VRD43 | VRD43 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 41.66 | | | 80.9 | 205.5 | 29.33 | 5.55 | R-134A | 1/4/2011 | 4/28/2011 |
| Imbera S.A. de C.V. | Imbera S A DE C V | VLD311 | VLD311 | | Solid Door Refrigerator Cabinet | Chest | | Manual | 0 | 1 | Hinged | 11.5 | | | 25.08 | 63.7 | 27.52 | 1.44 | R134A | 1/24/2013 | 1/24/2013 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------------|-------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Innovative DisplayWorks, Inc. | IDW | G-10 | G-10 | G-10C,G-10C., G-10D,G-10D, | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 8.66 | 8.66 | | | 54 | 25 | 26 | 2.12 | R-134A | 4/10/2011 | 9/21/2012 |
| Innovative DisplayWorks, Inc. | IDW | G-10S | G-10S | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 8.45 | 0.47 | | | 54.5 | 25 | 23.3 | 1.58 | R-134A | 2/9/2011 | 10/23/2012 |
| Innovative DisplayWorks, Inc. | IDW | G-12S | G-12S | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 10.5 | 0.58 | | | 63.3 | 25 | 23.3 | 1.6 | R-134A | 2/9/2011 | 10/23/2012 |
| Innovative DisplayWorks, Inc. | IDW | G-12Sc | G-12Sc | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 10.73 | 0.57 | 0 | | 63.13 | 24.75 | 24 | 1.9 | R-744 | 1/1/2013 | 12/5/2012 |
| Innovative DisplayWorks, Inc. | IDW | G-2C | G-2C | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 2.01 | 2.01 | | | 31 | 20 | 18 | 1.41 | R-134A | 7/10/2011 | 9/21/2012 |
| Innovative DisplayWorks, Inc. | IDW | G-60e | G-60e | | Glass Door Refrigerator Cabinet | Chest | Manual | 1 | 0 | Hinged | 5 | 5 | | | 37 | 32 | 19 | 1.08 | R-134A | 6/10/2011 | 9/21/2012 |
| Innovative DisplayWorks, Inc. | IDW | G-6C | G-6C | G-6CB,G-6CB, | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 3.71 | 3.71 | | | 36 | 23 | 22 | 1.44 | R-134A | 6/10/2011 | 9/21/2012 |
| Innovative DisplayWorks, Inc. | IDW | G-80L | G-80L | | Glass Door Refrigerator Cabinet | Chest | Manual | 1 | 0 | Hinged | 2.61 | | 0 | | 39.8 | 17.8 | 17.8 | 0.74 | R-134A | 6/1/2012 | 10/12/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------------|-------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Innovative DisplayWorks, Inc. | IDW | GCG-10 | GCG-10 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 9.02 | 9.02 | 0 | 54 | 26 | 26 | 2.19 | R-134A | 7/20/2011 | 9/21/2012 |
| Innovative DisplayWorks, Inc. | IDW | GCG-12 | GCG-12 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 10.87 | 0.49 | 0 | 63.25 | 25 | 24.75 | 2.34 | R-134A | 12/1/2012 | 10/9/2012 |
| Innovative DisplayWorks, Inc. | IDW | GCG-12 | GCG-12 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 11.9 | 0.49 | 0 | 63.25 | 25 | 24.75 | 2.34 | R-134A | 12/1/2012 | 1/14/2013 |
| Innovative DisplayWorks, Inc. | IDW | GCG-6C | GCG-6C | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 3.82 | 0.23 | 0 | 36.25 | 22 | 18.63 | 1.24 | R-134A | 7/1/2012 | 10/23/2012 |
| Innovative DisplayWorks, Inc. | IDW | GCG-Baby | GCG-Baby | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 2 | 0 | 0 | 24.25 | 13.16 | 16.63 | 1.28 | R-134A | 7/1/2012 | 10/23/2012 |
| Innovative DisplayWorks, Inc. | IDW | GS-1.5 | GS-1.5 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 | Hinged | 0.97 | 0 | 0 | 17 | 11.13 | 9.75 | 1.16 | R-134A | 6/14/2011 | 10/29/2012 |
| Innovative DisplayWorks, Inc. | IDW | GS2.5 | GS2.5 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 2.45 | 0 | 0 | 27.5 | 19.53 | 18.19 | 1.46 | R-134A | 12/1/2012 | 10/9/2012 |
| Innovative DisplayWorks, Inc. | IDW | RCM-77 | RCM-77 | | Glass Door Refrigerator Cabinet | Chest | Manual | | 1 | 0 | Hinged | 2.15 | 0.01 | 0 | 30.25 | 22.25 | 22.25 | 0.74 | R-134A | 3/28/2012 | 10/29/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---|----------------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Innovative DisplayWorks, Inc. | Innovative Display Work | G-77 | G-77 | | Glass Door Refrigerator Cabinet | Chest | | Manual | 1 | 0 | Hinged | 2.77 | 2.77 | 0 | 29.5 | 11.2 | 11.2 | 0.53 | R-134A | 10/1/2010 | 10/26/2012 |
| Innovative DisplayWorks, Inc. | Innovative Display Work | G-7s | G-7s | | Glass Door Refrigerator Cabinet | Vertical | | Manual | 1 | 0 | Hinged | 4.86 | 4.86 | 0 | 36.1 | 20.7 | 25.2 | 1.74 | R-134A | 12/1/2010 | 10/26/2012 |
| Innovative DisplayWorks, Inc. | Innovative Display Work | G-80 | G-80 | | Glass Door Refrigerator Cabinet | Chest | | Manual | 1 | 0 | Hinged | 2.62 | 2.62 | 0 | 42.1 | 9 | 9 | 0.62 | R-134A | 10/1/2010 | 10/26/2012 |
| Innovative DisplayWorks, Inc. | Innovative Display Work | GS1.5 | GS1.5 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 0.97 | | | 17 | 11.13 | 9.75 | 1.16 | R-134A | 6/14/2011 | 9/20/2012 |
| Innovative DisplayWorks, Inc. | Recharge Cold Merchandiser | RCM 77 | RCM 77 | | Glass Door Refrigerator Cabinet | Chest | | Manual | 1 | 0 | Hinged | 2.15 | 0.01 | 0 | 30.25 | 22.25 | 22.25 | 0.74 | R-134A | 3/28/2012 | 10/8/2012 |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | AHT | CTB 100 | CTB 100 | | Glass Door Refrigerator Cabinet | Vertical | | Manual | 1 | 0 | Hinged | 3 | 3 | | 31.9 | 18.8 | 20.5 | 1.63 | R-134A | 11/1/2010 | 10/26/2012 |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | AHT | CTB 200 | CTB 200 | | Glass Door Refrigerator Cabinet | Vertical | | Manual | 1 | 0 | Hinged | 1.84 | 1.84 | | 27.9 | 17.3 | 17.3 | 1.13 | R-134A | 11/1/2010 | 10/26/2012 |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | AHT | CTB 50 | CTB 50 | | Glass Door Refrigerator Cabinet | Vertical | | Manual | 1 | 0 | Hinged | 0.59 | 0.59 | | 21.9 | 11.7 | 14.8 | 1.01 | R-134A | 11/1/2010 | 10/26/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---|----------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | AHT | CTB 50 LED | CTB 50 LED | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 0.59 | 0.59 | | | 21.9 | 11.7 | 14.8 | 0.83 | R-134A | 11/1/2010 | 10/26/2012 |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | BAIXUE | CTB 100 | CTB 100 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 3 | 3 | | | 31.9 | 18.8 | 20.5 | 1.63 | R-134A | 11/1/2010 | 10/26/2012 |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | BAIXUE | CTB 200 | CTB 200 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 1.84 | 1.84 | | | 27.9 | 17.3 | 17.3 | 1.13 | R-134A | 11/1/2010 | 10/26/2012 |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | BAIXUE | CTB 50 | CTB 50 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 0.59 | 0.59 | | | 21.9 | 11.7 | 14.8 | 1.01 | R-134A | 11/1/2010 | 10/26/2012 |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | BAIXUE | CTB 50 LED | CTB 50 LED | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 0.59 | 0.59 | | | 21.9 | 11.7 | 14.8 | 0.83 | R-134A | 11/1/2010 | 10/26/2012 |
| Jiangsu Baixue Electric Appliances Co.,Ltd. | Red Bull | RB-GDCT LED | RB-GDCT LED | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 2.51 | 2.51 | | | 33 | 20 | 21 | 1.41 | R-134A | 5/1/2012 | 9/21/2012 |
| Jimex Corp. | Ascend | ABM-23R | ABM-23R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 22 | 22 | | | 81.75 | 29.25 | 32.5 | 2.64 | R-134A | 3/1/2011 | 9/20/2012 |
| Jimex Corp. | Ascend | ABM-48R | ABM-48R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 44.7 | 43.3 | | | 81.75 | 53.63 | 32.5 | 3.9 | R-134A | 6/1/2011 | 9/20/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|-----------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Jimex Corp. | Ascend | ABM-72R | ABM-72R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 69.4 | | 69.4 | 81.8 | 81 | 32.5 | 5.44 | R-134A | 6/1/2011 | 9/20/2012 |
| Jimex Corp. | Ascend | ATM | ATM-61R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 57.4 | | | 76.2 | 74.8 | 31.8 | 4.7 | R-134A | 5/1/2011 | 9/20/2012 |
| Jimex Corp. | Ascend | ATM-21R | ATM-21R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20 | 0 | 20 | 76.2 | 31.8 | 29.1 | 2.06 | R-134A | 7/1/2011 | 9/20/2012 |
| Jimex Corp. | Ascend | ATM-40R | ATM-40R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 37.66 | | 37.7 | 76 | 49.5 | 32.5 | 3.49 | R-134A | 6/1/2011 | 9/20/2012 |
| KoolStar | Kool Star | R23-S | R23-S | KSR23-S, KSR23-S.; KSR23-S, KSR23-S. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.5 | | | 83.8 | 212.7 | 33 | 2.26 | R-134A | 2/13/2013 | 11/16/2011 |
| KoolStar | Kool Star | R49-S | R49-S | KSR49-S, KSR49-S.; KSR49-S, KSR49-S. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 44.2 | | | 83.8 | 212.7 | 33 | 3.31 | R-134A | 2/13/2013 | 11/16/2011 |
| KoolStar | KoolStar | R72-S | R72-S | KSR72-S, R72-S, KSR72-S, R72-S.; KSR72-S, R72-S, KSR72-S, R72-S. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.6 | | 66.6 | 83.8 | 212.7 | 33 | 5.36 | R134a | 2/13/2013 | 11/16/2011 |
| KoolStar | KoolStar | UR27 | UR27 | KSUR27, UR27, KSUR27, UR27. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 6.8 | | 6.8 | 35.9 | 91.1 | 30 | 1.15 | R134a | 2/13/2013 | 2/13/2013 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|-------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| KoolStar | KoolStar | UR36 | UR36 | KSUR36, UR36, KSUR36, UR36, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 8.54 | 8.54 | 35.88 | 91.1 | 30 | 2.05 | R-134A | 2/13/2013 | 2/13/2013 | | |
| KoolStar | KoolStar | UR48 | UR48 | KSUR48, UR48, KSUR48, UR48, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 13.1 | 13.1 | 35.9 | 91.1 | 30 | 1.66 | R134a | 2/13/2013 | 2/13/2013 | | |
| KoolStar | KoolStar | UR60 | UR60 | KSUR60, UR60, KSUR60, UR60, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 16.2 | 16.2 | 35.9 | 91.1 | 30 | 2.03 | R134a | 2/13/2013 | 2/13/2013 | | |
| KoolStar | KoolStar | UR72 | UR72 | KSUR72, UR72, KSUR72, UR72, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 19.5 | 19.5 | 35.9 | 91.1 | 30 | 2.34 | R134a | 2/13/2013 | 2/13/2013 | | |
| Master-Bilt Products | Mastebilt | MBUR36 | MBUR36 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 8.54 | 8.54 | 35.88 | 91.1 | 30 | 2.05 | R-134A | 1/7/2012 | 1/7/2012 | | |
| Master-Bilt Products | Mastebilt | UR36 | UR36 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 8.54 | 8.54 | 35.88 | 91.1 | 30 | 2.05 | R-134A | 1/7/2012 | 1/7/2012 | | |
| Master-Bilt Products | Master-Bilt | BMG-23P | BMG-23P | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 20.8 | 20.8 | 79 | 200.7 | 36.8 | 3.51 | R-134A | 3/25/2011 | 3/25/2011 | | |
| Master-Bilt Products | Master-Bilt | BMG-27 | BMG-27 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 1 | 0 | Hinged | 24.4 | 24.4 | 79 | 200.7 | 36.8 | 4.02 | R-134A | 3/25/2011 | 3/25/2011 | | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|-------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Master-Bilt Products | Master-Bilt | BMG-48 | BMG-48 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 2 | 0 | Hinged | 43.5 | 43.5 | | | 79 | 200.7 | 36.8 | 5.91 | R-134A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BMG-52 | BMG-52 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 2 | 0 | Hinged | 46 | 46 | | | 79 | 200.7 | 36.8 | 6.08 | R-134A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BMG-74 | BMG-74 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 3 | 0 | Hinged | 66.8 | 66.8 | | | 79 | 200.7 | 36.8 | 8.56 | R-134A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BMG-80 | BMG-80 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 3 | 0 | Hinged | 73.1 | 73.1 | | | 79 | 200.7 | 36.8 | 9.24 | R-134A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BSD-24SRA | BSD-24SRA | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | Hinged | 19.5 | 19.5 | | | 82.5 | 209.6 | 34 | 2.47 | R-134A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BSD-52DRA | BSD-52DRA | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | Hinged | 46.4 | 46.4 | | | 82.5 | 209.6 | 34 | 3.16 | R-134A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BSD-80TRA | BSD-80TRA | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 3 | Hinged | 70.6 | 70.6 | | | 82.5 | 209.6 | 34 | 5.54 | R-134A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BSG-48 | BSG-48 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 2 | 0 | Sliding | 43.5 | 43.5 | | | 79 | 200.7 | 36.8 | 6.09 | R-134A | 3/25/2011 | 3/25/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|-------------|--------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Master-Bilt Products | Master-Bilt | BSG-74 | BSG-74 | | Glass Door Refrigerator Cabinet | Vertical | Manual | 3 | 0 | Sliding | 66.8 | 66.8 | | 79 | 200.7 | 36.8 | 8.69 | R-134A | 3/25/2011 | 3/25/2011 | |
| Master-Bilt Products | Master-Bilt | MNR241SSS/0 | MNR241SSS/0 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 23.27 | 0 | 23.27 | 81.5 | 207 | 35.1 | 2.96 | R134A | 3/23/2011 | 9/19/2012 | |
| Master-Bilt Products | Master-Bilt | MNR241SSS/0X | MNR241SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 23.3 | 0 | 23.3 | 81.5 | 207 | 35.1 | 2.61 | R134A | 3/23/2011 | 9/19/2012 | |
| Master-Bilt Products | Master-Bilt | MNR242SSS/0 | MNR242SSS/0 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 23.3 | 0 | 23.3 | 81.5 | 207 | 35.1 | 2.96 | R134A | 3/23/2011 | 9/19/2012 | |
| Master-Bilt Products | Master-Bilt | MNR242SSS/0X | MNR242SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 23.3 | 0 | 23.3 | 81.5 | 207 | 35.1 | 2.58 | R134A | 3/23/2011 | 9/19/2012 | |
| Master-Bilt Products | Master-Bilt | MNR522SSS/0 | MNR522SSS/0 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 50.5 | 0 | 50.5 | 81.5 | 207 | 35.1 | 4.11 | R134A | 3/23/2011 | 9/19/2012 | |
| Master-Bilt Products | Master-Bilt | MNR522SSS/0X | MNR522SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 50.5 | 0 | 50.5 | 81.5 | 207 | 35.1 | 4.23 | R134A | 3/23/2011 | 9/19/2012 | |
| Master-Bilt Products | Master-Bilt | MNR524SSS/0X | MNR524SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 50.5 | 0 | 50.5 | 81.5 | 207 | 35.1 | 4.4 | R134A | 3/23/2011 | 9/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|-------------|--------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Master-Bilt Products | Master-Bilt | MNR803SSG/O | MNR803SSG/O | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 77.7 | 77.7 | | 81.5 | 207 | 35.1 | 8.34 | R134A | 3/23/2011 | 9/19/2012 |
| Master-Bilt Products | Master-Bilt | MNR803SSG/OX | MNR803SSG/OX | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 77.7 | 77.7 | | 81.5 | 207 | 35.1 | 5.75 | R134A | 3/23/2011 | 9/19/2012 |
| Master-Bilt Products | Master-Bilt | MNR803SSS/O | MNR803SSS/O | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 77.73 | 77.73 | | 81.5 | 207 | 35.1 | 4.51 | R134A | 3/23/2011 | 9/19/2012 |
| Master-Bilt Products | Master-Bilt | MNR803SSS/OX | MNR803SSS/OX | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 77.7 | 77.7 | | 81.5 | 207 | 35.1 | 3.56 | R134A | 3/23/2011 | 9/19/2012 |
| Master-Bilt Products | Master-Bilt | MNR806SSS/O | MNR806SSS/O | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 | Hinged | 77.7 | 77.7 | | 81.5 | 207 | 35.1 | 4.84 | R134A | 3/23/2011 | 9/19/2012 |
| Master-Bilt Products | Master-Bilt | MNR806SSS/OX | MNR806SSS/OX | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 | Hinged | 77.7 | 77.7 | | 81.5 | 207 | 35.1 | 3.98 | R134A | 3/23/2011 | 9/19/2012 |
| Master-Bilt Products | Master-Bilt | R23-S | R23-S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.5 | 20.9 | | 83.8 | 212.7 | 33 | 2.26 | R-134A | 12/1/2011 | 11/16/2011 |
| Master-Bilt Products | Master-Bilt | R49-S | R49-S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 44.2 | 43.1 | | 83.8 | 212.7 | 33 | 3.31 | R-134A | 12/1/2011 | 11/16/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|-------------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Master-Bilt Products | Master-Bilt | R72-S | R72-S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 66.6 | 66.6 | 0 | 83.8 | 212.7 | 33 | 5.36 | R134A | 3/25/2011 | 3/25/2011 | |
| Master-Bilt Products | Master-Bilt | UR27 | UR27 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 6.8 | 6.8 | 0 | 35.9 | 91.1 | 30 | 1.15 | R134A | 3/25/2011 | 3/25/2011 | |
| Master-Bilt Products | Master-Bilt | UR48 | UR48 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 13.1 | 13.1 | 0 | 35.9 | 91.1 | 30 | 1.66 | R134A | 3/25/2011 | 3/25/2011 | |
| Master-Bilt Products | Master-Bilt | UR60 | UR60 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 16.2 | 16.2 | 0 | 35.9 | 91.1 | 30 | 2.03 | R134A | 3/25/2011 | 3/25/2011 | |
| Master-Bilt Products | Master-Bilt | UR72 | UR72 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 19.5 | 19.5 | 0 | 35.9 | 91.1 | 30 | 2.34 | R134A | 3/25/2011 | 3/25/2011 | |
| McCall Refrigeration | McCall | MCCR1-G | MCCR1-G | MCCR1-G-I2,MCCR1-G-I2.; MCCR1-G-IW,MCCR1-G-IW. | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 25.35 | 25.35 | 0 | 82 | 29 | 34 | 3.98 | R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCR1-GH | MCCR1-GH | MCCR1-GH-I2,MCCR1-GH-I2.; MCCR1-GH-IM,MCCR1-GH-IM.; MCCR1-GH-SON1,MCCR1-GH-SON1. | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 25.27 | 25.27 | 0 | 82 | 29 | 34 | 3.93 | R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCR1-S | MCCR1-S | MCCR1-S-I1,MCCR1-S-I1.; MCCR1-S-SON1,MCCR1-S-SON1.; MCCR1-S-SON2,MCCR1-S-SON2. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 24.53 | 0 | 24.53 | 82 | 29 | 34 | 2.38 | R-404A | 6/6/2011 | 12/3/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|--------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| McCall Refrigeration | McCall | MCCR1-SH | MCCR1-SH | MCCR1-SH-13-HH1,MCCR1-SH-13-HH1.; MCCR1-SH-I3,MCCR1-SH-I3.; MCCR1-SH-SO1,MCCR1-SH-SO1.; MCCR1-SH-SO2,MCCR1-SH-SO2. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 24.46 | 0 | 24.46 | 82 | 29 | 34 | 2.63 | R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCR25-G | MCCR25-G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 19.5 | 19.5 | 0 | 79.5 | 25.5 | 32.8 | 3.68 | R-404A | 6/1/2011 | 9/20/2012 | |
| McCall Refrigeration | McCall | MCCR25-GH | MCCR25-GH | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 19.4 | 19.4 | 0 | 79.5 | 25.5 | 32.8 | 3.62 | R-404A | 6/1/2011 | 9/20/2012 | |
| McCall Refrigeration | McCall | MCCR25-S | MCCR25-S | MCCR25-S-I1,MCCR25-S-I1. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 20.4 | 0 | 20.4 | 79.5 | 25.5 | 32.8 | 2.48 | R-404A | 6/1/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCR25-SH | MCCR25-SH | MCCR25-SH-I1,MCCR25-SH-I1.; MCCR25-SH-SO1,MCCR25-SH-SO1.; MCCR25-SH-SO2,MCCR25-SH-SO2. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 20.3 | 0 | 20.3 | 79.5 | 25.5 | 32.8 | 2.7 | R-404A | 6/1/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCR27* | MCCR27* | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 5.7 | 0 | 5.7 | 33.3 | 27.3 | 27.8 | 1.88 | R-404A | 1/1/2005 | 10/19/2012 | |
| McCall Refrigeration | McCall | MCCR2-G | MCCR2-G | MCCR2-G-I2,MCCR2-G-I2. | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 51.42 | 51.42 | 0 | 82 | 56 | 34 | 5.51 | R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCR2-GH | MCCR2-GH | MCCR2-GH-I2,MCCR2-GH-I2. | Glass Door Refrigerator Cabinet | Vertical | Automatic | 4 | 0 | Hinged | 51.19 | 51.19 | 0 | 82 | 56 | 34 | 6.22 | R-404A | 6/6/2011 | 12/3/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|--------|------------|--------------|---|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| McCall Refrigeration | McCall | MCCR2-S | MCCR2-S | MCCR2-S-KROG1, MCCR2-S-KROG1, MCCR2-S-M298, MCCR2-S-M298, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 50.35 | 0 | 50.35 | 82 | 56 | 34 | 3.92 | R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCR2-SH | MCCR2-SH | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 50.22 | 0 | 50.22 | 82 | 56 | 34 | 4.25 | R-404A | 6/6/2011 | 9/20/2012 | |
| McCall Refrigeration | McCall | MCCR3-G | MCCR3-G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 3 | 0 | Hinged | 78.36 | 78.36 | 0 | 82 | 83 | 34 | 8.44 | R-404A | 6/6/2011 | 9/20/2012 | |
| McCall Refrigeration | McCall | MCCR3-GH | MCCR3-GH | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 6 | 0 | Hinged | 78.01 | 78.01 | 0 | 82 | 83 | 34 | 9.37 | R-404A | 6/6/2011 | 9/20/2012 | |
| McCall Refrigeration | McCall | MCCR3-S | MCCR3-S | MCCR3-S-M298, MCCR3-S-M298, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 76.75 | 0 | 76.75 | 82 | 83 | 34 | 5.2 | R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCR3-SH | MCCR3-SH | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 76.55 | 0 | 76.55 | 82 | 83 | 34 | 5.3 | R-404A | 6/6/2011 | 9/20/2012 | |
| McCall Refrigeration | McCall | MCCR48 | MCCR48 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 10.8 | 0 | 10.8 | 35.5 | 48 | 28.5 | 2.04 | R-404A | 1/1/2005 | 10/19/2012 | |
| McCall Refrigeration | McCall | MCCR51-G | MCCR51-G | MCCR51-G-I3, MCCR51-G-I3, | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 43.26 | 43.26 | 0 | 79.5 | 51 | 32.8 | 6.18 | R-404A | 6/1/2011 | 12/3/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------------|---------------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| McCall Refrigeration | McCall | MCCR51-GH | MCCR51-GH | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 | Hinged | 43.05 | 43.05 | 0 | 79.5 | 51 | 32.8 | 6.21 | R-404A | 6/1/2011 | 9/20/2012 |
| McCall Refrigeration | McCall | MCCR51-S | MCCR51-S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 42.13 | 0 | 42.13 | 79.5 | 51 | 32.8 | 3.61 | R-404A | 6/1/2011 | 9/20/2012 |
| McCall Refrigeration | McCall | MCCR51-SH | MCCR51-SH | MCCR51-SH-I4, MCCR51-SH-I4, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 41.94 | 0 | 41.94 | 79.5 | 51 | 32.8 | 3.74 | R-404A | 6/1/2011 | 12/3/2012 |
| McCall Refrigeration | McCall | MCCRT48* | MCCRT48* | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16 | | 16 | 36 | 48 | 31.5 | 2.61 | R-404A | 1/1/2005 | 10/19/2012 |
| McCall Refrigeration | McCall | MCCRT60* | MCCRT60* | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20.2 | | 20.2 | 34.3 | 60 | 31.5 | 2.75 | R-404A | 1/1/2005 | 10/19/2012 |
| McCall Refrigeration | McCall | MCCSTR48* | MCCSTR48* | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16 | | 16 | 36 | 48 | 31.5 | 2.61 | R-404A | 1/1/2005 | 10/19/2012 |
| McCall Refrigeration | McCall | MER26-G* | MER26-G* | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 22.1 | 22.1 | | 78 | 30 | 29.5 | 3.32 | R-134A | 1/1/2005 | 10/19/2012 |
| MetalFrio Solutions, Inc. | MetalFrio Solutions, Inc. | CFD | CFD-1RR | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.6 | 0 | 18.4 | 82.5 | 29 | 32.2 | 2.24 | R-134A | 2/7/2011 | 2/7/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------------|---------------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| MetalFrio Solutions, Inc. | MetalFrio Solutions, Inc. | CFD | CFD-2RR | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 41.33 | 0 | 29.29 | 82.5 | 54 | 32.2 | 2.57 | R-134A | 2/7/2011 | 2/7/2011 |
| MVP Group Corp. | KOOL-IT | KBSR-1 | KBSR-1 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 30 | 2.58 | R-134A | 1/5/2002 | 9/21/2012 |
| MVP Group Corp. | KOOL-IT | KBSR-2 | KBSR-2 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 42.7 | 0 | 42.7 | 76.9 | 53.9 | 31 | 3.36 | R-134A | 1/5/2002 | 9/21/2012 |
| MVP Group Corp. | KOOL-IT | KTSR-1 | KTSR-1 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 2.53 | R-134A | 1/13/2011 | 9/21/2012 |
| MVP Group Corp. | KOOL-IT | KTSR-2 | KTSR-2 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 43.64 | 0 | 43.64 | 76.9 | 31 | 31 | 3.96 | R-134A | 1/3/2011 | 9/21/2012 |
| Nor-Lake Incorporated | Norlake | AR082SSS/0 | AR082SSS/0 | | Solid Door Refrigerator Cabinet | Chest | | Manual | 0 | 2 | Hinged | 12.15 | 0 | 12.15 | 44 | 111.76 | 34 | 1.85 | R134A | 3/23/2011 | 3/24/2011 |
| Nor-Lake Incorporated | Norlake | AR084SSS/0 | AR084SSS/0 | | Solid Door Refrigerator Cabinet | Chest | | Manual | 0 | 4 | Hinged | 12.15 | 0 | 12.15 | 44.38 | 112.71 | 35 | 1.29 | R134A | 3/23/2011 | 3/24/2011 |
| Nor-Lake Incorporated | Norlake | AR122SSS/0 | AR122SSS/0 | | Solid Door Refrigerator Cabinet | Chest | | Manual | 0 | 2 | Hinged | 17.79 | 0 | 17.79 | 44 | 111.76 | 34 | 2.52 | R134A | 3/23/2011 | 3/24/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-----------------------|---------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Nor-Lake Incorporated | Norlake | AR124SSS/0 | AR124SSS/0 | | Solid Door Refrigerator Cabinet | Chest | | Manual | 0 | 4 Hinged | | 17.82 | 0 | 17.82 | 44.38 | 112.71 | 35 | 1.93 | R134A | 3/23/2011 | 3/24/2011 |
| Nor-Lake Incorporated | Norlake | AR162SSS/0 | AR162SSS/0 | | Solid Door Refrigerator Cabinet | Chest | | Manual | 0 | 2 Hinged | | 23.4 | 0 | 23.4 | 44 | 111.76 | 34 | 2.24 | R134A | 3/23/2011 | 3/24/2011 |
| Nor-Lake Incorporated | Norlake | AR164SSS/0 | AR164SSS/0 | | Solid Door Refrigerator Cabinet | Chest | | Manual | 0 | 4 Hinged | | 23.49 | 0 | 23.49 | 44.38 | 112.71 | 35 | 1.64 | R134A | 3/23/2011 | 3/24/2011 |
| Nor-Lake Incorporated | Norlake | NLUR36 | NLUR36 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 8.54 | 0 | 8.54 | 35.88 | 91.1 | 30 | 2.05 | R-134A | 1/7/2012 | 1/7/2012 |
| Nor-Lake Incorporated | Norlake | NR241SSG/0 | NR241SSG/0 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 23.3 | 23.3 | | 81.5 | 207 | 35.1 | 3.45 | R134A | 3/23/2011 | 3/24/2011 |
| Nor-Lake Incorporated | Norlake | NR241SSG/0X | NR241SSG/0X | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 23.3 | 23.3 | | 81.5 | 207 | 35.1 | 3.08 | R134A | 3/23/2011 | 3/24/2011 |
| Nor-Lake Incorporated | Norlake | NR241SSS/0 | NR241SSS/0 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 23.27 | 0 | 23.27 | 81.5 | 207 | 35.1 | 2.96 | R134A | 3/23/2011 | 3/24/2011 |
| Nor-Lake Incorporated | Norlake | NR241SSS/0X | NR241SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 23.3 | 0 | 23.3 | 81.5 | 207 | 35.1 | 2.61 | R134A | 3/23/2011 | 3/24/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-----------------------|---------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Nor-Lake Incorporated | Norlake | NR242SSS/0 | NR242SSS/0 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 23.3 | | 23.3 | 81.5 | 207 | 35.1 | 2.96 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR242SSS/0X | NR242SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 23.3 | | 23.3 | 81.5 | 207 | 35.1 | 2.58 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR522SSG/0X | NR522SSG/0X | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 50.5 | 50.5 | | 81.5 | 207 | 35.1 | 6.71 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR522SSS/0 | NR522SSS/0 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 50.5 | | 50.5 | 81.5 | 207 | 35.1 | 4.11 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR522SSS/0X | NR522SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 50.5 | | 50.5 | 81.5 | 207 | 35.1 | 4.23 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR524SSS/0X | NR524SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 50.5 | | 50.5 | 81.5 | 207 | 35.1 | 4.4 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR803SSG/0 | NR803SSG/0 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 Hinged | | 77.7 | 77.7 | | 81.5 | 207 | 35.1 | 8.34 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR803SSG/0X | NR803SSG/0X | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 Hinged | | 77.7 | 77.7 | | 81.5 | 207 | 35.1 | 5.75 R134A | 3/23/2011 | 3/24/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-----------------------|---------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Nor-Lake Incorporated | Norlake | NR803SSS/0 | NR803SSS/0 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 77.73 | | 77.73 | 81.5 | 207 | 35.1 | 4.51 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR803SSS/0X | NR803SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 77.7 | | 77.7 | 81.5 | 207 | 35.1 | 3.56 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR806SSS/0 | NR806SSS/0 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 Hinged | | 77.7 | | 77.7 | 81.5 | 207 | 35.1 | 4.84 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NR806SSS/0X | NR806SSS/0X | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 Hinged | | 77.7 | | 77.7 | 81.5 | 207 | 35.1 | 3.98 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | R23-S | R23-S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.5 | | 20.9 | 83.8 | 212.7 | 33 | 2.26 R-134A | 12/1/2011 | 11/16/2011 | |
| Nor-Lake Incorporated | Norlake | R49-S | R49-S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 44.2 | | 43.1 | 83.8 | 212.7 | 33 | 3.31 R-134A | 12/1/2011 | 11/16/2011 | |
| Nor-Lake Incorporated | Norlake | R72-S | R72-S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.6 | | 66.6 | 83.8 | 212.7 | 33 | 5.36 R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | UR27 | UR27 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 6.8 | | 6.8 | 35.9 | 91.1 | 30 | 1.15 R134A | 3/23/2011 | 3/24/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-------------------------------|---------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Nor-Lake Incorporated | Norlake | UR36 | UR36 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 8.54 | 0 | 8.54 | 35.88 | 91.1 | 30 | 2.05 | R-134A | 1/7/2012 | 1/7/2012 | |
| Nor-Lake Incorporated | Norlake | UR48 | UR48 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 13.1 | 0 | 13.1 | 35.9 | 91.1 | 30 | 1.66 | R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | UR60 | UR60 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 16.2 | 0 | 16.2 | 35.9 | 91.1 | 30 | 2.03 | R134A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | UR72 | UR72 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 19.5 | 0 | 19.5 | 35.9 | 91.1 | 30 | 2.34 | R134A | 3/23/2011 | 3/24/2011 | |
| Patriot Foodservice Equipment | Patriot | P23R | P23R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 30 | 2.58 | R-134A | 1/5/2002 | 9/21/2012 | |
| Patriot Foodservice Equipment | Patriot | P49R | P49R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 42.7 | 0 | 42.7 | 76.9 | 53.9 | 31 | 3.36 | R-134A | 1/5/2002 | 9/21/2012 | |
| Patriot Foodservice Equipment | Patriot | STM23R | STM23R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 2.53 | R-134A | 1/13/2011 | 9/21/2012 | |
| Patriot Foodservice Equipment | Patriot | STM49R | STM49R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 43.64 | 0 | 43.64 | 76.9 | 31 | 31 | 3.96 | R-134A | 1/3/2011 | 9/21/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------|------------|-------------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Perlick Corporation | Perlick | BC36 | BC36 | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 1 Sliding | | 7.6 | | | 34 | 86.36 | 24 | 1.22 | R-134A | 10/1/2007 | 3/14/2011 |
| Perlick Corporation | Perlick | BS32 | BS32 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 7 | | | 34.5 | 87.63 | 24.75 | 1.72 | R-134A | 10/1/2005 | 3/14/2011 |
| Perlick Corporation | Perlick | BS32 | BS32 - Glass door | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 7 | | | 34.5 | 87.63 | 24.75 | 1.97 | R-134A | 10/1/2005 | 3/14/2011 |
| Perlick Corporation | Perlick | CS32SB | CS32SB | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 7 | | | 34.5 | 87.63 | 24.75 | 1.72 | R-134A | 10/1/2005 | 3/14/2011 |
| Perlick Corporation | Perlick | CS32SG | CS32SG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 7 | | | 34.5 | 87.63 | 24.75 | 1.97 | R-134A | 10/1/2005 | 3/14/2011 |
| Perlick Corporation | Perlick | CS32SS | CS32SS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 7 | | | 34.5 | 87.63 | 24.75 | 1.72 | R-134A | 10/1/2005 | 3/14/2011 |
| Perlick Corporation | Perlick | CS32ST | CS32ST | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 7 | | | 34.5 | 87.63 | 24.75 | 1.97 | R-134A | 10/1/2005 | 3/14/2011 |
| Perlick Corporation | Perlick | DP32BLT | DP32BLT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 7 | | | 34.5 | 87.63 | 24.75 | 1.4 | R-134A | 10/1/2005 | 3/14/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------------------|---------|------------|---------------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Perlick Corporation | Perlick | DP32SLT | DP32SLT | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 7 | | | 34.5 | 87.63 | 24.75 | 1.4 | R-134A | 10/1/2005 | 3/14/2011 | |
| Perlick Corporation | Perlick | DS32BLT | DS32BLT | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 7 | | | 34.5 | 87.63 | 24.75 | 1.4 | R-134A | 10/1/2005 | 3/14/2011 | |
| Perlick Corporation | Perlick | DS32SLT | DS32SLT | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 7 | | | 34.5 | 87.63 | 24.75 | 1.4 | R-134A | 10/1/2005 | 3/14/2011 | |
| Perlick Corporation | Perlick | HC24RS | HC24RS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 5.3 | | | 34 | 86.36 | 24 | 1.69 | R-134A | 2/1/2009 | 3/14/2011 | |
| Perlick Corporation | Perlick | HC24RS | HC24RS - Glass door | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 5.3 | | | 34 | 86.36 | 24 | 1.93 | R-134A | 2/1/2009 | 3/14/2011 | |
| Primoris Inc., Saturn Equipment | Saturn | S23R | S23R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 30 | 2.58 | R-134A | 1/5/2002 | 9/21/2012 | |
| Primoris Inc., Saturn Equipment | Saturn | S49R | S49R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 42.7 | 0 | 42.7 | 76.9 | 53.9 | 31 | 3.36 | R-134A | 1/5/2002 | 9/21/2012 | |
| Primoris Inc., Saturn Equipment | Saturn | STM23R | STM23R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 2.53 | R-134A | 1/13/2011 | 9/21/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------------------|--------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Primoris Inc., Saturn Equipment | Saturn | STM49R | STM49R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.64 | 0 | 43.64 | 76.9 | 31 | 31 | 3.96 | R-134A | 1/3/2011 | 9/21/2012 |
| Proud Inc. | Proud | PS-R23 | PS-R23 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 30 | 2.58 | R-134A | 1/5/2002 | 9/21/2012 |
| Proud Inc. | Proud | PS-R49 | PS-R49 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.7 | 0 | 42.7 | 76.9 | 53.9 | 31 | 3.36 | R-134A | 1/5/2002 | 9/21/2012 |
| Proud Inc. | Proud | PS-RT23 | PS-RT23 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 2.53 | R-134A | 1/13/2011 | 9/21/2012 |
| Proud Inc. | Proud | PS-RT49 | PS-RT49 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.64 | 0 | 43.64 | 76.9 | 31 | 31 | 3.96 | R-134A | 1/3/2011 | 9/21/2012 |
| QBD Cooling Systems Inc. | QBD | CD34S | CD34S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Sliding | | 29.1 | 29.1 | 0 | 78.13 | 29.5 | 40.38 | 4.89 | R-134A | 5/10/2012 | 9/20/2012 |
| QBD Cooling Systems Inc. | QBD | CD39H | CD39H | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 34.78 | 34.78 | 0 | 78.13 | 29.5 | 44.38 | 5.09 | R-134a | 8/31/2012 | 9/7/2012 |
| QBD Cooling Systems Inc. | QBD | DC7HG | DC7HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 6.27 | 6.27 | 0 | 38.25 | 21.38 | 24.88 | 1.92 | R-134A | 5/28/2012 | 9/20/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|---------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| QBD Cooling Systems Inc. | QBD | PC8H | PC8H | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 9.42 | 9.42 | | 74.25 | 19.63 | 25.38 | 2.48 | R-134A | 4/10/2012 | 9/20/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD10H | CD10H | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 9.22 | 9.22 | | 55 | 26 | 25 | 2.19 | R-134A | 8/23/2007 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD12H | CD12H | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 11.27 | 11.27 | | 63 | 26 | 25 | 2.19 | R-134A | 8/23/2007 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD14H | CD14H | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 14.33 | 14.33 | | 56 | 36 | 24.5 | 2.82 | R-134A | 5/1/2007 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD26-L1T5 | CD26-L1T5 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 23.13 | 23.13 | | 78.38 | 30.63 | 29.75 | 3.79 | R-134A | 10/31/2008 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD38S | CD38S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 31.75 | 31.75 | | 78.13 | 44.38 | 29.75 | 5.25 | R-134A | 12/28/2010 | 10/19/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD40S | CD40S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 35.18 | 35.18 | | 78.13 | 48 | 29.75 | 5.26 | R-134A | 12/28/2010 | 10/19/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD4148S | CD4148S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 14.64 | 14.64 | | 47.63 | 48 | 24.5 | 2.48 | R-134A | 8/23/2007 | 10/26/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--------------------------|---------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD4154SL | CD4154SL | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 14.31 | 14.31 | | 53.88 | 47 | 21 | 2.9 | R-134A | 10/15/2008 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD4156SL | CD4156SL | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 15.09 | 15.09 | | 55.88 | 47 | 21 | 3.05 | R-134A | 10/15/2008 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD4160SL | CD4160SL | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 16.54 | 16.54 | | 59.63 | 47 | 21 | 3.05 | R-134A | 10/15/2008 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD45S | CD45S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 37.13 | 37.13 | | 78.38 | 52 | 29.5 | 5.78 | R-134A | 12/15/2008 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | CD47HB | CD47HB | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 39.98 | 39.98 | | 78.38 | 52 | 29.75 | 5.74 | R-134A | 12/15/2008 | 10/26/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | DC10PT | DC10PT | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 10.03 | 10.03 | | 54 | 24.88 | 23.88 | 2.38 | R-134A | 12/20/2010 | 10/19/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | DC6H | DC6H | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 4.8 | 4.8 | | 34.25 | 20.38 | 24.88 | 1.93 | R-134A | 12/15/2010 | 10/19/2012 |
| QBD Cooling Systems Inc. | QBD Cooling Systems | DC7H | DC7H | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 6.27 | 6.27 | | 38 | 21.5 | 25 | 1.87 | R-134A | 12/15/2010 | 10/19/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------------------------|--------------------------|-----------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| QBD Cooling Systems Inc. | QBD Cooling Systems | SL10H | SL10H | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 | Hinged | 6.63 | 6.63 | | 54 | 25.25 | 18 | 1.77 | R-134A | 5/29/2008 | 10/19/2012 |
| QBD Cooling Systems Inc. | QBD Modular Systems Inc. | CD26RL | CD26RL | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 1 | Hinged | 23.27 | 23.27 | 0 | 78.1 | 30.6 | 31.5 | 3.89 | R-134A | 8/20/2011 | 9/20/2012 |
| Qingdao Haier Special Icebox Co.,Ltd. | Haier | Beverage Cooler | SC258AN(E) | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 8.33 | | | 54.3 | 137.9 | 23.62 | 2.13 | R134A | 7/20/2010 | 4/7/2011 |
| Qingdao Haier Special Icebox Co.,Ltd. | Haier | SC-138 | SC-138 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 4.94 | 4.94 | | 36.2 | 20.5 | 24.6 | 1.96 | R-134A | 1/1/2010 | 10/26/2012 |
| Qingdao Haier Special Icebox Co.,Ltd. | Haier | SC-258AN | E | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 8.33 | 8.33 | | 54.3 | 24.8 | 23.6 | 2.13 | R-134A | 5/1/2010 | 10/26/2012 |
| Qingdao Haier Special Icebox Co.,Ltd. | Haier | SC-328AN | EMS | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 10.4 | 10.4 | | 63.8 | 24.8 | 24.8 | 2.12 | R-134A | 1/1/2010 | 10/26/2012 |
| Royal Vendors, Inc. | Royal Vendors | RVC-010 | RVC-010 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 9 | 9 | | 54 | 25 | 24 | 2 | R-134A | 8/23/2011 | 8/23/2011 |
| Royal Vendors, Inc. | Royal Vendors | RVC-012 | RVC-012 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 11 | 11 | | 62 | 25 | 24 | 3 | R-134A | 8/23/2011 | 8/23/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|---------------|---------------------------------|----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Royal Vendors, Inc. | Royal Vendors | RVC-027 | RVC-027 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 25 | 25 | | 78 | 30 | 32 | 5 | R-134A | 9/1/2010 | 5/5/2011 |
| SG Beverage Solutions Inc. | SG Beverage | CT-06 | CT-06 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 | Hinged | 5.96 | 0 | | 32 | 18.75 | 19.75 | 1.87 | R-134A | 6/6/2011 | 9/12/2012 |
| SG Beverage Solutions Inc. | SG Beverage | CT-3 | CT-3 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 | Hinged | 3 | 0.12 | | 36.2 | 19.12 | 21.31 | 1.1 | R-134A | 1/13/2011 | 9/12/2012 |
| SG Beverage Solutions Inc. | SG Beverage | SD-10 | SD-10 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 | Hinged | 8.13 | 0 | | 40.93 | 19.95 | 20.42 | 2.14 | R-134A | 1/13/2011 | 9/12/2012 |
| SG Beverage Solutions Inc. | SG Beverage | SD-12 | SD-12 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 | Hinged | 9.96 | 0 | | 48.71 | 19.95 | 20.42 | 2.16 | R-134A | 1/13/2011 | 9/12/2012 |
| Shandong Hongtai Electrical Appliance Co., Ltd | Arctic Air | Glass Door Merchandiser | GDR23E | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 |
| Shandong Hongtai Electrical Appliance Co., Ltd | Arctic Air | Glass Door Merchandiser | GDR48E | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 |
| Shandong Hongtai Electrical Appliance Co., Ltd | Centaur Plus | Commercial storage refrigerator | CSD-1DR-BAL-ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|---|---------------------------------|----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Centaur Plus | Commercial storage refrigerator | CSD-1DR-TSI-ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Centaur Plus | Commercial storage refrigerator | CSD-2DR-BAL-ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Centaur Plus | Commercial storage refrigerator | CSD-2DR-TSI-ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Centaur Plus | Glass Door Merchandiser | CGD-1DR-23 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Centaur Plus | Glass Door Merchandiser | CGD-2DR-48 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | COOLMAN | Glass Door Merchandiser | CTN-27PG | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | COOLMAN | Glass Door Merchandiser | CTN-54PG | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | EntrÄ©e, Better Built, California Cooking | Commercial storage refrigerator | CR1-ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|---|---------------------------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Entra@e, Better Built, California Cooking | Commercial storage refrigerator | CR1-TS1-ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Entra@e, Better Built, California Cooking | Commercial storage refrigerator | CR2-ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Entra@e, Better Built, California Cooking | Commercial storage refrigerator | CR2-TS1-ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Entra@e, Better Built, California Cooking | Glass Door Merchandiser | EGD-1DR-23 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Entra@e, Victory, California Cooking | Glass Door Merchandiser | EGD-2DR-48 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | FIRSCOOL | Commercial storage refrigerator | 27RES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | FIRSCOOL | Commercial storage refrigerator | 28RES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | FIRSCOOL | Commercial storage refrigerator | 54RES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|----------|---------------------------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Shandong Hongtai Electrical Appliance Co., Ltd | FIRSCOOL | Commercial storage refrigerator | 56RES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | FIRSCOOL | Glass Door Merchandiser | HGD-23R | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | FIRSCOOL | Glass Door Merchandiser | HGD-48R | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | ICB | Commercial storage refrigerator | ICBR-27ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | ICB | Commercial storage refrigerator | ICBR-28ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | ICB | Commercial storage refrigerator | ICBR-54ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | ICB | Commercial storage refrigerator | ICBR-56ES | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | ICB | Glass Door Merchandiser | ICBGR-23 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|-----------|---------------------------------|---------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Shandong Hongtai Electrical Appliance Co., Ltd | ICB | Glass Door Merchandiser | ICBGR-48 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Commercial storage refrigerator | MXCR-23FD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Commercial storage refrigerator | MXCR-49FD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Commercial storage refrigerator | MXCRB-23FD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Commercial storage refrigerator | MXCRB-23FDR E | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Commercial storage refrigerator | MXCRB-49FD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Commercial storage refrigerator | MXCRB-49FDR E | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Glass Door Merchandiser | MXM1-23R | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|-----------|---------------------------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Glass Door Merchandiser | MXM1-23RRE | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Glass Door Merchandiser | MXM2-48R | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Maxx Cold | Glass Door Merchandiser | MXM2-48RRE | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Polar | Commercial storage refrigerator | GE001 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Polar | Commercial storage refrigerator | GE002 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Polar | Glass Door Merchandiser | GE019 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | Polar | Glass Door Merchandiser | GE022 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | SERV-WARE | Commercial storage refrigerator | GR-23 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 10/30/2012 | 10/16/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|-----------|---------------------------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Shandong Hongtai Electrical Appliance Co., Ltd | SERV-WARE | Commercial storage refrigerator | GR-48 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 10/30/2012 | 10/16/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | SERV-WARE | Commercial storage refrigerator | RR-1 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 10/30/2012 | 10/16/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | SERV-WARE | Commercial storage refrigerator | RR-2 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 10/30/2012 | 10/16/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | US | Commercial storage refrigerator | USPCB-27R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | US | Commercial storage refrigerator | USPCB-54R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 41.8 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | US | Commercial storage refrigerator | USPCT-28R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.1 | | | 82.7 | 210 | 32.7 | 2.75 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | US | Commercial storage refrigerator | USPCT-56R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43 | | | 82.7 | 210 | 32.7 | 3.7 | R-134A | 5/30/2012 | 5/19/2012 | |
| Shandong Hongtai Electrical Appliance Co., Ltd | US | Glass Door Merchandiser | USA-24R | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 18.9 | | | 79.5 | 201.9 | 31.9 | 3.5 | R-134A | 5/30/2012 | 5/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|---------|-------------------------|----------------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Shandong Hongtai Electrical Appliance Co., Ltd | US | Glass Door Merchandiser | USA-48R | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 0 | 0 | Hinged | 43.4 | | | 79.5 | 201.9 | 31.9 | 5.95 | R-134A | 5/30/2012 | 5/19/2012 | |
| The Defield Company | Defield | 186114BUUM | 186114BUUM | 186114BSTM, 186114BSTM, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 37.24 | | | 36 | 114 | 31.5 | 3.36 | R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | 18648BUUM | 18648BUUM | 18648BSTM, 18648BSTM, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 10.23 | | | 36 | 48 | 31.5 | 1.83 | R-404A | 5/11/2011 | 9/12/2012 | |
| The Defield Company | Defield | 18660BUUM | 18660BUUM | 18660BSTM, 18660BSTM., 18WC60,18WC60., F18WC60,F18WC60, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 15.12 | | | 36 | 48 | 31.5 | 1.94 | R-404A | 5/11/2011 | 12/3/2012 | |
| The Defield Company | Defield | 18672BUUM, 18672BSTM | 18672BUUM, 18672BSTM | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 18.1 | | | 36 | 48 | 31.5 | 2.09 | R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | 18691BUUM | 18691BUUM | 18691BSTM, 18691BSTM, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 24.48 | | | 36 | 91 | 31.5 | 2.92 | R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | 18699BUUM | 18699BUUM | 18699BSTM, 18699BSTM, A2,406CA-DHL-A2., 406CA-DHL-A33,406CA-DHL-A33.; 406CA-DHL-A5,406CA-DHL-A5., 406CA-DHL-DD1,406CA-DHL-DD1.; 406CA-DHL-DD2,406CA-DHL-DD2.; 406CA-DHL-DD3,406CA-DHL-DD3.; 406CA-DHL-KFC1,406CA-DHL-KFC1.; 406CA-M327,406CA-M327, | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 27.46 | | | 36 | 99 | 31.5 | 2.98 | R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | 406CA | 406CA | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 5.7 | 0 | 5.7 | 33.25 | 27.25 | 27.75 | 1.88 | R-404A | 5/16/2011 | 12/3/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------|-------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Defield Company | Defield | 406-DHL-MD1 | 406-DHL-MD1 | 406-MD2-CPS, 406-MD2-CPS, 406-MD5, 406-MD5, 406-MD6, 406-MD6, 406CA-A3, 406CA-A3, 406CA-A7, 406CA-A7, 406CA-DHL-A3, 406CA-DHL-A3, 406CA-DHL-GC1, 406CA-DHL-GC1, 406CA-GC1, 406CA-GC1, 406CA-M261, 406CA-M261, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 5.7 | | 5.7 | 33.3 | 27.3 | 27.8 | 1.8 | R-404A | 5/16/2011 | 12/3/2012 |
| The Defield Company | Defield | 4432N | 4432N | 4432N-A107, 4432N-A107, 4432N-A121, 4432N-A121, 4432N-A37, 4432N-A37, 4432N-A8, 4432N-A8, 4432N-DHL, 4432N-DHL, 4432N-M319, 4432N-M319, 4432N-M331, 4432N-M331, 4432N-MD1, 4432N-MD1, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 10.1 | | 10.1 | 36 | 32 | 31.5 | 2.3 | R-404A | 1/1/2005 | 12/3/2012 |
| The Defield Company | Defield | 4448N | 4448N | 4448N-A109, 4448N-A109, 4448N-A225, 4448N-A225, 4448N-A362, 4448N-A362, 4448N-A43, 4448N-A43, 4448N-A61, 4448N-A61, 4448N-A68, 4448N-A68, 4448N-A8, 4448N-A8, 4448N-D13, 4448N-D13, 4448N-M191, 4448N-M191, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 16 | | 16 | 36 | 48 | 31.5 | 2.61 | R-404A | 1/1/2005 | 12/3/2012 |
| The Defield Company | Defield | 4460N | 4460N | 4460N-A107, 4460N-A107, 4460N-A109, 4460N-A109, 4460N-A225, 4460N-A225, 4460N-A8, 4460N-A8, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20.2 | | 20.2 | 36 | 60 | 31.5 | 2.75 | R-404A | 12/20/2008 | 12/3/2012 |
| The Defield Company | Defield | 4464N | 4464N | 4464N-A361, 4464N-A361, 4464N-A8, 4464N-A8, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 21.6 | | 21.6 | 36 | 64 | 31.5 | 2.83 | R-404A | 2/12/2010 | 12/3/2012 |
| The Defield Company | Defield | 4472N | 4472N | A341, UC4472N-A341, UC4472N-A361, UC4472N-A361, UC4472N-A590, UC4472N-A590, UC4472N-A8, UC4472N-A8, UC4472N-D15, UC4472N-D15, UC4472N-D2, UC4472N-D2, UC4472N-D2, UC4472N-D2, UC4472N-D2-A8, UC4472N-D2-A8, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 24.8 | | 24.8 | 36 | 72 | 31.5 | 3.11 | R-404A | 3/3/2010 | 12/3/2012 |
| The Defield Company | Defield | 6025XL-G | 6025XL-G | WH1, 6025XL-G-WH2, 6025XL-G-WH2, 6025XL-G-WH6, 6025XL-G-WH6, 6025XL-G3, 6025XL-G3, 6025XL-G3-18, 6025XL-G3-18, 6025XL-G3-33, 6025XL-G3-33, 6025XL-G3-47, 6025XL-G3-47, 6025XL-G3-53, 6025XL-G3-53, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 19.5 | 19.5 | 0 | 79.5 | 25.5 | 32.8 | 3.68 | R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6025XL-GH | 6025XL-GH | GH-47, 6025XL-GH-HH1, 6025XL-GH-HH1, 6025XL-GH-HH2, 6025XL-GH-HH2, 6025XL-GH-MD1, 6025XL-GH-MD1, 6025XL-GH12, 6025XL-GH12, 6025XL-GH12-33, 6025XL-GH12-33, 6025XL-GH12-47, 6025XL-GH12-47, 6025XL-GH12-48, 6025XL-GH12-48, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 19.4 | 19.4 | 0 | 79.5 | 25.5 | 32.8 | 3.62 | R-404A | 6/1/2011 | 12/3/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------|---------------|---------------|---|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Defield Company | Defield | 6025XL-S | 6025XL-S | S4-18, 6025XL-S4-20, 6025XL-S4-48, 6025XL-S4-48, 6025XL-S4-51, 6025XL-S4-51, 6025XL-S4-53, 6025XL-S4-M227, 6025XL-S4-M324, 6025XL-S4-M324, 6025XL-S4-WAG1, 6025XL-S4-WAG1. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.4 | 0 | 20.4 | 79.5 | 25.5 | 32.8 | 2.48 | R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6025XL-SH | 6025XL-SH | SH1, 6025XL-SH-MD1, 6025XL-SH-MD1, 6025XL-SH-RB1, 6025XL-SH-RB1, 6025XL-SH-RB2, 6025XL-SH-RB2, 6025XL-SH-WAG1, 6025XL-SH-WAG1, 6025XL-SH1, 6025XL-SH1, 6025XL-SH1-18, 6025XL-SH1-18, 6025XL-SH1-40, 6025XL-SH1-40, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20.3 | 0 | 20.3 | 79.5 | 25.5 | 32.8 | 2.7 | R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6025XL-SH-MD1 | 6025XL-SH-MD1 | 6025XL-SH-MD1, 6025XL-SH-MD1 | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20.3 | 0 | 20.3 | 79.5 | 25.5 | 32.8 | 2.63 | R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6051XL-G | 6051XL-G | 6051XL-G-47, 6051XL-G-47, 6051XL-G-48, 6051XL-G-48, 6051XL-G-RB1, 6051XL-G-RB1, 6051XL-G-RB1, 6051XL-G21, 6051XL-G21, 6051XL-G21-47, 6051XL-G21-47, 6051XL-G42, 6051XL-G42, 6051XL-G42-47, 6051XL-G90, 6051XL-G90, 6051XL-G90, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 43.26 | 43.26 | 0 | 79.5 | 51 | 32.8 | 6.18 | R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6051XL-GH | 6051XL-GH | 6051XL-GH-32, 6051XL-GH-32, 6051XL-GH-39, 6051XL-GH-39, 6051XL-GH-47, 6051XL-GH-47, 6051XL-GH32-39, 6051XL-GH32-39, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 Hinged | | 43.05 | 43.05 | 0 | 79.5 | 51 | 32.8 | 6.21 | R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6051XL-S | 6051XL-S | S15-18, 6051XL-S16, 6051XL-S16, 6051XL-S16-51, 6051XL-S16-51, 6051XL-S5, 6051XL-S5, 6051XL-S5, 6051XL-S5, M341, 6051XL-S5-M341, 6051XL-S50, 6051XL-S50, 6051XL-S55, 6051XL-S55, 6051XL-S63, 6051XL-S63, 6051XL-S97, 6051XL-S97, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.13 | 0 | 42.13 | 79.5 | 51 | 32.8 | 3.61 | R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6051XL-SH | 6051XL-SH | SH-18, 6051XL-SH-18, 6051XL-SH-34, 6051XL-SH-34, 6051XL-SH-48, 6051XL-SH-48, 6051XL-SH-MD1, 6051XL-SH-MD1, 6051XL-SH33, 6051XL-SH33, 6051XL-SH33-19, 6051XL-SH33-19, 6051XL-SH41, 6051XL-SH41, 6051XL-SH71, 6051XL-SH71, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 41.94 | 0 | 41.94 | 79.5 | 51 | 32.8 | 3.74 | R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6051XL-S-WH1 | 6051XL-S-WH1 | 6051XL-S-WH2, 6051XL-S-WH2, 6051XL-S-WH5, 6051XL-S-WH5, 6051XL-S-WH6, 6051XL-S-WH6, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.13 | 0 | 42.13 | 79.5 | 51 | 32.8 | 3.65 | R-404A | 6/1/2011 | 12/3/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------|------------|--------------|---|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Defield Company | Defield | F18WC39 | F18WC39 | 18WC39,18WC39, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 7.56 | | | 36 | 39 | 31.5 | 1.65 R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | F18WC47 | F18WC47 | 18WC47,18WC47, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 10.23 | | | 36 | 47 | 31.5 | 1.9 R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | F18WC52 | F18WC52 | 18WC52,18WC52, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 12.14 | | | 36 | 52 | 31.5 | 1.9 R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | F18WC68 | F18WC68 | 18WC68,18WC68, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 18.1 | | | 36 | 68 | 31.5 | 1.71 R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | F18WC78 | F18WC78 | 18WC78,18WC78, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 21.23 | | | 36 | 78 | 31.5 | 2.2 R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | F18WC87 | F18WC87 | 18WC87,18WC87, | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 24.48 | | | 36 | 87 | 31.5 | 2.72 R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | F18WC95 | F18WC95 | 18WC95,18WC95, G-203.SMR1-G-203.; SMR1-G40.SMR1-G40.; SSR1-G-168.SSR1-G-168.; SSR1-G-203.SSR1-G-203.; SSR1-G-208.SSR1-G-208.; SSR1-G-24.SSR1-G-24.; SSR1-G40.SSR1-G40.; SSR1-G40-203.SSR1-G40-203.; SSR1-G40-303.SSR1-G40-303. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 27.46 | | | 36 | 95 | 31.5 | 2.9 R-404A | 5/11/2011 | 9/19/2012 | |
| The Defield Company | Defield | SSR1-G | SSR1-G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 25.35 | 25.35 | 0 | 82 | 29 | 34 | 3.98 R-404A | 6/6/2011 | 12/3/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------|------------|--------------|---|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Defield Company | Defield | SSR1-GH | SSR1-GH | GH-203, SSR1-GH-207, SSR1-GH-207.; SSR1-GH-24, SSR1-GH-24.; SSR1-GH-M293, SSR1-GH-M293.; SSR1-GH-M310, SSR1-GH-M310.; SSR1-GH57, SSR1-GH57.; SSR1-GH57-203, SSR1-GH57-203.; SSR1-GH57-24, SSR1-GH57-24. | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 25.27 | 25.27 | 0 | 82 | 29 | 34 | 3.93 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR1-S | SSR1-S | S-38.; SSR1-S-39, SSR1-S-39.; SSR1-S-5, SSR1-S-5.; SSR1-S-70, SSR1-S-70.; SSR1-S-83, SSR1-S-83.; SSR1-S-CB1, SSR1-S-CB1.; SSR1-S3, SSR1-S3.; SSR1-S3-207, SSR1-S3-207.; SSR1-S3-24, SSR1-S3-24.; SSR1-S3-28, SSR1-S3-28.; SSR1-S3-32, SSR1-S3-32. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 24.53 | 0 | 24.53 | 82 | 29 | 34 | 2.38 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR1-SH | SSR1-SH | SH-12, SSR1-SH13, SSR1-SH13.; SSR1-SH13-12, SSR1-SH13-12.; SSR1-SH13-205, SSR1-SH13-205.; SSR1-SH13-207, SSR1-SH13-207.; SSR1-SH13-219, SSR1-SH13-219.; SSR1-SH13-24, SSR1-SH13-24.; SSR1-SH13-28, SSR1-SH13-28. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 24.46 | 0 | 24.46 | 82 | 29 | 34 | 2.63 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR2-G | SSR2-G | SAR2-G, SAR2-G.; SAR2-G-24, SAR2-G-24.; SAR2-G113-168, SAR2-G113-168.; SMR2-G, SMR2-G-203, SMR2-G-203.; SAR2-G-203, SAR2-G-203.; SAR2-G-232, SAR2-G-232.; SAR2-G-24, SAR2-G-24.; SAR2-G113, SAR2-G113.; SAR2-G114, SAR2-G114. | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 51.42 | 51.42 | 0 | 82 | 56 | 34 | 5.51 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR2-GH | SSR2-GH | SAR2-GH, SAR2-GH.; SMR2-GH, SMR2-GH.; SAR2-GH-168, SAR2-GH-168.; SAR2-GH-172, SAR2-GH-172.; SAR2-GH-225, SAR2-GH-225.; SAR2-GH-46, SAR2-GH-46.; SAR2-GH171, SAR2-GH171. | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 | Hinged | 51.19 | 51.19 | 0 | 82 | 56 | 34 | 6.22 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR2-S | SSR2-S | SSR2-S-32, SSR2-S-32.; SSR2-S-36, SSR2-S-36.; SSR2-S-46, SSR2-S-46.; SAR2-S-CB1, SAR2-S-CB1.; SAR2-S17, SAR2-S17.; SAR2-S17-11, SAR2-S17-11.; SAR2-S24, SAR2-S24.; SAR2-S24-24, SAR2-S24-24.; SAR2-S24-28, SAR2-S24-28. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 50.35 | 0 | 50.35 | 82 | 56 | 34 | 3.92 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR2-SH | SSR2-SH | SH-28, SSR2-SH-28, SSR2-SH-28.; SSR2-SH-32, SSR2-SH-32.; SSR2-SH25, SSR2-SH25.; SAR2-SH25-207, SAR2-SH25-207.; SAR2-SH25-24, SAR2-SH25-24.; SAR2-SH53, SAR2-SH53.; SAR2-SH53-207, SAR2-SH53-207.; SAR2-SH53-219, SAR2-SH53-219. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 50.22 | 0 | 50.22 | 82 | 56 | 34 | 4.25 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR3-G | SSR3-G | SAR3-G, SAR3-G.; SMR3-G, SMR3-G.; SAR3-G-203, SAR3-G-203.; SAR3-G-225, SAR3-G-225.; SAR3-G276-168, SAR3-G276-168. | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 78.36 | 78.36 | 0 | 82 | 83 | 34 | 8.44 | R-404A | 6/6/2011 | 12/3/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Defield Company | Defield | SSR3-GH | SSR3-GH | SAR3-GH,SAR3-GH.; SMR3-GH,SMR3-GH; | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 6 | 0 | Hinged | 78.01 | 78.01 | 0 | 82 | 83 | 34 | 9.37 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR3-S | SSR3-S | SAR3-S,SAR3-S.; SAR3-S31,SAR3-S31.; SAR3-S69,SAR3-S69.; SMR3-S,SMR3-S.; SMR3-S-207,SMR3-S-207.; SMR3-S269-190,SMR3-S269-190.; SMR3-S31,SMR3-S31.; SSR3-S-11,SSR3-S-11.; SSR3-S-24,SSR3-S-24.; SSR3-S31,SSR3-S31. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 76.75 | 0 | 76.75 | 82 | 83 | 34 | 5.2 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSR3-SH | SSR3-SH | SAR3-SH,SAR3-SH.; SMR3-SH,SMR3-SH.; SSR3-SH-11,SSR3-SH-11.; SSR3-SH38,SSR3-SH38. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 | Hinged | 76.55 | 0 | 76.55 | 82 | 83 | 34 | 5.3 | R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | ST4048-MD1 | ST4048-MD1 | ST4048-A3,ST4048-A3.; ST4048-MD2,ST4048-MD2.; ST4048-MD3,ST4048-MD3.; UC4048-A3,UC4048-A3.; UC4048-A7,UC4048-A7. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 10.8 | | 10.8 | 35.5 | 48 | 28.5 | 2.2 | R-404A | 5/16/2011 | 12/3/2012 |
| The Defield Company | Defield | ST4432N | ST4432N | ST4432N-A121,ST4432N-A121.; ST4432N-A37,ST4432N-A37.; ST4432N-A8,ST4432N-A8.; ST4432N-DHL,ST4432N-DHL.; ST4432N-DHL-A121,ST4432N-DHL-A121. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 10.1 | | 10.1 | 36 | 32 | 31.5 | 2.3 | R-404A | 1/1/2005 | 12/3/2012 |
| The Defield Company | Defield | ST4448N | ST4448N | A623,ST4448N-A623.; ST4448N-A692,ST4448N-A692.; ST4448N-A8,ST4448N-A8.; ST4448N-A827,ST4448N-A827.; ST4448N-D11,ST4448N-D11.; ST4448N-D13,ST4448N-D13.; ST4448N-D13-A8,ST4448N-D13-A8.; ST4448N-TS5,ST4448N-TS5. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16 | | 16 | 36 | 48 | 31.5 | 2.61 | R-404A | 12/1/2008 | 12/3/2012 |
| The Defield Company | Defield | ST4460N | ST4460N | ST4460N-A563,ST4460N-A563.; ST4460N-A61,ST4460N-A61.; ST4460N-A8,ST4460N-A8. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20.2 | | 20.2 | 36 | 60 | 31.5 | 2.75 | R-404A | 12/20/2008 | 12/3/2012 |
| The Defield Company | Defield | ST4472N | ST4472N | A777,ST4472N-A777.; ST4472N-A8,ST4472N-A8.; ST4472N-D2-A362,ST4472N-D2-A362.; ST4472N-D2-A679,ST4472N-D2-A679.; ST4472N-D2-A8,ST4472N-D2-A8.; ST4472N-D2-D2,ST4472N-D2-D2.; ST4472N-D22,ST4472N-D22.; ST4472N-D25,ST4472N-D25. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 24.8 | | 24.8 | 36 | 72 | 31.5 | 3.11 | R-404A | 3/3/2010 | 12/3/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------|------------------|------------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Defield Company | Defield | UC4048 | UC4048 | UC4048-D2-A2.; UC4048-D3; UC4048-D3.; UC4048-JIB1; UC4048-JIB1.; UC4048-KK1; UC4048-KK1.; UC4048-M336; UC4048-M336.; UC4048-STAR; UC4048-STAR.; UC4048-STAR1; UC4048-STAR1.; UC4048-STAR2; UC4048-STAR2. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 10.8 | 0 | 10.8 | 35.5 | 48 | 28.5 | 2.04 | R-404A | 5/16/2011 | 12/3/2012 |
| The Defield Company | Defield | UC4427N | UC4427N | DHL-A8; UC4427N-DHL-A8; UC4427N-DHL-A8.; UC4427N-DHL-M250; UC4427N-DHL-M250.; UC4427N-DHL-M3; UC4427N-DHL-M3.; UC4427N-M250; UC4427N-M250.; UC4427N-M3; UC4427N-M3.; UC4427N-STAR1; UC4427N-STAR1. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 8.2 | | 8.2 | 33.6 | 27.1 | 31.5 | 1.99 | R-404A | 1/1/2005 | 12/3/2012 |
| The Defield Company | Defield | UC4427N-DHL-A244 | UC4427N-DHL-A244 | UC4427N-A244; UC4427N-A244.; UC4427N-A379; UC4427N-A379.; UC4427N-CH1; UC4427N-CH1.; UC4427N-DHL-A244; UC4427N-DHL-A244.; UC4427N-DHL-A379; UC4427N-DHL-A379.; UC4427N-CH1; UC4427N-CH1. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 8.2 | | 8.2 | 33.6 | 27.1 | 31.5 | 2.11 | R-404A | 1/1/2005 | 12/3/2012 |
| The Defield Company | Defield | UC4432N | UC4432N | UC4432N-A362; UC4432N-A362.; UC4432N-A8; UC4432N-A8.; UC4432N-DHL; UC4432N-DHL.; UC4432N-DHL-A362; UC4432N-DHL-A362.; UC4432N-DHL-A8; UC4432N-DHL-A8.; UC4432N-DHL-M77; UC4432N-DHL-M77.; UC4432N-M77; UC4432N-M77. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 10.1 | | 10.1 | 34.3 | 32 | 31.5 | 2.3 | R-404A | 1/1/2005 | 12/3/2012 |
| The Defield Company | Defield | UC4448N | UC4448N | A6; UC4448N-A6.; UC4448N-A8; UC4448N-A8.; UC4448N-BH1; UC4448N-BH1.; UC4448N-D12; UC4448N-D12.; UC4448N-D13; UC4448N-D13.; UC4448N-M250; UC4448N-M250.; UC4448N-M265; UC4448N-M265.; UC4448N-RB3; UC4448N-RB3. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 16 | | 16 | 34.3 | 48 | 31.5 | 2.61 | R-404A | 12/1/2008 | 12/3/2012 |
| The Defield Company | Defield | UC4460N | UC4460N | A362.; UC4460N-A37; UC4460N-A37.; UC4460N-A553; UC4460N-A553.; UC4460N-A589; UC4460N-A589.; UC4460N-A8; UC4460N-A8.; UC4460N-D39; UC4460N-D39.; UC4460N-M265; UC4460N-M265.; UC4460N-MD1-CP; UC4460N-MD1-CP. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20.2 | | 20.2 | 34.3 | 60 | 31.5 | 2.75 | R-404A | 12/20/2008 | 12/3/2012 |
| The Defield Company | Defield | UC4464N | UC4464N | UC4464N-A361; UC4464N-A361.; UC4464N-A362; UC4464N-A362.; UC4464N-A8; UC4464N-A8. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 21.6 | | 21.6 | 34.3 | 64 | 31.5 | 2.83 | R-404A | 2/12/2010 | 12/3/2012 |
| The Defield Company | Defield | UC4472N | UC4472N | A341; UC4472N-A341.; UC4472N-A361; UC4472N-A361.; UC4472N-A590; UC4472N-A590.; UC4472N-A8; UC4472N-A8.; UC4472N-D15; UC4472N-D15.; UC4472N-D2; UC4472N-D2.; UC4472N-D2-A361; UC4472N-D2-A361.; UC4472N-D2-A8; UC4472N-D2-A8. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 24.8 | | 24.8 | 34.3 | 72 | 31.5 | 3.11 | R-404A | 3/3/2010 | 12/3/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|----------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Delfield Company | McCall | MCCRT27 | MCCRT27 | MCCRT27-I1,MCCRT27-I1. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 8.2 | | 8.2 | 33.6 | 27.1 | 31.5 | 1.99 | R-404A | 1/1/2005 | 12/3/2012 | |
| The Delfield Company | The Delfield Company | 402 | 402 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 5.7 | | 5.7 | 33.3 | 27.3 | 27.8 | 1.88 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | 406 | 406 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 5.7 | | 5.7 | 33.3 | 27.3 | 27.8 | 1.88 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | 406-CA | 406-CA | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 5.7 | | 5.7 | 33.3 | 27.3 | 27.8 | 1.88 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | 4432N | 4432N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 10.1 | | 10.1 | 36 | 32 | 31.5 | 2.3 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | 4448N | 4448N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 16 | | 16 | 36 | 48 | 31.5 | 2.61 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | 4460N | 4460N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 20.2 | | 20.2 | 36 | 60 | 31.5 | 2.75 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | 4464N | 4464N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 21.6 | | 21.6 | 36 | 64 | 31.5 | 2.83 | R-404A | 1/1/2005 | 10/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------|----------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Delfield Company | The Delfield Company | 4472N | 4472N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 24.8 | | 24.8 | 36 | 72 | 31.5 | 3.11 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | ST4048 | ST4048 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 10.8 | | 10.8 | 35.5 | 48 | 28.5 | 2.04 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | ST4432N | ST4432N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 10.1 | | 10.1 | 36 | 32 | 31.5 | 2.3 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | ST4448N | ST4448N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 16 | | 16 | 36 | 48 | 31.5 | 2.61 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | ST4460N | ST4460N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 20.2 | | 20.2 | 36 | 60 | 31.5 | 2.75 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | ST4464N | ST4464N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 21.6 | | 21.6 | 36 | 64 | 31.5 | 2.83 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | ST4472N | ST4472N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 24.8 | | 24.8 | 36 | 72 | 31.5 | 3.11 | R-404A | 1/1/2005 | 10/19/2012 | |
| The Delfield Company | The Delfield Company | UC4048 | UC4048 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 10.8 | | 10.8 | 35.5 | 48 | 28.5 | 2.04 | R-404A | 1/1/2005 | 10/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---|----------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| The Delfield Company | The Delfield Company | UC4432N | UC4432N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 10.1 | 10.1 | 34.25 | 32 | 31.5 | 2.3 | R-404A | 1/1/2005 | 10/19/2012 | | |
| The Delfield Company | The Delfield Company | UC4448N | UC4448N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 16 | 16 | 34.3 | 48 | 31.5 | 2.61 | R-404A | 1/1/2005 | 10/19/2012 | | |
| The Delfield Company | The Delfield Company | UC4460N | UC4460N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 20.2 | 20.2 | 34.3 | 60 | 31.5 | 2.75 | R-404A | 1/1/2005 | 10/19/2012 | | |
| The Delfield Company | The Delfield Company | UC4464N | UC4464N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 21.6 | 21.6 | 34.3 | 64 | 31.5 | 2.83 | R-404A | 1/1/2005 | 10/19/2012 | | |
| The Delfield Company | The Delfield Company | UC4472N | UC4472N | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 24.8 | 24.8 | 34.3 | 72 | 31.5 | 3.11 | R-404A | 1/1/2005 | 10/19/2012 | | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G10000 | G10000 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 24.2 | | 83.25 | 211.46 | 35 | 2.29 | R-134A | 1/1/2010 | 4/7/2011 | | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G10004P | G10004P | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 25.6 | | 83.25 | 211.46 | 37.94 | 3.1 | R-134A | 1/1/2010 | 4/7/2011 | | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G10010 | G10010 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 24.2 | | 83.25 | 211.46 | 35 | 2.32 | R-134A | 1/1/2010 | 4/7/2011 | | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---|----------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G10014P | G10014P | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 25.6 | | | 83.25 | 211.46 | 37.94 | 3.13 | R-134A | 1/1/2010 | 4/7/2011 | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G11000 | G11000 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 24.2 | | | 83.25 | 211.46 | 35 | 4.43 | R-134A | 1/1/2010 | 4/7/2011 | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G11010 | G11010 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 24.2 | | | 83.25 | 211.46 | 35 | 4.38 | R-134A | 1/1/2010 | 4/7/2011 | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G20000 | G20000 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 46 | | | 83.25 | 211.46 | 35 | 3.62 | R-134A | 1/1/2010 | 4/7/2011 | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G20004P | G20004P | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 8 | Hinged | 48.8 | | | 83.25 | 211.46 | 37.94 | 4.3 | R-134A | 1/1/2010 | 4/7/2011 | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G20010 | G20010 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 46 | | | 83.25 | 211.46 | 35 | 3.6 | R-134A | 1/1/2010 | 4/7/2011 | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G20014P | G20014P | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 48.8 | | | 83.25 | 211.46 | 37.94 | 4.28 | R-134A | 1/1/2010 | 4/7/2011 | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G21000 | G21000 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 4 | 0 | Hinged | 46 | | | 83.25 | 211.46 | 35 | 6 | R-134A | 1/1/2010 | 4/7/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---|----------|----------------|----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G21010 | G21010 | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 46 | | | 83.25 | 211.46 | 35 | 6 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G30000 | G30000 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 | Hinged | 69.1 | | | 83.25 | 211.46 | 35 | 4.66 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G30010 | G30010 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 69.1 | | | 83.25 | 211.46 | 35 | 4.68 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT132WPUT-FHS | RHT132WPUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 25.6 | | | 83.25 | 211.46 | 37.94 | 2.69 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT132WPUT-HHS | RHT132WPUT-HHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 25.6 | | | 83.25 | 211.46 | 37.94 | 2.83 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT132WUT-FHG | RHT132WUT-FHG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 24.2 | | | 83.25 | 211.46 | 35 | 4.35 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT132WUT-FHS | RHT132WUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 24.2 | | | 83.25 | 211.46 | 35 | 2.33 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT132WUT-HHG | RHT132WUT-HHG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 24.2 | | | 83.25 | 211.46 | 35 | 4.39 | R-134A | 1/1/2010 | 4/7/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---|----------|----------------|----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT132WUT-HHS | RHT132WUT-HHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 24.2 | | | 83.25 | 211.46 | 35 | 2.44 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232NPUT-FHS | RHT232NPUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 48.8 | | | 83.25 | 211.46 | 37.94 | 4.19 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232NPUT-HHS | RHT232NPUT-HHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 8 Hinged | | 48.8 | | | 83.25 | 211.46 | 37.94 | 4.24 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232NUT-FHG | RHT232NUT-FHG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 46 | | | 83.25 | 211.46 | 35 | 5.5 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232NUT-FHS | RHT232NUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 46 | | | 83.25 | 211.46 | 35 | 2.7 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232NUT-HHG | RHT232NUT-HHG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 Hinged | | 46 | | | 83.25 | 211.46 | 35 | 5.78 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232NUT-HHS | RHT232NUT-HHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 46 | | | 83.25 | 211.46 | 35 | 2.84 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232WPUT-FHS | RHT232WPUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 54.4 | | | 83.25 | 211.46 | 37.94 | 4.3 | R-134A | 1/1/2010 | 4/7/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---|----------|----------------|----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232WPUT-HHS | RHT232WPUT-HHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 8 Hinged | | 54.4 | | | 83.25 | 211.46 | 37.94 | 4.36 R-134A | | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232WUT-FHG | RHT232WUT-FHG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 51.6 | | | 83.25 | 211.46 | 35 | 6.05 R-134A | | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232WUT-FHS | RHT232WUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 51.6 | | | 83.25 | 211.46 | 35 | 2.97 R-134A | | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232WUT-HHG | RHT232WUT-HHG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 Hinged | | 51.6 | | | 83.25 | 211.46 | 35 | 6.33 R-134A | | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RHT232WUT-HHS | RHT232WUT-HHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 51.6 | | | 83.25 | 211.46 | 35 | 3.11 R-134A | | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RR1132HUT-FHS | RR1132HUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 39.6 | | | 89.12 | 226.36 | 35.56 | 3.13 R-134A | | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RR1132LUT-FHS | RR1132LUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 36.2 | | | 83.25 | 211.46 | 35.56 | 2.74 R-134A | | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RR1232HUT-FHS | RR1232HUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 81.7 | | | 89.12 | 226.36 | 35.56 | 4.99 R-134A | | 1/1/2010 | 4/7/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---|----------|---------------|---------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RRI232LUT-FHS | RRI232LUT-FHS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 73.5 | | | 83.25 | 211.46 | 35.56 | 4.54 | R-134A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | TU044HT | TU044HT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 9.8 | | | 34 | 86.36 | 34 | 1.85 | R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | TU072HT | TU072HT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20 | | | 34 | 86.36 | 34 | 2.35 | R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | TU100HT | TU100HT | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 32.3 | | | 34 | 86.36 | 34 | 3 | R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | UHT27 | UHT27 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 7.1 | | | 35.5 | 197.98 | 30.69 | 1.77 | R-134A | 1/4/2010 | 3/26/2012 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | UHT32 | UHT32 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 8.8 | | | 35.5 | 197.98 | 30.69 | 1.96 | R-134A | 1/13/2012 | 3/26/2012 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | UHT48 | UHT48 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 13.1 | | | 35.5 | 197.98 | 30.69 | 1.88 | R-134A | 1/4/2010 | 3/26/2012 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | UHT60 | UHT60 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16.7 | | | 35.5 | 197.98 | 30.69 | 2.02 | R-134A | 1/4/2010 | 3/26/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|--------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | TRUE | GDM-37 | GDM-37 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | | 32.7 | 32.7 | 0 | 79 | 44 | 30 | 4.86 | R-134A | 10/19/2009 | 9/20/2012 |
| True Manufacturing (True Food Service Equipment) | TRUE | GDM-41 | GDM-41 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | | 36.5 | 36.5 | 0 | 79 | 47 | 30 | 4.83 | R-134A | 10/19/2009 | 9/20/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-10 | GDM-10 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | | 9.23 | 9.23 | 0 | 53.44 | 135.74 | 23.03 | 1.84 | R-134A | 6/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-10-58 | GDM-10-58 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | | 9.8 | 9.8 | 0 | 58 | 147 | 23 | 2.36 | R-134A | 5/22/2009 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-10-HC-LD | GDM-10-HC-LD | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | | 9.2 | 9.2 | 0 | 53.5 | 136 | 23.12 | 1.39 | R-290 (Propane) | 5/1/2012 | 5/24/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-10-LD | GDM-10-LD | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | | 9.23 | 9.23 | 0 | 53.44 | 135.74 | 23.03 | 1.71 | R-134A | 6/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-10RF | GDM-10RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | | 8.4 | 8.4 | 0 | 54 | 137.16 | 23 | 2.08 | R-134A | 6/5/2009 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-10SSL | GDM-10SSL | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | | 6.4 | 6.4 | | 53.5 | 135.89 | 18 | 1.68 | R-134A | 1/1/2012 | 2/8/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|--------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-11SD | GDM-11SD | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 | Sliding | 9.3 | 9.3 | 0 | 54 | 137 | 24 | 2.47 | R-134A | 1/27/2009 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-12 | GDM-12 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 11.47 | 11.47 | 0 | 62.38 | 158.43 | 23.13 | 2.01 | R-134A | 6/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-12FC | GDM-12FC | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 10.1 | 10.1 | 0 | 62 | 157.48 | 23 | 2.49 | R-134A | 4/16/2009 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-12-HC-LD | GDM-12-HC-LD | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 11.44 | 11.44 | 0 | 62.38 | 158.43 | 23.13 | 1.74 | R-290 | 6/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-12-LD | GDM-12-LD | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 11.44 | 11.44 | 0 | 62.38 | 158.43 | 23.13 | 1.99 | R-134A | 6/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-12RF | GDM-12RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 10.1 | 10.1 | 0 | 62 | 157.48 | 23 | 2.49 | R-134A | 4/16/2009 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-14RF | GDM-14RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 | Hinged | 15.34 | 15.34 | 0 | 58 | 147.32 | 29.25 | 2.92 | R-134A | 1/1/2012 | 2/8/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-23 | GDM-23 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 | Hinged | 20.8 | 20.8 | 0 | 78 | 198.12 | 30 | 3.2 | R-134A | 10/30/2009 | 3/25/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|--------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-23FC | GDM-23FC | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | 20.8 | 20.8 | 0 | 78 | 198.12 | 30 | 3.2 | R-134A | 10/30/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-23FC-RF | GDM-23FC-RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | 20.8 | 20.8 | 0 | 78 | 198.12 | 30 | 3.2 | R-134A | 10/30/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-23RF | GDM-23RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | 20.8 | 20.8 | 0 | 78 | 198.12 | 30 | 3.2 | R-134A | 10/30/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-23W | GDM-23W | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | 20.8 | 20.8 | 0 | 78 | 198.12 | 30 | 3.2 | R-134A | 10/30/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-23W-RF | GDM-23W-RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | 20.8 | 20.8 | 0 | 78 | 198.12 | 30 | 3.2 | R-134A | 10/30/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-26 | GDM-26 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | 23 | 23 | 0 | 78.6 | 30 | 29.9 | 3.27 | R-134A | 1/1/2010 | 9/20/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-26-HC-LD | GDM-26-HC-LD | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | 22.68 | 22.68 | 0 | 78.63 | 199.71 | 29.88 | 2.22 | R-290 | 11/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-33 | GDM-33 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | 28.9 | 28.9 | 0 | 79 | 200.66 | 30 | 4.78 | R-134A | 11/13/2009 | 3/25/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|-------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-35 | GDM-35 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Hinged | 30.9 | 30.9 | 0 | 79 | 200.66 | 30 | 5.21 | R-134A | 2/17/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-35SL-RF | GDM-35SL-RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Hinged | 16.4 | 16.4 | 0 | 58.13 | 147.64 | 24.25 | 3.08 | R-134A | 3/11/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-41SL-54 | GDM-41SL-54 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | 15 | 15 | 0 | 54.13 | 137.48 | 21 | 2.85 | R-134A | 3/26/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-43 | GDM-43 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Hinged | 37.3 | 37.3 | 0 | 79 | 200.66 | 30 | 5.3 | R-134A | 3/8/2006 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-45 | GDM-45 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | 38.9 | 38.9 | 0 | 78.63 | 199.71 | 29.62 | 5.73 | R-134A | 1/1/2012 | 2/8/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-47 | GDM-47 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | 44.2 | 44.2 | 0 | 78 | 198.12 | 30 | 6.15 | R-134A | 1/27/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-47FC | GDM-47FC | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | 44.2 | 44.2 | 0 | 78 | 198.12 | 30 | 6.15 | R-134A | 1/27/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-49 | GDM-49 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Hinged | 45.2 | 45.2 | 0 | 79 | 200.66 | 30 | 5.96 | R-134A | 1/15/2010 | 3/25/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-49FC | GDM-49FC | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Hinged | 45.2 | 45.2 | 0 | 79 | 200.66 | 30 | 5.96 | R-134A | 1/15/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-49RF | GDM-49RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Hinged | 45.2 | 45.2 | 0 | 79 | 200.66 | 30 | 5.96 | R-134A | 1/15/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-49W-RF | GDM-49W-RF | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Hinged | 45.2 | 45.2 | 0 | 79 | 200.66 | 30 | 5.96 | R-134A | 1/15/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-69 | GDM-69 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 3 | 0 Sliding | 61.3 | 61.3 | 0 | 79.4 | 201.7 | 29.6 | 8.2 | R-134A | 5/2/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-72 | GDM-72 | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 3 | 0 Hinged | 66.5 | 66.5 | 0 | 79.38 | 201.61 | 29.88 | 8.42 | R-134A | 4/24/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-72FC | GDM-72FC | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 3 | 0 Hinged | 66.5 | 66.5 | 0 | 79.38 | 201.61 | 29.88 | 8.42 | R-134A | 4/24/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1R-1G | STA1R-1G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 Hinged | 21.95 | 21.95 | 0 | 77.75 | 198 | 33.75 | 2.21 | R-134A | 5/11/2011 | 5/24/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1R-1S | STA1R-1S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 1 Hinged | 21.95 | 0 | 21.95 | 77.75 | 198 | 33.75 | 1.92 | R-134A | 5/11/2011 | 5/24/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|--------------------|--------------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1R-2HG | STA1R-2HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.11 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1R-2HS | STA1R-2HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.08 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-1G-1G | STA1RPT-1G-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-1G-1S | STA1RPT-1G-1S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 1 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-1HG/1HS-1G | STA1RPT-1HG/1HS-1G | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 1 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-1HG/1HS-1S | STA1RPT-1HG/1HS-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 2 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-1S-1S | STA1RPT-1S-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-2HG-1G | STA1RPT-2HG-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|-----------------|-----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-2HG-1S | STA1RPT-2HG-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 1 Hinged | | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-2HG-2HG | STA1RPT-2HG-2HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 Hinged | | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-2HS-1G | STA1RPT-2HS-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 Hinged | | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-2HS-1S | STA1RPT-2HS-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA1RPT-2HS-2HS | STA1RPT-2HS-2HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA2R-2G | STA2R-2G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 47.1 | 47.1 | 0 | 77.75 | 198 | 33.75 | 4.29 | R-134A | 5/1/2011 | 5/24/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA2R-2S | STA2R-2S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 47.1 | 0 | 47.1 | 77.75 | 198 | 33.75 | 3.99 | R-134A | 5/1/2011 | 5/24/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA2R-4HG | STA2R-4HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 Hinged | | 47.1 | 47.1 | 0 | 77.75 | 197.49 | 33.75 | 4.79 | R-134A | 3/1/2012 | 1/15/2013 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|---------------|---------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA2R-4HS | STA2R-4HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 47.1 | 0 | 47.1 | 77.75 | 197.49 | 33.75 | 4.13 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA3R-3S | STA3R-3S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 70.09 | 0 | 70.09 | 77.75 | 197.49 | 33.75 | 4.89 | R-134A | 11/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA3R-6HS | STA3R-6HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 70.09 | 0 | 70.09 | 77.75 | 197.49 | 33.75 | 4.89 | R-134A | 11/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1R-1G | STG1R-1G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 198 | 33.75 | 2.21 | R-134A | 5/11/2011 | 5/24/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1R-1S | STG1R-1S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 198 | 33.75 | 1.92 | R-134A | 5/11/2011 | 5/24/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1R-2HG | STG1R-2HG | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.11 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1R-2HS | STG1R-2HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.08 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-1G-1G | STG1RPT-1G-1G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|--------------------|--------------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-1G-1S | STG1RPT-1G-1S | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 1 Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-1HG/1HS-1G | STG1RPT-1HG/1HS-1G | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 2 | 1 Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-1HG/1HS-1S | STG1RPT-1HG/1HS-1S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 2 Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-1S-1S | STG1RPT-1S-1S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 2 Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-2HG-1G | STG1RPT-2HG-1G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 3 | 0 Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-2HG-1S | STG1RPT-2HG-1S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 2 | 1 Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-2HG-2HG | STG1RPT-2HG-2HG | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 4 | 0 Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-2HS-1G | STG1RPT-2HS-1G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 3 | 0 Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|-----------------|-----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-2HS-1S | STG1RPT-2HS-1S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG1RPT-2HS-2HS | STG1RPT-2HS-2HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG2R-2G | STG2R-2G | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 47.1 | 47.1 | 0 | 77.75 | 198 | 33.75 | 4.29 | R-134A | 5/1/2011 | 5/24/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG2R-2S | STG2R-2S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 47.1 | 0 | 47.1 | 77.75 | 198 | 33.75 | 3.99 | R-134A | 5/1/2011 | 5/24/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG2R-4HG | STG2R-4HG | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 4 | 0 | Hinged | 47.1 | 47.1 | 0 | 77.75 | 197.49 | 33.75 | 4.79 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG2R-4HS | STG2R-4HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 47.1 | 0 | 47.1 | 77.75 | 197.49 | 33.75 | 4.13 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG3R-3S | STG3R-3S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 70.09 | 0 | 70.09 | 77.75 | 197.49 | 33.75 | 4.89 | R-134A | 11/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG3R-6HS | STG3R-6HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 70.09 | 0 | 70.09 | 77.75 | 197.49 | 33.75 | 4.89 | R-134A | 11/1/2012 | 1/15/2013 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|--------------------|--------------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1R-1G | STR1R-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 198 | 33.75 | 2.21 | R-134A | 5/1/2011 | 5/24/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1R-1S | STR1R-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 198 | 33.75 | 1.92 | R-134A | 5/1/2011 | 5/24/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1R-2HG | STR1R-2HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.11 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1R-2HS | STR1R-2HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.08 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-1G-1G | STR1RPT-1G-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-1G-1S | STR1RPT-1G-1S | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 1 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-1HG/1HS-1G | STR1RPT-1HG/1HS-1G | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 1 | Hinged | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-1HG/1HS-1S | STR1RPT-1HG/1HS-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 2 | Hinged | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|-----------------|-----------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-1S-1S | STR1RPT-1S-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-2HG-1G | STR1RPT-2HG-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 Hinged | | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-2HG-1S | STR1RPT-2HG-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 1 Hinged | | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-2HG-2HG | STR1RPT-2HG-2HG | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 4 | 0 Hinged | | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-2HS-1G | STR1RPT-2HS-1G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 Hinged | | 21.95 | 21.95 | 0 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-2HS-1S | STR1RPT-2HS-1S | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR1RPT-2HS-2HS | STR1RPT-2HS-2HS | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 21.95 | 0 | 21.95 | 77.75 | 197.49 | 33.75 | 2.87 | R-134A | 3/1/2012 | 1/15/2013 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR2R-2G | STR2R-2G | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 47.1 | 47.1 | 0 | 77.75 | 198 | 33.75 | 4.29 | R-134A | 5/1/2011 | 5/24/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR2R-2S | STR2R-2S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 47.1 | 0 | 47.1 | 77.75 | 198 | 33.75 | 3.99 | R-134A | 5/1/2011 | 5/24/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR2R-4HG | STR2R-4HG | | Glass Door Refrigerator Cabinet | Vertical | Automatic | 4 | 0 | Hinged | 47.1 | 47.1 | 0 | 77.75 | 197.49 | 33.75 | 4.79 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR2R-4HS | STR2R-4HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 47.1 | 0 | 47.1 | 77.75 | 197.49 | 33.75 | 4.13 | R-134A | 3/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR3R-3S | STR3R-3S | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 70.09 | 0 | 70.09 | 77.75 | 197.49 | 33.75 | 4.89 | R-134A | 11/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR3R-6HS | STR3R-6HS | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 70.09 | 0 | 70.09 | 77.75 | 197.49 | 33.75 | 4.89 | R-134A | 11/1/2012 | 1/15/2013 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | T-23 | T-23 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | Hinged | 20.5 | 20.5 | 0 | 78 | 198.12 | 30 | 2.43 | R-134A | 8/3/2005 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | T-35 | T-35 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | Hinged | 31.2 | 31.2 | 0 | 78 | 198.12 | 30 | 2.89 | R-134A | 12/2/2010 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | T-49 | T-49 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | Hinged | 43.5 | 43.5 | 0 | 78 | 198.12 | 30 | 3.5 | R-134A | 5/12/2010 | 3/25/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | T-49-4 | T-49-4 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 4 Hinged | 43.5 | 43.5 | 0 | 78.63 | 199.71 | 29.5 | 4.01 | R-134A | 1/1/2012 | 2/8/2012 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | T-49G | T-49G | | Glass Door Refrigerator Cabinet | Vertical | Manual | 2 | 0 | 0 Hinged | 44.1 | 44.1 | 0 | 78 | 198.12 | 30 | 6.28 | R-134A | 10/3/2008 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | T-72 | T-72 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 3 | 3 Hinged | 65.8 | 65.8 | 0 | 79 | 200.66 | 30 | 4.98 | R-134A | 9/5/2008 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TA1R-1S | TA1R-1S | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | 1 Hinged | 27.64 | | | 61 | 154.94 | 30.5 | 3.04 | R-134A | 3/28/2011 | 10/21/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TA2R-2S | TA2R-2S | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | 2 Hinged | 51.42 | | | 61 | 154.94 | 30.5 | 4.38 | R-134A | 7/5/2011 | 10/21/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TG1R-1S | TG1R-1S | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | 1 Hinged | 27.64 | | | 61 | 154.94 | 30.5 | 3.03 | R-134A | 3/28/2011 | 10/21/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TG2R-2S | TG2R-2S | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | 2 Hinged | 51.42 | | | 61 | 154.94 | 30.5 | 4.38 | R-134A | 7/5/2011 | 10/21/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TR1R-1S | TR1R-1S | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | 1 Hinged | 27.64 | | | 61 | 154.94 | 30.5 | 3.04 | R-134A | 3/28/2011 | 10/21/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TR2R-2S | TR2R-2S | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 51.42 | | | | 61 | 154.94 | 30.5 | 4.38 | R-134A | 7/5/2011 | 10/21/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TS-23 | TS-23 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 1 Hinged | 20.5 | 20.5 | 0 | | 78 | 198.12 | 30 | 2.43 | R-134A | 8/3/2005 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TS-35 | TS-35 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 31.2 | 31.2 | 0 | | 78 | 198.12 | 30 | 2.89 | R-134A | 12/2/2010 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TS-49 | TS-49 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 43.5 | 43.5 | 0 | | 78 | 198.12 | 30 | 3.5 | R-134A | 5/12/2010 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TS-49-4 | TS-49-4 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 4 Hinged | 43.5 | | 43.5 | | 78.63 | 199.71 | 29.5 | 4.01 | R-134A | 1/1/2012 | 2/8/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TS-49G | TS-49G | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Hinged | 44.1 | 44.1 | 0 | | 78 | 198.12 | 30 | 6.28 | R-134A | 10/4/2008 | 3/26/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TSD-47G | TSD-47G | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 2 | 0 Sliding | 43 | 43 | 0 | | 78 | 198.12 | 30 | 5.15 | R-134A | 12/19/2009 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TST-ADA | TST-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 1 Hinged | 6.64 | 6.64 | 0 | | 30 | 76.2 | 30 | 1.89 | R-134A | 5/23/2007 | 3/25/2011 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-24 | TUC-24 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | Hinged | 5 | 5 | 0 | 33 | 83.82 | 25 | 0.91 | R-134A | 11/5/2007 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-27 | TUC-27 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | Hinged | 6.64 | 6.64 | 0 | 30 | 76.2 | 30 | 1.89 | R-134A | 5/23/2007 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-27-ADA | TUC-27-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | Hinged | 6.64 | 6.64 | 0 | 30 | 76.2 | 30 | 1.89 | R-134A | 5/23/2007 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-27-LP | TUC-27-LP | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | Hinged | 6.64 | 6.64 | 0 | 30 | 76.2 | 30 | 1.89 | R-134A | 5/23/2007 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-36 | TUC-36 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | Hinged | 8.94 | 8.94 | 0 | 30 | 76.2 | 30 | 2.08 | R-134A | 9/25/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-36-ADA | TUC-36-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | Hinged | 8.94 | 8.94 | 0 | 30 | 76.2 | 30 | 2.08 | R-134A | 9/25/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-36-LP | TUC-36-LP | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 2 | Hinged | 8.94 | 8.94 | 0 | 30 | 76.2 | 30 | 2.08 | R-134A | 9/25/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-44 | TUC-44 | | Solid Door Refrigerator Cabinet | Vertical | Manual | 0 | 1 | Hinged | 10.18 | 10.18 | 0 | 30 | 76.2 | 32 | 2.11 | R-134A | 9/30/2004 | 3/25/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-48 | TUC-48 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 3 Hinged | 18.72 | 18.72 | 0 | 30 | 76.2 | 30 | 2.73 | R-134A | 8/17/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-48-ADA | TUC-48-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 3 Hinged | 18.72 | 18.72 | 0 | 30 | 76.2 | 30 | 2.73 | R-134A | 8/17/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-48-LP | TUC-48-LP | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 3 Hinged | 18.72 | 18.72 | 0 | 30 | 76.2 | 30 | 2.73 | R-134A | 8/17/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-60 | TUC-60 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 15.57 | 15.57 | 0 | 33 | 83.82 | 30 | 2.37 | R-134A | 8/27/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-60-32 | TUC-60-32 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 15.5 | 15.5 | 0 | 30 | 76.2 | 32 | 2.33 | R-134A | 3/29/2005 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-60-ADA | TUC-60-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 15.57 | 15.57 | 0 | 33 | 83.82 | 30 | 2.37 | R-134A | 8/27/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-60-LP | TUC-60-LP | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 15.57 | 15.57 | 0 | 33 | 83.82 | 30 | 2.37 | R-134A | 8/27/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-67 | TUC-67 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 23.13 | 23.13 | 0 | 33 | 83.82 | 32 | 2.7 | R-134A | 9/30/2004 | 3/26/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-72 | TUC-72 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 3 Hinged | 18.72 | 18.72 | 0 | 30 | 76.2 | 30 | 2.73 | R-134A | 8/17/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TUC-72-ADA | TUC-72-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 3 Hinged | 18.72 | 18.72 | 0 | 30 | 76.2 | 30 | 2.73 | R-134A | 8/17/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-27 | TWT-27 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 1 Hinged | 6.64 | 6.64 | 0 | 30 | 76.2 | 30 | 1.89 | R-134A | 5/23/2007 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-36 | TWT-36 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 8.94 | 8.94 | 0 | 30 | 76.2 | 30 | 2.08 | R-134A | 9/25/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-36-ADA | TWT-36-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 8.94 | 8.94 | 0 | 30 | 76.2 | 30 | 2.08 | R-134A | 9/25/2004 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-44 | TWT-44 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 1 Hinged | 10.18 | 10.18 | 0 | 30 | 76.2 | 32 | 2.11 | R-134A | 10/1/2004 | 3/26/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-48 | TWT-48 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 1 Hinged | 12.31 | 12.31 | 0 | 33 | 83.82 | 30 | 2.16 | R-134A | 5/7/2009 | 3/25/2011 | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-48-ADA | TWT-48-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 3 Hinged | 18.72 | 18.72 | 0 | 30 | 76.2 | 30 | 2.73 | R-134A | 8/17/2004 | 3/25/2011 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|---------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-60 | TWT-60 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | | 15.57 | 15.57 | 0 | 33 | 83.82 | 30 | 2.37 | R-134A | 8/27/2004 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-60-32 | TWT-60-32 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | | 15.5 | 15.5 | 0 | 30 | 76.2 | 32 | 2.33 | R-134A | 3/30/2005 | 3/26/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-60-ADA | TWT-60-ADA | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | | 15.57 | 15.57 | 0 | 33 | 83.82 | 30 | 2.37 | R-134A | 8/27/2004 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-67 | TWT-67 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | | 23.13 | 23.13 | 0 | 33 | 83.82 | 32 | 2.7 | R-134A | 9/29/2004 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TWT-72 | TWT-72 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 3 Hinged | | 18.72 | 18.72 | 0 | 30 | 76.2 | 30 | 2.73 | R-134A | 8/17/2004 | 3/25/2011 |
| Turbo Air Inc. | Premier Corporation | MSR-23G-1 | MSR-23G-1 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 1 | 0 Hinged | | 20 | | | 78 | 27 | 32 | 3.54 | R-134A | 12/16/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | MSR-49G-2 | MSR-49G-2 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 2 | 0 Hinged | | 39 | | | 78 | 54 | 32 | 5.22 | R-134A | 6/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | MSR-72G-3 | MSR-72G-3 | | Glass Door Refrigerator Cabinet | Vertical | Automatic | | 3 | 0 Hinged | | 67 | | | 77 | 82 | 31 | 7.18 | R-134A | 12/16/2010 | 10/19/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------------------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Turbo Air Inc. | Premier Corporation | TBB-2SB | TBB-2SB | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 19 | | | 37 | 59 | 28 | 2.53 | R-134A | 12/23/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TBB-3SB | TBB-3SB | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 23 | | | 37 | 69 | 28 | 2.58 | R-134A | 12/23/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TBC-50SD | TBC-50SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 2 | Sliding | 13.5 | | | 34 | 50 | 27 | 1.64 | R-134A | 6/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TBC-65SD | TBC-65SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 2 | Sliding | 18.5 | | | 34 | 65 | 27 | 2.35 | R-134A | 12/17/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TBC-95SD | TBC-95SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 3 | Sliding | 30.3 | | | 34 | 95 | 27 | 3.12 | R-134A | 12/17/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TBD-2SD | TBD-2SD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20.9 | | | 37 | 59 | 27 | 2.56 | R-134A | 12/17/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TBD-3SD | TBD-3SD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 25.4 | | | 37 | 69 | 27 | 2.85 | R-134A | 12/17/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TGM-35R | TGM-35R | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 29.27 | | | 79 | 42 | 30 | 5 | R-134A | 7/30/2010 | 10/19/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|---------------------|---------------------------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Turbo Air Inc. | Premier Corporation | TGM-5R | TGM-5R | | Glass Door Refrigerator Cabinet | Vertical | Manual | | 1 | 0 Hinged | 4.7 | | | | 34 | 19 | 24 | 1.55 | R-134A | 12/27/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TSR-23SD* | TSR-23SD* | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 1 Hinged | 19.3 | | | | 78 | 27 | 31 | 2.52 | R-134A | 11/15/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TSR-49SD | TSR-49SD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 2 Hinged | 41.1 | | | | 78 | 55 | 31 | 3.32 | R-134A | 4/5/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TSR-72SD | TSR-72SD | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 3 Hinged | 64.1 | | | | 78 | 82 | 31 | 4.35 | R-134A | 4/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | Commercial storage refrigerator | JUR-36 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 1 Hinged | 6.7 | | | | 28.74 | 73 | 27.56 | 1.53 | R-134A | 10/30/2012 | 10/18/2012 |
| Turbo Air Inc. | Turbo Air | Commercial storage refrigerator | JUR-48 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 2 Hinged | 10.6 | | | | 28.74 | 73 | 27.56 | 1.98 | R-134A | 10/30/2012 | 10/18/2012 |
| Turbo Air Inc. | Turbo Air | Commercial storage refrigerator | M3R19-1 | | Solid Door Refrigerator Cabinet | Vertical | Manual | | 0 | 1 Hinged | 18.7 | | | | 72.05 | 183 | 31.5 | 1.97 | R-134A | 10/30/2012 | 10/18/2012 |
| Turbo Air Inc. | Turbo Air | M3R24-1 | M3R24-1 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | | 0 | 1 Hinged | 21.8 | | | | 78 | 29 | 31 | 2.54 | R-134a | 6/5/2010 | 10/19/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|-----------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Turbo Air Inc. | Turbo Air | M3R24-2 | M3R24-2 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 21.8 | | | 78 | 29 | 31 | 2.72 | R-134a | 9/15/2010 | 10/19/2012 | |
| Turbo Air Inc. | Turbo Air | M3R47-2 | M3R47-2 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 42.2 | | | 78 | 52 | 31 | 3.54 | R-134a | 6/5/2010 | 10/19/2012 | |
| Turbo Air Inc. | Turbo Air | M3R47-4 | M3R47-4 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 42.2 | | | 78 | 52 | 31 | 3.23 | R-134a | 9/1/2010 | 10/19/2012 | |
| Turbo Air Inc. | Turbo Air | M3R72-3 | M3R72-3 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 66.9 | | | 78 | 78 | 31 | 4.18 | R-134a | 6/5/2010 | 10/19/2012 | |
| Turbo Air Inc. | Turbo Air | M3R72-6 | M3R72-6 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 6 | Hinged | 66.9 | | | 78 | 78 | 31 | 4.78 | R-134a | 9/30/2010 | 10/19/2012 | |
| Turbo Air Inc. | Turbo Air | MUR-36 | MUR-36 | | Solid Door Refrigerator Cabinet | Chest | Automatic | 0 | 2 | Hinged | 9.7 | | | 30 | 36.3 | 30 | 1.3 | R-134a | 12/10/2010 | 10/26/2012 | |
| Turbo Air Inc. | Turbo Air | PRO-26-2R | PRO-26-2R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 26 | | | 78 | 28.7 | 31.5 | 2.23 | R-134a | 12/14/2010 | 10/19/2012 | |
| Turbo Air Inc. | Turbo Air | PRO-26R | PRO-26R | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 26 | | | 78 | 28.7 | 31.5 | 2.12 | R-134a | 12/14/2010 | 10/19/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|-----------|------------|--------------|---|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Turbo Air Inc. | Turbo Air | PRO-50-4R | PRO-50-4R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 50 | | | 78 | 51.7 | 31.5 | 2.62 | R-134a | 12/14/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-50R | PRO-50R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 50 | | | 78 | 51.7 | 31.5 | 2.48 | R-134a | 12/12/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-77-6R | PRO-77-6R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 6 | Hinged | 76.82 | | | 78 | 77.18 | 31.5 | 4.83 | R-134a | 12/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-77R | PRO-77R | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 77.18 | | | 78 | 77.18 | 31.5 | 4.77 | R-134a | 12/13/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | TGM-10SDB | TGM-10SDB | TGM-10SDV,TGM-10 SDV,; TGM-10SDW,TGM-10SDW, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 8.12 | 8.12 | 0 | 63 | 26 | 21 | 1.71 | R-134A | 5/15/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-11RV | TGM-11RV | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 10 | 10 | 0 | 61 | 24 | 25 | 1.99 | R-134A | 5/1/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-12SDB | TGM-12SDB | TGM-12SDV,TGM-12 SDV,; TGM-12SDW,TGM-12SDW, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 10.19 | 10.19 | 0 | 63 | 26 | 21 | 1.76 | R-134A | 5/15/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-14RV | TGM-14RV | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 12.2 | 12.2 | 0 | 74 | 24 | 26 | 2.57 | R-134A | 5/1/2012 | 9/21/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|-----------|------------|--------------|---|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Turbo Air Inc. | Turbo Air | TGM-15SDB | TGM-15SDB | TGM-15SDV,TGM-15 SDV., TGM-15SDW,TGM-15SDW, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 14.43 | 14.43 | 0 | 76 | 27 | 23 | 2.99 | R-134A | 5/15/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-20SDB | TGM-20SDB | TGM-20SDV,TGM-20 SDV., TGM-20SDW,TGM-20SDW, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 16.01 | 16.01 | 0 | 78 | 27 | 24 | 3.16 | R-134A | 5/15/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-22RV | TGM-22RV | TGM-22RVB,TGM-22 RVB, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 20.3 | 20.3 | 0 | 80 | 29 | 30 | 3.35 | R-134A | 5/1/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-23SDB | TGM-23SDB | TGM-23SDV,TGM-23 SDV., TGM-23SDW,TGM-23SDW, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 19.4 | 19.4 | 0 | 78 | 27 | 28 | 2.96 | R-134A | 5/15/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-47SDW | TGM-47SDW | TGM-47SDB,TGM-47 SDB., TGM-47SDB,TGM-47 SDB., TGM-47SDV,TGM-47 SDV., TGM-47SDV,TGM-47 SDV., | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 41.11 | 41.11 | 0 | 78 | 55 | 28 | 5.49 | R-134A | 7/30/2012 | 1/24/2013 |
| Turbo Air Inc. | Turbo Air | TGM-48R | TGM-48R | | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 2 | 0 | Sliding | 44 | 44 | 0 | 78.5 | 56 | 30 | 5.85 | R-134A | 8/1/2012 | 11/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-5SDB | TGM-5SDB | TGM-5SDV,TGM-5S DV., TGM-5SDW,TGM-5S DW, | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 4.45 | 4.45 | 0 | 31 | 25 | 21 | 1.31 | R-134A | 5/15/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGM-72SDW | TGM-72SDW | TGM-72SDB,TGM-72 SDB., TGM-72SDV,TGM-72 SDV., | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 65.24 | 65.24 | 0 | 78 | 82 | 28 | 7.68 | R-134A | 9/27/2012 | 1/7/2013 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|---------------------|-----------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Turbo Air Inc. | Turbo Air | TGM-7SDB | TGM-7SDB | TGM-7SDV,TGM-7S DV, TGM-7SDW,TGM-7S DW. | Glass Door Refrigerator Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 6.2 | 6.2 | 0 | 39 | 25 | 21 | 1.45 | R-134A | 5/15/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TSR-35SD | TSR-35SD | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 30.3 | | | 77 | 39.5 | 30 | 2.7 | R-134a | 9/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | TUR-28SD* | TUR-28SD* | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 1 | Hinged | 7.15 | | | 31 | 28 | 31 | 1.22 | R-134a | 7/20/2010 | 10/26/2012 |
| Turbo Air Inc. | Turbo Air | TUR-36SD | TUR-36SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 2 | Hinged | 9.7 | | | 30 | 36.3 | 30 | 1.28 | R-134a | 8/20/2010 | 10/26/2012 |
| Turbo Air Inc. | Turbo Air | TUR-48SD | TUR-48SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 2 | Hinged | 13.2 | | | 31 | 48.2 | 30 | 2.51 | R-134a | 6/20/2010 | 10/26/2012 |
| Turbo Air Inc. | Turbo Air | TUR-60SD | TUR-60SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 2 | Hinged | 17.2 | | | 31 | 60.3 | 30 | 2.42 | R-134a | 6/20/2010 | 10/26/2012 |
| Turbo Air Inc. | Turbo Air | TUR-72SD | TUR-72SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 3 | Hinged | 18.9 | | | 31 | 72.6 | 31 | 2.77 | R-134a | 6/20/2010 | 10/26/2012 |
| Turbo Air Inc. | Turbo Air | TWR-48SD | TWR-48SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 2 | Hinged | 13.2 | | | 31 | 48 | 30 | 1.29 | R-134a | 12/15/2010 | 10/26/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|-----------------------|------------------|------------|--------------|--|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Turbo Air Inc. | Turbo Air | TWR-60SD | TWR-60SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 2 | Hinged | 17.2 | | | 31 | 60.3 | 30 | 1.52 | R-134a | 12/15/2010 | 10/26/2012 |
| Turbo Air Inc. | Turbo Air | TWR-72SD | TWR-72SD | | Solid Door Refrigerator Cabinet | Chest | | Automatic | 0 | 2 | Hinged | 18.9 | | | 31 | 72.6 | 30 | 1.65 | R-134a | 12/15/2010 | 10/26/2012 |
| US Inc. | US REFRIGERATION | UM-24 | UM-24 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 30 | 2.58 | R-134A | 1/5/2002 | 9/21/2012 |
| US Inc. | US REFRIGERATION | UM-48 | UM-48 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 42.7 | 0 | 42.7 | 76.9 | 53.9 | 31 | 3.36 | R-134A | 1/5/2002 | 9/21/2012 |
| US Inc. | US REFRIGERATION | UMT-24 | UMT-24 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 2.53 | R-134A | 1/13/2011 | 9/21/2012 |
| US Inc. | US REFRIGERATION | UMT-48 | UMT-48 | | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 43.64 | 0 | 43.64 | 76.9 | 31 | 31 | 3.96 | R-134A | 1/3/2011 | 9/21/2012 |
| Victory Refrigeration | Victory | RA-1D-S7 | RA-1D-S7 | RA-1D-S1,RA-1D-S1.; RS-1D-S1.; RS-1D-S7.;RS-1D-S7.; RSA-1D-S1,RSA-1D-S1.; RSA-1D-S7,RSA-1D-S7. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.9 | | | 84 | 213.36 | 34.5 | 1.93 | R-404A | 4/19/2010 | 4/5/2012 |
| Victory Refrigeration | Victory | RA-2D-S7 | RA-2D-S7 | RA-2D-S1,RA-2D-S1.; RS-2D-S1.; RS-2D-S7.;RS-2D-S7.; RSA-2D-S1,RSA-2D-S1.; RSA-2D-S7,RSA-2D-S7. | Solid Door Refrigerator Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 44.9 | | | 84 | 213.36 | 34.5 | 3.04 | R-404A | 4/19/2010 | 4/5/2012 |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------------------|---------|------------------------|--------------|---|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Victory Refrigeration | Victory | RA-3D-S7 | RA-3D-S7 | RA-3D-S1 RA-3D-S1.; RS-3D-S1,RS-3D-S1.; RS-3D-S7 RS-3D-S7.; RSA-3D-S1,RSA-3D-S1.; RSA-3D-S7,RSA-3D-S7. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 68.7 | | | 84 | 213.36 | 34.5 | 3.96 | R-134A | 5/7/2010 | 4/5/2012 | |
| Victory Refrigeration | Victory | RS-1D-S7-EW | RS-1D-S7-EW | RA-1D-S1-EW,RA-1D-S1-EW.; RS-1D-S1-EW,RS-1D-S1-EW.; RSA-1D-S1-EW,RSA-1D-S1-EW.; EW,RSA-1D-S1-EW.,RSA-1D-S7-EW,RSA-1D-S7-EW. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 23.7 | | | 84 | 213.36 | 35.88 | 1.91 | R-134A | 12/1/2010 | 4/5/2012 | |
| Victory Refrigeration | Victory | V-Series Refrigerators | VR-1 | V-Series Refrigerators,VR-SA-1D.; V-Series Refrigerators,VSR-1. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 20.9 | | | 84 | 213.36 | 33.25 | 1.97 | R-134A | 4/19/2010 | 2/14/2012 | |
| Victory Refrigeration | Victory | V-Series Refrigerators | VR-2 | V-Series Refrigerators,VR-SA-2D.; V-Series Refrigerators,VSR-2. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 44.9 | | | 84 | 213.36 | 33.25 | 3.1 | R-134A | 4/19/2010 | 2/14/2012 | |
| Victory Refrigeration | Victory | V-Series Refrigerators | VR-3 | V-Series Refrigerators,VR-SA-3D.; V-Series Refrigerators,VSR-3. | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 68.7 | | | 84 | 213.36 | 33.25 | 3.98 | R-134A | 5/7/2010 | 2/14/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8004 | MBF8004 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 21.6 | | 21.6 | 83.9 | 28.8 | 33.5 | 2.88 | R-134A | 1/16/2012 | 9/21/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8010 | MBF8010 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 21.1 | | 21.1 | 83.9 | 28.8 | 33.5 | 2.88 | R-134A | 3/19/2012 | 9/21/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8505 | MBF8505 | | Solid Door Refrigerator Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 20.3 | | 20.3 | 84.3 | 27.1 | 32.1 | 2.54 | R-134A | 2/11/2012 | 9/21/2012 | |

| ENERGY STAR Partner | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | Height (in) | Width (in) | Depth (in) | Daily Energy Consumption (KW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|----------------------------------|-------|------------|--------------|------------------------------|---------------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|------------|------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | | | | | | | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MGF8401 | MGF8401 | | Solid Door Refrigerator Cabinet | Chest | Manual | 0 | 1 | Hinged | 7.74 | | 7.74 | 35.63 | 27.56 | 30.12 | 2.07 | R-134A | 8/8/2012 | 9/27/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MGF8402 | MGF8402 | | Solid Door Refrigerator Cabinet | Chest | Manual | 0 | 2 | Hinged | 15.88 | | 15.88 | 35.83 | 48.23 | 30.12 | 2.6 | R-134A | 8/8/2012 | 9/27/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MGF8403 | MGF8403 | | Solid Door Refrigerator Cabinet | Chest | Manual | 0 | 2 | Hinged | 20.46 | | 20.46 | 35.83 | 60.24 | 30.12 | 2.61 | R-134A | 8/8/2012 | 9/27/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MGF8404 | MGF8404 | | Solid Door Refrigerator Cabinet | Chest | Manual | 0 | 3 | Hinged | 23.47 | | 23.47 | 35.83 | 72.64 | 30.12 | 2.73 | R-134A | 8/8/2012 | 9/27/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MGF8408 | MGF8408 | | Solid Door Refrigerator Cabinet | Chest | Manual | 0 | 1 | Hinged | 7.74 | | 7.74 | 40.16 | 27.56 | 30.12 | 2.06 | R-134A | 8/8/2012 | 9/27/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MGF8409 | MGF8409 | | Solid Door Refrigerator Cabinet | Chest | Manual | 0 | 2 | Hinged | 15.88 | | 15.88 | 40.16 | 48.23 | 30.12 | 2.6 | R-134A | 8/8/2012 | 9/27/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MGF8410 | MGF8410 | | Solid Door Refrigerator Cabinet | Chest | Manual | 0 | 2 | Hinged | 20.46 | | 20.46 | 40.16 | 60.24 | 30.12 | 2.61 | R-134A | 8/8/2012 | 9/27/2012 | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MGF8411 | MGF8411 | | Solid Door Refrigerator Cabinet | Chest | Manual | 0 | 3 | Hinged | 23.47 | | 23.47 | 40.16 | 72.64 | 30.12 | 2.92 | R-134A | 8/8/2012 | 9/27/2012 | |

ENERGY STAR Commercial Freezer Qualified Product List

List Current as of February 20, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

*Additional model number variations represent aesthetic differences that do not affect the performance of the equipment.

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|-------------------------------|--------------|------------|--------------|--|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| Admiral Craft Equipment Corp. | ADCRAFT | FZS-2D/W | FZS-2D/W | FZS-2D/ B,FZS-2D/B. | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 28 | 28 | 0 | 83.27 | 49.21 | 26.18 | 16.93 R-404A | 4/30/2011 | 9/21/2012 |
| Asbury Foodservice | MAXX-COLD | MCF-23FD | MCF-23FD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 31 | 6.26 R-134A | 1/5/2002 | 9/21/2012 |
| Asbury Foodservice | MAXX-COLD | MCF-49FD | MCF-49FD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 42.4 | 0 | 42.4 | 76.9 | 53.9 | 31 | 11.65 R-404A | 1/5/2002 | 9/21/2012 |
| Asbury Foodservice | MAXX-COLD | MCF-72FD | MCF-72FD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.8 | 0 | 66.8 | 82.6 | 81.1 | 31 | 16.02 R-404A | 12/20/2011 | 9/21/2012 |
| Asbury Foodservice | MAXX-COLD | MCFT-23FD | MCFT-23FD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 5.92 R-404A | 1/13/2011 | 9/21/2012 |
| Asbury Foodservice | MAXX-COLD | MCFT-49FD | MCFT-49FD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 43.3 | 0 | 43.3 | 76.9 | 31 | 31 | 12.3 R-404A | 1/13/2011 | 9/21/2012 |
| Asbury Foodservice | MAXX-COLD | MCFT-72FD | MCFT-72FD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 67.3 | 0 | 67.3 | 81.8 | 81.1 | 31 | 15.84 R-404A | 12/20/2011 | 9/21/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF1-1G | | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 21.8 | 21.8 | 0 | 78.5 | 26 | 32 | 13.48 R-404A | 6/7/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF1-1HS | HFP1-1HS-18,H FP1-1HS-18.; HFPS1-1HS,HF PS1-1HS.; HFS1-1HS,HFS 1-1HS. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 21.7 | 0 | 21.7 | 78.75 | 26 | 33.75 | 7.61 R-404A | 11/11/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF1-1S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 21.8 | 0 | 21.8 | 78.5 | 26 | 32 | 7.59 R-404A | 8/19/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF1W-1S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 30.6 | 0 | 30.6 | 78.5 | 35 | 32 | 9.49 R-404A | 10/2/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF2-1G | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 46.9 | 46.9 | 0 | 78.5 | 52 | 32 | 23.3 R-404A | 6/8/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF2-1HS | HFP2-1HS-18,H FP2-1HS-18.; HFPS2-1HS,HF PS2-1HS.; HFS2-1HS,HFS 2-1HS. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 48.2 | 0 | 48.2 | 78.75 | 52 | 33.75 | 11.9 R-404A | 11/7/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF2-1S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 46.9 | 0 | 46.9 | 78.5 | 52 | 32 | 11.8 R-404A | 8/19/2009 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF3-5G | | Glass Door Freezer Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 72 | 72 | 0 | 78.5 | 78 | 32 | 33.3 R-404A | 8/16/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | Horizon | HF3-5S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 72 | 0 | 72 | 78.5 | 78 | 32 | 17.06 R-404A | 2/25/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | LumaVue | LSF23-1 | ,HBF23-1.; HBF23-1,HBF23 -1. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 22.4 | 0 | 22.4 | 78.25 | 27.38 | 32 | 6.31 R-404A | 11/20/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | LumaVue | LSF49-1 | ,HBF49-1.; HBF49-1,HBF49 -1. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 46.1 | 0 | 46.1 | 78.25 | 52 | 32 | 10.9 R-404A | 11/19/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | LumaVue | LSF72-1 | ,HBF72-1.; HBF72-1,HBF72 -1. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 68.5 | 0 | 68.5 | 78.25 | 75.25 | 32.25 | 14.2 R-404A | 11/24/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | LumaVue | LVF23-1 | MMF23-1- W-02,MMF23-1 -W-02.; MMF23-1-W- LED,MMF23-1- W-LED. | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 22.4 | 22.4 | 0 | 78.25 | 27.38 | 32 | 7.91 R-404A | 8/1/2010 | 9/10/2012 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified |
|--|--------------|------------|--------------|--|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | |
| Beverage-Air Corp. | Beverage-Air | LumaVue | LVF49-1 | MMF49-1-W-002.MMF49-1-W-002.; MMF49-1-W-LED.MMF49-1-W-LED. | Glass Door Freezer Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 45.7 | 45.7 | 0 | 78.25 | 52 | 32 | 24.04 R-404A | 7/31/2010 | 9/10/2012 |
| Beverage-Air Corp. | Beverage-Air | LumaVue | LVF72-5 | MMF72-1-W-002.MMF72-1-W-002.; MMF72-1-W-LED.MMF72-1-W-LED. | Glass Door Freezer Cabinet | Vertical | Automatic | 3 | 0 | Hinged | 68 | 68 | 0 | 78.25 | 75.25 | 32.25 | 31.8 R-404A | 6/1/2011 | 9/10/2012 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASF1 | BASF1 | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 20.93 | | 20.93 | 84.5 | 214.63 | 31.25 | 7.28 R-404A | 3/15/2010 | 3/23/2011 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASF2 | BASF2 | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 43.11 | | 43.11 | 84.5 | 214.63 | 31.25 | 10.93 R-134A | 3/15/2010 | 3/23/2011 |
| Blue Air Commercial Refrigeration, Inc | Blue Air | BASF3 | BASF3 | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 3 | Hinged | 66.58 | | 66.58 | 84.5 | 214.63 | 31.25 | 15.18 R-134A | 3/15/2010 | 3/23/2011 |
| Continental Refrigerator | Continental | 1F | 1F | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 18.9 | 0 | 18.9 | 82.3 | 26 | 35.5 | 6.51 R-404A | 12/20/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 1F-GD | 1F-GD | | Glass Door Freezer Cabinet | Vertical | Automatic | 1 | 0 | Hinged | 18.9 | 18.9 | 0 | 82.3 | 26 | 35.5 | 12.03 R-404A | 11/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 1FX | 1FX | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 1 | Hinged | 30.32 | 0 | 30.32 | 82.3 | 36.3 | 35.5 | 11.02 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 1FX-HD | 1FX-HD | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 30.27 | 0 | 30.27 | 82.3 | 36.3 | 35.5 | 11.02 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2F | 2F | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 45.61 | 0 | 45.61 | 82.3 | 52 | 35.5 | 12.9 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FE | 2FE | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 50 | 0 | 50 | 82.3 | 57 | 35.5 | 13.11 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FE-GD | 2FE-GD | | Glass Door Freezer Cabinet | Vertical | Automatic | 2 | 0 | Hinged | 48.2 | 48.2 | 0 | 85.8 | 57 | 35.5 | 21.28 R-404A | 11/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FE-HD | 2FE-HD | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 49.9 | 0 | 49.9 | 82.3 | 57 | 35.5 | 13.11 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FE-PT | 2FE-PT | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 52.01 | 0 | 52.01 | 82.3 | 57 | 35.5 | 14.1 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FE-PT-HD | 2FE-PT-HD | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 8 | Hinged | 51.81 | 0 | 51.81 | 82.3 | 57 | 35.5 | 14.1 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2F-HD | 2F-HD | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 45.51 | 0 | 45.51 | 82.3 | 52 | 35.5 | 12.9 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2F-PT | 2F-PT | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 49.54 | 0 | 49.54 | 82.3 | 52 | 35.5 | 13.75 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2F-PT-HD | 2F-PT-HD | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 8 | Hinged | 49.34 | 0 | 49.34 | 82.3 | 52 | 35.5 | 13.75 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FS | 2FS | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 39.19 | 0 | 39.19 | 82.3 | 52 | 30.5 | 11.88 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FSE | 2FSE | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 2 | Hinged | 31.8 | 0 | 31.8 | 82.3 | 36.3 | 35.5 | 11.02 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FSE-HD | 2FSE-HD | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 31.75 | 0 | 31.75 | 82.3 | 36.3 | 35.5 | 11.02 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | 2FS-HD | 2FS-HD | | Solid Door Freezer Cabinet | Vertical | Automatic | 0 | 4 | Hinged | 39.09 | 0 | 39.09 | 82.3 | 52 | 30.5 | 11.88 R-404A | 1/1/2010 | 10/19/2012 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|--------------------------|----------------|-------------|--------------|------------------------------|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| Continental Refrigerator | Continental | DL1F | DL1F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.7 | 0 | 19.7 | 83.3 | 26 | 35.5 | 6.73 R-404A | 12/20/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | DL2F | DL2F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 49.54 | 0 | 49.54 | 83.3 | 52 | 35.5 | 13.75 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | DL2FE | DL2FE | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 52.01 | 0 | 52.01 | 83.3 | 57 | 35.5 | 14.1 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | DL2FE-HD | DL2FE-HD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 51.91 | 0 | 51.91 | 83.3 | 57 | 35.5 | 14.1 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | DL2FE-PT | DL2FE-PT | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 52.01 | 0 | 52.01 | 83.3 | 57 | 35.5 | 14.1 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | DL2FE-PT-HD | DL2FE-PT-HD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 8 Hinged | | 51.81 | 0 | 51.81 | 83.3 | 57 | 35.5 | 14.1 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | DL2F-HD | DL2F-HD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 49.44 | 0 | 49.44 | 83.3 | 52 | 35.5 | 13.75 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | DL2F-PT | DL2F-PT | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 49.54 | 0 | 49.54 | 83.3 | 52 | 35.5 | 13.75 R-404A | 1/1/2010 | 10/19/2012 |
| Continental Refrigerator | Continental | DL2F-PT-HD | DL2F-PT-HD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 8 Hinged | | 49.37 | 0 | 49.37 | 83.3 | 52 | 35.5 | 13.75 R-404A | 1/1/2010 | 10/19/2012 |
| Daeyeong E&B Co., Ltd. | DAEYEONG E & B | DY-1220FNM | DY-1220FNM | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.4 | 0 | 42.4 | 76.9 | 53.9 | 31 | 11.65 R-404A | 1/5/2002 | 9/21/2012 |
| Daeyeong E&B Co., Ltd. | DAEYEONG E & B | DY-610FNM | DY-610FNM | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 31 | 6.26 R-134A | 1/5/2002 | 9/21/2012 |
| Daeyeong E&B Co., Ltd. | Lassele | LFB-72T | LFB-72T | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.8 | 0 | 66.8 | 82.6 | 81.1 | 31 | 16.02 R-404A | 12/20/2011 | 9/21/2012 |
| Daeyeong E&B Co., Ltd. | Lassele | LFT-23S | LFT-23S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 5.92 R-404A | 1/13/2011 | 9/21/2012 |
| Daeyeong E&B Co., Ltd. | Lassele | LFT-49D | LFT-49D | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.3 | 0 | 43.3 | 76.9 | 31 | 31 | 12.3 R-404A | 1/13/2011 | 9/21/2012 |
| Daeyeong E&B Co., Ltd. | Lassele | LFT-72T | LFT-72T | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 67.3 | 0 | 67.3 | 81.8 | 81.1 | 31 | 15.84 R-404A | 12/20/2011 | 9/21/2012 |
| Danby Products Inc. | ColdTech | CRF229-1 | CRF229-1 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.6 | 0 | 20.6 | 82.48 | 28.98 | 32.2 | 6.3 R-134A | 3/25/2011 | 1/22/2013 |
| Danby Products Inc. | ColdTech | CRF466-2 | CRF466-2 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 41.33 | 0 | 41.33 | 82.48 | 53.98 | 32.2 | 11.06 R-404A | 3/25/2011 | 1/22/2013 |
| Danby Products Inc. | ColdTech | CRF720-3 | CRF720-3 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 66.46 | 0 | 66.46 | 82.48 | 80.87 | 32.2 | 13.62 R-404A | 3/25/2011 | 1/23/2013 |
| Danby Products Inc. | Danby | CRF229-1 | CRF229-1 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.6 | 0 | 20.6 | 82.48 | 28.98 | 32.2 | 6.3 R-134A | 3/25/2011 | 2/7/2013 |
| Danby Products Inc. | Danby | CRF466-2 | CRF466-2 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 41.33 | 0 | 41.33 | 82.48 | 53.98 | 32.2 | 11.06 R-404A | 3/25/2011 | 2/7/2013 |
| Electrolux Home Products | Arctic Air | Arctic Air | CF05 | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 Hinged | | 5 | 0 | 5 | 34.2 | 27 | 22 | 1 R-134A | 9/1/1999 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | CF07 | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 Hinged | | 7 | 0 | 7 | 34.2 | 35 | 22 | 1 R-134A | 9/1/1999 | 2/18/2011 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|--------------------------|------------|------------|--------------|------------------------------|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| Electrolux Home Products | Arctic Air | Arctic Air | CF13 | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 Hinged | | 13 | 0 | 13 | 35 | 43 | 28 | 1 R-134A | 9/1/1999 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | CF15 | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 Hinged | | 15 | 0 | 15 | 35 | 48 | 28 | 1 R-134A | 9/1/1999 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | CF20 | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 Hinged | | 20 | 0 | 20 | 35 | 61 | 28 | 2 R-134A | 1/1/2005 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | F22CWF | | Solid Door Freezer Cabinet | Vertical | | Manual | 0 | 1 Hinged | | 18 | 0 | 18 | 70.6 | 32 | 29 | 3 R-134A | 4/15/1995 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | ST05G | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 5 | 5 | 0 | 34.2 | 27 | 22 | 1 R-134A | 2/1/2005 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | ST07G | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 7 | 7 | 0 | 34.2 | 35 | 22 | 1 R-134A | 2/1/2005 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | ST09G | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 9 | 9 | 0 | 34.2 | 41 | 22 | 1 R-134A | 2/1/2005 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | ST15G | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 15 | 15 | 0 | 35 | 48 | 28 | 2 R-134A | 2/1/2005 | 2/18/2011 |
| Electrolux Home Products | Arctic Air | Arctic Air | ST20G | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 20 | 20 | 0 | 35 | 61 | 28 | 2 R-134A | 2/1/2005 | 2/18/2011 |
| Electrolux Home Products | Frigidaire | Frigidaire | FCCG071FW | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 7 | 7 | 0 | 34.2 | 35 | 22 | 1 R-134A | 10/1/2006 | 2/18/2011 |
| Electrolux Home Products | Frigidaire | Frigidaire | FCCG151FW | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 15 | 15 | 0 | 35 | 48 | 28 | 2 R-134A | 10/1/2006 | 2/18/2011 |
| Electrolux Home Products | Frigidaire | Frigidaire | FCCG201FW | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 20 | 20 | 0 | 35 | 61 | 28 | 2 R-134A | 10/1/2006 | 2/18/2011 |
| Electrolux Home Products | Frigidaire | Frigidaire | FCCS071FW | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 Hinged | | 7 | 0 | 7 | 34.2 | 35 | 22 | 1 R-134A | 5/1/2006 | 2/18/2011 |
| Electrolux Home Products | Frigidaire | Frigidaire | FCCS151FW | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 Hinged | | 15 | 0 | 15 | 35 | 48 | 28 | 1 R-134A | 5/1/2006 | 2/18/2011 |
| Electrolux Home Products | Frigidaire | Frigidaire | FCCS201FW | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 Hinged | | 20 | 0 | 20 | 35 | 61 | 28 | 2 R-134A | 5/1/2006 | 2/18/2011 |
| Electrolux Home Products | Frigidaire | Frigidaire | FCFS201LFB | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19 | 0 | 19 | 70.6 | 32 | 29 | 3 R-134A | 5/1/2006 | 2/18/2011 |
| Electrolux Home Products | Gibson | Gibson | RR18F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 18 | | 18 | 70.6 | 32 | 29 | 3 R-134A | 9/4/2012 | 9/4/2012 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCG050LW | | Glass Door Freezer Cabinet | Chest | | Automatic | 2 | 0 Sliding | | 5 | 5 | 0 | 34.2 | 27 | 22 | 1 R-134A | 1/1/2010 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCG070GW | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 7 | 7 | 0 | 34.2 | 35 | 22 | 1 R-134A | 6/1/2007 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCG090LW | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 9 | 9 | 0 | 34.2 | 41 | 22 | 1 R-134A | 1/1/2010 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCG130GW | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 13 | 13 | 0 | 35 | 43 | 28 | 2 R-134A | 3/1/2007 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCG150LW | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 15 | 15 | 0 | 35 | 48 | 28 | 2 R-134A | 3/1/2010 | 2/18/2011 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|--|----------------|-------------|--------------|------------------------------|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| Electrolux Home Products | Kelvinator | Kelvinator | KCG200GW | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 | Sliding | 20 | 20 | 0 | 35 | 61 | 28 | 2 R-134A | 3/1/2007 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCS050LW | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 | Hinged | 5 | 0 | 5 | 34.2 | 27 | 22 | 1 R-134A | 3/1/2010 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCS070GW | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 | Hinged | 7 | 0 | 7 | 34.2 | 35 | 22 | 1 R-134A | 2/1/2007 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCS130GW | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 | Hinged | 13 | 0 | 13 | 35 | 43 | 28 | 1 R-134A | 2/1/2007 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCS150LW | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 | Hinged | 15 | 0 | 15 | 35 | 48 | 28 | 1 R-134A | 2/1/2010 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KCS200GW | | Solid Door Freezer Cabinet | Chest | | Manual | 0 | 1 | Hinged | 20 | 0 | 20 | 35 | 61 | 28 | 2 R-134A | 2/1/2007 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KFS220RHY | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19 | 0 | 19 | 70.6 | 32 | 29 | 3 R-134A | 12/1/2008 | 2/18/2011 |
| Electrolux Home Products | Kelvinator | Kelvinator | KFS221LHY | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19 | 0 | 19 | 70.6 | 32 | 29 | 3 R-134A | 12/1/2008 | 2/18/2011 |
| Everest Import Distribution | GLOBAL 1ST PRO | GDF-2-50NRJ | GDF-2-50NRJ | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 28 | 28 | 0 | 83.27 | 49.21 | 26.18 | 16.93 R-404A | 4/30/2011 | 9/21/2012 |
| Everest Import Distribution | GLOBAL 1ST PRO | SDF-2-54NRJ | SDF-2-54NRJ | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 41.33 | 0 | 41.33 | 82.48 | 53.98 | 32.2 | 11.06 R-404A | 4/30/2011 | 9/21/2012 |
| Everest Import Distribution | GLOBAL 1ST PRO | SDF-3-81NRJ | SDF-3-81NRJ | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.46 | 0 | 66.46 | 82.48 | 80.87 | 32.2 | 13.62 R-404A | 4/30/2011 | 9/21/2012 |
| Excellence Industries | Excellence | SPOT-4 | SPOT-4 | | Glass Door Freezer Cabinet | Chest | | Manual | 1 | 0 | Sliding | 7.85 | 7.85 | 0 | 37.4 | 32.68 | 32.99 | 1.78 R-134a | 11/1/2012 | 12/19/2012 |
| Excellence Industries | Excellence | SPOT-6 | SPOT-6 | | Glass Door Freezer Cabinet | Chest | | Manual | 1 | 0 | Sliding | 11.06 | 11.06 | 0 | 37.4 | 44.29 | 32.68 | 1.61 R-134a | 11/1/2012 | 12/19/2012 |
| FoodServiceWarehouse.com, LLC | FSW | FSW-1F-LX | FSW-1F-LX | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 31 | 6.26 R-134A | 1/5/2002 | 9/21/2012 |
| FoodServiceWarehouse.com, LLC | FSW | FSW-2F-LX | FSW-2F-LX | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 42.4 | 0 | 42.4 | 76.9 | 53.9 | 31 | 11.65 R-404A | 1/5/2002 | 9/21/2012 |
| FoodServiceWarehouse.com, LLC | FSW | FSW-3F-LX | FSW-3F-LX | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.8 | 0 | 66.8 | 82.6 | 81.1 | 31 | 16.02 R-404A | 12/20/2011 | 9/21/2012 |
| FoodServiceWarehouse.com, LLC | FSW | FSW-STM23F | FSW-STM23F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 5.92 R-404A | 1/13/2011 | 9/21/2012 |
| FoodServiceWarehouse.com, LLC | FSW | FSW-STM49F | FSW-STM49F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 43.3 | 0 | 43.3 | 76.9 | 31 | 31 | 12.3 R-404A | 1/13/2011 | 9/21/2012 |
| FoodServiceWarehouse.com, LLC | FSW | FSW-STM72F | FSW-STM72F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 67.3 | 0 | 67.3 | 81.8 | 81.1 | 31 | 15.84 R-404A | 12/20/2011 | 9/21/2012 |
| Guangdong Xingxing Refrigeration Equipment Co.,Ltd | Xingxing | CFD-1FF | CFD-1FF | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.6 | 0 | 18.4 | 82.48 | 28.98 | 32.2 | 6.4 R404a | 10/1/2012 | 1/15/2013 |
| Guangdong Xingxing Refrigeration Equipment Co.,Ltd | Xingxing | CFD-2FF | CFD-2FF | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 41.33 | 0 | 29.29 | 82.48 | 5.4 | 32.2 | 11.31 R404a | 10/1/2012 | 1/15/2013 |
| Guangdong Xingxing Refrigeration Equipment Co.,Ltd | Xingxing | D768BM2F | D768BM2F | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 28 | 28 | 0 | 83.27 | 49.21 | 26.18 | 17.09 R404a | 11/22/2012 | 1/7/2013 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | | |
|-------------------------|---------------|------------|--------------|---------------------------------|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) | Depth (in) |
| HMC Enterprises LLC | Howard McCray | GF48 | GF48 | | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 47.49 | 47.5 | 0 | 60.25 | 47.5 | 29.5 | 24.47 | R-404A | 6/28/2011 | 2/1/2013 |
| Hoshizaki America, Inc. | Hoshizaki | CF1B-FG | CF1B-FG | | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 20.91 | | | 75.61 | 192 | 33.58 | 8.68 | R-404A | 11/11/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CF1B-FS | CF1B-FS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.94 | | | 75.61 | 192 | 33.58 | 6.31 | R-134A | 2/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CF1B-FSL | CF1B-FSL | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.94 | 0 | 20.94 | 75.61 | 192 | 33.58 | 6.31 | r134a | 5/25/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CF1B-HS | CF1B-HS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20.84 | | | 75.61 | 192 | 33.58 | 6.42 | R-134A | 2/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CF1B-HSL | CF1B-HSL | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20.84 | 0 | 20.84 | 75.61 | 192 | 33.58 | 6.42 | r134a | 5/25/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CF2B-FG | CF2B-FG | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 47.24 | 47.24 | 0 | 75.61 | 192 | 33.58 | 15.87 | R-404A | 4/18/2012 | 9/7/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CF2B-FS | CF2B-FS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 47.24 | | | 75.61 | 55 | 33.58 | 11.46 | R-134A | 2/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CF2B-HS | CF2B-HS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 47.03 | | | 75.61 | 55 | 33.58 | 11.81 | R-134A | 2/1/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMF27 | CRMF27 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 6.22 | | | 30 | 27 | 30 | 2.66 | R-134A | 7/15/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMF27-01 | CRMF27-01 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 6.22 | 0 | 6.22 | 30 | 76 | 30 | 2.66 | r134a | 7/15/2011 | 12/18/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMF27-W | CRMF27-W | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 6.22 | | | 30 | 27 | 30 | 2.66 | R-134A | 7/15/2011 | 2/27/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMF27-W01 | CRMF27-W01 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 6.22 | 0 | 6.22 | 30 | 76 | 30 | 2.66 | r134a | 7/15/2011 | 12/18/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMF60 | CRMF60 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16.58 | 0 | 16.58 | 30 | 76 | 30 | 4.87 | r134a | 10/18/2012 | 12/18/2012 |
| Hoshizaki America, Inc. | Hoshizaki | CRMF60-W | CRMF60-W | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 16.58 | 0 | 16.58 | 30 | 76 | 30 | 4.87 | r134a | 10/18/2012 | 12/18/2012 |
| Jimex Corp. | Ascend | ABM-23F | ABM-23F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 22 | | 22 | 81.75 | 29.25 | 32.5 | 7.51 | R-404A | 3/1/2011 | 11/21/2012 |
| Jimex Corp. | Ascend | ABM-48F | ABM-48F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 44.79 | | 43.3 | 81.75 | 53.63 | 32.5 | 12.79 | R-404A | 6/1/2011 | 9/20/2012 |
| Jimex Corp. | Ascend | ATM-21F | ATM-21F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20 | | 20 | 76.2 | 31.8 | 29.1 | 6.78 | R-404A | 6/1/2011 | 9/20/2012 |
| Jimex Corp. | Ascend | ATM-40F | ATM-40F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 38.1 | 0 | 38.1 | 76 | 49.5 | 32.5 | 11.83 | R-404A | 6/1/2011 | 9/20/2012 |
| KoolStar | KoolStar | F23-S | F23-S | KSF23-S, F23-S, KSF23-S, F23-S, | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.9 | | 20.9 | 83.8 | 212.7 | 33 | 6.81 | R404a | 2/13/2013 | 2/13/2013 |
| KoolStar | KoolStar | F49-S | F49-S | KSF49-S, F49-S, KSF49-S, F49-S, | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 43.1 | | 43.1 | 83.8 | 212.7 | 33 | 10.93 | R404a | 2/13/2013 | 2/13/2013 |
| KoolStar | KoolStar | F72-S | F72-S | KSF72-S, F72-S, KSF72-S, F72-S, | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.6 | | 66.6 | 83.8 | 212.7 | 33 | 15.18 | R404a | 2/13/2013 | 2/13/2013 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | | |
|----------------------|-------------|-------------|--------------|--|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) | Depth (in) |
| Master-Bilt Products | Master-Bilt | BLG-27HD | BLG-27HD | | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 24.4 | 24.4 | | | 79 | 200.7 | 36.8 | 15.56 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BLG-48HD | BLG-48HD | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 43.5 | 43.5 | | | 79 | 200.7 | 36.8 | 23.14 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BLG-52HD | BLG-52HD | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 46 | 46 | | | 79 | 200.7 | 36.8 | 23.73 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BLG-74HD | BLG-74HD | | Glass Door Freezer Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 66.8 | 66.8 | | | 79 | 200.7 | 36.8 | 29.95 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BLG-80HD | BLG-80HD | | Glass Door Freezer Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 73.1 | 73.1 | | | 79 | 200.7 | 36.8 | 32.49 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BSD-24SFA | BSD-24SFA | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.5 | | 19.5 | | 82.5 | 209.6 | 34 | 6.24 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BSD-52DFA | BSD-52DFA | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 46.4 | | 46.4 | | 82.5 | 209.6 | 34 | 11.62 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | BSD-80TFA | BSD-80TFA | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 70.6 | | 70.6 | | 82.5 | 209.6 | 34 | 16.88 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | F23-S | F23-S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.9 | | 20.9 | | 83.8 | 212.7 | 33 | 6.81 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | F49-S | F49-S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 43.1 | | 43.1 | | 83.8 | 212.7 | 33 | 10.93 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | F72-S | F72-S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.6 | | 66.6 | | 83.8 | 212.7 | 33 | 15.18 R404A | 3/25/2011 | 3/25/2011 |
| Master-Bilt Products | Master-Bilt | MNF241SSS/0 | MNF241SSS/0 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 23.27 | | 23.27 | | 81.5 | 207 | 35.1 | 7.98 R404A | 3/23/2011 | 9/19/2012 |
| Master-Bilt Products | Master-Bilt | MNF522SSS/0 | MNF522SSS/0 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 50.5 | | 50.5 | | 81.5 | 207 | 35.1 | 13.79 R404A | 3/23/2011 | 9/19/2012 |
| Master-Bilt Products | Master-Bilt | MNF803SSS/0 | MNF803SSS/0 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 77.73 | | 77.73 | | 81.5 | 207 | 35.1 | 17.8 R404A | 3/23/2011 | 9/19/2012 |
| McCall Refrigeration | McCall | MCCF1-G | MCCF1-G | MCCF1-G, MCCF1-G-IE, MCCF1-G-IE2, MCCF1-G-IE, MCCF1-G-IE | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 25.35 | 25.35 | 0 | | 82 | 29 | 34 | 12.68 R-404A | 6/20/2011 | 12/3/2012 |
| McCall Refrigeration | McCall | MCCF1-G* | MCCF1-G* | | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 25.4 | 25.4 | 0 | | 82 | 29 | 34 | 11.54 R-404A | 1/1/2005 | 10/19/2012 |
| McCall Refrigeration | McCall | MCCF1-GH | MCCF1-GH | MCCF1-GH, MCCF1-GH-IE, MCCF1-GH-IE2, MCCF1-GH-IE, MCCF1-GH-IE | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 25.27 | 25.27 | 0 | | 82 | 29 | 34 | 11.76 R-404A | 6/20/2011 | 12/3/2012 |
| McCall Refrigeration | McCall | MCCF1-GH* | MCCF1-GH* | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 25.7 | 25.7 | 0 | | 82 | 29 | 34 | 12.38 R-404A | 1/1/2005 | 10/19/2012 |
| McCall Refrigeration | McCall | MCCF1-S | MCCF1-S | MCCF1-SH, MCCF1-SH-IE, MCCF2-S, MCCF2-SH, MCCF2-SH, MCCF1-SH-SON1, MCCF1-SH-SON1, MCCF1-SH-SON2, MCCF1-SH-SON2 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 24.96 | 0 | 24.96 | | 82 | 29 | 34 | 8.14 R-404A | 6/6/2011 | 12/3/2012 |
| McCall Refrigeration | McCall | MCCF1-SH | MCCF1-SH | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 24.92 | 0 | 24.92 | | 82 | 29 | 34 | 8.75 R-404A | 6/6/2011 | 12/3/2012 |
| McCall Refrigeration | McCall | MCCF25-S | MCCF25-S | MCCF25-S-11, MCCF25-S-11, SH, SON1, MCCF25-SH-SON1, MCCF25-SH-SON2, MCCF25-SH-SON2 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.4 | 0 | 20.4 | | 79.5 | 25.5 | 32.8 | 6.69 R-404A | 6/1/2011 | 12/3/2012 |
| McCall Refrigeration | McCall | MCCF25-SH | MCCF25-SH | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 20.3 | 0 | 20.3 | | 79.5 | 25.5 | 32.8 | 7.05 R-404A | 6/1/2011 | 12/3/2012 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | | |
|-------------------------------|---------------------|------------|--------------|---|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) | Depth (in) |
| McCall Refrigeration | McCall | MCCF27 | MCCF27 | I1,MCCF27-I1; MCCSTF27.MC CSTF27; MCCSTF27-CKE.MCCSTF27-CKE. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 5.7 | | | 5.7 | 33.3 | 27.3 | 27.8 | 2.53 R-404A | 5/16/2011 | 12/3/2012 |
| McCall Refrigeration | McCall | MCCF2-S | MCCF2-S | MCCF2-S-II,MCCF2-S-II; MCCF2-S-KROG1,MCCF2-S-KROG1; MCCF2-SH-BWW1,MCCF2-SH-BWW1; MCCF2-SH-SON1,MCCF2-SH-SON1. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 50.35 | 0 | 50.35 | 82 | 56 | 34 | 13.29 R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCF2-SH | MCCF2-SH | MCCF2-SH-BWW1,MCCF2-SH-BWW1; MCCF2-SH-SON1,MCCF2-SH-SON1. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 50.22 | 0 | 50.22 | 82 | 56 | 34 | 14.02 R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCF3-S | MCCF3-S | MCCF3-S-KROG1,MCCF3-S-KROG1. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 76.75 | 0 | 76.75 | 82 | 83 | 34 | 17.93 R-404A | 6/6/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCF51-S | MCCF51-S | MCCF51-S-I4,MCCF51-S-I4. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.13 | 0 | 42.13 | 79.5 | 51 | 32.8 | 11.03 R-404A | 6/1/2011 | 12/3/2012 | |
| McCall Refrigeration | McCall | MCCF51-SH | MCCF51-SH | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 41.94 | 0 | 41.94 | 79.5 | 51 | 32.8 | 12.55 R-404A | 6/1/2011 | 9/19/2012 | |
| McCall Refrigeration | McCall | MCCR27 | MCCR27 | MCCSTR27-CKE2,MCCSTR27-CKE2; MCCSTR27-I1,MCCSTR27-I1. | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 5.7 | 0 | 5.7 | 33.3 | 27.3 | 27.8 | 1.88 R-404A | 5/16/2011 | 12/3/2012 | |
| MetalFrio Solutions, Inc. | MetalFrio Solutions | CFD | CFD-1FF | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.6 | 0 | 18.4 | 82.5 | 29 | 32.2 | 6.27 R-404A | 2/7/2011 | 2/7/2011 | |
| MetalFrio Solutions, Inc. | MetalFrio Solutions | CFD | CFD-2FF | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 41.33 | 0 | 29.29 | 82.5 | 54 | 32.2 | 11.06 R-404A | 2/7/2011 | 2/7/2011 | |
| MVP Group Corp. | KOOL-IT | KBSF-1 | KBSF-1 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 31 | 6.26 R-134A | 1/5/2002 | 9/21/2012 | |
| MVP Group Corp. | KOOL-IT | KBSF-2 | KBSF-2 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.4 | 0 | 42.4 | 76.9 | 53.9 | 31 | 11.65 R-404A | 1/5/2002 | 9/21/2012 | |
| MVP Group Corp. | KOOL-IT | KBSF-3 | KBSF-3 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.8 | 0 | 66.8 | 82.6 | 81.1 | 31 | 16.02 R-404A | 12/20/2011 | 9/21/2012 | |
| MVP Group Corp. | KOOL-IT | KTSF-1 | KTSF-1 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 5.92 R-404A | 1/13/2011 | 9/21/2012 | |
| MVP Group Corp. | KOOL-IT | KTSF-2 | KTSF-2 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.3 | 0 | 43.3 | 76.9 | 31 | 31 | 12.3 R-404A | 1/13/2011 | 9/21/2012 | |
| MVP Group Corp. | KOOL-IT | KTSF-3 | KTSF-3 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 67.3 | 0 | 67.3 | 81.8 | 81.1 | 31 | 15.84 R-404A | 12/20/2011 | 9/21/2012 | |
| Nor-Lake Incorporated | Norlake | F23-S | F23-S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.9 | | 20.9 | 83.8 | 212.7 | 33 | 6.81 R404A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | F49-S | F49-S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.1 | | 43.1 | 83.8 | 212.7 | 33 | 10.93 R404A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | F72-S | F72-S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.6 | | 66.6 | 83.8 | 212.7 | 33 | 15.18 R404A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NF241SSS/0 | NF241SSS/0 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 23.27 | | 23.27 | 81.5 | 207 | 35.1 | 7.98 R404A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NF522SSS/0 | NF522SSS/0 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 50.5 | | 50.5 | 81.5 | 207 | 35.1 | 13.79 R404A | 3/23/2011 | 3/24/2011 | |
| Nor-Lake Incorporated | Norlake | NF803SSS/0 | NF803SSS/0 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 77.73 | | 77.73 | 81.5 | 207 | 35.1 | 17.8 R404A | 3/23/2011 | 3/24/2011 | |
| Patriot Foodservice Equipment | Patriot | P23F | P23F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 31 | 6.26 R-134A | 1/5/2002 | 9/21/2012 | |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|--|------------|------------|--------------|--|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| Patriot Foodservice Equipment | Patriot | P49F | P49F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.4 | 0 | 42.4 | 76.9 | 53.9 | 31 | 11.65 R-404A | 1/5/2002 | 9/21/2012 |
| Patriot Foodservice Equipment | Patriot | P72F | P72F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.8 | 0 | 66.8 | 82.6 | 81.1 | 31 | 16.02 R-404A | 12/20/2011 | 9/21/2012 |
| Patriot Foodservice Equipment | Patriot | STM23F | STM23F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 5.92 R-404A | 1/13/2011 | 9/21/2012 |
| Patriot Foodservice Equipment | Patriot | STM49F | STM49F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.3 | 0 | 43.3 | 76.9 | 31 | 31 | 12.3 R-404A | 1/13/2011 | 9/21/2012 |
| Patriot Foodservice Equipment | Patriot | STM72F | STM72F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 67.3 | 0 | 67.3 | 81.8 | 81.1 | 31 | 15.84 R-404A | 12/20/2011 | 9/21/2012 |
| Primoris Inc., Saturn Equipment | Saturn | S23F | S23F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 31 | 6.26 R-134A | 1/5/2002 | 9/21/2012 |
| Primoris Inc., Saturn Equipment | Saturn | S49F | S49F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.4 | 0 | 42.4 | 76.9 | 53.9 | 31 | 11.65 R-404A | 1/5/2002 | 9/21/2012 |
| Primoris Inc., Saturn Equipment | Saturn | S72F | S72F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.8 | 0 | 66.8 | 82.6 | 81.1 | 31 | 16.02 R-404A | 12/20/2011 | 9/21/2012 |
| Primoris Inc., Saturn Equipment | Saturn | STM23F | STM23F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 5.92 R-404A | 1/13/2011 | 9/21/2012 |
| Primoris Inc., Saturn Equipment | Saturn | STM49F | STM49F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.3 | 0 | 43.3 | 76.9 | 31 | 31 | 12.3 R-404A | 1/13/2011 | 9/21/2012 |
| Primoris Inc., Saturn Equipment | Saturn | STM72F | STM72F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 67.3 | 0 | 67.3 | 81.8 | 81.1 | 31 | 15.84 R-404A | 12/20/2011 | 9/21/2012 |
| Proud Inc. | Proud | PS-F23 | PS-F23 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 31 | 6.26 R-134A | 1/5/2002 | 9/21/2012 |
| Proud Inc. | Proud | PS-F49 | PS-F49 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.4 | 0 | 42.4 | 76.9 | 53.9 | 31 | 11.65 R-404A | 1/5/2002 | 9/21/2012 |
| Proud Inc. | Proud | PS-F72 | PS-F72 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.8 | 0 | 66.8 | 82.6 | 81.1 | 31 | 16.02 R-404A | 12/20/2011 | 9/21/2012 |
| Proud Inc. | Proud | PS-FT23 | PS-FT23 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 5.92 R-404A | 1/13/2011 | 9/21/2012 |
| Proud Inc. | Proud | PS-FT49 | PS-FT49 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 43.3 | 0 | 43.3 | 76.9 | 31 | 31 | 12.3 R-404A | 1/13/2011 | 9/21/2012 |
| Proud Inc. | Proud | PS-FT72 | PS-FT72 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 67.3 | 0 | 67.3 | 81.8 | 81.1 | 31 | 15.84 R-404A | 12/20/2011 | 9/21/2012 |
| Qingdao Hiron Electric Appliance Co., Ltd. | MONT BLANC | SD-360 | SD-360 | | Glass Door Freezer Cabinet | Chest | | Manual | 2 | 0 Sliding | | 11.42 | 11.42 | | 34 | 49 | 28 | 2.2 R-134A | 7/10/2011 | 9/21/2012 |
| The Defield Company | Defield | 407 | 407 | 407CA-M327,407CA-M327,; 407CA-TB1,407CA-TB1,; 407CA-TB2,407CA-TB2,; 407CA-M261,407CA-M261,; 407CD-DHL-,407CD-DHL-,M261,; S4- | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 5.7 | | 5.7 | 33.3 | 27.3 | 27.8 | 2.53 R-404A | 5/16/2011 | 12/3/2012 |
| The Defield Company | Defield | 407-MD1 | 407-MD1 | M324,6125XL-S4-M324,; 6125XL-S4-WAG1,6125XL-S4-WAG1,; 6125XL-SH1-,6125XL-SH1-,18,6125XL-SH1-,18,; 6125XL-SH1-,18,6125XL-SH1-,48, | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 5.7 | | 5.7 | 33.3 | 27.3 | 27.8 | 2.56 R-404A | 5/16/2001 | 12/3/2012 |
| The Defield Company | Defield | 6125XL-S | 6125XL-S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 20.4 | 0 | 20.4 | 79.5 | 25.5 | 32.8 | 6.69 R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6125XL-SH | 6125XL-SH | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20.3 | 0 | 20.3 | 79.5 | 25.5 | 32.8 | 7.05 R-404A | 6/1/2011 | 12/3/2012 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|---|-------------------|---------------|---------------|--|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| The Defield Company | Defield | 6125XL-SH-MD1 | 6125XL-SH-MD1 | 6125XL-SH1-MD1, 6125XL-SH1-MD1, S16-M326, 6151XL-S50, 6151XL-S57, 6151XL-S57 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20.3 | 0 | 20.3 | 79.5 | 25.5 | 32.8 | 7.04 R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6151XL-S | 6151XL-S | 6151XL-SH-WAG1, 6151XL-SH33, 6151XL-SH41, 6151XL-SH41 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.13 | 0 | 42.13 | 79.5 | 51 | 32.8 | 11.03 R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | 6151XL-SH | 6151XL-SH | 18FC43, 18FC43 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 41.94 | 0 | 41.94 | 79.5 | 51 | 32.8 | 12.55 R-404A | 6/1/2011 | 12/3/2012 |
| The Defield Company | Defield | F18FC43 | F18FC43 | 18FC70, 18FC70 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 8.65 | 0 | 8.65 | 36 | 43 | 31.5 | 3.18 R-404A | 5/11/2011 | 9/19/2012 |
| The Defield Company | Defield | F18FC70 | F18FC70 | 18FC78, 18FC78 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 17.21 | 0 | 17.21 | 36 | 70 | 31.5 | 5.73 R-404A | 5/11/2011 | 9/19/2012 |
| The Defield Company | Defield | F18FC78 | F18FC78 | 18FC88, 18FC88 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20.19 | 0 | 20.19 | 36 | 78 | 31.5 | 6.4 R-404A | 5/11/2011 | 9/19/2012 |
| The Defield Company | Defield | F18FC88 | F18FC88 | G, SMF1-G40, SMF1-G40, SSF1-G, SSF1-G, SSF1-G40-303, SSF1-GH, SMF1-GH, SSF1-GH-24, SSF1-GH57, SSF1-GH57 | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 25.35 | 25.35 | 0 | 82 | 29 | 34 | 12.68 R-404A | 6/20/2011 | 12/3/2012 |
| The Defield Company | Defield | SSF1-GH | SSF1-GH | S3-205, SSF1-S3-205, SSF1-S3-207, SSF1-S3-207, SSF1-S3-24, SSF1-S3-24 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 24.96 | 0 | 24.96 | 82 | 29 | 34 | 8.14 R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSF1-SH | SSF1-SH | SSF1-SH13-207, SSF1-SH13-207, SSF1-SH13-24, SSF1-SH13-24, S123-172, SSF2-S24, SSF2-S24, SSF2-S24-28, SSF2-S24-28 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 24.92 | 0 | 24.92 | 82 | 29 | 34 | 8.75 R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSF2-S | SSF2-S | SH25, SSF2-SH25-209, SSF2-SH25-209, SSF2-SH53, SSF2-SH53, S-24, SMF3-S31-24, SMF3-S31-24, SSF3-S24, SSF3-S24, SSF3-S31, SSF3-S31 | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 50.35 | 0 | 50.35 | 82 | 56 | 34 | 13.29 R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSF2-SH | SSF2-SH | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 50.22 | 0 | 50.22 | 82 | 56 | 34 | 14.02 R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | Defield | SSF3-S | SSF3-S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 76.75 | 0 | 76.75 | 82 | 83 | 34 | 17.93 R-404A | 6/6/2011 | 12/3/2012 |
| The Defield Company | The Defield Compa | SAF1-G | SAF1-G | | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 25.4 | 25.4 | 0 | 82 | 29 | 34 | 11.54 R-404A | 1/1/2005 | 10/19/2012 |
| The Defield Company | The Defield Compa | SAF1-GH | SAF1-GH | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 25.7 | 25.7 | 0 | 82 | 29 | 34 | 12.38 R-404A | 1/1/2005 | 10/19/2012 |
| The Defield Company | The Defield Compa | SMF1-G | SMF1-G | | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 25.4 | 25.4 | 0 | 82 | 29 | 34 | 11.54 R-404A | 1/1/2005 | 10/19/2012 |
| The Defield Company | The Defield Compa | SMF1-GH | SMF1-GH | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 25.7 | 25.7 | 0 | 82 | 29 | 34 | 12.38 R-404A | 1/1/2005 | 10/19/2012 |
| The Defield Company | The Defield Compa | SSF1-G | SSF1-G | | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 Hinged | | 25.4 | 25.4 | 0 | 82 | 29 | 34 | 11.54 R-404A | 1/1/2005 | 10/19/2012 |
| The Defield Company | The Defield Compa | SSF1-GH | SSF1-GH | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 25.7 | 25.7 | 0 | 82 | 29 | 34 | 12.38 R-404A | 1/1/2005 | 10/19/2012 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G12000 | G12000 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 24.2 | 0 | 24.2 | 83.25 | 211.46 | 35 | 8.61 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G12010 | G12010 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 24.2 | 0 | 24.2 | 83.25 | 211.46 | 35 | 8.65 R-404A | 1/1/2010 | 4/7/2011 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|---|--------------------|---------------|---------------|------------------------------|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G22000 | G22000 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 46 | | | 83.25 | 211.46 | 35 | 12.42 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | G22010 | G22010 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 46 | | | 83.25 | 211.46 | 35 | 12.48 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RIF132HUT-FHS | RIF132HUT-FHS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 39.6 | | | 89.12 | 226.36 | 35.56 | 12 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RIF132LUT-FHS | RIF132LUT-FHS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 36.2 | | | 83.25 | 211.46 | 35.56 | 11.88 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RLT132WUT-FHS | RLT132WUT-FHS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 24.2 | | | 83.25 | 211.46 | 35 | 8.1 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RLT132WUT-HHS | RLT132WUT-HHS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 24.2 | | | 83.25 | 211.46 | 35 | 8.51 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RLT232NUT-FHS | RLT232NUT-FHS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 46 | | | 83.25 | 211.46 | 35 | 10.51 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RLT232NUT-HHS | RLT232NUT-HHS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 46 | | | 83.25 | 211.46 | 35 | 11.03 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RLT232WUT-FHS | RLT232WUT-FHS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 51.6 | | | 83.25 | 211.46 | 35 | 11.56 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | RLT232WUT-HHS | RLT232WUT-HHS | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 51.6 | | | 83.25 | 211.46 | 35 | 12.09 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | TU044LT | TU044LT | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 9.8 | | | 34 | 86.36 | 34 | 3.65 R-404A | 1/1/2010 | 4/7/2011 |
| Traulsen (A division of ITW Food Equipment Group) | Traulsen | TU072LT | TU072LT | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 20 | | | 34 | 86.36 | 34 | 5.82 R-404A | 1/1/2010 | 4/7/2011 |
| True Manufacturing (True Food Service Equipment) | TRUE | T-72F | T-72F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 63.2 | 0 | 63.2 | 79 | 78 | 30 | 15.21 R-404A | 11/14/2009 | 9/20/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-49F | GDM-49F | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 40.7 | 40.7 | 0 | 78.5 | 54.1 | 29.7 | 22.74 R-404A | 12/6/2010 | 9/20/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | GDM-49F-LD | GDM-49F-LD | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 Hinged | | 40.7 | 40.7 | 0 | 78.5 | 54.1 | 29.7 | 21.59 R-404A | 12/6/2010 | 9/20/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STA2F-2S | STA2F-2S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 47.1 | 0 | 47.1 | 77.75 | 198 | 33.75 | 13.23 R-404A | 5/1/2011 | 5/24/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STG2F-2S | STG2F-2S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 47.1 | 0 | 47.1 | 77.75 | 198 | 33.75 | 13.23 R-404A | 5/1/2011 | 5/24/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | STR2F-2S | STR2F-2S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 47.1 | 0 | 47.1 | 77.75 | 198 | 33.75 | 13.23 R-404A | 5/1/2011 | 5/24/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | T-23F | T-23F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.5 | 19.5 | 0 | 78 | 198.12 | 30 | 6.38 R-404A | 6/4/2008 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | T-49F | T-49F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.1 | 42.1 | 0 | 78 | 198.12 | 30 | 12.71 R-404A | 5/18/2010 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TA1F-1S | TA1F-1S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 27.64 | 0 | 27.64 | 78.25 | 199 | 34.63 | 9.18 R-404A | 3/1/2012 | 9/12/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TA2F-2S | TA2F-2S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 51.42 | 0 | 51.42 | 78.25 | 199 | 34.63 | 12.47 R-404A | 8/1/2012 | 9/12/2012 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|--|---------------------|--------------------|--------------|------------------------------|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TG1F-1S | TG1F-1S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 27.64 | 0 | 27.64 | 78.25 | 199 | 34.63 | 9.18 R-404A | 3/1/2012 | 9/12/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TG2F-2S | TG2F-2S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 51.42 | 0 | 51.42 | 78.25 | 199 | 34.63 | 12.47 R-404A | 8/1/2012 | 9/12/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TR1F-1S | TR1F-1S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 27.64 | 0 | 27.64 | 78.25 | 199 | 34.63 | 9.18 R-404A | 3/1/2012 | 9/12/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TR2F-2S | TR2F-2S | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 51.42 | 0 | 51.42 | 78.25 | 199 | 34.63 | 12.47 R-404A | 8/1/2012 | 9/12/2012 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TS-23F | TS-23F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.5 | 19.5 | 0 | 78 | 198.12 | 30 | 6.38 R-404A | 6/4/2008 | 3/25/2011 |
| True Manufacturing (True Food Service Equipment) | True Refrigeration | TS-49F | TS-49F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.1 | 42.1 | 0 | 78 | 198.12 | 30 | 12.71 R-404A | 5/18/2010 | 3/25/2011 |
| Turbo Air Inc. | Premier Corporation | TSF-23SD | TSF-23SD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 19.03 | | | 78 | 27 | 31 | 6.26 R-404A | 5/14/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TSF-49SD | TSF-49SD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 39.9 | | | 78 | 55 | 31 | 11.74 R-404A | 4/23/2010 | 10/19/2012 |
| Turbo Air Inc. | Premier Corporation | TSF-72SD | TSF-72SD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 63.8 | | | 78 | 82 | 31 | 14.84 R-404A | 5/15/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | Commercial storage | M3F19-1 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 18.7 | | | 72.05 | 183 | 31.5 | 5.95 R-404A | 10/30/2012 | 10/18/2012 |
| Turbo Air Inc. | Turbo Air | M3F24-1 | M3F24-1 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 21.8 | | | 78 | 29 | 31 | 6.79 R-404A | 6/5/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | M3F24-2 | M3F24-2 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 21.8 | | | 78 | 29 | 31 | 7.02 R-404A | 9/1/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | M3F47-2 | M3F47-2 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 42.2 | | | 78 | 52 | 31 | 11.4 R-404A | 7/20/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | M3F47-4 | M3F47-4 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 Hinged | | 42.2 | | | 78 | 52 | 31 | 11.79 R-404A | 9/1/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | M3F72-3 | M3F72-3 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 Hinged | | 66.9 | | | 78 | 78 | 31 | 14.85 R-404A | 6/5/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | M3F72-6 | M3F72-6 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 6 Hinged | | 72 | | | 78 | 78 | 31 | 15.17 R-404A | 12/24/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-26-F | PRO-26-F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 Hinged | | 26 | | | 78 | 28.7 | 31.5 | 7.33 R-404A | 12/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-26F | PRO-26F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 26.14 | | | 78 | 28.7 | 31.5 | 7.29 R-404A | 12/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-50-4F | PRO-50-4F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 49.82 | | | 78 | 51.7 | 31.5 | 12.34 R-404A | 12/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-50F | PRO-50F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 50.6 | | | 78 | 51.7 | 31.5 | 11.46 R-404A | 12/30/2010 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-77-6F | PRO-77-6F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 6 Hinged | | 76.82 | | | 78 | 77.8 | 31.5 | 16.13 R-404A | 1/5/2011 | 10/19/2012 |
| Turbo Air Inc. | Turbo Air | PRO-77F | PRO-77F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 Hinged | | 77.18 | | | 78 | 77.8 | 31.5 | 15.89 R-404A | 12/30/2010 | 10/19/2012 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | |
|----------------------------------|----------------|---------------------|--------------|--|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|------------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | Width (in) |
| Turbo Air Inc. | Turbo Air | TGF-23F | TGF-23F | TGF-23FB,TGF-23FB, | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 17.7 | 17.7 | 0 | 84 | 27 | 31 | 11.18 R-404A | 5/1/2012 | 9/21/2012 |
| Turbo Air Inc. | Turbo Air | TGF-23SDB | TGF-23SDB | TGF-23SDV,TG F-23SDV,; TGF-23SDW,TG F-23SDW, | Glass Door Freezer Cabinet | Vertical | | Automatic | 1 | 0 | Hinged | 17.99 | 17.99 | 0 | 78 | 27 | 28 | 11.72 R-404A | 7/27/2012 | 10/17/2012 |
| Turbo Air Inc. | Turbo Air | TGF-47SDW | TGF-47SDW | TGF-47SDB,TG F-47SDB,; TGF-47SDV,TG F-47SDV, | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 39 | 39 | 0 | 78 | 55 | 28 | 20.58 R-404A | 7/27/2012 | 1/24/2013 |
| Turbo Air Inc. | Turbo Air | TGF-49F | TGF-49F | | Glass Door Freezer Cabinet | Vertical | | Automatic | 2 | 0 | Hinged | 39.88 | 39.88 | 0 | 83.8 | 54.4 | 31 | 19.72 R-404A | 8/1/2012 | 11/21/2012 |
| Turbo Air Inc. | Turbo Air | TGF-72SDB | TGF-72SDB | TGF-72SDV,TG F-72SDV,; TGF-72SDW,TG F-72SDW, | Glass Door Freezer Cabinet | Vertical | | Automatic | 3 | 0 | Hinged | 60.43 | 60.43 | 0 | 78 | 82 | 28 | 28.25 R-404A | 8/30/2012 | 10/17/2012 |
| Turbo Air Inc. | Turbo Air | TSF-35SD | TSF-35SD | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 30.3 | | | 77 | 39.5 | 30.3 | 10.37 R-404A | 8/20/2010 | 10/19/2012 |
| US Inc. | US REFRIGERATI | UM-24F | UM-24F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.3 | 0 | 19.3 | 76.9 | 26.8 | 31 | 6.26 R-134A | 1/5/2002 | 9/21/2012 |
| US Inc. | US REFRIGERATI | UM-48F | UM-48F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 42.4 | 0 | 42.4 | 76.9 | 53.9 | 31 | 11.65 R-404A | 1/5/2002 | 9/21/2012 |
| US Inc. | US REFRIGERATI | UM-72F | UM-72F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 66.8 | 0 | 66.8 | 82.6 | 81.1 | 31 | 16.02 R-404A | 12/20/2011 | 9/21/2012 |
| US Inc. | US REFRIGERATI | UMT-24F | UMT-24F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 19.39 | 0 | 19.39 | 76.9 | 31 | 26.8 | 5.92 R-404A | 1/13/2011 | 9/21/2012 |
| US Inc. | US REFRIGERATI | UMT-48F | UMT-48F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 43.3 | 0 | 43.3 | 76.9 | 31 | 31 | 12.3 R-404A | 1/13/2011 | 9/21/2012 |
| US Inc. | US REFRIGERATI | UMT-72F | UMT-72F | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 3 | Hinged | 67.3 | 0 | 67.3 | 81.8 | 81.1 | 31 | 15.84 R-404A | 12/20/2011 | 9/21/2012 |
| Victory Refrigeration | Victory | FA-1D-S7 | FA-1D-S7 | FS-1D-S7,FS-1D-S7,; FSA-1D-S1,FSA-1D-S1,; FSA-1D-S7,FSA-1D-S7, | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.9 | | | 84 | 213.36 | 34.5 | 7.13 R-404A | 6/1/2010 | 4/5/2012 |
| Victory Refrigeration | Victory | FA-2D-S7 | FA-2D-S7 | FS-2D-S7,FS-2D-S7,; FSA-2D-S1,FSA-2D-S1,; FSA-2D-S7,FSA-2D-S7, EW,; FSA-1D-S1-EW,FSA-1D-S1-EW,; FSA-1D-S7-EW,FSA-1D-S7-EW, | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 44.9 | | | 84 | 213.36 | 34.5 | 12.43 R-404A | 6/1/2010 | 4/5/2012 |
| Victory Refrigeration | Victory | FS-1D-S7-EW | FS-1D-S7-EW | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 23.7 | | | 84 | 213.36 | 35.88 | 8.44 R-404A | 12/1/2010 | 4/5/2012 |
| Victory Refrigeration | Victory | V-Series Freezers | VF-1 | V-Series Freezers,VF-SA-1D,; V-Series Freezers,VSF-1, | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.9 | | | 84 | 213.4 | 33.3 | 7.14 R-404A | 6/1/2010 | 2/14/2012 |
| Victory Refrigeration | Victory | V-Series Freezers | VF-2 | V-Series Freezers,VF-SA-2D,; V-Series Freezers,VSF-2, | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 44.9 | | | 84 | 213.4 | 33.3 | 12.48 R-404A | 6/1/2010 | 2/14/2012 |
| Victory Refrigeration | Victory | V-Series Refrigerat | VF-SA-1D | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.9 | | | 84 | 213.4 | 33.3 | 7.14 R-404A | 6/1/2010 | 11/1/2012 |
| Victory Refrigeration | Victory | V-Series Refrigerat | VF-SA-2D | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 44.9 | | | 84 | 213.4 | 33.3 | 12.48 R-404A | 6/1/2010 | 11/1/2012 |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8001 | MBF8001 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.2 | | 20.2 | 82.9 | 28.9 | 33 | 7.01 R-404A | 3/19/2012 | 9/21/2012 |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8002 | MBF8002 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 43.16 | | 43.16 | 83.66 | 54.33 | 31.89 | 13.06 R-404A | 3/19/2012 | 9/21/2012 |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8007 | MBF8007 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 21.1 | | 21.1 | 83.9 | 28.8 | 33.5 | 7.4 R-404A | 3/19/2012 | 9/21/2012 |

| ENERGY STAR Partners | Brand | Model Name | Model Number | Additional Model Information | Product Type | Product Orientation (Vertical/Chest) | Product Description | Defrost Type | Number of Glass Doors | Number of Solid Doors | Door Opening Orientation (Hinged/Sliding) | Total Volume (cu. ft.) | Mixed Door Cabinet | | | Daily Energy Consumption (kW hours/day) | Refrigerant Type | Date Available On Market | Date Qualified | | |
|----------------------------------|-------|------------|--------------|------------------------------|----------------------------|--------------------------------------|---------------------|--------------|-----------------------|-----------------------|---|------------------------|-----------------------------|-----------------------------|-------------|---|------------------|--------------------------|----------------|-----------|-----------|
| | | | | | | | | | | | | | Glass Door Volume (cu. ft.) | Solid Door Volume (cu. ft.) | Height (in) | | | | | | |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8008 | MBF8008 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 4 | Hinged | 42.97 | | 42.97 | 83.66 | 54.33 | 31.89 | 13.06 | R-404A | 3/19/2012 | 9/21/2012 |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8501 | MBF8501 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 1 | Hinged | 20.3 | | 20.3 | 84.3 | 27.1 | 32.1 | 7.01 | R-404A | 3/19/2012 | 9/21/2012 |
| Yindu Kitchen Equipment Co., LTD | ATOSA | MBF8503 | MBF8503 | | Solid Door Freezer Cabinet | Vertical | | Automatic | 0 | 2 | Hinged | 44.77 | | 44.77 | 83.66 | 54.33 | 31.89 | 13.06 | R-404A | 3/19/2012 | 9/21/2012 |

Definitions for Commercial Refrigerators and Freezers Product Listin

| Column Header | Definition |
|--|--|
| ENERGY STAR Partner | An organization that signed a Partnership Agreement with EPA to manufacture or private label ENERGY STAR qualified products. |
| Brand | An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes. |
| Model Name | An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes. |
| Model Number | A distinguishing identifier, usually alphanumeric, assigned to a product by the manufacturer or private labeler. |
| Additional Model Information | This column includes for the qualified model or family, family members, additional model names, model numbers and other identifying information associated with a product or family/series of products for sales and marketing purposes. Other identifying information includes, but is not limited to, SKUs, UPC codes, retail numbers, and/or descriptions of models included/not included in the reported Model Family. |
| Product Type | Commercial refrigerator and freezer product types eligible for ENERGY STAR certification include: <ul style="list-style-type: none"> -Solid Door Refrigerator Cabinet -Glass Door Refrigerator Cabinet -Mixed Door Refrigerator Cabinet -Solid Door Freezer Cabinet -Glass Door Freezer Cabinet -Mixed Door Freezer Cabinet |
| Product Orientation (Vertical/Chest) | The configuration of the cabinet through which access is gained (i.e., through a top-opening door or side-opening door). |
| Product Description | This is the product type the model is marketed as. Drawer cabinets, prep tables, deli cases, open air units, dual-temperature and laboratory-grade refrigeration models are not eligible for ENERGY STAR. |
| Defrost Type | This includes automatic and manual defrost types. |
| Number of Glass Doors | For glass and mix door models, the total number of glass doors on the unit. |
| Number of Solid Doors | For solid and mix door models, the total number of solid doors on the unit. |
| Door Opening Orientation (Hinged/Sliding) | The type of doors used to access the interior of the cabinet. |

g Column Headers

| Column Header | Definition |
|--|--|
| Total Volume (cu. ft.) | The interior volume of a refrigerator or freezer as calculated by AHAM Standard Household Refrigerators/Household Freezers (ANSI/AHAM HRF-1-2004). |
| Glass Door Volume (cu. ft.) | For mixed door models, the volume of the glass door compartment measured in cubic feet. |
| Solid Door Volume (cu. ft.) | For mixed door models, the volume of the solid door compartment measured in cubic feet. |
| Height (in) | The height of the unit measured in inches. |
| Width (in) | The width of the unit measured in inches. |
| Depth (in) | The depth of the unit measured in inches. |
| Daily Energy Consumption kW-h/Day | The amount of energy, measured in kW-h, used by the unit daily. |
| Refrigerant Type | Indicates the refrigerant type used (i.e., R-134A, R-22, R-401A, R-404A, CO2). |
| Date Available on Market | The date that the model is available for purchase. |
| Date Qualified | The date of which the product was confirmed to meet the ENERGY STAR specification. |

Key Efficiency Criteria

Qualified models meet all ENERGY STAR requirements as listed in the Version 2.1 ENERGY STAR Program Requirements for Commercial Refrigerators and Freezers that are effective as of January 1, 2010.

| Maximum Daily Energy Consumption (MDEC) Requirements (kW-h/Day) | | |
|---|-----------------------|------------------------|
| Product Volume (in cubic feet) | Refrigerator | Freezer |
| Vertical Configuration | | |
| <i>Solid Door Cabinets</i> | | |
| $0 < V < 15$ | $\leq 0.089V + 1.411$ | $\leq 0.250V + 1.250$ |
| $15 \leq V < 30$ | $\leq 0.037V + 2.200$ | $\leq 0.400V - 1.000$ |
| $30 \leq V < 50$ | $\leq 0.056V + 1.635$ | $\leq 0.163V + 6.125$ |
| $50 \leq V$ | $\leq 0.060V + 1.416$ | $\leq 0.158V + 6.333$ |
| <i>Glass Door Cabinets</i> | | |
| $0 < V < 15$ | $\leq 0.118V + 1.382$ | $\leq 0.607V + 0.893$ |
| $15 \leq V < 30$ | $\leq 0.140V + 1.050$ | $\leq 0.733V - 1.000$ |
| $30 \leq V < 50$ | $\leq 0.088V + 2.625$ | $\leq 0.250V + 13.500$ |
| $50 \leq V$ | $\leq 0.110V + 1.500$ | $\leq 0.450V + 3.500$ |
| Chest Configuration | | |
| <i>Solid or Glass Door Cabinets</i> | $\leq 0.125V + 0.475$ | $\leq 0.270V + 0.130$ |

Note: V = AHAM volume, as defined in Section 1, in cubic feet (ft³).

Mixed Solid/Glass Door Cabinets

For mixed solid/glass door cabinets designed with two or more compartments contained in a single cabinet, with different exterior door types (i.e., one is glass and one is solid) on the same side of the cabinet, the MDEC shall be the sum of all individual compartment MDEC values.