



- LEGEND:
- [SF] SILT FENCE & STRAW BALES
  - [FR] FILTER RING
  - [SCD] STONE CHECK DAM
- NOTES:
1. ALL WORK SHALL BE IN ACCORDANCE WITH THE CONSTRUCTION STORM WATER POLLUTION PREVENTION PLAN DEVELOPED FOR THE AREA.
  2. ALL EROSION CONTROL MEASURES WILL BE IN PLACE BEFORE BORROW ACTIVITIES BEGIN.
  3. CLEARING AND GRUBBING TO BE DONE IN ACCORDANCE WITH T-1 SPECIFICATIONS.
  4. CONTOURS AND GRADES SHOWN REPRESENT EXPECTED CONFIGURATION UPON COMPLETION OF DEVELOPMENT OF THE AREA. ACTUAL GROUND ELEVATION UPON COMPLETION MAY VARY UPON METHODS OF EXCAVATION, QUALITY OF SOIL, IN CERTAIN LOCATIONS, AS WELL AS QUANTITY OF SOIL ACTUALLY REQUIRED. A FINAL FIELD TOPOGRAPHICAL SURVEY SHALL BE COMPLETED UPON COMPLETION OF BORROW ACTIVITIES AT THE SITES.
  5. THE AREA SHOWN SHALL BE FULLY DEVELOPED TO THE EXTENT SUITABLE EARTH MATERIAL IS AVAILABLE AND SHALL BE STABILIZED PRIOR TO OPENING THE UNDEVELOPED PORTION OF THE BORROW AREA.
  6. WORK SHALL INCLUDE CLEAN-OUT OF THE EXISTING SEDIMENT POND AND DITCHES, REPAIRING SILT FENCE AND REPLACING STRAW BALES AS NECESSARY.
  7. UPON COMPLETION OF WORK IN THIS AREA, SEED, MULCH AND STABILIZE IN ACCORDANCE WITH T-1 SPECIFICATIONS.
  8. FOR GENERAL NOTES SEE SHEET 5.

REV	DATE	BY	CHKD	APPD	ISSD	PROJECT	AS SHOWN	REV	NO.
0	02/08	JTS	SAH	JTS	HLP	BAK			
INITIAL ISSUES FOR WORK: KLF OR-28885-000 RB									
SCALE: 1"=200'									
EXCEPT AS NOTED									
YARD									
FGD GYPSUM DISPOSAL FACILITY									
EXISTING BORROW AREA									
DESIGNED BY:	DRAWN BY:	CHECKED BY:	SUPERVISED BY:	REVIEWED BY:	APPROVED BY:	ISSUED BY:			
J.T. STEIN	S.A. HAMBY	J.T. STEIN							
KINGSTON FOSSIL PLANT									
TENNESSEE VALLEY AUTHORITY									
FOSSIL AND HYDRO ENGINEERING									
AUTOCAD P80	DATE	36	C	10W428-10		R 8			