


KIF Peninsula - Aquifer Testing Summary


Well	test type	Q (gpm)	emfm	TOC (ft-msl)	TOG Ele (ft-msl)	initial	initial	Analytical Results	
						GW Depth (ft)	GW Ele (ft-msl)	K (ft/s)	K (cm/s)*
MW-10A	slug	6 gallons		771.87	768.2	29.68	742.19	1.93E-06	5.88E-05
MW-10B	slug	3 gallons		771.61	768.2	30.35	741.26	2.34E-06	7.13E-05
MW-21A	slug	6 gallons		762.34	757.7	21.33	741.01	1.25E-06	3.81E-05
MW-21A	pump	0.16	X	762.34	757.7	21.43	740.91	1.86E-05	5.67E-04
MW-44A	pump	6.40 & 4.88	X	745.00	742.4	4.00 & 3.88	741.00 & 741.12	3.17E-04	9.66E-03
MW-44B	pump	18.6 & 4.90	X	744.04	742.7	3.05 & 2.85	740.99 & 741.19	6.03E-04	1.84E-02
MW-47A	slug	6 gallons		766.38	762.9	25.13	741.25	2.71E-05	8.26E-04
MW-47A	injection	1.54		766.38	762.9	25.13	741.25	1.35E-03	4.11E-02
MW-63A	slug	3.5 gallons		781.96	780.2	18.58	763.38	2.64E-07	8.05E-06
MW-63B	slug	3 gallons		784.94	780.9	27.66	757.28	3.46E-07	1.05E-05
MW-63B	injection	0.20	X	784.94	780.9	24.99	759.95	2.10E-07	6.40E-06
MW-66A	slug	6 gallons		756.39	752.9	14.97	741.42	1.46E-05	4.45E-04
MW-66A	pump	0.35	X	756.39	752.9	14.81	741.58	2.13E-04	6.49E-03
MW-66A	injection	0.76	X	756.39	752.9	14.99	741.40	8.14E-05	2.48E-03
MW-74A	slug	6 gallons		756.01	752.0	14.58	741.43	1.68E-06	5.12E-05
MW-74A	pump	0.28	X	756.01	752.0	14.42	741.59	1.02E-05	3.11E-04
MW-77A	slug	3.5 gallons		754.37	749.9	13.08	741.29	1.14E-05	3.47E-04
MW-77A	pump	3.00	X	754.37	749.9	13.36	741.01	2.89E-05	8.81E-04
MW-81A	slug	6 gallons		765.25	763.4	23.95	741.30	6.00E-06	1.83E-04
MW-81A	injection	0.65	X	765.25	763.4	23.84	741.41	2.00E-04	6.10E-03
MW-81B	slug	6 gallons		764.27	762.9	22.84	741.43	1.03E-04	3.14E-03

* Bold values considered most representative


MW-21A




MW-44A




MW-44B




MW-63B



MW-66A



MW-74A



MW-77A

