

September 1, 2005

Mr. Chip Hannah
Division of Water Pollution Control
Enforcement and Compliance Section
6th Floor, L & C Annex
401 Church Street
Nashville, Tennessee 37243-1534

Dear Mr. Hannah:

TENNESSEE VALLEY AUTHORITY (TVA) - KINGSTON PLANT - NPDES PERMIT NO. TN0005452 DISCHARGE MONITORING REPORT (DMR) – February, March, April, May, and June 2005 - (CORRECTION).

Dear Mr. Hannah:

Enclosed, please find corrected DMRs for Kingston Fossil Plant for the reporting periods listed above.

TVA recently discovered that a program change in its electronic DMR (EDMR) led to some net values being reported incorrectly. The EDMR program change was designed to prevent reporting of numeric values below the method detection level for various parameters. Since it is possible that the net values for ammonia could be negative, the program issued a warning to not report net values less than the method detection level of ammonia of <0.01 mg/L. We are working with the programmers to modify the program on net calculations.

I am sorry for any inconvenience this may have caused and if you have any questions concerning this report, please contact Linda Campbell at (865) 717-2157.

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein. Based on my inquiry of these individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment.

Sincerely,



Earl L. Deskins,
Plant Manager
Kingston Fossil Plant

Mr. Chip Hannah
Page 2
September 1, 2005

LFC:lfc
Enclosures

cc: J.K. Watts
EDMS, WT-CA-K
File

Name **TVA - KINGSTON FOSSIL PLANT**
 Address **714 SWAN POND ROAD**
HAERIMAN, TN 37749

Facility **TVA - KINGSTON FOSSIL PLANT**
 Location **ROANE COUNTY, (KPCQ) TN 37763**

ATTN: LINDY JOHNSON

Permit Number **TN0005452**
 Discharge Number **001 G**

Monitoring Period
 From **05 02 01** To **05 02 28**
 Year **05** MO **02** DAY **01**
 Year **05** MO **02** DAY **28**

ASH POND WASTEWATER
 EFFLUENT

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (46-53)			UNITS	NO. OF EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	MINIMUM	AVERAGE	MAXIMUM					
PH	SAMPLE MEASUREMENT	*****	*****	7.9	*****	*****	**	0	4/28	GRAB	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	6.0	*****	*****	****	0	WEEKLY	GRAB	
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****	DAILY MIN	*****	*****	**	0	1/28	GRAB	
00530 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	****	0	ONCE/MONTH	GRAB	
OIL AND GREASE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	**	0	1/28	GRAB	
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	****	0	ONCE/MONTH	GRAB	
NITROGEN, AMMONIA TOTAL (AS N)	SAMPLE MEASUREMENT	*****	0.00	*****	*****	*****	26	0	3/28	CALCTD	
00610 2 0 0 NET VALUE EFFLUENT	PERMIT REQUIREMENT	*****	REPORT DAILY MX	*****	*****	*****	LBS/DY	0	TWICE/MONTH	CALCTD	
NITROGEN, AMMONIA TOTAL (AS N)	SAMPLE MEASUREMENT	*****	2.81	*****	*****	*****	26	0	3/28	GRAB	
00610 2 0 0 INSTREAM MONITORING	PERMIT REQUIREMENT	*****	REPORT DAILY MX	*****	*****	*****	LBS/DY	0	TWICE/MONTH	GRAB	
NITROGEN, AMMONIA TOTAL (AS N)	SAMPLE MEASUREMENT	*****	2.81	*****	*****	*****	26	0	3/28	GRAB	
00610 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	REPORT DAILY MX	*****	*****	*****	LBS/DY	0	TWICE/MONTH	GRAB	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	33.0	33.7	*****	*****	*****	03	0	4/28	INSTAN	
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT MO AVG	REPORT DAILY MX	*****	*****	*****	MGD	0	WEEKLY	INSTAN	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 J.R. Bynum
 Exec. V.P., Fossil Power Group
 TYPED OR PRINTED

CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 10 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

Earl L. Deskins
 Earl L. Deskins, Plant Manager
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 865 717-2501
 DATE 05 08 31

AREA CODE NUMBER DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Indicate Facility Name/Location if Different)
 Name: **TVA - KINGSTON FOSSIL PLANT**
 Address: **714 SWAN POND ROAD**
HARRISMAN, IN 37748
 Facility: **TVA - KINGSTON FOSSIL PLANT**
 Location: **ROANE COUNTY, (KFO), IN 37763**

NATIONAL POLLUTANT DISCHARGE ILLUMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (17-19) **001 G**
 PERMIT NUMBER: **TN0005452**
 DISCHARGE NUMBER

Form Approved.
 OMB No 2040-0004
 Approval expires 05-31-98

MAJOR (SUBR 03)
F - FINAL
ASH POND WASTEWATER
 EFFLUENT

MONITORING PERIOD
 YEAR MO DAY YEAR MO DAY
 From **05 03 01** To **05 03 31**

ATTN: **LINDY JOHNSON**

PARAMETER (32-37)	(3) Card Only (46-53)		(4) Card Only (36-45)		(26-27) (28-29) (30-31)		(54-61)		NO. EX (62-63)	FILE FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
PH	*****	*****	**	8.4	*****	*****	*****	*****	0	6/31	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	6.0	*****	*****	*****	*****	0	WEEKLY	GRAB
SOLIDS, TOTAL SUSPENDED	*****	*****	**	DAILY MN	*****	*****	*****	*****	0	1/31	GRAB
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
OIL AND GREASE	*****	*****	**	*****	*****	*****	*****	*****	0	1/31	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	26	0.00	*****	*****	*****	*****	0	2/31	CALCTD
00610 2 0 0 NET VALUE EFFLUENT	*****	*****	LBS/DY	REPORT DAILY MX	*****	*****	*****	*****	0	TWICE/MONTH	CALCTD
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	26	3.16	*****	*****	*****	*****	0	2/31	GRAB
00610 Z 0 0 INSTREAM MONITORING	*****	*****	LBS/DY	REPORT DAILY MX	*****	*****	*****	*****	0	TWICE/MONTH	GRAB
NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	26	3.16	*****	*****	*****	*****	0	2/31	GRAB
00610 1 0 0 EFFLUENT GROSS VALUE	*****	*****	LBS/DY	REPORT DAILY MX	*****	*****	*****	*****	0	TWICE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	03	37.8	*****	*****	*****	*****	0	5/31	INSTAN
50050 1 0 0 EFFLUENT GROSS VALUE	REPORT MO AVG	*****	MGD	REPORT DAILY MX	*****	*****	*****	*****	0	WEEKLY	INSTAN

NOTE: Read instructions before completing this form.

*** NO DISCHARGE ***

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: **J.R. Byrum**
 EXECUTIVE: **Exec. V.P., Fossil Power Group**
 TYPED OR PRINTED

DATE: **05 08 31**

TELEPHONE: **865 717-2501**

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT: **Earl L. Deskins**

AREA CODE: **865** NUMBER: **717-2501**

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

REPLACES EPA FORM T-40 WHICH MAY NOT BE USED

PERMITTEE NAME/ADDRESS (include Facility Name/Location if Different)
 Name: **TVA - KINGSTON FOSSIL PLANT**
 Address: **714 SWAN POND ROAD**
HARRISMAN, IN 37748
 Facility: **TVA - KINGSTON FOSSIL PLANT**
 Location: **ROANE COUNTY, (KFO), TN 37763**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (17-19)
 TN0005452
 PERMIT NUMBER
 001 G
 DISCHARGE NUMBER

MAJOR (SUBR 03)
 F - FINAL
 ASH POND WASTEWATER
 EFFLUENT

Form Approved.
 OMB No. 2040-0004
 Approval expires 05-31-98

ATTN: LINDY JOHNSON
 PARAMETER (32-37)
 From 05 04 01 To 05 04 30
 YEAR MO DAY YEAR MO DAY
 MONITORING PERIOD
 *** NO DISCHARGE ***

NOTE: Read instructions before completing this form.
 (4 Card Only) (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)
 (46-50) (51-52) (53-54) (55-56) (57-58) (59-61)

PH	PARAMETER (32-37)	QUANTITY OR LOADING (54-61)		UNITS	QUALITY OR CONCENTRATION (49-53)		NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM		AVERAGE	MAXIMUM			
00400	1 0 0 EFFLUENT GROSS VALUE	*****	*****	**	*****	*****	0	4/30	GRAB
	SOLIDS, TOTAL SUSPENDED	*****	*****	****	6.0 DAILY MN	*****		WEEKLY	GRAB
00530	1 0 0 EFFLUENT GROSS VALUE	*****	*****	**	*****	16.0	0	1/30	GRAB
	OIL AND GREASE	*****	*****	****	*****	29.9 MO AVG		ONCE/MONTH	GRAB
00556	1 0 0 EFFLUENT GROSS VALUE	*****	*****	**	*****	<5.0	0	1/30	GRAB
	NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	****	*****	14.4 MO AVG		ONCE/MONTH	GRAB
00610	2 0 0 NET VALUE EFFLUENT	*****	*****	26	*****	0.00	0	2/30	CALCTD
	NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	LBS/DY	*****	REPORT DAILY MX		TWICE/MONTH	CALCTD
00610	2 0 0 INSTREAM MONITORING	*****	*****	26	*****	5.18	0	2/30	GRAB
	NITROGEN, AMMONIA TOTAL (AS N)	*****	*****	LBS/DY	*****	REPORT DAILY MX		TWICE/MONTH	GRAB
00610	1 0 0 EFFLUENT GROSS VALUE	*****	*****	26	*****	2.70	0	2/30	GRAB
	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	*****	*****	LBS/DY	*****	REPORT DAILY MX		TWICE/MONTH	GRAB
50050	1 0 0 EFFLUENT GROSS VALUE	*****	*****	03	*****	33.7	0	4/30	INSTAN
		*****	*****	MGD	*****	REPORT DAILY MX		WEEKLY	INSTAN

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 J.R. Bynum
 Exec. V.P., Fossil Power Group
 TYPED OR PRINTED
 COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
 Earl L. Deskins
 Earl L. Deskins, Plant Manager
 TELEPHONE
 717-2501
 DATE
 05 08 31
 AREA CODE
 865
 NUMBER
 717-2501
 DAY
 31
 MO
 08
 YEAR
 05
 MONTH
 08
 DAY
 31

PERMITTEE NAME/ADDRESS (Indicate Facility Name/Location if Different)
 Name **TVA - KINGSTON FOSSIL PLANT**
 Address **114 SWAN POND ROAD**
HARRISMAN, IN 37748
 Facility **TVA - KINGSTON FOSSIL PLANT**
 Location **HOVANE COUNTY, (KEO), IN 37763**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (17-19)
 TNO005452
 PERMIT NUMBER
 DISCHARGE NUMBER
 001 G

MAJOR (SUBR 03)
 F - FINAL
 ASH POND WASTEWATER
 EFFLUENT

ATTN: LINDY JOHNSON

MONITORING PERIOD
 YEAR MO DAY YEAR MO DAY
 From 05 05 01 To 05 05 31

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (54-61)		QUALITY OR CONCENTRATION (54-61)		UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-66)	SAMPLE TYPE (67-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	AVERAGE (46-53)	MAXIMUM (54-61)				
PH	SAMPLE MEASUREMENT	*****	*****	8.7	*****	**	0	5/31	GRAB
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	6.0	*****	****		WEEKLY	GRAB
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	DAILY MN	*****	**	0	1/31	GRAB
SOLIDS, TOTAL SUSPENDED	PERMIT REQUIREMENT	*****	*****	*****	*****	****		ONCE/MONTH	GRAB
00530 1 0 0	SAMPLE MEASUREMENT	*****	*****	29.9	*****	**	0	1/31	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	MO AVG	*****	****		ONCE/MONTH	GRAB
OIL AND GREASE	SAMPLE MEASUREMENT	*****	*****	<5.0	*****	**	0	1/31	GRAB
00556 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	****		ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	14.4	*****	**	0	2/31	CALCTD
NITROGEN, AMMONIA TOTAL (AS N)	PERMIT REQUIREMENT	*****	*****	0.00	*****	26	0	2/31	CALCTD
00610 2 0 0	SAMPLE MEASUREMENT	*****	*****	*****	*****	LBS/DY		TWICE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	REPORT DAILY MX	*****	26	0	TWICE/MONTH	GRAB
NITROGEN, AMMONIA TOTAL (AS N)	SAMPLE MEASUREMENT	*****	*****	5.85	*****	LBS/DY		TWICE/MONTH	GRAB
00610 2 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	LBS/DY		TWICE/MONTH	GRAB
INSTREAM MONITORING	SAMPLE MEASUREMENT	*****	*****	3.16	*****	26	0	2/31	GRAB
NITROGEN, AMMONIA TOTAL (AS N)	PERMIT REQUIREMENT	*****	*****	REPORT DAILY MX	*****	LBS/DY		TWICE/MONTH	GRAB
00610 1 0 0	SAMPLE MEASUREMENT	*****	*****	40.7	*****	03	0	4/31	INSTAN
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	MGD		WEEKLY	INSTAN
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	37.2	*****	*****	*****	*****		*****	*****
50050 1 0 0	PERMIT REQUIREMENT	REPORT MO AVG	*****	*****	*****	*****		*****	*****
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****		*****	*****

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 J.R. Bynum
 Exec. V.P., Fossil Power Group
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
Earl L. Deskins
 Earl L. Deskins, Plant Manager

TELEPHONE
 865 717-2501

DATE
 05 08 31

AREA CODE
 865

NUMBER
 717-2501

YEAR
 05

MO
 08

DAY
 31

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 38 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

(REPLACES EPA FORM 1-40 WHICH MAY NOT BE USED)

Previous editions may not be used.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 Name **TVA - KINGSTON FOSSIL PLANT**
 Address **714 SWAN POND ROAD**
HAMILMAN, TN 37748

Facility **TVA - KINGSTON FOSSIL PLANT**
 Location **ROVANE COUNTY, (KHO), IN 37763**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (17-19)

MAJOR (SUBR 03)
F - FINAL
ASH POND WASTEWATER
EFFLUENT

Form Approved.
 OMB No. 2040-0004
 Approval expires 05-31-98

ATTN: LINDY JOHNSON

PERMIT NUMBER **TN0005452**
 DISCHARGE NUMBER **001 G**

MONITORING PERIOD
 YEAR MO DAY YEAR MO DAY
 From **05 06 01** To **05 06 30**

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	(3 Card Only) QUANTITY OR LOADING (54-61)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)			UNITS	NO. OF EX (02-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
	AVERAGE	MAXIMUM	MINIMUM	AVERAGE	MINIMUM	MAXIMUM				
PH	*****	*****	8.4	*****	*****	*****	12	0	5 / 30	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	*****	*****	6.0	*****	*****	*****	SU	0	WEEKLY	GRAB
SOLIDS, TOTAL SUSPENDED	*****	*****	DAILY MN	9.0	*****	9.0	19	0	1 / 30	GRAB
00530 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	29.9	*****	92.0	MG/L	0	ONCE/MONTH	GRAB
OIL AND GREASE	*****	*****	*****	<5.0	*****	<5.0	19	0	1 / 30	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	*****	*****	*****	14.4	*****	19.4	MG/L	0	ONCE/MONTH	GRAB
NITROGEN, AMMONIA TOTAL (AS N)	*****	-2.81	*****	*****	*****	-0.01	19	0	2 / 30	CALCTD
00610 2 0 0 NET VALUE EFFLUENT	*****	REPORT DAILY MX	*****	*****	*****	REPORT DAILY MX	MG/L	0	TWICE/MONTH	CALCTD
NITROGEN, AMMONIA TOTAL (AS N)	*****	12.63	*****	*****	*****	0.04	19	0	2 / 30	GRAB
00610 Z 0 0 INSTREAM MONITORING	*****	REPORT DAILY MX	*****	*****	*****	REPORT DAILY MX	MG/L	0	TWICE/MONTH	GRAB
NITROGEN, AMMONIA TOTAL (AS N)	*****	3.16	*****	*****	*****	0.01	19	0	2 / 30	GRAB
00610 1 0 0 EFFLUENT GROSS VALUE	*****	REPORT DAILY MX	*****	*****	*****	REPORT DAILY MX	MG/L	0	TWICE/MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	34.9	37.8	*****	*****	*****	*****	**	0	6 / 30	INSTAN
50050 1 0 0 EFFLUENT GROSS VALUE	REPORT MO AVG	REPORT DAILY MX	*****	*****	*****	*****	****	0	WEEKLY	INSTAN

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: **J.R. Bynum**

Exec. V.P., Fossil Power Group

TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT: *Earl L. Deskins*

Earl L. Deskins, Plant Manager

TELEPHONE: **865 717-2501**

DATE: **05 08 31**

AREA CODE: **865**

NUMBER: **717-2501**

YEAR: **05**

MO: **08**

DAY: **31**

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)