



DOT HS 811 704 December 2012

National Automotive Sampling System (NASS)

General Estimates System (GES)

Analytical Users Manual 1988 - 2011

NASS GES Analytical User's Manual 1988 – 2011

U. S. Department of Transportation

National Highway Traffic Safety Administration National Center for Statistics and Analysis Washington, D.C. 20590

Table of Contents

New in 2011 NASS G	ES	4			
Introduction		16			
NASS GES Operation	S	17			
NASS GES Sample D	esign	18			
National Estimates		20			
NASS GES SAS Data	Files	22			
NASS GES Imputation	1	25			
•	ent List				
	ns and Codes				
	T Data File				
	Data File				
	Data File				
	Data File				
	Data File				
	a File				
	Data File				
	Data File				
	ata File				
	ER Data File				
The DISTRACT	Г Data File	255			
The DRIMPAIR	R Data File	257			
The NMIMPAIR	R Data File	259			
The NMCRASH	HData File	261			
The NMPRIOR	Data File	263			
	Q Data File				
	RK Data File				
	Data File				
	N Data File				
	l Data File				
	Data File				
The PARKEVN	IT Data File	343			
Appendices		347			
Appendix A:	Vehicle Make/Model Designation	348			
Appendix B:	V23 Accident Type Diagram				
Appendix C:	Summary Statistics				
Appendix D:	Statistical Methods	427			
Appendix E:	Analytical Data Classification of				
	Select NASS GES Data Elements	451			
Appendix F:					
Appendix G:	Summary of the 2010 NASS GES Changes				
Appendix H: 2011 Changes to Locator Codes					

New in 2011 NASS GES

Most changes in 2011 NASS GES are the result of NHTSA's efforts to standardize variables in NASS GES and the Fatality Analysis Reporting System (FARS). The final phase of the FARS/NASS GES standardization occur during the 2011 data collection year, while remaining separate data systems, FARS and NASS GES are sharing a single data entry system and uniform set of data elements. All the locator codes for NASS GES data elements are changed, the summary of this change is documented in Appendix H. The additions, deletions, and changes for 2011 NASS GES data files and data elements are listed below. Also, summary of the 2010 NASS GES changes are documented in Appendix G for reference.

More detailed information on each data element can be found in the NASS GES Coding and Editing Manuals, which NHTSA publishes for each year of data collection. While the 2011 changes are addressed in this Analytical User's Manual, data users should compare the 2010 and 2011 Coding and Editing Manuals for a more thorough understanding. Manuals for 1995 to the present can be found at:

http://www-nrd.nhtsa.dot.gov/cats/listpublications.aspx?Id=k&ShowBy=DocType.

2011 New, Deleted and Changed Data Elements

New or Changed SAS Data Files:

- Vsoe
- Drimpair
- Nmimpair
- Parkwork (previously Parked data file)

New Data Elements:

Locator Code	Data Element Name	SAS Name	
Accident:			
C3	Number of Persons Not in Motor Vehicles	PEDS	
C4	Number of Total Motor Vehicles Involved	VE_TOTAL	
C5	Number of Persons in Motor Vehicles	PERSONS	
C5A	Number of Persons in Motor Vehicles in-Transport (MVIT)	PERMVIT	
Vehicle:			
V5	Unit Type	UNITTYPE	
V16A	MCID Issuing Authority	MCARR_I1, PMCARR_I1	
V16B	MCID Identification Number	MCARR_I2, PMCARR_I2	
V17	Gross Vehicle Weight Rating	GVWR, PGVWR	
Cevent, Vev	ent:		
C17	Vehicle Number (Other Vehicle) [Cevent & Vevent data files]	VNUMBER2	
C17	Area of Impact Associated with the Event [Vsoe data file]	AOI	
C17	Vehicle Event Number [Vevent & Vsoe data files]	VEVENTNUM	
Parkwork:			
C4A	Number of Vehicles Involved	PVE_FORMS	
C8A	Month of Crash	PMONTH	

Locator Code	Data Element Name	SAS Name
C9A	Hour of Crash	PHOUR
С9В	Minute of Crash	PMINUTE
C18	First Harmful Event	PHARM_EV
C19	Manner of Collision	PMAN_COLL
V6	Hit and Run	PHIT_RUN
V16A	MCID Issuing Authority	MCARR_I1, PMCARR_I1
V16B	MCID Identification Number	MCARR_I2, PMCARR_I2
V17	Gross Vehicle Weight Rating	GVWR, PGVWR
V21	Bus Use	PBUS_USE
V32	Most Harmful Event	M_HARM
Pbtype:		
P5/NM5	Age	PBAGE
P6/NM6	Sex	PBSEX
P7/NM7	Person Type	PBPTYPE

Deleted Data Elements:

Locator Code	Data Element Name	SAS Name
V20A	Most Harmful Event Number	MHENUM
EO6/VE6	Vehicle's Action	E_ACTION
VE7	Vehicle Number (Parked/Working Vehicle)	PVEHNUM
VE8	Area of Impact (Parked/Working Vehicle)	PGAD
PV30	Rollover	PROLLOVR
PV30A	Location of Rollover	PROLINLOC
PV37	Vehicle Location	PREL_RWY

Changed Data Elements:

Locator Code	Data Element Name	SAS Name	Change
V3/D3/PC3/P3	Vehicle Number	VEH_NO	Updated SAS name (was VEHNO, PVEHNO in Parked data file)
P4/NM3	Person Number	PER_NO	Updated SAS name (was PERNO)
Accident:			
СЗА	Number of Persons Not in Motor Vehicles in-Transport (MVIT)	PERNOTMVIT	Updated SAS name (was NON_INVL)
C4A	Number of Motor Vehicles in- Transport (MVIT) Involved	VE_FORMS	Updated SAS name (was VEH_INVL)
C18	First Harmful Event	HARM_EV	Updated SAS name (was EVENT1)
C19	Manner of Collision	MAN_COLL	Updated SAS name (was MAN_COL)
			Updated attribute codes
C19I	Imputed Manner of Collision	MANCOL_IM	Updated Imputation
C21	Type of Intersection	TYP_INT	Updated attribute codes
C22	Relation to Trafficway	REL_ROAD	Updated attribute codes
C23	Work Zone	WRK_ZONE	Updated attribute codes
C26	School Bus Related	SCH_BUS	Updated attribute codes
C92	Alcohol Involved in Crash	ALCOHOL	Updated attribute codes
Vehicle:			
V6	Hit and Run	HIT_RUN	Updated attribute codes
V9	Vehicle Make	MAKE	New attributes
V10	Vehicle Model	MODEL	New attributes
V11	Body Type	BODY_TYP	Updated attributes
V12	Vehicle Model Year	MOD_YEAR	Updated SAS name (was MODEL_YR)
			Updated attribute codes

Locator Code	Data Element Name	SAS Name	Change
V15	Jackknife	J_KNIFE	Updated SAS name (was JACKNIFE)
V16	Motor Carrier Identification Number (MCID)	MCARR_ID	Updated attributes
V18	Vehicle Configuration	V_CONFIG	Updated attribute codes
V21	Bus Use	BUS_USE	Updated attribute codes
V22	Special Use	SPEC_USE	Updated attribute codes
V23	Emergency Use	EMER_USE	Updated attribute codes
V27	Location of Rollover	ROLINLOC	Updated attribute codes
V28A	Initial Point of Impact	IMPACT1	Updated attribute codes
V28B	Most Damaged Area	IMPACT2	Updated attribute codes
V29	Extent of Damage	DEFORMED	Updated attribute codes
V30	Vehicle Removal	TOWED	Updated attribute codes
V32	Most Harmful Event	M_HARM	Updated SAS name (was V_EVENT)
			Updated attribute codes
D6	Driver's Zip Code	DR_ZIP	Updated SAS name (was DZIPCODE)
			Updated attribute codes
PC7	Speed Limit	VSPD_LIM	Updated attribute codes
PC12	Traffic Control Device	VTRAFCON	Updated attribute codes
PC17	Pre-Event Movement (Prior To Recognition of Critical Event)	P_CRASH1	Updated element name (was "Movement Prior to Critical Event")
			Updated attributes
PC19	Critical Event- Pre-Crash	P_CRASH2	Updated attributes
PC20	Attempted Avoidance Maneuver	P_CRASH3	Updated element name (was "Corrective Action Attempted")
PC21	Pre-Impact Stability	PCRASH4	Updated element name (was "Precrash Vehicle Control")

Locator Code	Data Element Name	SAS Name	Change
PC22	Pre-Impact Location	PCRASH5	Updated element name (was "Precrash Location")
			Updated attribute codes
PC23	Crash Type	ACC_TYPE	Updated element name (was "Accident Type")
			Updated attributes
Person:			
P5/NM5	Age	AGE	Updated attribute codes
P6/NM6	Sex	SEX	Updated attribute codes
P7/NM7	Person Type	PER_TYP*	Updated attribute codes
P9	Seating Position	SEAT_POS	Updated attribute codes
P10	Restraint System Use	REST_USE	Updated SAS name (was REST_SYS)
			Updated attribute codes
P11	Indication of Misuse of Restraint System/Helmet	REST_MIS	Updated attribute codes
P12	Air Bag Deployed	AIR_BAG	Updated attribute codes
			Updated information
P13	Ejection	EJECTION	Updated information
P16/NM15	Police-Reported Alcohol Involvement	DRINKING	Updated SAS name (was PER_ALCH)
P18A/ NM17A	Alcohol Test Status	ALC_STATUS	Updated SAS name (was ALCHTEST)
			Updated attribute codes
P18B/ NM17B	Alcohol Test Type	ATST_TYP	Updated SAS name (was ALTSTYPE)
			Updated attribute codes
P18C/ NM17C	Alcohol Test Result	ALTRSULT	Updated SAS name (was ALC_RES)
P19/NM18	Police Reported Drug Involvement	DRUGS	Updated SAS name (was PER_DRUG)

Locator Code	Data Element Name	SAS Name	Change
P21A/ NM20A	Drug Test Status	DSTATUS	Updated SAS name (was DRUGTEST)
			Updated attribute codes
P21B/ NM20B	Drug Test Type	DRUGTST1, DRUGTST2, DRUGTST3	Updated SAS name (was DRTSTYPE)
			Updated attribute codes
P21C/ NM20C	Drug Test Result	DRUGRES1, DRUGRES2, DRUGRES3	Updated SAS name (was DRTRSULT)
			Updated attribute codes
P22/NM21	Transported to Medical Facility By	HOSPITAL	Updated attribute codes
NM4	Non-Motorist Striking Vehicle Number	STR_VEH	Updated attribute codes
NM10	Non Motorist Location	LOCATION	Updated SAS name (was LOCATN)
			Updated attribute codes
Cevent, Vevent	:		
C17	Vehicle Number (This Vehicle)	VNUMBER1	Updated SAS name (was VEHNUM)
			Updated attribute codes
C17	Area of Impact (This Vehicle)	AOI1	Updated SAS name (was GAD)
			Updated attribute codes
V31	Sequence of Events	SOE	Updated SAS name (was OBJCONT)
			Updated element name (was "Non-Collision Category or Object Contacted")
			Updated attributes and attribute codes
C17	Area of Impact (Other Vehicle)	AOI2	Updated SAS name (was OBJGAD)
			Updated attribute codes

Locator Code	Data Element Name	SAS Name	Change
Factor:			
PC4	Contributing Circumstances, Motor Vehicle	MFACTOR	Updated element name (was "Vehicle Contributing Factors")
Maneuver:			
PC15	Driver Maneuvered to Avoid	MDRMANAV	Updated attribute codes
Distract:			
PC16	Driver Distracted By	MDRDSTRD	Updated attribute codes
Nmprior:			
NM11	Non-Motorist Action/ Circumstances Prior to Crash	MPR_ACT	Updated attribute codes
Parked:			
V3	Vehicle Number	VEH_NO	Updated SAS name (was PVEHNO)
V5	Unit Type	PTYPE	Updated attribute codes
V6	Hit and Run	PHIT_RUN	Updated attribute codes
V9	Vehicle Make	PMAKE	New attributes
V10	Vehicle Model	PMODEL	New attributes
V11	Body Type	PBODYTYP	Updated attributes
V12	Vehicle Model Year	PMODYEAR	Updated SAS name (was PMODELYR)
			Updated attribute codes
V16	Motor Carrier Identification Number (MCID)	PMCARR_ID	Updated SAS name (was PCARIDNO)
			Updated attributes
V18	Vehicle Configuration	PV_CONFIG	Updated attribute codes
V22	Special Use	PSP_USE	Updated attribute codes
V23	Emergency Use	PEM_USE	Updated attribute codes
V28A	Initial Point of Impact	PIMPACT1	Updated attribute codes

Locator Code	Data Element Name	SAS Name	Change
V28B	Most Damaged Area	PIMPACT2	Updated attribute codes
V29	Extent of Damage	PVEH_SEV	Updated attribute codes
V30	Vehicle Removal	PTOWED	Updated attribute codes

^{*} The 2010 NASS GES entry system follows a scheme of breaking out persons as motorists or non-motorists. The "Long Names" of their elements reflect this and the input system are structured around this. While the manual and entry systems reflect a difference in the organization of people in a case, FARS and NASS GES both have the same Person Type attributes in total. It is because of the differences in the two entry systems and handling of persons in structuring of the case that the elements are presented differently. This principally affects the Person Type of "03 – Occupant of a Motor Vehicle Not In-transport" when 2011 NASS GES and FARS shared the same data entry system. P03 (Occupant) in 2010 NASS GES does not match exactly with 2011 NASS GES because it includes "03 – Occupant of a Motor Vehicle Not In-transport" in 2011. It is the same situation but in reverse for 2010 NASS GES P03 (Non-motorist) and 2011 NASS GES NM7.

Summary of the SAS Naming Changes in 2011

Locator Code	2010 SAS Name	2011 SAS Name	Data Element Name
C3	N/A	PEDS	Number of Persons Not in Motor Vehicles
СЗА	NON_INVL	PERNOTMVIT	Number of Persons Not in Motor Vehicles in Transport (MVIT)
C4	N/A	VE_TOTAL	Number of Total Motor Vehicles Involved
C4A	VEH_INVL	VE_FORMS	Number of Motor Vehicles in Transport (MVIT) Involved
C4A (Parkwork)	N/A	PVE_FORMS	Number of Motor Vehicles Involved
C5	N/A	PERSONS	Number of Persons in Motor Vehicles
C5A	N/A	PERMVIT	Number of Persons in Motor Vehicles in Transport (MVIT)
C8A (Parkwork)	N/A	PMONTH	Month of Crash
C9A (Parkwork)	N/A	PHOUR	Hour of Crash
C9B (Parkwork)	N/A	PMINUTE	Minute of Crash
C17 (Cevent, Vevent)	VEHNUM	VNUMBER1	Vehicle Number (This Vehicle)
C17 (Cevent, Vevent)	GAD	AOI1	Area of Impact (This Vehicle)
C17 (Cevent, Vevent)	N/A	VNUMBER2	Vehicle Number (Other Vehicle)
C17 (Cevent, Vevent)	OBJGAD	AOI2	Area of Impact (Other Vehicle)
C17 (Vevent, Vsoe)	N/A	VEVENTNUM	Vehicle Event Number
C17 (Vsoe)	N/A	AOI	Area of Impact Associated with the Event
C18	EVENT1	HARM_EV	First Harmful Event
C18 (Parkwork)	N/A	PHARM_EV	First Harmful Event
C19	MAN_COL	MAN_COLL	Manner of Collision
C19 (Parkwork)	N/A	PMAN_COLL	Manner of Collision
V3/D3/ PC3/P3	VEHNO	VEH_NO	Vehicle Number
V3 (Parkwork)	PVEHNO	VEH_NO	Vehicle Number
V5	N/A	UNITTYPE	Unit Type
V6 (Parkwork)	N/A	PHIT_RUN	Hit and Run
V12	MODEL_YR	MOD_YEAR	Vehicle Model Year

Locator Code	2010 SAS Name	2011 SAS Name	Data Element Name
V12 (Parkwork)	PMODELYR	PMODYEAR	Vehicle Model Year
V15	JACKNIFE	J_KNIFE	Jackknife
V16 (Parkwork)	PCARIDNO	PMCARR_ID	Motor Carrier Identification Number (MCID)
V16A	N/A	MCARR_I1	MCID Issuing Authority
V16A (Parkwork)	N/A	PMCARR_I1	MCID Issuing Authority
V16B	N/A	MCARR_I2	MCID Identification Number
V16B (Parkwork)	N/A	PMCARR_I2	MCID Identification Number
V17	N/A	GVWR	Gross Vehicle Weight Rating/GCWR
V17 (Parkwork)	N/A	PGVWR	Gross Vehicle Weight Rating/GCWR
V21 (Parkwork)	N/A	PBUS_USE	Bus Use
V31 (Cevent)	OBJCONT	SOE	Non-Collision Category or Object Contacted → Sequence of Events
V32	V_EVENT	M_HARM	Most Harmful Event
V32 (Parkwork)	N/A	PM_HARM	Most Harmful Event
D6	DZIPCODE	DR_ZIP	Driver's Zip Code
D23	MIMPAIR	DRIMPAIR	Condition (Impairment) at Time of Crash- Driver (stored in Drimpair data file)
P4/NM3	PERNO	PER_NO	Person Number
P5/NM5 (Pbtype)	N/A	PBAGE	Age
P6/NM6 (Pbtype)	N/A	PBSEX	Sex
P7/NM7 (Pbtype)	N/A	PBPTYPE	Person Type
P10	REST_SYS	REST_USE	Restraint System Use
P16/NM15	PER_ALCH	DRINKING	Police-Reported Alcohol Involvement
P18A/ NM17A	ALCHTEST	ALC_STATUS	Alcohol Test Status
P18B/ NM17B	ALTSTYPE	ATST_TYP	Alcohol Test Type
P18C/ NM17C	ALTRSULT	ALC_RES	Alcohol Test Result
P19/NM18	PER_DRUG	DRUGS	Police-Reported Drug Involvement
P21A/ NM20A	DRUGTEST	DSTATUS	Drug Test Status

Locator Code	2010 SAS Name	2011 SAS Name	Data Element Name
P21B/ NM20B	DRTSTYPE	DRUGTST1, DRUGTST2, DRUGTST3	Drug Test Type
P21C/ NM20C	DRTRSULT	DRUGRES1, DRUGRES2, DRUGRES3	Drug Test Result
NM10	LOCATN	LOCATION	Non-Motorist Location
NM14	MIMPAIR	NMIMPAIR	Condition (Impairment) at Time of Crash- Non-Motorist (stored in Nmimpair data file)

The data elements in RED are new to 2011 NASS GES.

The data elements in BLUE are changed in 2011 NASS GES.

Introduction

One of the primary objectives of the National Highway Traffic Safety Administration (NHTSA) is to reduce the staggering human toll and property damage that motor vehicle traffic crashes impose on our society. Crashes each year result in thousands of lives lost, hundreds of thousands of injured victims, and billions of dollars in property damage. Accurate data are required to support the development, implementation, and assessment of highway safety programs aimed at reducing this toll. NHTSA uses data from many sources, including the National Automotive Sampling System (NASS) General Estimates System (GES) which began operation in 1988. Providing data about all types of crashes involving all types of vehicles, the NASS GES is used to identify highway safety problem areas, provide a basis for regulatory and consumer information initiatives, and form the basis for cost and benefit analyses of highway safety initiatives.

The NASS GES obtains its data from a nationally representative probability sample selected from the more than 5 million police-reported crashes which occur annually. These crashes include those that result in a fatality or injury and those involving major property damage. Although various sources suggest that there are many more crashes that are not reported to the police, the majority of these unreported crashes involve only minor property damage and no significant personal injury. By restricting attention to police-reported crashes, the NASS GES concentrates on those crashes of greatest concern to the highway safety community and the general public.

This multi-year analytical user's manual provides documentation on data elements that are contained in the NASS GES and other useful information that will enable the users to become familiar the data system. NASS GES Coding and Editing Manuals provide more detailed definitions for each data element and attribute for a given year. Years 1995 to current are available at:

http://www-nrd.nhtsa.dot.gov/cats/listpublications.aspx?Id=k&ShowBy=DocType.

NASS GES Operations

The National Automotive Sampling System (NASS) -General Estimates System (GES) data are obtained from a nationally representative probability sample selected from all police-reported crashes. The data system began operation in 1988. To be eligible for the NASS GES sample, a police accident report (PAR) must be completed for the crash, and the crash must involve at least one motor vehicle traveling on a trafficway and must result in property damage, injury, or death.

The NASS GES is directed by the National Center for Statistics and Analysis, which is a component of Vehicle Safety (NVS) in NHTSA. The data are obtained by NASS GES data collectors in 60 geographic sites across the United States. These data collectors make weekly, biweekly, or monthly visits to approximately 400 police agencies within the 60 sites, where they randomly sample about 50,000 PARs per year. During the visit the data collectors compile a list of all qualifying crashes reported since their last visit and then select a sample of these crashes. The collectors send copies of the Police Crash Reports (PARs) for the selected crashes to the NASS quality control centers for coding. No other data are collected beyond the selected PARs—no driver license, vehicle registration, or medical information is obtained.

Trained personnel interpret and code data directly from the PARs onto an electronic data file. To protect individual privacy, no personal information such as names, addresses, specific crash location, etc., is coded.

During data coding, the data are checked for validity and consistency. After the data file is created, quality checks are performed on the data. When these are completed, the electronic data are made available to the public. The NASS GES data are also used to respond to requests from the international and national highway safety communities, state and local governments, the Congress, federal agencies, research organizations, industry, the media, and private citizens. Annual NASS GES data files are available for 1988 through 2011.

NASS GES Sample Design

The PARs from which the NASS GES data are coded are a probability sample of police-reported crashes that occurred in the United States. Since each crash that occurred in the survey year had a chance of being selected, the design makes it possible to compute not only national estimates but also probable errors associated with the estimates.

The selection of the sample of PARs for the NASS GES is accomplished in three stages. The first stage is a sample of geographic areas, called Primary Sampling Units (PSUs), from across the United States. A PSU is a central city, a county surrounding a central city, an entire county, or a group of contiguous counties. The NASS GES divides the U.S. into 1,195 of these PSUs. The PSUs are then grouped into categories according to the following geographic regions and types of PSUs:

- Geographic Region: Northeast, Midwest, South, and West
- Type: Large Central City, Large Suburban Area, and All others.

The second stage of the design is a sample of police jurisdictions within each PSU. In most PSUs the number of police jurisdictions is more than can reasonably be visited by a data collector, so in most PSUs the police jurisdictions are sampled based upon probability proportional to the number of crashes investigated in the police jurisdiction. That is, as the number of crashes investigated increases, the probability of selecting that jurisdiction increases. An average of seven police jurisdictions have been selected within each PSU.

The third and final stage is the selection of crashes within the sampled police jurisdictions. The first step in this process is for the NASS GES data collector to compile a list of every crash that was reported in the police jurisdiction since their last visit. In some very large police jurisdictions the number of crashes is too large for each to be listed. In these jurisdictions the data collector selects a subsample of PARs, with those listed depending on the PAR number. These "listed" crashes are then grouped into 6 strata depending on the type of vehicle(s) involved, the severity of the injuries, and the tow status of the vehicle(s) involved. Within each of these 6 groups a systematic sample of crashes is selected, based on different sampling ratios.

From 2002 to the present, crashes have been grouped into six strata:

- Group 1L: NASS crashes where an occupant of a towed passenger vehicle is killed.
 This category also includes crashes where an occupant of a towed passenger vehicle
 received an incapacitating injury and is transported for treatment. If the crash involves
 two or more passenger vehicles, at least two passenger vehicles must be towed and at
 least one of the occupants of a towed passenger vehicle must receive an incapacitating
 injury and be transported for treatment. No medium or heavy trucks may be involved.
- Group 1M: NASS crashes not qualifying for Group 1L, but at least one occupant of a towed passenger vehicle is injured and transported for treatment. No medium or heavy trucks may be involved.
- Group 1N: NASS crashes not qualifying for Group 1L or Group 1M, but a passenger vehicle is towed. No medium or heavy trucks may be involved.
- Group 2: NASS crashes not qualifying for Group 1, involving at least one medium or heavy truck in which a vehicle was towed due to damage or at least one involved person had a police-reported injury of K, A, B, or C;

- Group 3: NASS crashes not qualifying for Group 1 or 2 in which none of the vehicles involved in the crash was a medium or heavy truck and at least one person involved in the crash had a police-reported injury of K, A, or B; and,
- Group 4: NASS crashes not qualifying for Group 1, 2, or 3, No one in the crash can receive a K, A, or B injury.

From 1990 to 2001 there were four strata:

- Group 1: NASS crashes involving at least one passenger vehicle, i.e., a passenger car, sport utility vehicle, pickup truck or van) towed due to damage from the crash scene and no medium or heavy trucks are involved.
- Group 2: NASS crashes not qualifying for Group 1 involving at least one medium or heavy truck in which a vehicle was towed due to damage or at least one involved person had a police-reported injury of K, A, B, or C.
- Group 3: NASS crashes not qualifying for Group 1 or 2 in which none of the vehicles involved in the crash was a medium or heavy truck and at least one person involved in the crash had a police-reported injury of K, A, or B.
- Group 4: NASS crashes not qualifying for Group 1, 2 or 3. No one in the crash can receive a K, A, or B injury.

In 1988 and 1989 there were three strata:

- Group 1: NASS crashes involving at least one passenger vehicle, i.e., a passenger car, sport utility vehicle, pickup truck or van) towed due to damage from the crash scene.
- Group 2: NASS crashes not qualifying for Group 1 in which at least one person involved in the crash had a police reported injury K, A or B. No passenger vehicles involved in the crash were towed due to damage.
- Group 3: NASS not qualifying for Group 1 or 2. No one in the crash can receive a K, A
 or B injury.

In 2011, approximately 55,166 PARs were sampled and coded.

A thorough discussion of the sample design can be found in the *National Accident Sampling System General Estimates System Technical Note*, DOT HS 807 796. The document is available at:

http://www-nrd.nhtsa.dot.gov/Pubs/807796.pdf.

National Estimates

Since the NASS GES data are obtained from a probability sample of police-reported traffic crashes, national estimates can be made from these data. In order to calculate estimates of national crash characteristics, data from each PAR on the data file must be weighted. The national weight has been added to the data file for each PAR and is called "WEIGHT". Technically, this weight is the product of the inverse of the probabilities of selection at each of the three stages in the sampling process.

In 1995, the methodology for calculating the national weight in the NASS GES was evaluated. Based on 1992 state data obtained through state agencies for each of the 1,195 Primary Sampling Units (PSUs), it was determined that the number of fatal and injury crashes increased throughout the 12 geographical and urbanization areas, and that the changes were large enough to warrant some modification in procedures. PSUs in the NASS GES had not been reselected since the 1986 redesign because of the cost and time required to do so. To account for shifts in the distribution of crashes, the procedures used to stratify and select the PSUs in 1979 and 1986 were followed, without actually resampling the PSUs. Rather, the weights of the current PSUs were adjusted to reflect changes. The revised weights were phased into the 1993, 1994 and 1995 NASS GES data files. Therefore, estimates from the NASS GES for 1993-95 were revised.

Because some of the changes were so dramatic, NHTSA decided to make adjustments to the PSU weights every three years. For more information on reweighting of the PSUs in the NASS GES, refer to the research note, *Reweighting of the Primary Sampling Units in the National Automotive Sampling System*, published September 1997. This document is available at:

http://www-nrd.nhtsa.dot.gov/Pubs/97.845.pdf.

The second round for making adjustments to the PSU weights was implemented in 1998. Some of the same procedures used in the first round also were used in the second round. Using 1995 state data obtained through state agencies, the number of fatal and injury crashes throughout the 12 regional and urbanization areas were evaluated. Overall, there was a decrease in the number of crashes. The PSU weights were revised to reflect the shift and the revised weights were phased into the 1996 and 1997 NASS GES data files. Therefore, estimates from the NASS GES for 1996-98 were revised.

A weight data element is provided in the NASS GES data files that produces the national estimates (see NASS GES Data Elements and Definitions).

The national estimates produced from NASS GES data may differ from the true values because they are based on a probability sample of crashes and not a census of all crashes. The size of these differences may vary depending on which sample of crashes was selected. The standard error of an estimate is a measure of the precision or reliability with which an estimate from this particular NASS GES sample approximates the results of a census.

It is impractical to compute a standard error for each national estimate crash characteristic. Instead, generalized standard errors for estimates of totals, and the method used to produce them, are provided in *Appendix D: Statistical Methods*.

For more information on NASS GES estimation and the reliability of these estimates, refer to the *National Accident Sampling System General Estimates System Technical Note*, DOT HS 807 796, available at :

http://www-nrd.nhtsa.dot.gov/cats/listpublications.aspx?ld=k&ShowBy=DocType.

NASS GES SAS Data Files

NASS GES data are made available to the public in Statistical Analysis System (SAS) data files. Over the years changes have been made to the type of data collected and the way the data are presented in the SAS data files. Some data elements have been dropped and new ones added, coding of individual data elements has changed, and new SAS data files have been created. Coding changes and the years for which individual data items are available are shown in the "Data Elements and Definitions" section of this document. The NASS GES Coding and Editing Manual contains a detailed description of each SAS data element including coding instructions and attribute definitions. The Coding Manual is published for each year of data collection. Years 1995 to current are available at:

http://www-nrd.nhtsa.dot.gov/cats/listpublications.aspx?Id=k&ShowBy=DocType

Note: In this manual the word vehicle means in-transport motor vehicle unless otherwise noted.

The SAS data files and years of availability are:

- Accident (1988-current): This data file contains information about crash characteristics and environmental conditions at the time of the crash. There is one record per crash.
- **Vehicle** (1988-current): This data file contains information describing the in-transport motor vehicles and the drivers of in-transport motor vehicles who are involved in the crash: There is one record per in-transport motor vehicle. Parked and working vehicle information is in the Parkwork data file.
- **Person** (1988-current): This data file contains information describing all persons involved in the crash including motorists (i.e., drivers and passengers of in-transport motor vehicles) and non-motorists (e.g., pedestrians and pedalcyclists). It provides information such as age, sex, and vehicle occupant restraint use and injury severity. There is one record per person.
- **Event** (1998-2009): This data file contains information for each harmful event which occurred in the crash, including the vehicles or objects involved and the general area of damage. It details the chronological sequence of events resulting from an unstabilized situation that constitutes a motor vehicle traffic crash. There is one record per event. This data file was replaced with the Cevent data file in 2010.
- **Cevent** (2010-current): This data file contains information for all of the qualifying events (both harmful and non-harmful) which occurred in the crash. This is a modification to the Event data file to include non-harmful events. This data file details the chronological sequence of events resulting from an unstabilized situation that constitutes a motor vehicle traffic crash. There is one record per event. For each in-transport motor vehicle, the event number of its most harmful event is stored in the Vehicle data file.
- **Vevent** (2010-current): This data file contains the sequence of events for each intransport motor vehicle involved in the crash. Included are the event numbers, non-harmful events (e.g., ran off road-right, crossed center line), objects struck and areas of impact. There is one record for each harmful and non-harmful event in which the vehicle is involved.

- Vsoe (New in 2011): This data file contains the sequence of events for each motor vehicle involved in the crash. Included are the event numbers, non-harmful events (e.g., ran off road-right, crossed center line), objects struck and areas of impact. There is one record for each harmful and non-harmful event in which the vehicle is involved. It is a simplified Vevent data file.
- **Factor** (2002-current): This data file contains information about vehicle circumstances which may have contributed to the crash. There is at least one record per in-transport motor vehicle. Each factor is a separate record.
- **Violatn** (2002-current): This data file contains information about violations which were charged to drivers. There is at least one record per in-transport motor vehicle. Each violation is a separate record.
- **Vision** (2002-current): This data file contains information about circumstances which may have obscured the driver's vision. There is at least one record per in-transport motor vehicle. Each obstruction is a separate record.
- **Maneuver** (2002-current): This data file contains information about actions taken by the driver to avoid something or someone in the road. There is at least one record per in-transport motor vehicle. Each maneuver is a separate record.
- **Distract** (2002-current): This data file contains information about driver distractions. There is at least one record per in-transport motor vehicle. Each distraction is a separate record.
- Impair (2002-2010): This data file contains information about physical impairments. From 2002 through 2009 this information is published for drivers and non-motorists (includes people in parked/working vehicles). Starting in 2010 this information is published for drivers and people who are not occupants of motor vehicles (does not include people in parked/working vehicles). There is one record per impairment and there is at least one record for each driver and non-motorist (2002-2009) or each driver and person who is not an occupant of a motor vehicle (2010). This data file was replaced in 2011 with the Drimpair and Nmimpair data files.
- **Drimpair** (New in 2011): This data file contains information about physical impairments of drivers of motor vehicles. There is one record per impairment and there is at least one record for each driver of an in-transport motor vehicle.
- Nmimpair (New in 2011): This data file contains information about physical
 impairments of people who are not occupants of motor vehicles. There is one record per
 impairment and there is at least one record for each person who is not an occupant of a
 motor vehicle.
- **Nmaction** (2002-2009): This data file contains information on actions of non-motorists that may have contributed to the crash. There is one record per action, and there is at least one record for each non-motorist.
- **Nmcrash** (2010-current): This data file contains information about any improper actions of people who are not occupants of motor vehicles (e.g., pedestrians and bicyclists) or contributing circumstances noted on the PAR. There is one record per action and there is at least one record for each person who is not an occupant of a motor vehicle.
- Nmprior (2010-current): This data file contains information about what people who are
 not occupants of motor vehicles (e.g., pedestrians and bicyclists) are doing prior to the
 crash. There is one record per action and there is at least one record for each person
 who is not an occupant of a motor vehicle.

- **Safetyeq** (2002-current): This data file contains information about safety equipment used by people who are not occupants of motor vehicles. There is one record per equipment item, and there is at least one record for each person who is not an occupant of a motor vehicle.
- **Trafcon** (2002-2009): This data file contains information about traffic control devices for each in-transport motor vehicle in a crash. There is one record per traffic control device, and at least one record for every in-transport motor vehicle.
- **Biketraf** (2002-2010): This data file contains information about traffic control devices for each cyclist. There is one record per traffic control device, and at least one record for every cyclist.
- **Parked** (2005-2010): This data file contains information about parked and working vehicles which were involved in GES crashes. A parked vehicle is a motor vehicle which is stopped off the roadway, i.e., parked off the roadway. The definition of working vehicles has changed over the study years. From 2005 to 2008 working vehicles were defined as transport devices being used as equipment which would be classified under ANSI D16.1-1996 as motor vehicles, if not being used as equipment. In 2009 the definition changed to include only vehicles involved in trafficway maintenance, construction, or utility activities. Also, vehicles performing private maintenance, construction, or utility activities were excluded. Data users are strongly advised to consult the annual GES Coding and Editing Manuals for a detailed discussion. There is one record per parked/working vehicle.
- Parkwork (2011-current): This data file was called the Parked data file from 2005-2010. It contains information about parked and working vehicles which were involved in GES crashes. A parked vehicle is a motor vehicle which is stopped off the roadway, i.e., parked off the roadway. A working vehicle is a motor vehicle involved in trafficway maintenance, construction, or utility activities. It excludes vehicles performing private maintenance, construction, or utility activities. Data users are strongly advised to consult the annual GES Coding and Editing Manuals for a detailed discussion. There is one record per parked/working vehicle.
- Parkevnt (2005-2010): This data file contains information about events in which parked/working vehicles are involved. The structure of this data file is similar to the Event data file (2005-2009) and the Cevent data file (2010), with one record per event involving a parked/working vehicle. However, there are several differences between Event/Cevent and Parkevnt. In Event/Cevent, struck parked/working vehicles are not individually identified. Instead, parked vehicles are coded as "parked vehicle or other motor vehicle not in-transport" (2005-2009) or "parked vehicle" (2010) and working motor vehicles are coded as non-fixed objects (2005-2008) or "parked vehicle or other motor vehicle not in-transport" (2009) or as "working motor vehicle" (2010). In Parkevnt each parked/working vehicle is identified by parked vehicle number, event number, and case number. Merging Event/Cevent and Parkevnt data files by CASENUM and EVENTNUM produces a list of events in which parked/working vehicles were involved and identifies the specific vehicles involved (both in-transport and parked/working).
- Pbtype (2010-current): This data set contains information about crashes between
 motor vehicles and pedestrians, people on personal conveyances and bicyclists. Data
 from the crash are enter into the Pedestrian and Bicycle Crash Analysis Tool (PBCAT):
 Version 2.0. The output fields from PBCAT, including the pre-crash actions of the
 parties involved (crash type), are included in this data set. There is one record for each
 pedestrian, bicyclist or person on a personal conveyance.

NASS GES Imputation

The NASS GES data are obtained either directly from an item on the PAR or by interpreting the information provided in the PAR through reviewing the crash diagram, the Officer's written summary of the crash, or combinations of data elements on the PAR. Because of this interpretation, and because the police officer may not have entered some item of information or provided complete information, data can be missing. Different statistical procedures have been used on NASS GES data to complete values for unknown data: univariate imputation and hot-deck imputation from 1988 to 2009, and sequential regression imputation as instituted in 2010. A thorough discussion of the 2009 and earlier imputation procedures can be found in Imputation in the NASS General Estimates System, DOT HS 807 985 available at:

http://www-nrd.nhtsa.dot.gov/Pubs/807985.pdf

The proportion of unknowns for a given data element varies from year to year. In some years the proportion is so low that it seems redundant to provide an imputed data element, however imputed data elements are not removed for those years to avoid rounds of removing and then reinstating data elements in the SAS data files.

The univariate imputation procedure was developed in SAS to randomly assign values to the unknowns in the same proportion as the known values for that one data element. Since these imputed values are randomly assigned the analyst should use them only for univariate frequency distributions. The following is an example of univariate imputation using the data element *EJECTION*. The original distribution might be:

No	60
Yes	40
Unknown	5
Total	105

The SAS univariate imputation program would assign values to the five unknown values in the following proportions:

No	60/100
Yes	40/100

The new data element, *EJECT_I* would have these values:

No	63
Yes	42
Total	105

Hot-deck imputation differs from univariate imputation in that the unknown values for a data element are replaced based on information from correlated data elements. For example, the hot-deck imputation program for SEX used the following correlated data elements: AGE, HOUR, DAY OF WEEK, VIOLATIONS CHARGED, PERSON TYPE, SEATING POSITION, DRUG & ALCOHOL INVOLVEMENT, and NUMBER OF OCCUPANTS & VEHICLES INVOLVED. When SEX was unknown for a person record, the hot-deck program searches for another record that has a set of data elements similar to the unknown sex record. When that record is found, the SEX value is used for the unknown SEX record.

From 1988 to 2009, hot-deck and univariate imputed data elements can be identified by the _H or _I suffix in their SAS names. Hot-deck imputed *Body Type* is labeled *BDYTYP_H* and univariate imputed *EJECTION* is labeled *EJECT_I*. The imputed data elements do not replace the originals; all original data elements still exist on the data files.

Imputation by sequential regression was instituted in 2010 using a software package called IVEware, developed at the University of Michigan. In this method, covariates are selected automatically using stepwise regression. Since it can be done in an automated fashion, this method replaced both univariate and hot-deck imputation in 2010. The only exception was body type, which was imputed in a univariate method. The specific data elements imputed are consistent with those imputed in 1998-2009, except for five derived data elements at the crash level that are no longer derived in 2010 (see table).

Starting in 2010, all imputed data elements except body type use the sequential regression method and are identified by the _IM suffix. As before, the imputed data elements do not replace the originals; all original data elements still exist on the data files.

The following table gives the summary of the SAS name changes from 2009 and prior to 2010:

		Data Elements			Imputed Data Elements	
SAS Data File	Label	2009 SAS Name	2010 SAS Name	2011 SAS Name	1998-2009	2010-Later
ACCIDENT	Alcohol Involved	ALCOHOL	ALCOHOL	ALCOHOL	ALCHL_I	ALCHL_IM
ACCIDENT	Roadway Alignment	ALIGNMNT	Deleted	Deleted	ALIGN_I	Discontinued
ACCIDENT	Day Of The Week	DAY_WEEK	DAY_WEEK	DAY_WEEK	WKDY_I	WKDY_IM
ACCIDENT	First Harmful Event	EVENT1	EVENT1	HARM_EV	EVENT1_I	EVENT1_IM
ACCIDENT	Hour	HOUR	HOUR	HOUR	HOUR_I	HOUR_IM
ACCIDENT	Light Condition	LGT_COND	LGT_COND	LGT_COND	LGTCON_I	LGTCON_IM
ACCIDENT	Manner Of Collision	MAN_COL	MAN_COL	MAN_COLL	MANCOL_I	MANCOL_IM
ACCIDENT	Maximum Injury Severity	MAX_SEV	MAX_SEV	MAX_SEV	MAXSEV_I	MAXSEV_IM
ACCIDENT	Minute	MINUTE	MINUTE	MINUTE	MINUTE_I	MINUTE_IM
ACCIDENT	Number Of Injured	NUM_INJ	NUM_INJ	NUM_INJ	NO_INJ_I	NO_INJ_IM
ACCIDENT	Roadway Grade	PROFILE	Deleted	Deleted	PROFIL_I	Discontinued
ACCIDENT	Relation To Junction	REL_JCT	changed in 2010	changed in 2010	RELJCT_I	changed in 2010
ACCIDENT	Relation To Junction - Within Interchange Area		RELJCT1	RELJCT1		RELJCT1_IM

			Data Elements	Imputed D	ata Elements	
SAS Data File	Label	2009 SAS Name	2010 SAS Name	2011 SAS Name	1998-2009	2010-Later
ACCIDENT	Relation To Junction - Junction		RELJCT2	RELJCT2		RELJCT2_IM
ACCIDENT	Speed Limit	SP_LIMIT	Deleted	Deleted	SPDLIM_H	Discontinued
ACCIDENT	Roadway Surface Condition	SUR_COND	Deleted	Deleted	SURCON_I	Discontinued
ACCIDENT	Traffic Control Devices	TRAF_CON	Deleted	Deleted	TRFCON_I	Discontinued
ACCIDENT	Atmospheric Condition	WEATHER	WEATHER	WEATHER	WEATHR_I	WEATHR_IM
VEHICLE	Body Type	BODY_TYP	BODY_TYP	BODY_TYP	BDYTYP_H	BDYTYP_IM
VEHICLE	Hit And Run	HIT_RUN	HIT_RUN	HIT_RUN	HITRUN_I	HITRUN_IM
VEHICLE	Area Of Impact - Initial	IMPACT	IMPACT1	IMPACT1	IMPACT_H	IMPACT1_IM
VEHICLE	Max Injury Severity	MAX_VSEV	MAX_VSEV	MAX_VSEV	MXVSEV_I	MXVSEV_IM
VEHICLE	Model Year	MODEL_YR	MODEL_YR	MOD_YEAR	MDLYR_I	MDLYR_IM
VEHICLE	Number Injured In Vehicle	NUM_INJV	NUM_INJV	NUM_INJV	NUMINJ_I	NUMINJ_IM
VEHICLE	Movement Prior To Critical Event	P_CRASH1	P_CRASH1	P_CRASH1	MANEUV_I	PCRASH1_IM
VEHICLE	Vehicle Role	VEH_ROLE	deleted in 2010	deleted in 2010	VROLE_I	deleted in 2010
VEHICLE	Driver Violations	VIOLATN	only in its own table	only in its own table	VLTN_I	deleted in 2010
VEHICLE	Driver Drinking In Vehicle	VEH_ALCH	VEH_ALCH	VEH_ALCH	V_ALCH_I	V_ALCH_IM
VEHICLE	Most Harmful Event	V_EVENT	V_EVENT	M_HARM	V_EVNT_H	VEVENT_IM
PERSON	Age	AGE	AGE	AGE	AGE_H	AGE_IM
PERSON	Ejection	EJECTION	EJECTION	EJECTION	EJECT_I	EJECT_IM
PERSON	Injury Severity	INJ_SEV	INJ_SEV	INJ_SEV	INJSEV_H	INJSEV_IM
PERSON	Police-Reported Alcohol Involvement	PER_ALCH	PER_ALCH	DRINKING	PERALC_H	PERALCH_IM
PERSON	Seating Position	SEAT_POS	SEAT_POS	SEAT_POS	SEAT_H	SEAT_IM
PERSON	Sex	SEX	SEX	SEX	SEX_H	SEX_IM

NASS GES Data Element List

The following lists all SAS data elements with their SAS data file locations.

DATA ELEMENT LIST

	Case Number	CASENUM	38
	Primary Sampling Unit (PSU)	PSU	39
	Primary Sampling Unit Stratum	PSUSTRAT	40
	Region of the Country	REGION	41
C33	Case Stratum	STRATUM	42
C34	Police Jurisdiction (PJ)	PJ	44
	Case Weight	WEIGHT	45
V3/D3/PC3/P3	Vehicle Number	VEH_NO	46
P4/NM3	Person Number	PER_NO	47
C17	Event Number	EVENTNUM	48
C17	Vehicle Event Number	VEVENTNUM	48
	The ACCIDENT Data File 49		
C3	Number of Persons Not in Motor Vehicles	PEDS	50
C3A	Number of Persons Not in Motor Vehicles		
	in Transport (MVIT)	NON_INVL	50
C4	Number of Total Motor Vehicles Involved	VE_TOTAL	51
C4A	Number of Motor Vehicles in Transport		
	(MVIT) Involved	VEH_INVL	51
C4B	Number of Parked/Working Vehicles Involved	PVH_INVL	52
C5A	Number of Persons in Motor Vehicles in	PERMVIT	5 2
C8A	Transport (MVIT) Month of Crash	MONTH	53 54
C8C			
C8CI	Day of Week	DAY_WEEK	55
C8D	Imputed Day of Week Year of Crash	WKDY_IM YEAR	55
C9A	Hour of Crash	HOUR	55
C9AI			56
C9B	Imputed Hour of Crash Minute of Crash	HOUR_IM MINUTE	56 57
C9BI	Imputed Minute of Crash	MINUTE_IM	57
C18	First Harmful Event	HARM_EV	58
C18I	Imputed First Harmful Event Manner of Collision	EVENT1_IM	60
C19 C19I		MAN_COLL MANCOL IM	61
	Imputed Manner of Collision	RELJCT1	61
C20A	Relation to Junction- Within Interchange Area	NELJUII	62

C20B	Relation to Junction- Specific Location	RELJCT2	62
C20BI	Imputed Relation to Junction	RELJCT2_IM	64
C20BI	Imputed Relation to Junction	RELJCT2_IM	64
C21	Type of Intersection	TYP_INT	65
C22	Relation to Trafficway	REL_ROAD	66
C23	Work Zone	WRK_ZONE	67
C24	Light Condition	LGT COND	68
C24I	Imputed Light Condition	LGTCON_IM	68
C25	Atmospheric Conditions	WEATHER	69
C25	Atmospheric Conditions	WEATHER1	69
C25	Atmospheric Conditions	WEATHER2	69
C25I	Imputed Atmospheric Conditions	WEATHR_IM	70
C26	School Bus Related	SCH_BUS	71
C32	Interstate Highway	INT HWY	72
C90	Maximum Injury Severity in Crash	MAX_SEV	73
C90I	Imputed Maximum Injury Severity in Crash	MAXSEV_IM	73
C91	Number Known Injured in Crash	NUM_INJ	74
C91I	Imputed Number Known Injured in Crash	NO_INJ_IM	74
C92	Alcohol Involved in Crash	ALCOHOL	75
C92I	Imputed Alcohol Involved in Crash	ALCHL_IM	75
C105	Land Use	LAND_USE	76
	Number of Persons in Motor Vehicles	PERSONS	78
	Number of Non-Motorists Coded (discontinued		79
	Number of Vehicles Coded (discontinued)	VEH_COD	80
	Number of Persons Involved (discontinued)	PER_INVL	81
	Number of Persons Coded (discontinued)	PER_COD	82
	Percentage Rural (discontinued)	RUR_URB	83
	Pedestrian/Cyclist Crash Type (discontinued)	PED_ACC	84
	National Highway System (NHS)		
	Roadway Type (discontinued)	NHS_RWTP	87
	EMS On Scene (discontinued)	EMS	88
	The VEHICLE Data File 98		
V4	Number of Occupants	NUMOCCS	99
V5	Unit Type	UNITTYPE	100
V6	Hit and Run	HIT_RUN	101
V6I	Imputed Hit and Run	HITRUN IM	101
V9	Vehicle Make	MAKE	102
V10	Vehicle Model	MODEL	105
V11	Body Type	BODY_TYP	106
V11I	Imputed Body Type	BDYTYP_IM	112
V111	Vehicle Model Year	MOD_YEAR	113
V12I	Imputed Model Year	MDLYR_IM	113
v 1 🚣 I	mpatoa modol i odi	WDETT IN	110

V13	Vehicle Identification Number (VIN)	VIN	114
V14	Vehicle Trailing	TOW_VEH	115
V14 V15	Jackknife	JACKNIFE	116
V15	Jackknife	J KNIFE	116
V15 V16			117
V16A	Motor Carrier Identification Number (MCID)	MCARR_ID MCARR_I1	117
V16B	MCID Issuing Authority MCID Identification Number		
V10D V17		MCARR_I2 GVWR	120 121
	Gross Vehicle Weight Rating		
V18	Vehicle Configuration	V_CONFIG	122
V19	Cargo Body Type	CARGO_BT	123
V20A/HM1	Hazardous Materials Involvement	HAZ_INV	124
V20B/HM2	Hazardous Materials Placard	HAZ_PLAC	124
V20C/HM3	Hazardous Material Identification Number	HAZ_ID	125
V20D/HM4	Hazardous Material Class Number	HAZ_CNO	125
V20E/HM5	Release of Hazardous Material from the	HAZ DEL	106
V21	Cargo Compartment Bus Use	HAZ_REL	126
V21		BUS_USE	127 128
	Special Use	SPEC_USE	
V23	Emergency Use	EMER_USE	129
V24	Travel Speed	TRAV_SP	130
V26	Rollover	ROLLOVER	131
V27	Location of Rollover	ROLINLOC	132
V28A	Initial Point of Impact	IMPACT1	133
V28AI	Imputed Initial Point of Impact	IMPACT1_IM	134
V28B	Most Damaged Area	IMPACT2	135
V29	Extent of Damage	DEFORMED	136
V30	Vehicle Removal	TOWED	137
V32	Most Harmful Event	M_HARM	138
V32I	Imputed Most Harmful Event	VEVENT_IM	140
V34	Fire Occurrence	FIRE_EXP	141
V90	Maximum Injury Severity in Vehicle	MAX_VSEV	142
V90I	Imputed Maximum Injury Severity in Vehicle	MXVSEV_IM	142
V91	Number Injured in Vehicle	NUM_INJV	143
V92	Driver Drinking in Vehicle	VEH ALCH	144
V92I	Imputed Driver Drinking in Vehicle	V_ALCH_IM	144
D4	Driver Presence	DR_PRES	145
D6	Driver's Zip Code	DR_ZIP	146
D22	Speed Related	SPEEDREL	147
PC5	Trafficway Description	VTRAFWAY	148
PC6	Total Lanes in Roadway	VNUM_LAN	149
PC7	Speed Limit	VSPD_LIM	150
PC8	Roadway Alignment	VALIGN	151

PC9	Roadway Grade	VPROFILE	152
PC11	Roadway Surface Condition	VSURCOND	153
PC12	Traffic Control Device	VTRAFCON	154
PC13	Traffic Control Device Functioning	VTCONT_F	156
PC17	Pre-Event Movement (Prior To Recognition of Critical Event)	P_CRASH1	157
PC17I	Imputed Pre-Event Movement (Prior To Recognition of Critical Event)	PCRASH1_IM	158
PC19	Critical Event- Pre-Crash	P_CRASH2	159
PC20	Attempted Avoidance Maneuver	P_CRASH3	165
PC21	Pre-Impact Stability	PCRASH4	166
PC22	Pre-Impact Location	PCRASH5	167
PC23	Crash Type	ACC_TYPE	168
	Number of Occupants Coded (discontinued)	OCC_INVL	171
	Number of Occupants Coded (discontinued)	OCC_COD	171
	Most Harmful Event Number (discontinued)	MHENUM	172
	Vehicle Control After Corrective Action (discontinued)	P_CRASH4	173
	Vehicle Path After Corrective Action (discontinued)	P_CRASH5	174
	Number of Axles on Vehicle, Including Trailers (discontinued)	AXLES	175
	Vehicle Role (discontinued)	VEH_ROLE	176
	Imputed Vehicle Role (discontinued)	VROLE_I	176
	Damage Areas (discontinued)	DAM_AREA	177
	Violations Charged (discontinued)	VIOLATN	178
	Imputed Violations Charged (discontinued)	VLTN_I	181
	Driver Physical/Mental Impairment (discontinued)	DR_IMPMT	182
	Driver's Vision Obscured By (discontinued)	VIS OBSC	183
	Driver's Action (discontinued)	DR_ACT	185
	Driver Maneuvered to Avoid (discontinued)	DRMAN_AV	186
	Driver Distracted By (discontinued)	DR_DSTRD	187
	Rollover (discontinued)	ROLLOVER	189
	Maximum Damage Area (discontinued)	DAM_AREA	190
	Hot-Deck Imputed Damage Area (discontinue	d) DAM_AR_H	190
	Vehicle Maneuver (discontinued)	MANEUVER	191
	Imputed Vehicle Maneuver (discontinued)	MANEUV_I	191
	Contributing Circumstances, Motor Vehicle (discontinued)	FACTOR	192

	The PERSON Data File 194		
P5/NM5	Age	AGE	195
P5/NM5I	Imputed Age	AGE_IM	195
P6/NM6	Sex	SEX	196
P6/NM6	Imputed Sex	SEX_IM	196
P7/NM7	Person Type	PER_TYP	197
P8/NM8	Injury Severity	INJ_SEV	198
P8/NM8	Imputed Injury Severity	INJSEV_IM	198
P9	Seating Position	SEAT_POS	199
P9I	Imputed Seating Position	SEAT_IM	200
P10	Restraint System/Helmet Use	REST_USE	201
P11	Indication of Misuse of Restraint		
	System/Helmet	REST_MIS	202
P12	Air Bag Deployed	AIR_BAG	203
P13	Ejection	EJECTION	204
P13I	Imputed Ejection	EJECT_IM	204
P16/NM15	Police-Reported Alcohol Involvement	DRINKING	205
P16/NM15I	Imputed Police-Reported Alcohol Involvement	PERALCH_IM	205
P18A/NM17A	Alcohol Test Status	ALC_STATUS	206
P18B/NM17B	Alcohol Test Type	ATST_TYP	207
P18C/NM17C	Alcohol Test Result	ALC_RES	207
P19/NM18	Police Reported Drug Involvement	DRUGS	208
P21A/NM20A	Drug Test Status	DSTATUS	209
P21B/NM20B	Drug Test Type	DRUGTST1	210
P21B/NM20B	Drug Test Type	DRUGTST2	210
P21B/NM20B	Drug Test Type	DRUGTST3	210
P21C/NM20C	Drug Test Result	DRUGRES1	210
P21C/NM20C	Drug Test Result	DRUGRES2	210
P21C/NM20C	Drug Test Result	DRUGRES3	210
P22/NM21	Taken to Hospital or Treatment Facility	HOSPITAL	211
NM4	Non-Motorist Striking Vehicle Number	STR_VEH	212
NM10	Non-Motorist Location	LOCATION	213
	Restraint Type (discontinued)	REST_TYP	214
	Non-Motorist's Physical/Mental Condition		
	(discontinued)	PHY_COND	215
	Condition at Time of Crash (discontinued)	IMPAIRMT	216
	Non-Motorist Action (discontinued)	ACTION	217
	Non-Motorist Safety Equipment Use	CAE EOME	240
	(discontinued)	SAF_EQMT	219
	Safety Equipment Use (discontinued)	SAF_EQMT	220
	Person's Action (discontinued)	ACTION	221

	The CEVENT Data File	222		
C17	Vehicle Number (This Vehicle)		VNUMBER1	223
C17	Area of Impact (This Vehicle)		AOI1	224
V31	Sequence of Events		SOE	225
C17	Vehicle Number (Other Vehicle)		VNUMBER2	228
C17	Area of Impact (Other Vehicle)		AOI2	229
	Vehicle's Action (discontinued)		E_ACTION	230
	The VEVENT Data File	231		
C17	Vehicle Number (This Vehicle)		VNUMBER1	232
C17	Area of Impact (This Vehicle)		AOI1	233
V31	Sequence of Events		SOE	234
C17	Vehicle Number (Other Vehicle)		VNUMBER2	236
C17	Area of Impact (Other Vehicle)		AOI2	237
	Vehicle's Action (discontinued)		E ACTION	238
	Vehicle Number (Parked/Working Vehicle	:)		
	(discontinued)	,	PVEHNUM	239
	Area of Impact (Parked/Working Vehicle)			
	(discontinued)		PGAD	240
	The VSOE Data File	241		
C17	Area of Impact Associated with the Event		AOI	242
V31	Sequence of Events		SOE	243
	The FACTOR Data File	245	NACAOTOD	0.40
PC4	Contributing Circumstances, Motor Vehicle	le	MFACTOR	246
	The VIOLATN Data File	247		
D21	Violations Charged		MVIOLATN	248
	The VISION Data File	251		
PC14	Driver's Vision Obscured By		MVISOBSC	252
	The MANEUVER Data File	253		
PC15	Driver Maneuvered to Avoid		MDRMANAV	254
	The DISTRACT Data File	255		
PC16	Driver Distracted By		MDRDSTRD	256
	The DOIMDAID Date File	257		
D23	The DRIMPAIR Data File Condition (Impairment) at Time of Crash-	257		
DZS	Driver		DRIMPAIR	258
	-			
	The NMIMPAIR Data File	259		
NM14	Condition (Impairment) at Time of Crash- Non-Motorist		NMIMPAIR	260
	TAOLI-INIOLOLISL		I AINIIINII WII	200

	The NMCRASH Data File 26	1	
NM12	Non-Motorist Action/Circumstances at Time of Crash	MTM_CRSH	262
	The NMPRIOR Data File 26	3	
NM11	Non-Motorist Action/Circumstances Prior to Crash	MPR_ACT	264
	The SAFETYEQ Data File 26	5	
NM13	Non-Motorist Safety Equipment Use	MSAFEQMT	266
		_	
	The PARKWORK Data File 26		
C4A	Number of Vehicles Involved	PVE_FORMS	269
C8A	Month of Crash	PMONTH	270
C9A	Hour of Crash	PHOUR	271
C9B	Minute of Crash	PMINUTE	271
C19	Manner of Collision	PMAN_COLL	274
V4	Number of Occupants	PNUMOCCS	275
V5	Unit Type	PTYPE	276
V6	Hit and Run	PHIT_RUN	277
V9	Vehicle Make	PMAKE	278
V10	Vehicle Model	PMODEL	281
V11	Body Type	PBODYTYP	282
V12	Vehicle Model Year	PMODYEAR	285
V13	Vehicle Identification Number (VIN)	PVIN	286
V14	Vehicle Trailing	PTRAILER	287
V16	Motor Carrier Identification Number (MCID)	PMCARR_ID	288
V16A	MCID Issuing Authority	PMCARR_I1	289
V16B	MCID Identification Number	PMCARR_I2	290
V17	Gross Vehicle Weight Rating/GCWR	PGVWR	291
V18	Vehicle Configuration	PV_CONFIG	292
V19	Cargo Body Type	PCARGTYP	293
V20A/HM1	Hazardous Materials Involvement	PHAZ_INV	294
V20B/HM2	Hazardous Materials Placard	PHAZPLAC	294
V20C/HM3	Hazardous Material Identification Number	PHAZ ID	295
V20D/HM4	Hazardous Material Class Number	PHAZ_CNO	295
V20E/HM5	Release of Hazardous Material from the		
	Cargo Compartment	PHAZ_REL	296
V21	Bus Use	PBUS_USE	297
V22	Special Use	PSP_USE	298
V23	Emergency Use	PEM_USE	299
V28A	Initial Point of Impact	PIMPACT1	300
V28B	Area of Impact- Most Damaged	PIMPACT2	301
V29	Extent of Damage	PVEH SEV	302

V30	Vehicle Removal	PTOWED	303
V32	Most Harmful Event	PM_HARM	304
V34	Fire Occurrence	PFIRE	306
	Number of Occupants Coded (discontinued)	POCCINVL	307
	Number of Axles, Including Trailers		
	(discontinued)	PAXLES	308
	Rollover (discontinued)	PROLLOVR	309
	Location of Rollover (discontinued)	PROLINLOC	310
	Vehicle Location (discontinued)	PREL_RWY	311
	The PBTYPE Data File 312	•	
P5/NM5	Age	PBAGE	313
P6/NM6	Sex	PBSEX	314
P7/NM7	Person Type	PBPTYPE	315
NM9	Marked Crosswalk Present –		
	Pedestrian/Bicyclist	PBCWALK	316
NM9	Side Walk Present – Pedestrian/Bicyclist	PBSWALK	317
NM9	School Zone – Pedestrian/Bicyclist	PBSZONE	318
NM9	Crash Type – Pedestrian	PEDCTYPE	319
NM9	Crash Type – Bicyclist	BIKECTYPE	321
NM9	Crash Location – Pedestrian	PEDLOC	323
NM9	Crash Location – Bicyclist	BIKELOC	324
NM9	Pedestrian Position	PEDPOS	325
NM9	Bicyclist Position	BIKEPOS	326
NM9	Pedestrian Direction	PEDDIR	327
NM9	Bicyclist Direction	BIKEDIR	328
NM9	Motorist Direction	MOTDIR	329
NM9	Motorist Maneuver	MOTMAN	330
NM9	Intersection Leg	PEDLEG	331
NM9	Pedestrian Scenario	PEDSNR	332
NM9	Pedestrian – Crash Group	PEDCGP	334
PB38B	Bicycle – Crash Group	BIKECGP	335

DISCONTINUED DATA FILES

The NMACTION Data File	<i>33</i> 6	
Non-Motorist Action (discontinued)	MACTION	337
The TRAFCON Data File	338	
Traffic Control Device – Vehicles (discontinued)	MTRAFCON	339
The BIKETRAF Data File	340	
Traffic Control Device – Cyclist (discontinued)	BTRAFCON	341
The PARKEVNT Data File	343	
Parked/Working Vehicle Number (discontinued)	PVEHNO	344
Parked/Working Vehicle Event Number (discontinued)	EVENTNUM	345
Parked/Working Vehicle Point of Impact (discontinued)	PGAD	346

Data Element Definitions and Codes

The "Data Element Definitions and Codes" section of this report provides detailed information on the data elements, including SAS formats. If the SAS data element has an associated format, the format name appears in brackets following the SAS data element name. Format names are given for the last three years. Format names for earlier years can be obtained from a SAS PROC CONTENTS for the year(s) of interest.

All data elements are numeric except the following:

- VIN (V13) Character all GES years
- Driver Zip Code (D6) Character since 2002, numeric all prior years
- Motor Carrier ID (V16) Character since 2002, numeric all prior years

There are 7 accident level data elements that are available on all of the SAS data files. They are:

Case Number

Definition: This data element is a unique number assigned to each crash. It appears on each of the data files and is used to merge the data files.

Additional Information:

SAS Name: CASENUM

Attribute Codes

1988-Later

xx NASS GES Case Number

Primary Sampling Unit (PSU)

Definition: A PSU is either a large central city, a county surrounding a city, or a group of counties. There are 60 possible values ranging from 1 to 97.

Additional Information:

SAS Name: PSU

Attribute Codes

1988-Later

1-97 Primary Sampling Unit Number

Primary Sampling Unit Stratum

Definition: The PSUs are grouped into 14 strata to reflect the first stage of the sample selection. This data element is used statistical software packages that use complex sample design for calculating variances, such as SUDAAN and SAS V9. See *Appendix D: Statistical Methods* for more information.

SAS Name: PSUSTRAT

Attribute Codes

1988-Later

1 to 14

Region of the Country

Definition: This data element indicates the region of the country where the crash occurred. It is based on the primary sampling unit.

Additional Information:

SAS Name: REGION

Attribute Codes

1988-Later

- 1 Northeast (PA, NJ, NY, NH, VT, RI, MA, ME, CT)
- 2 Midwest (OH, IN, IL, MI, WI, MN, ND, SD, NE, IA, MO, KS)
- 3 South (MD, DE, DC, WV, VA, KY, TN, NC, SC, GA, FL, AL, MS, LA, AR, OK, TX)
- 4 West (MT, ID, WA, OR, CA, NV, NM, AZ, UT, CO, WY, AK, HI)

C33 Case Stratum

Definition: This data element identifies the number of the category in which the PAR was originally listed in NASS GES PAR Program or Stratification Record.

Additional Information: See *NASS GES Sample Design* for more information.

SAS Name: STRATUM

Attribute Codes

1988-1989

- Group 1: NASS crashes involving at least one passenger vehicle, i.e., a passenger car, sport utility vehicle, pickup truck or van) towed due to damage from the crash scene.
- 2 Group 2: NASS crashes not qualifying for Group 1 in which at least one person involved in the crash had a police reported injury K, A or B. No passenger vehicles involved in the crash were towed due to damage.
- 3 Group 3: NASS not qualifying for Group 1 or 2. No one in the crash can receive a K, A or B injury.

1990-2001

- 1 Group 1: NASS crashes involving at least one passenger vehicle, i.e., a passenger car, sport utility vehicle, pickup truck or van) towed due to damage from the crash scene and no medium or heavy trucks are involved.
- 2 Group 2: NASS crashes not qualifying for Group 1 involving at least one medium or heavy truck in which a vehicle was towed due to damage or at least one involved person had a police-reported injury of K, A, B, or C.
- 3 Group 3: NASS crashes not qualifying for Group 1 or 2 in which none of the vehicles involved in the crash was a medium or heavy truck and at least one person involved in the crash had a police-reported injury of K, A, or B.
- 4 Group 4: NASS crashes not qualifying for Group 1, 2 or 3. No one in the crash can receive a K, A, or B injury.

2002-Later

- 1 Group 1L: NASS crashes where an occupant of a towed passenger vehicle is killed. This category also includes crashes where an occupant of a towed passenger vehicle received an incapacitating injury and is transported for treatment. If the crash involves two or more passenger vehicles, at least two passenger vehicles must be towed and at least one of the occupants of a towed passenger vehicle must receive an incapacitating injury and be transported for treatment. No medium or heavy trucks may be involved
- 2 Group 2: NASS crashes not qualifying for Group 1 involving at least one medium or heavy truck in which a vehicle was towed due to damage or at least one involved person had a police-reported injury of K, A, B, or C.
- Group 3: NASS crashes not qualifying for Group 1 or 2 in which none of the vehicles involved in the crash was a medium or heavy truck and at least one person involved in the crash had a police-reported injury of K, A, or B.
- 4 Group 4: NASS crashes not qualifying for Group 1, 2 or 3. No one in the crash can receive a K, A, or B injury.

C33 Case Stratum (continued)

- Group 1M: NASS crashes not qualifying for Group 1L, but at least one occupant of a towed passenger vehicle is injured and transported for treatment. No medium or heavy trucks may be involved.
- Group 1N: NASS crashes not qualifying for Group 1L or Group 1M, but a passenger vehicle is towed and no medium or heavy trucks are involved.

C34 Police Jurisdiction (PJ)

Definition: This data element identifies the number of the police jurisdiction from which the PAR was originally sampled.

Additional Information:

SAS Name: PJ

Attribute Codes

1988-Later

1-120 Police Jurisdiction Number

Case Weight

Definition: This data element is used to produce national estimates from the data. **Additional Information:** See the section *National Estimates* for more information.

SAS Name: WEIGHT

The above data elements as well as VEH_NO are found on all vehicle-level data files:

V3/D3/PC3/P3 Vehicle Number

Definition: This data element identifies the number assigned to each vehicle in the case. This data element appears on each vehicle level data file and is used in conjunction with the CASENUM data element to merge information from vehicle level data files.

Additional Information: Starting in 2011, all vehicles (motor vehicles in-transport as well as parked/working vehicles) are sequentially ordered starting with 1. Prior to 2011, all motor vehicles in-transport were sequentially ordered starting with 1 and all parked/working motor vehicles were sequentially ordered separately starting with 1.

SAS Name: VEHNO *1988-2010*

VEH_NO 2011-Later

Attribute Codes

1988-	2011-
2010	Later

0 Non-Motorist

1-100 1-999 Assigned Vehicle Number

The above data elements as well as PER_NO are found on all person-level data files:

P4/NM3 Person Number

Definition: This data element identifies the number assigned to each person in the case (i.e., each occupant, pedestrian, or non-motorists involved in the crash). This data element appears on each person level data file and is used in conjunction with the CASENUM data element (and sometimes the VEH_NO data element) to merge information from person level data files.

Additional Information: This data element is computer assigned. Each occupant of the vehicle is numbered and each non-occupant is numbered; in the case of a non-occupant the vehicle number is zero. The numbers for occupants are consecutive, for each vehicle, beginning with 1. Numbers are never skipped. Drivers do not have to be coded 1. Non-occupants are identified by vehicle number 0 and are numbered consecutively starting with 1 for each non-motorist. To get drivers see data element PER_TYP, under Person Type.

SAS Name: **PERNO** 1988-2010

PER NO 2011-Later

Attribute Codes

1988-Later

1-999 Assigned Person Number

The Accident-level data elements above and EVENTNUM are found on the CEVENT, VEVENT and VSOE data files:

C17 Event Number

Definition: Number assigned to each harmful event in a crash, in chronological order.

Additional Information: Prior to 2011 this data element was called "Crash Event Sequence

Number"

SAS Name: EVENTNUM

Attribute Codes

2000- 2011-2010 Later

1-100 1-999 Event Number

The crash-level data elements above, VEH_NO and VEVENTNUM are found on the VEVENT and VSOE data files:

C17 Vehicle Event Number

Definition: This data element identifies the number assigned to each event for this vehicle. The vehicle's event number shows the chronological sequence of the qualifying harmful and non-harmful events involving a particular vehicle. Qualifying events are those which involve an in-transport motor vehicle or an object set in motion by an in-transport motor vehicle.

Additional Information:

SAS Name: VEVENTNUM

Attribute Codes

2011-Later

1-999 Vehicle Event Number

The ACCIDENT Data File

The Accident data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, AND PJ, which are discussed in the "NASS GES Data Element List" section. CASENUM is the case identifier. It also contains:

C3 Number of Persons Not in Motor Vehicles

Definition: This data element records the number of Person Forms (Not a Motor Vehicle Occupant) that are applicable to this case.

Additional Information: Persons with a Person Type "03 - Occupant of a Motor Vehicle Not In-transport" are *not* included in this data element but are counted in C3A below.

SAS Name: PEDS

Attribute Codes

2011-Later

0-99 Number of Persons Not in Motor Vehicles

C3A Number of Persons Not in Motor Vehicles in Transport (MVIT)

Definition: This data element records the number of non-motorists involved in the crash. A non-motorist is defined as a pedestrian, a cyclist, *an occupant of a motor vehicle not intransport*, a person riding a horse, an occupant of an animal drawn conveyance, person associated with non-motorist conveyance (e.g., baby carriage, skate board, wheelchair), or an other non-motorist (e.g., person outside a trafficway, person in a house).

Additional Information:

SAS Name: NON INVL 1988-2010

PERNOTMVIT 2011-Later

Attribute Codes

1988- 1999-1998 Later

0-25 0-98 Number of Persons Not in Motor Vehicles in Transport

C4 Number of Total Motor Vehicles Involved

Definition: This data element records the number of contact motor vehicles that the officer reported on the Police Accident Report (PAR) as a unit involved in the crash.

Additional Information: This counts all of the vehicles in the crash. This includes the vehicles in-transport which are documented in the Vehicle data file and the vehicles not in-transport which are documented in the Parkwork data file. This data element only appears in the Accident data file.

SAS Name: VE_TOTAL

Attribute Codes

2011-Later

001-999 Number of Vehicles in Crash

C4A Number of Motor Vehicles in Transport (MVIT) Involved

Definition: This data element counts the number of vehicles in-transport involved in the crash. Legally parked vehicles are not included.

Additional Information: This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PVE_FORMS.

SAS Name: VEH INVL 1988-2010

VE FORMS 2011-Later

Attribute Codes

1988- 2011-2010 Later

1-100 1-999 Number of Vehicles

C4B Number of Parked/Working Vehicles Involved

Definition: This data element is derived from the number of records in the Parked Vehicle data file for the crash.

Additional Information: The Parked data file contains records for Parked and Working Vehicles.

From 2005 to 2008 working vehicles were defined as transport devices being used as equipment which would be classified under ANSI D16.1-1996 as motor vehicles, if not being used as equipment. In 2009 the definition changed to include only vehicles involved in trafficway maintenance, construction, or utility activities. Also, vehicles performing private maintenance, construction, or utility activities were excluded.

SAS Name: PVH INVL

Attribute Codes

2005- 2010	2011- Later	
0-30	0-999	Number of Parked/Working Vehicles in the Crash

C5A Number of Persons in Motor Vehicles in Transport (MVIT)

Definition: This data element is derived from the number of records in the Person data file where the person is a driver, passenger or unknown occupant type of a motor vehicle intransport.

Additional Information:

SAS Name: PERMVIT

Attribute Codes

2011-Later

0-999 Number of Persons in Motor Vehicles In-Transport

C8 Crash Date

C8A Month of Crash

Definition: This data element identifies the month in which the crash occurred.

Additional Information: This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PMONTH.

SAS Name: MONTH

Attribute Codes

1988-Later

- 1 January
- 2 February
- 3 March
- 4 April
- 5 May
- 6 June
- 7 July
- 8 August
- 9 September
- 10 October
- 11 November
- 12 December

C8C Day of Week

Definition: This data element identifies the day of the week on which the crash occurred.

Additional Information: This data element is derived from the SAS Weekday function. The SAS Weekday function returns the day of the week from a date.

SAS Name: WEEKDAY 1988-2008

DAY_WEEK 2009-Present

Attribute Codes

1988-Later

- 1 Sunday
- 2 Monday
- 3 Tuesday
- 4 Wednesday
- 5 Thursday
- 6 Friday
- 7 Saturday
- 9 Unknown

C8CI Imputed Day of Week

Definition: This imputed data element has the same definition and data element values as Day of Week, excluding value 9 for unknown day of week.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: WKDY I 1988-2009

WKDY IM 2010-Later

C8D Year of Crash

Definition: This data element identifies the year in which the crash occurred.

Additional Information: In 1999 year of the crash was changed to a four digit code.

SAS Name: YEAR

Attribute Codes

1988- 1999-1998 Later

xx xxxx Year of the Crash

C9 Crash Time

C9A Hour of Crash

Definition: This data element identifies the hour at which the crash occurred.

Additional Information: Military time is used. Noon is coded as "12."

From 1988-2008 midnight was coded as HOUR=24 and MINUTE=0. Starting in 2009 midnight is coded as HOUR=0 and MINUTE=0. For all years, hour is coded 0 for one minute after midnight to fifty-nine minutes after midnight.

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PHOUR.

SAS Name: HOUR

Attribute Codes

1988-2008	2009-Later	
0-24	0-23	Hour
99	99	Unknown

C9Al Imputed Hour of Crash

Definition: This imputed data element has the same definition and data element values as Hour of the Crash, excluding value 99 for unknown hour.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **HOUR_I** 1988-2009

HOUR_IM 2010-Later

C9B Minute of Crash

Definition: This data element identifies the minutes after the hour at which the crash occurred.

Additional Information: This data element also appears in the Vehicle and Person data files

and in the Parkwork data file as PMINUTE.

SAS Name: MINUTE

Attribute Codes

1988-Later

0-59 Minute 99 Unknown

C9BI Imputed Minute of Crash

Definition: This imputed data element has the same definition and data element values as Minute of the Crash, excluding value 99 for unknown minutes.

Additional Information: See *Understanding the NASS GES Imputation Process* section.

SAS Name: MINUTE_I 1988-2009

MINUTE_IM 2010-Later

C18 First Harmful Event

Definition: This data element is defined as the first injury or damage producing event of the crash.

Additional Information: This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PHARM_EV.

SAS Name: **EVENT1** 1988-2010

HARM_EV 2011-Later

Attribute Codes

1988- 1991	1992- 1998	1999- 2008	2009	2010	2011- Later	
NON	COLLIS	ION				
1	1	1	1	1	1	Rollover/Overturn
2	2	2	2	2	2	Fire/Explosion
3	3	3	3	3	3	Immersion
4		4	4	4	4	Gas Inhalation
5	5	5	5			Jackknife
				5	51	Jackknife (Harmful to This Vehicle)
6	6	6	6			Noncollision Injury (Injured In Vehicle Or
						Fell From Vehicle)
	50	7	7	7	44	Pavement Surface Irregularity (Ruts,
						Potholes, Grates, etc.)
8	8	8	8	8	7	Other Noncollision
9	9	9	9			Noncollision-No Details
10	10	10	10	10	16	Thrown or Falling Object
				11	6	Injured in Vehicle (Non-Collision)
				12	72	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
				13	5	Fell/Jumped from Vehicle
COLI	LISION	NITH O	BJECT N	IOT FIXI	ED	
21	21	21	21	21	8	Pedestrian
22	22	22	22			Cycle or Cyclist (Pedalcyclist or Pedalcycle)
				22	9	Pedalcyclist
23	23	23	23			Railway Train
				23	10	Railway Vehicle
24	24	24	24			Animal
				24	11	Live Animal
				49	49	Ridden Animal or Animal Drawn
						Conveyance
25	25	25	25			Motor Vehicle in Transport
26	26	26	26			Parked Motor Vehicle (or Other M.V. Not in
						Transport)
27	27	27	27			Other Type Non-Motorist
				27	15	Non-Motorist on Personal Conveyance
			47			Vehicle Occupant

C18 First Harmful Event (continued)

Attribute Codes

1988- 1991	1992- 1998	1999- 2008	2009	2010	2011- Later	
28	28	28	28	28	18	Other Object Not Fixed
29	29	29	29			Object Not Fixed-No Details
				29	14	Parked Motor Vehicle
				30	45	Working Motor Vehicle
COLI	LISION I	NITH FIX	KED OB	JECT		· ·
31	31	31	31	31	58	Ground
32	32	32	32	32	19	Building
33	33	33	33	33	20	Impact Attenuator/Crash Cushion
34	34	34	34			Bridge Structure (Bridge
						Pier/Abutment/Parapet End/Rail)
35	35	35	35			Guardrail
36	36	36	36			Concrete Traffic Barrier or Other
						Longitudinal Barrier Type
				36	25	Concrete Traffic Barrier
37	37	37	37			Post, Pole or Support (Sign Post, Utility
						Post)
38	38	38	38			Culvert or Ditch
39	39	39	39	39	33	Curb
40	40	40	40	40	35	Embankment
41	41	41	41	41	38	Fence
42	42	42	42	42	39	Wall
43	43	43	43	43	40	Fire Hydrant
44	44	44	44	44	41	Shrubbery
45	45	45	45			Tree
				45	42	Tree (Standing Only)
46	46	46	46	46	17	Boulder
48	59	58	58	58	43	Other Fixed Object
49	59	59	59			Fixed Object, No Details
				71	50	Bridge Overhead Structure
				72	21	Bridge Pier or Support
				73	23	Bridge Rail (Includes Parapet)
				74	24	Guardrail Face
				75 70	52	Guardrail End
				76	57	Cable Barrier
				77 70	26	Other Traffic Barrier
				78 70	59	Traffic Sign Support
				79	46	Traffic Signal Support
				80	30	Utility Pole/Light Support
				81	31	Other Post, Other Pole or Other Supports
				82	32	Culvert
				83	34	Ditch
				84 85	48 52	Snow Bank
				85	53	Mail Box

C18 First Harmful Event (continued)

Attribute Codes

1988- 1991	1992- 1998	1999- 2008	2009	2010	2011- Later				
COLLISION WITH MOTOR VEHICLE IN TRANSPORT									
				90	12	Motor Vehicle In-Transport			
				91	54	Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in- Motion from/by Another Motor Vehicle In- Transport			
				92	55	Motor Vehicle in Motion Outside the Trafficway			
NOT REPORTED AND UNKNOWN									
97						Other – No Details (*1988-1989 only)			
				97		Not Reported			
99	99	99	99	99	99	Unknown			

C18I Imputed First Harmful Event

Definition: This imputed data element has the same definition as First Harmful Event, excluding value 99 for unknown first harmful event and value 97 for not reported first harmful event.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **EVENT1 I** 1988-2009

EVENT1 IM 2010-Later

C19 Manner of Collision

Definition: This data element identifies the orientation of two motor vehicles in-transport when they are involved in the First Harmful Event of a collision crash. If the First Harmful Event is not a collision between two motor vehicles in-transport it is classified as such.

Additional Information: This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PMAN_COLL.

SAS Name: MAN_COL 1988-2010

MAN COLL 2011-Later

Attribute Codes

1988- 1998	1999- 2009	2010	2011- Later	
0	0	0	0	Not Collision with Motor Vehicle in Transport
1	1			Rear-End
		1	1	Front-to-Rear
2	2			Head-On
		2	2	Front-to-Front
3	3	3	10	Rear-to-Rear
4	4	4	6	Angle
5	5	5	7	Sideswipe, Same Direction
6	6	6	8	Sideswipe, Opposite Direction
		7	9	Rear-to-Side
8		8	11	Other
9	9	9	99	Unknown
		97	98	Not Reported

C19I Imputed Manner of Collision

Definition: This imputed data element has the same definition and data element values as Manner of Collision, excluding value 99 (value 9 prior to 2011) for unknown manner of collision and value 98 (value 97 prior to 2011) for not reported manner of collision.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: MANCOL_I 1988-2009

MANCOL_IM 2010-Later

C20 Relation to Junction

C20A Relation to Junction- Within Interchange Area

Definition: This data element identifies the crash's location with respect to presence in an interchange area and the crash's location with respect to presence in or proximity to components typically in junction or interchange areas. The coding of this data element is done in two sub-fields (see also C20B) and based on the location of the first harmful event of the crash.

Additional Information:

SAS Name: RELJCT1

Attribute Codes

2010-Later

- 0 No
- 1 Yes
- 8 Not Reported
- 9 Unknown

C20B Relation to Junction- Specific Location

Definition: This data element identifies the crash's location with respect to presence in an interchange area and the crash's location with respect to presence in or proximity to components typically in junction or interchange areas. The coding of this data element is done in two sub-fields (see also C20A) and based on the location of the first harmful event of the crash.

Additional Information: In 1992, this data element was modified into two categories: *Non-Interchange Area* and *Interchange Area*.

SAS Name: **REL_JCT** 1988-2009

RELJCT2 2010-Later

Attribute Codes

1988-1991

- 0 Non-Junction
- 1 Intersection
- 2 Intersection Related
- 3 Interchange Area
- 4 Driveway, Alley Access, Etc.
- 5 Entrance/Exit Ramp
- 6 Rail Grade Crossing
- 8 Other
- 9 Unknown

C20B Relation to Junction- Specific Location (continued)

1992- 1994	1995- 1998	1999- 2009	
NON-	-INTERC	CHANGE	AREA
0	0	0	Non-Junction
1	1	1	Intersection
2 3	2	2	Intersection Related
3	3	3	Driveway, Alley Access, Etc.
4	4	4	Entrance/Exit Ramp
5	5	5	Rail Grade Crossing
	6	6	On A Bridge
		7	Crossover Related
8	8	8	Other, Non-interchange
9	9	9	Unknown, Non-interchange
INTE	RCHAN	GE AREA	4
10	10	10	Non-Junction
11	11	11	Intersection
12	12	12	Intersection Related
13	13	13	Driveway, Alley Access, Etc.
14	14	14	Entrance/Exit Ramp
	16	16	On A Bridge
		17	Crossover Related
18	18	18	Other Location in Interchange
19	19	19	Unknown, Interchange Area
99	99	99	Unknown if Interchange

2010-Later

- 1 Non-Junction
- 2 Intersection
- 3 Intersection Related
- 4 Driveway Access
- 5 Entrance/Exit Ramp Related
- 6 Railway Grade Crossing
- 7 Crossover Related
- 8 Driveway Access Related
- 16 Shared-Use Path or Trail
- 17 Acceleration/Deceleration Lane
- 18 Through Roadway
- 19 Other Location Within Interchange Area
- 98 Not Reported
- 99 Unknown

C20BI Imputed Relation to Junction

Definition: Starting in 2010, these imputed data elements have the same definition and data element values as Relation to Junction – Within Interchange Area/Specific Location, excluding value 98 for not reported and 99 for unknown Relation to Junction – Within Interchange Area (RELJCT1); and excluding value 8 for not reported and 9 for unknown Relation to Junction - Specific Location (RELJCT2). Prior to 2010, the single imputed variable has the same values as Relation to Junction (RELJCT) excluding values 9, 19, and 99.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **RELJCT_I** 1988-2009

RELJCT1_IM, RELJCT2_IM 2010-Later

C21 Type of Intersection

Definition: This data element identifies and allows separation of various intersection types.

Additional Information:

SAS Name: TYP_INT

Attribute Codes

	2011-	
2010	Later	
0	1	Not an Intersection
1	2	Four-Way Intersection
2	3	T-Intersection
3	4	Y-Intersection
4	5	Traffic Circle
5	6	Roundabout
6	7	Five-Point, or More
7	8	Not Reported
9	9	Unknown

C22 Relation to Trafficway

Definition: This data element identifies the attribute which best describes the location of the first harmful event.

Additional Information: Prior to 2009, this data element was called Relation to Roadway.

SAS Name: REL_RWY *1988-2008*

REL_ROAD 2009-Later

Attribute Codes

1988- 1998	1999- 2001	2002- 2010	2011- Later	
1	1	1	1	On Roadway
2				On Shoulder or Parking Lane
	2	2	2	On Shoulder
3				Off Roadway/Shoulder/Parking Lane
4	3	3	3	On Median
	4	4	4	On Roadside
	5	5	5	Outside Trafficway
	6	6	6	Off Roadway – Location Unknown
	7	7	7	In Parking Lane/Zone
8				Other
	8	8	8	Gore
		9	11	Continuous Left Turn Lane
	10	10	10	Separator
		97	98	Not Reported
9	99	99	99	Unknown

C23 Work Zone

Definition: This data element identifies a motor vehicle traffic crash in which the first harmful event occurs within the boundaries of a work zone or on an approach to or exit from a work zone, resulting from an activity, behavior, or control related to the movement of the traffic units through the work zone.

Additional Information: From 1995 to 2003 this data element indicated whether the first harmful event occurred in a construction area or work zone. From 2004 to 2008 it was expanded to identify first harmful events that were related to, but did not necessarily occur in, a construction or work zone. Starting in 2009 it describes a "work zone crash".

SAS Name: WRK ZONE

Attribute Codes

1995-2003

- 0 No
- 1 Yes, First Harmful Event In a Construction or Work Zone

2004-2008

- 3 No
- 4 Yes, First Harmful Event in Work or Construction Zone
- 5 Yes, First Harmful Event Related to, But Not In, Work or Construction Zone
- 6 Yes, First Harmful Event is In or is Related to a Work or Construction Zone, But it is Not Known Which
- 9 Unknown

2009	2010	2011- Later	
0	0	0	None
1	1	1	Construction
2	2	2	Maintenance
3	3	3	Utility
4	4	4	Work Zone, Type Unknown
	7	8	Not Reported

C24 Light Condition

Definition: General light conditions at the time of the crash, including light from external roadway illumination fixtures.

Additional Information:

SAS Name: LGHT_CON 1988-2008

LGT_COND 2009-Later

Attribute Codes

1999- 2008	2009	2010- Later	
1	1	1	Daylight
2			Dark
	2	2	Dark – Not Lighted
3	3	3	Dark – Lighted
4	4	4	Dawn
5	5	5	Dusk
			Dawn or Dusk
	6	6	Dark – Unknown Lighting
	7	7	Other
		8	Not Reported
9	9	9	Unknown
	2008 1 2 3 4	2008 2009 1 1 2 2 3 3 4 4 5 5	2008 2009 Later 1 1 1 2 2 2 3 3 3 4 4 4 5 5 5 6 6 7 7 8

C24I Imputed Light Condition

Definition: This imputed data element has the same definition and data element values as Light Condition, excluding value 9 for unknown light condition and value 8 for not reported light condition.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **LGTCON I** 1988-2009

LGTCON IM 2010-Later

C25 Atmospheric Conditions

Definition: This data element identifies the general atmospheric conditions at the time of crash.

Additional Information: This data element identifies up to two values. If more than two atmospheric conditions were reported, the two conditions that most affect visibility were selected. Accident.WEATHER1 and Accident.WEATHER2 are coded data elements, and Accident.WEATHER is derived from these two.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: WEATHER 1988-2009

WEATHER, WEATHER1, WEATHER2 2010-Later

Attribute Codes

1988-2009

- 1 No Adverse Conditions
- 2 Rain
- 3 Sleet
- 4 Snow
- 5 Fog
- 6 Rain and Fog
- 7 Sleet and Fog
- 8 Other (Smog, Smoke, Blowing Sand/Dust/Snow, Crosswind, Hail)
- 9 Unknown

2010-Later

- 0 No Additional Atmospheric Conditions
- 1 Clear
- 2 Rain
- 3 Sleet, Hail (Freezing Rain or Drizzle)
- 4 Snow
- 5 Fog, Smog, Smoke
- 6 Severe Crosswinds
- 7 Blowing Sand, Soil, Dirt
- 8 Other
- 10 Cloudy
- 11 Blowing Snow
- 98 Not Reported
- 99 Unknown

C25I Imputed Atmospheric Conditions

Definition: This imputed data element has the same definition and data element values as Atmospheric Conditions, excluding value 99 (value 9 prior to 2010) for unknown atmospheric conditions and value 98 for not reported atmospheric conditions.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **WEATHR_I** 1988-2009

WEATHR_IM 2010-Later

C26 School Bus Related

Definition: This data element indicates whether a school bus, or motor vehicle functioning as a school bus, was involved in the crash.

Additional Information: The number of school bus related crashes may not equal the number of crashes with school buses involved. For example, if a vehicle goes around a stopped school bus and hits a pedestrian, the school bus usually will not be coded, but the crash is school bus related.

This data element also appears on the Person data file starting in 2011.

SAS Name: **SCHL_BUS** *1988-2008*

SCH_BUS 2009-Later

Attribute Codes

1988-		2011-	
2009	2010	Later	
0	0	0	No
1	1	1	Yes
	7	8	Not Reported

C32 Interstate Highway

Definition: This data element identifies whether the crash occurred on an interstate highway. Interstate highway is a Federal Highway Administration classification.

SAS Name: INT_HWY

Attribute Codes

1988-Later

- 0 No
- 1 Yes
- 9 Unknown

C90 Maximum Injury Severity in Crash

Definition: This data element indicates the most severe injury of all persons involved in the crash, and is derived from the injury severity data element in the Person data file.

Additional Information: The following order of severity has been used since 2001.

- 4-Fatal
- 3- Incapacitating
- 2-Non- incapacitating
- 1-Possible Injury
- 5-Injured, Unknown Severity
- 0-No Injury
- 6-Died Prior
- 9-Unknown if Injured
- 8-No Person Involved in the Crash

From 1999 to 2000 the priority was different: Unknown if Injured had priority over No Injury.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: MAX_SEV

Attribute Codes

1988- 2009	2010- Later	
0	0	No Injury
1	1	Possible Injury
2	2	Non-incapacitating
3	3	Incapacitating
4	4	Fatal
5	5	Injured, Unknown Injury Severity
6	6	Died Prior
8	8	No Person Involved in the Crash
9		Unknown if Injured
	9	Unknown if Injured/Not Reported

C90I Imputed Maximum Injury Severity in Crash

Definition: This imputed data element has the same definition and data element values as Maximum Injury Severity in Crash, excluding value 9 for unknown maximum injury severity.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

This data element is derived from P09I, the imputed injury severity data element in the Person data file.

SAS Name: MAXSEV_I 1988-2009

MAXSEV_IM 2010-Later

C91 Number Known Injured in Crash

Definition: This data element is derived by counting all the persons with an injury severity of (1, 2, 3, 4, 5, or 9) in a crash.

Additional Information: See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived.

SAS Name: NUM INJ

Attribute Codes

1988-Later

- 0 No Person Injured/Property Damage Only Crash
- x Number of Known Injured
- 98 No Person Involved in the Crash
- 99 All Persons in Crash are Unknown If Injured.

C91I Imputed Number Known Injured in Crash

Definition: This imputed data element has the same definition and data element values as Number Known Injured in Crash, excluding value 99 for unknown number injured, which is imputed, and the attribute code 98, which is converted to code 0.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

This data element is derived from P09I, the imputed injury severity data element in the Person data file.

SAS Name: NO INJ I 1988-2009

NO_INJ_IM 2010-Later

C92 Alcohol Involved in Crash

Definition: This is a derived data element based on police-reported alcohol involvement from the Person data file. This data element indicates alcohol use for drivers, pedestrians, cyclists and other type of non-motorists (except occupants of motor vehicles not in-transport) involved in the crash.

Additional Information: No Applicable Person is coded if the crash involved only passengers of in-transport motor vehicles, occupants of motor vehicles not in-transport or unknown occupant types who are in an in-transport motor vehicle where there is no driver present.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: ALCOHOL

Attribute Codes

1988-	2009-	2011-	
2008	2010	Later	
1	1	1	Alcohol Involved
2	2	2	No Alcohol Involved
8			No Applicable Person
9	9	3	Unknown

C92I Imputed Alcohol Involved in Crash

Definition: This data element has the same definition and data element values as Alcohol Involved in Crash, excluding value 9 for unknown alcohol involvement, which is imputed, and the value 8, which is converted to attribute code 2.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

This imputed data element is derived from P11I, the imputed police reported alcohol involvement in the Person data file.

SAS Name: **ALCHL_I** 1988-2009

ALCHL_IM 2010-Later

C105 Land Use

Definition: The population of the area associated with the police jurisdiction from which the accident report is selected.

Additional Information: The data element was temporarily discontinued in 2009. The data element value for this data element is computer generated. The attribute selected is based on the PSU and police jurisdiction from which the crash is selected. For example, if the crash is selected from PSU72, jurisdiction 1; the attribute selected by the computer is Within area of population 100,000+.

SAS Name: LAND_USE

Attribute Codes

- 1 Within Area of Population 25,000-50,000
- Within Area of Population 50,000-100,000
- 3 Within Area of Population 100,000+
- 8 Other Area
- 9 Unknown

Discontinued ACCIDENT Data Elements

Number of Persons in Motor Vehicles (discontinued)

Definition: This data element records the number of Person Forms (Motor Vehicle Occupant) that are applicable to this case.

Additional Information: This is the number of persons involved in the crash, except for uninjured bus and train passengers. A form describing all other persons involved in a crash will be filed, i.e., this data element is a count of the persons in the crash.

SAS Name: PERSONS

Attribute Codes

2011-Later

0-999 Number of Person Forms

Number of Non-Motorists Coded (discontinued)

Definition: This data element is derived by counting the number of records for non-motorists in the Person data file for the crash.

Additional Information: A value 0 is coded when there were no non-motorists coded in the crash. This data element was discontinued in 1990.

SAS Name: NON_COD

Attribute Codes

1988-1989

x Number of Non-Motorists

Number of Vehicles Coded (discontinued)

Definition: This data element was derived by counting the number of vehicles listed in the Vehicle data file for a crash.

Additional Information: This data element was discontinued in 1990.

SAS Name: VEH_COD

Attribute Codes

1988-1989

x Number of Vehicles

Number of Persons Involved (discontinued)

Definition: The number of persons involved in the crash.

Additional Information: The value 0 is coded when there are no persons involved in the crash. For example, if a parked vehicle slips into gear, rolls down a driveway and hits a vehicle parked on the street, the number of persons involved is 0. This data element was discontinued in 1990.

SAS Name: PER_INVL

Attribute Codes

1988-1989

0-98 Number of Persons

99 Unknown

Number of Persons Coded (discontinued)

Definition: This data element is derived from the number of records in the Person data file for the crash.

Additional Information: A value 0 is coded when there are no persons coded in the crash. This number may be less than number of persons involved because some states report only the number of injured occupants, but no further information. This data element was discontinued in 1990.

SAS Name: PER_COD

Attribute Codes

1988-1989

x Number of Persons

Percentage Rural (discontinued)

Definition:

Additional Information: This data element was discontinued in 1997.

SAS Name: RUR_URB

Attribute Codes

1988-1996

- 0 Rural
- 1 10 % of Area is Rural
- 2 20 % of Area is Rural
- 3 30 % of Area is Rural
- 4 40 % of Area is Rural
- 5 50 % of Area is Rural
- 6 60 % of Area is Rural
- 7 70 % of Area is Rural
- 8 80 % of Area is Rural
- 9 90 % of Area is Rural
- 10 100 % of Area is Rural

Pedestrian/Cyclist Crash Type (discontinued)

Definition: This data element describes the crash situation involving the pedestrian/bicyclist.

Additional Information: SAS codes 1 through 99 pertain to cyclist crashes and 110 through 920 pertain to pedestrian crashes. In 1989 4-digit codes were added pertaining to wheelchair crashes. Wheelchair codes are similar to those for pedestrians, with a 1 added as the first digit. For example a pedestrian involved with a commercial bus is coded 110 and a wheelchair occupant involved with a commercial bus is coded 1110.

If more than one qualifying non-motorist is involved, the data element is coded with respect to the first one involved. Within the selected non-motorist type (pedestrian or cyclist) coding is prioritized in the order listed below, if more than one crash type applies.

This data element was discontinued in the ACCIDENT data file and moved to the PBTYPE data file in 2010.

SAS Name: PED_ACC

Attribute Codes

1988-2009 (Exceptions indicated by " * ")

- 0 No pedestrian/cyclist involved
- 9999 First qualifying non-motorist is an unknown person type

CYCLIST:

- 40 Play Vehicle (Big Wheel, Other Tricycle, or Bicyclist With Training Wheels)
- 11 Motorist Backing
- 29 Parking Lot, Other Open Area Or Location Such As Gas Station
- 97 Unknown Whether Parallel Or Crossing Approach Path

PARALLEL PATH 1: MOTORIST TURNS OR MERGES INTO THE PATH OF THE CYCLIST

- 35 Drive out on Street Parking
- 22 Motorist Left Turn in Front of Cyclist
- 23 Motorist Left Turn Facing Cyclist
- 24 Motorist Right Turn in Front of Cyclist
- 61 Motorist Changes Lanes into Cyclist (* Added in 2009)

PARALLEL PATH 2 CYCLIST TURNS OR MERGES INTO THE PATH OF THE MOTORIST

- 3 Ride-out from Sidewalk
- 18 Cyclist Left Turn, in Front of Traffic
- 19 Cyclist Left Turn, Facing Traffic
- 21 Cyclist Right Turn, from Wrong Side of Street
- 62 Cyclist Changes Lanes into Motorist (* Added in 2009)

PARALLEL PATH 3 OPERATOR IS ON THE WRONG SIDE OF THE STREET

- 30 Head-on, Counteractive Evasive Actions
- 28 Wrong Way Motorist
- 26 Wrong Way Cyclist

Pedestrian/Cyclist Crash Type (continued)

PARALLEL PATH 4 MOTORIST IS OVERTAKING THE CYCLIST

- 13 Motorist Overtakes Undetected Cyclist
- 15 Motorist Overtaking, Counteractive Evasive Actions
- 16 Motorist Overtaking, Misjudges Passing Space
- 17 Motorist Overtaking Cyclist, Path Obstructed
- 39 Motorist Overtaking

PARALLEL PATH 5 CYCLIST IS OVERTAKING A MOTOR VEHICLE

27 Cyclist Overtaking

PARALLEL PATH 6 OPERATOR LOSES CONTROL AND INADVERTENTLY SWERVES INTO THE PATH OF THE OTHER VEHICLE

- 14 Motorist Lost Control
- 20 Cyclist Lost Control
- 98 Parallel Path, Unknown Type

CROSSING PATH 1 CYCLIST DOES NOT CLEAR INTERSECTION BEFORE LIGHT TURNS GREEN FOR CROSS TRAFFIC

- 6 Trapped
- 7 Multiple Threat

CROSSING PATH 2 MOTORIST FAILS TO YIELD TO THE CYCLIST

- 8 Drive Out, Driveway/Alley
- 12 Drive Through
- 9 Drive Out, Stop Sign
- 10 Right on Red
- 48 Drive Out, Intersection

CROSSING PATH 3 CYCLIST FAILS TO YIELD TO THE MOTORIST, MIDBLOCK

- 1 Ride Out, Residential Driveway
- 2 Ride Out, Commercial Driveway
- 4 Ride Out, Midblock
- 60 Ride Out Unknown Driveway Type (* Added in 2009)

CROSSING PATH 4 CYCLIST FAILS TO YIELD TO THE MOTORIST AT AN INTERSECTION

- 5 Ride Out, Stop Sign
- 49 Ride Out, Intersection
- 50 Ride Through (* added in 2009)

CROSSING PATH 5 MOTORIST IS TURNING

- 33 Motorist Cuts Corner
- 34 Motorist Swings Wide

CROSSING PATH 6 CYCLIST IS TURNING

- 31 Cyclist Cuts Corner
- 32 Cyclist Swings Wide

Pedestrian/Cyclist Crash Type (continued)

- 55 Controlled Intersection, Other
- 25 Uncontrolled Intersection, Other
- 90 Unknown if Controlled or Uncontrolled (* Added in 2009)
- 99 Crossing Path, Unknown Type

PEDESTRIAN	WHFFI	CHAIR
PELIFICIAL	VVIII	UIIAIN

,, , , , , , , , , , , , , , , ,			
110	1110	Commercial Bus	
120	1120	School Bus	
130	1130	Ice Cream Vendor	
140	1140	Mailbox Related	
150	1150	Entering/Exiting	
210	1210	Driverless Vehicle	
220	1220	Backing Vehicle	
230	1230	Hot Pursuit	
310	1310	To/from Disabled Vehicle	
320	1320	Disabled Vehicle Related	
330	1330	Emergency Vehicle Related	
410	1410	Working on Roadway	
420	1420	Play Vehicle-Related	
430	1430	Playing in Roadway	
510	1510	Hitchhiking	
520	1520	Expressway Crossing	
531	1531	Walking/Running along Roadway with Traffic	
532	1532	Walking/Running along Roadway against Traffic	
539	1539	Walking/Running along Roadway Can't Specify	
610	1610	Waiting to Cross At or Near Curb	
620	1620	Pedestrian / Wheel Chair Not in Roadway	
710	1710	Multiple Threat, Intersection	
720	1720	Vehicle Turn/Merge – at Intersection	
730	1730	Intersection Dash	
740	1740	Trapped	
750	1750	Pedestrian Walked /Wheel Chair Rolled into Vehicle, Intersection	
760	1760	Intersection, Driver Violation	
790	1790	Intersection-other	
810	1810	Multiple Threat, Mid-block	
821	1821	Mid-block Dart-out, First half	
822	1822	Mid-block Dart-out, Second half	
829	1829	Mid-block Dart-out, Can't specify	
830	1830	Mid-block dash	
840	1840	Pedestrian Walked / Wheel Chair Rolled into Vehicle, Mid-block	
890	1890	Mid-block Mid-block-other	
910	1910	Other-weird	
920	1910		
920	1920	Inadequate information	

National Highway System (NHS) Roadway Type (discontinued)

Definition: This data element was added to indicate whether this roadway is designated as part of the National Highway System and the urban or rural character of the area through which the roadway travels.

Additional Information: This data element was added to the accident data file in 1995 and removed in 1999.

SAS Name: NHS_RWTP

Attribute Codes

1995-1998

00 Not NHS Roadway

URBAN

- 1 Eisenhower Interstate (EIS)
- 2 Congressional High Priority Route
- 3 STRAHNET Route
- 4 STRAHNET Major Connector
- 5 Other NHS Route
- 9 Unknown Urban Route

RURAL

- 11 Eisenhower Interstate (EIS)
- 12 Congressional High Priority Route
- 13 STRAHNET Route
- 14 STRAHNET Major Connector
- 15 Other NHS Route
- 19 Unknown Urban Route

URBAN OR RURAL

- 21 Eisenhower Interstate (EIS)
- 22 Congressional High Priority Route
- 23 STRAHNET Route
- 24 STRAHNET Major Connector
- 25 Other NHS Route
- 98 Unknown if Urban or Rural
- 99 Unknown if NHS Route

EMS On Scene (discontinued)

Definition: Indicates whether an EMS vehicle was present at the scene of the crash.

Additional Information: This data element was discontinued in 2009.

SAS Name: EMS

Attribute Codes

2005-2008

- 0 No
- 1 Yes
- 6 Not on PAR
- 7 Not Coded
- 9 Unknown

Trafficway Flow (discontinued)

Definition: Indicates whether or not the roadway was divided.

Additional Information: If the crash involves vehicles traveling on different trafficways (e.g., first harmful event occurred in an intersection), the trafficway coded is based on the roadway surface type and number of travel lanes of the trafficways involved and a determination of which vehicle contributed most the cause of the crash.

Starting in 2002 this information is also available for each vehicle in a crash. The data element VTRAFWAY is in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: TRAF_WAY

Attribute Codes

1988- 2002	2003- 2009	
0		Not Physically Divided (Center 2-way Left Turn Lane)
1	1	Not Physically Divided (Two Way Trafficway)
2	2	Divided Highway (Median Strip, Barrier)
3	3	One Way Trafficway
9	9	Unknown

Number of Travel Lanes (discontinued)

Definition: Indicates the number of lanes of travel. If the roadway is a divided trafficway, the number of travel lanes counts only lanes in the direction of travel of the first harmful event. If the roadway is an undivided trafficway, the number of travel lanes are all the lanes regardless of their direction of travel.

Additional Information: If the crash involves vehicles traveling on different trafficways (e.g., first harmful event occurred in an intersection), the trafficway coded is based on the roadway surface type and number of travel lanes of the trafficways involved and a determination of which vehicle contributed most the cause of the crash.

Starting in 2002 this information is also available for each vehicle in a crash. The data element VNUM_LAN is in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived.

SAS Name: NUM LAN 1988-2008

NO LANES 2009

Attribute Codes

1988-2009

- 1 One Lane
- 2 Two Lanes
- 3 Three Lanes
- 4 Four Lanes
- 5 Five Lanes
- 6 Six Lanes
- 7 Seven or More Lanes
- 9 Unknown

Speed Limit (discontinued)

Definition: Posted speed limit in miles per hour.

Additional Information: If the crash involves vehicles traveling on different trafficways (e.g., first harmful event occurred in an intersection), the highest speed limit is coded.

Starting in 2002 this information is also available for each vehicle in a crash. The data element VSPD LIM is in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived.

SAS Name: **SPD_LIM** 1988-2008

SP_LIMIT 2009

Attribute Codes

1988-2009

0 No Statutory Limit (Parking Lot, Alley, etc.)

5-75 Actual Speed Limit

99 Unknown

Imputed Speed Limit (discontinued)

Definition: This imputed data element has the data element values as Speed Limit, excluding value 99 for unknown speed limit.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: SPDLIM_H

Roadway Alignment (discontinued)

Definition: Horizontal alignment of roadway in the immediate vicinity of the first harmful event.

Additional Information: If the crash involves vehicles traveling on different trafficways (e.g., first harmful event occurred in an intersection), the trafficway coded is based on the roadway surface type and number of travel lanes of the trafficways involved and a determination of which vehicle contributed most the cause of the crash.

Starting in 2002 this information is also available for each vehicle in a crash. The data element VALIGN is in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: ALIGN 1988-2008

ALIGNMNT 2009

Attribute Codes

1988-2009

- 1 Straight
- 2 Curve
- 9 Unknown

Imputed Roadway Alignment (discontinued)

Definition: This imputed data element has the same definition and data element values as Roadway Alignment, excluding value 9 for unknown roadway alignment.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: ALIGN_I

Roadway Profile (discontinued)

Definition: Vertical alignment of roadway.

Additional Information: If the crash involves vehicles traveling on different trafficways (e.g., first harmful event occurred in an intersection), the trafficway coded is based on the roadway surface type and number of travel lanes of the trafficways involved and a determination of which vehicle contributed most the cause of the crash.

Starting in 2002 this information is also available for each vehicle in a crash. The data element VPROFILE is in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: PROFILE

Attribute Codes

1988- 2001	2002- 2009	
1	1	Level
2	2	Grade (Uphill, Downhill, Unknown Slope)
3	3	Hillcrest
8		Other
	8	Sag
9	9	Unknown

Imputed Roadway Profile (discontinued)

Definition: This imputed data element has the same as definition and data element values as Roadway Profile, excluding value 9 for unknown roadway profile.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: PROFIL I

Roadway Surface Condition (discontinued)

Definition: Condition of road surface at the time of the crash.

Additional Information: If the crash involves vehicles traveling on different trafficways (e.g., first harmful event occurred in an intersection), the trafficway coded is based on the roadway surface type and number of travel lanes of the trafficways involved and a determination of which vehicle contributed most the cause of the crash.

Starting in 2002 this information is also available for each vehicle in a crash. The data element VSURCOND is in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: SUR COND

Attribute Codes

1988-2009

- 1 Drv
- 2 Wet
- 3 Snow or Slush
- 4 Ice
- 5 Sand, Dirt, Oil
- 8 Other
- 9 Unknown

Imputed Roadway Surface Condition (discontinued)

Definition: This imputed data element has the same definition and data element values as Roadway Surface Condition, excluding value 9 for unknown roadway surface condition.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: SURCON_I

Traffic Control Device (discontinued)

Definition: Indicates whether or not a traffic control device was present for the crash and the type of traffic control device.

Additional Information: If the crash involves vehicles and cyclists subject to different traffic control devices, the device coded is based on the following priority:

- 51 Officer, Crossing Guard, Flagman, etc.
- The lowest numbered device shown below
- No traffic control device.

From 2002-2009, this information is also available on the Vehicle data file (Vehicle.VTRAFCON), the Biketraf data file (BTRAFCON) and the Trafcon data file (MTRAFCON).

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: TRAF_CON

Attribute Codes

1988- 1990-1989 2009

0 0 No Controls

NOT AT RAILROAD GRADE CROSSINGTRAFFIC SIGNALS:

TRAFFIC SIGNALS:

- -- 1 Traffic Control Signal (On Colors)
- 1 -- Traffic Control Signal (On Colors) w/o Pedes. Signal
- 2 -- Traffic Control Signal (On Colors) w/ Pedes. Signal
- Traffic Control Signal (On Colors) Pedes. Signal Not Known
- 4 4 Flashing Traffic Control Signal or Flashing Beacon
- 8 Other Traffic Signal
- 9 9 Unknown Traffic Signal

REGULATORY, SCHOOL ZONE OR WARNING SIGNS:

- 11 21 Stop Sign
- 12 22 Yield Sign
- 13 School Zone Related Sign
- 14 -- Warning Sign

Traffic Control Device (continued)

Attribute Codes

1988- 1989	1990- 2009			
18	28	Other Sign		
19	29	Unknown Sign		
	40	Advisory Speed Sign		
	41	Warning Sign For Road Conditions (Hill, Steep Grade, Etc.)		
	42	Warning Sign For Road Construction		
	43	Warning Sign For Environment/Traffic (Fog Ahead, Wind, Crash Ahead, Etc.)		
	49	Unknown Type Warning		
MISC	ELLANE	OUS NOT AT RAILROAD CROSSING:		
21	51	Officer, Crossing Guard, Flagman, etc		
AT RAILROAD GRADE CROSSING:				
31	61	Active Devices (e.g. Gates, Flashing Lights, Traffic Signal)		
32	62	Passive Devices (Stop Sign, Cross Bucks)		
OTHER	₹:			
97	97	Traffic Control Present-No Details		
98	98	Other Traffic Control (Whether Or Not At RR Grade Crossing)		
99	99	Unknown		

Imputed Traffic Control Device (discontinued)

Definition: This imputed data element has the same definition and data element values as Traffic Control Device, excluding value 99 for unknown traffic control device.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: TRFCON_I

Traffic Control Device Functioning (discontinued)

Definition: This data element is a derived data element based on traffic control device from the crash data file. Traffic control device functioning attributes for vehicle(s)/"Bikes" with the same traffic control device as the crash data file are prioritized (1, 2, 3, 8, 9, 0) and the traffic control device functioning attribute with the highest priority selected.

Additional Information: The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived.

SAS Name: **DEV_FUNC** 1988-1989

Attribute Codes

1988-1989

- 0 No Controls
- 1 Device Not Functioning
- 2 Device Functioning
- 9 Unknown

The VEHICLE Data File

The Vehicle data file includes Vehicle as well as Driver and Precrash data. It contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, and VEH_NO. CASENUM and VEH_NO are the unique identifiers. The data file also contains:

V4 Number of Occupants

Definition: This data element records the number of occupants in each vehicle.

Additional Information: This data element also appears in the Parkwork data file as

PNUMOCCS.

SAS Name: NUMOCCS

Attribute Codes

2000- 2008	2009- Later	
0	0	None
1-998	1-95	Number of Occupants Involved
	96	Ninety-six or More
	97	Not Reported (2010 Only)
999	99	Unknown

V5 Unit Type

Definition: This data element identifies the type of unit that applies to this motor vehicle at the time it became an involved vehicle in the crash and was reported as a unit on the Police Accident Report (PAR).

Additional Information: This data element also appears in the Parkwork data file as PTYPE.

SAS Name: UNITTYPE

Attribute Codes

- 1 Motor Vehicle in Transport (Inside or Outside the Trafficway)
- 2 Motor Vehicle Not in Transport Within the Trafficway
- 3 Motor Vehicle Not in Transport Outside the Trafficway
- 4 Working Motor Vehicle (Highway Construction, Maintenance, Utility Only)

V6 Hit and Run

Definition: Hit and run is coded when a motor vehicle in-transport, or its driver, departs from the scene; vehicles not in-transport are excluded. It does not matter whether the hit-and-run vehicle was striking or struck.

Additional Information: This data element also appears in the Parkwork data file as

PHIT_RUN.

SAS Name: HIT_RUN

Attribute Codes

1988-		2011-	
2009	2010	Later	
0	0	0	No
1	1	1	Yes
	7	8	Not Reported
9	9	9	Unknown

V6I Imputed Hit and Run

Definition: This imputed data element has the same definition and data element values as Hit and Run, excluding value 9 for unknown hit and run and value 8 (value 7 in 2010) for not reported hit and run.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: HITRUN_I 1988-2009

HITRUN_IM 2010-Later

V9 Vehicle Make

Definition: This data element identifies the make (manufacturer) of this vehicle.

Additional Information: See *Appendix A: Vehicle Make/Model Designation* for more detailed information.

This data element also appears in the Person data file and in the Parkwork data file as PMAKE.

SAS Name: MAKE

Attribute Codes

- 1 American Motors
- 2 Jeep/Kaiser-Jeep/Willys-Jeep
- 3 AM General
- 6 Chrysler
- 7 Dodge
- 8 Imperial
- 9 Plymouth
- 10 Eagle
- 12 Ford
- 13 Lincoln
- 14 Mercury
- 18 Buick/Opel
- 19 Cadillac
- 20 Chevrolet
- 21 Oldsmobile
- 22 Pontiac
- 23 GMC
- 24 Saturn
- 25 Grumman
- 29 Other Domestic Manufacturers
- 30 Volkswagen
- 31 Alfa Romeo
- 32 Audi
- 33 Austin/Austin Healey
- 34 BMW
- 35 Datsun/Nissan
- 36 Fiat
- 37 Honda
- 38 Isuzu
- 39 Jaguar
- 40 Lancia
- 41 Mazda
- 42 Mercedes-Benz
- 43 MG
- 44 Peugeot
- 45 Porsche

V9 Vehicle Make (continued)

Attribute Codes

- 46 Renault
- 47 Saab
- 48 Subaru
- 49 Toyota
- 50 Triumph
- 51 Volvo
- 52 Mitsubishi
- 53 Suzuki
- 54 Acura
- 55 Hyundai
- 56 Merkur
- 57 Yugo
- 58 Infiniti
- 59 Lexus
- 60 Diahatsu
- 61 Sterling
- 62 Land Rover
- 63 Kia
- 64 Daewoo
- 65 Mini (2002-2007 Only)
- 65 Smart (2008-Later)
- 66 Mahindra (Since 2011)
- 69 Other Import
- 70 BSA
- 71 Ducati
- 72 Harley-Davidson
- 73 Kawasaki
- 74 Moto-Guzzi
- 75 Norton
- 76 Yamaha
- 78 Other Make Moped
- 79 Other Make Motored Cycle
- 80 Brockway
- 81 Diamond Rio/Rio
- 82 Freightliner/White,
- 83 FWD
- 84 International Harvester/Navistar
- 85 Kenworth
- 86 Mack
- 87 Peterbilt
- 88 Iveco/Magirus
- 89 White/Autocar, White/GMC
- 90 Bluebird
- 91 Eagle Coach
- 92 Gillig

V9 Vehicle Make (continued)

Attribute Codes

- 93 MCI
- 94 Thomas Built
- 97 Not Reported
- 98 Other Make
- 99 Unknown Make

V10 Vehicle Model

Definition: This data element identifies the model of this vehicle within a given make.

Additional Information: This data element also appears in the Parkwork data file as

PMODEL.

SAS Name: MODEL

Attribute Codes

1988-Later

See Appendix A: Vehicle Make/Model Designation for make and model codes.

V11 Body Type

Definition: This data element identifies a classification of this vehicle based on its general body configuration, size, shape, doors, etc.

Additional Information: Changes to this data element were made in:

- 1990: Attribute codes 11 and 12 were modified, attribute codes 13 Limousine and 22 Step Van or Walk-in Van were added, and attribute codes 33, 34, and 47 were deleted.
- 1992: Attribute codes 11, 12, 13, 14, 20, 21, 30, 31, 60, and 65 were modified.
- Attribute codes 15, 16, 17, 19, 23, 33, 45, and 64 were added. Some of the existing attribute coding changed.
- 1993: Attribute codes 24 and 25 were added. Prior to 1993 GVWR was measured in kilograms; in 1993 it changed to pounds.
- 1999: Attribute 17 was added.
- 2010: Attribute 98 (Not Reported) was added.

This data element also appears in the Person data file and in the Parkwork data file as PBODYTYP.

SAS Name: BODY_TYP

Attribute Codes

1988-1989

AUTOMOBILES

- 1 Convertible (Excludes Sun-Roof, T-Bar)
- 2 2-Door Sedan, Hardtop, Coupe
- 3 3-Door/2-Door Hatchback
- 4 4-Door Sedan, Hardtop
- 5 5-Door/4-Door Hatchback
- 6 Station Wagon (Excluding Van And Truck Based)
- 7 Hatchback, Number Of Doors Unknown
- 8 Other Automobile Type
- 9 Unknown Automobile Type

AUTOMOBILE DERIVATIVES

- 10 Auto Based Pickup (Included El Camino, Caballero, Ranchero, And Brat)
- 11 Auto Based Panel (Cargo Station Wagon, Auto-Based Ambulance/Hearse)
- 12 Large Limousine (More Than Four Side Doors Or Stretched Chassis)

UTILITY VEHICLES

14 Utility-(Includes Jeep CJ-2-CJ7, Renegade, Landrover, Bronco, Landcruiser, Thing, Blazer, Bronco II, Jimmy, Ramcharger, Cherokee, Trailduster, Scout)

VAN-BASED LIGHT TRUCKS (≤10,000 LBS GVWR)

- 20 Minivan (Astro, Caravan, Plymouth Vista, Aerostar, Safari, Voyager, Dodge Vista, Toyota Cargo Van, Toyota Van, Vanagon, Vw Bus, Kombi)
- 21 Standard Van (Sportvan, Chevy Van, Club Wagon, Ford Econoline, Ram Van, Mini Ram Van, Chateau, Ram Wagon, Vandura, Rally Voyager, Beauville, Sportsman)
- 28 Other Van Type
- 29 Unknown Van Type

V11 Body Type (continued)

Attribute Codes

1988-1989

LIGHT CONVENTIONAL TRUCKS (PICKUP STYLE CAB, ≤10,000 LBS GVWR)

- 30 Compact Pickup (< 4,500 Lbs GVWR, S-10, LUV, Ram 50, Rampage, Courier, Ranger, S-5, Pup, Mazda Pickup, Mitsubishi Truck, Nissan Pickup, Arrow Pickup, Scamp, Toyota Pickup, VW Pickup)
- 31 Standard Pickup (4,500 To 10,000 Lbs GVWR, C10-C30, K10-K30, T10, D100-D300, W150, F100-F350, Comanche, J10, J20)
- 32 Pickup With Slide-In Camper
- 33 Truck Based Station Wagon (4-Door; Includes Suburban, Travelall, Wagoneer)
- 34 Light Truck Based Suburban Limousine
- 39 Unknown (*Pickup Style*) Light Conventional Truck

OTHER LIGHT TRUCKS (<10,000 LBS GVWR)

- 40 Cab Chassis Based (Included Rescue Vehicle, Light Stake, Dump, And Tow Truck)
- 41 Truck Based Panel
- 42 Light Truck Based Motor Home (Chassis Mounted)
- 47 Other Light Conventional Truck Type (Not A Pickup)
- 48 Unknown Other Light Truck Type (Utility, Van, Pickup, Or Other Light Truck)
- 49 Unknown Light Vehicle Type (Automobile, Van, Or Light Truck)

BUSES (EXCLUDES VAN BASED)

- 50 School Bus Type (Designed To Carry Students, Not Cross Country Or Transit)
- 58 Other Bus (e.g., Transit, Intercity, Bus Based Motor Home)
- 59 Unknown Bus Type

MEDIUM/HEAVY TRUCKS (>10,000 LBS GVWR)

- 60 Single Unit Straight Truck
- 63 Medium/Heavy Truck Based Motor Home
- 65 Truck-Tractor (Cab Only, Or With Any Number Of Trailing Units; Any WEIGHT)
- 68 Unknown Medium/Heavy Truck Type
- 69 Unknown Truck Type (Light/Medium/Heavy)

MOTORED CYCLES (DOES NOT INCLUDE ALL TERRAIN VEHICLES/CYCLES)

- 70 Motorcycle
- 71 Moped (Motorized Bicycle)
- 72 Three Wheeled Motorcycle Or Moped
- 78 Other Motored Cycle Type (Minibike, Motor Scooter)
- 79 Unknown Motored Cycle Type

OTHER VEHICLES

- 80 ATV (All-Terrain Vehicle Including Dune/Swamp Buggy) And ATC (All Terrain Cycle)
- 81 Snowmobile
- 82 Farm Equipment Other Than Trucks
- 83 Construction Equipment Other Than Trucks (Includes Graders)
- 88 Other Type Vehicle (Includes Go-Cart, Fork Lift, City Street Sweeper)
- 89 Unknown Other Vehicle
- 99 Unknown Body Type

V11 Body Type (continued)

Attribute Codes

1990-1991

AUTOMOBILES

- 1 Convertible (Excludes Sun-Roof, T-Bar)
- 2 2-Door Sedan, Hardtop, Coupe
- 3 3-Door/2-Door Hatchback
- 4 4-Door Sedan, Hardtop
- 5 5-Door/4-Door Hatchback
- 6 Station Wagon (Excluding Van And Truck Based)
- 7 Hatchback, Number Of Doors Unknown
- 8 Other Automobile Type
- 9 Unknown Automobile Type

AUTOMOBILE DERIVATIVES

- 10 Auto Based Pickup (Included El Camino, Caballero, Ranchero, And Brat)
- 11 Ambulance
- 12 Hearse
- 13 Limousine

UTILITY VEHICLES

14 Utility-(Includes Jeep CJ-2-CJ7, Renegade, Landrover, Bronco, Landcruiser, Thing, Blazer, Bronco II, Jimmy, Ramcharger, Cherokee, Trailduster, Scout)

VAN-BASED LIGHT TRUCKS (≤ 10,000 LBS GVWR)

- 20 Minivan (Astro, Caravan, Plymouth Vista, Aerostar, Safari, Voyager, Dodge Vista, Toyota Cargo Van, Toyota Van, Vanagon, Vw Bus, Kombi)
- 21 Large Van (Sportvan, Chevy Van, Club Wagon, Ford Econoline, Ram Van, Chateau, Ram Wagon, Vandura, Rally Voyager, Beauville, Sportsman)
- 22 Step Van Or Walk-In Van (< 10,000 Lbs GVWR)
- 28 Other Van Type
- 29 Unknown Van Type

LIGHT CONVENTIONAL TRUCKS (PICKUP STYLE CAB, ≤ 10,000 LBS GVWR)

- 30 Compact Pickup (S-10, LUV, Ram 50, Rampage, Courier, Ranger, S-5, Pup, Mazda Pickup, Mitsubishi Truck, Nissan Pickup, Arrow Pickup, Scamp, Toyota Pickup, VW Pickup)
- 31 Standard Pickup (C10-C30, K10-K30, T10, D100-D300, W150, F100-F350, Comanche, J10, J20)
- 32 Pickup With Slide-In Camper
- 39 Unknown (*Pickup Style*) Light Conventional Truck

OTHER LIGHT TRUCKS (< 10,000 LBS GVWR)

- 40 Cab Chassis Based (Included Rescue Vehicle, Light Stake, Dump, And Tow Truck)
- 41 Truck Based Panel
- 42 Light Truck Based Motor Home (Chassis Mounted)
- 48 Unknown Other Light Truck Type (Utility, Van, Pickup, Or Other Light Truck)
- 49 Unknown Light Vehicle Type (Automobile, Van, Or Light Truck)

Attribute Codes

1990-1991

BUSES (EXCLUDES VAN BASED)

- 50 School Bus Type (Designed To Carry Students, Not Cross Country Or Transit)
- 58 Other Bus (e.g., Transit, Intercity, Bus Based Motor Home)
- 59 Unknown Bus Type

MEDIUM/HEAVY TRUCKS (>10,000 LBS GVWR)

- 60 Single Unit Straight Truck
- 63 Medium/Heavy Truck Based Motor Home
- 65 Truck-Tractor (Cab Only, Or With Any Number Of Trailing Units; Any WEIGHT)
- 68 Unknown Medium/Heavy Truck Type
- 69 Unknown Truck Type (Light/Medium/Heavy)

MOTORED CYCLES (DOES NOT INCLUDE ALL TERRAIN VEHICLES/CYCLES)

- 70 Motorcycle
- 71 Moped (Motorized Bicycle)
- 72 Three Wheeled Motorcycle Or Moped
- 78 Other Motored Cycle Type (Minibike, Motor Scooter)
- 79 Unknown Motored Cycle Type

OTHER VEHICLES

- 80 ATV (All-Terrain Vehicle Including Dune/Swamp Buggy) And ATC (All Terrain Cycle)
- 81 Snowmobile
- 82 Farm Equipment Other Than Trucks
- 83 Construction Equipment Other Than Trucks (*Includes Graders*)
- 88 Other Type Vehicle (Includes Go-Cart, Fork Lift, City Street Sweeper)
- 89 Unknown Other Vehicle
- 99 Unknown Body Type

1992- 2010-

2009 Later (Exceptions indicated by " * ")

AUTOMOBILES

- 1 1 Convertible (Excludes Sun-Roof, T-Bar)
- 2 2-Door Sedan, Hardtop, Coupe
- 3 3-Door/2-Door Hatchback
- 4 4 4-Door Sedan, Hardtop
- 5 5-Door/4-Door Hatchback
- 6 Station Wagon (Excluding Van And Truck Based)
- 7 Hatchback, Number Of Doors Unknown
- 17 17 3-Door Coupe (*SInce 1999)
- 8 -- Other Automobile Type
- -- 8 Sedan/Hardtop, Number of Doors Unknown
- 9 -- Unknown Automobile Type
- -- 9 Other or Unknown Automobile Type

····	Oodes	
1992- 2009	2010- Later (Exceptions indicated by " * ")
AUTO	MOBILE	E DERIVATIVES
10	10	Auto Based Pickup (Includes El Camino, Caballero, Ranchero, SSR, G8-ST, Baha, Brat, And Rabbit Pickup)
11	11	Auto Based Panel (Cargo Station Wagon, Auto-Based Ambulance/Hearse)
12 13	12 13	Large Limousine (More Than Four Side Doors Or Stretched Chassis) Three Wheel Automobile Or Automobile Derivative
	TY VEHI	
14	14	Compact Utility (ANSI D-16 Utility Vehicle Categories "Small" and "Midsize")
15	15	Large Utility (ANSI D-16 Utility Vehicle Categories "Full Size" and "Large")
16	16	Utility Station Wagon
19	19	Utility Vehicle, Unknown Body Type
		LIGHT TRUCKS (< 4,536 KG GVWR)
20	20	Minivan
21	21	Large Van – Includes Van-Based Buses
22	22	Step Van Or Walk-In Van (≤ 4,536 Kg GVWR)
23		Van-Based Motor-Home
24		Van-Based School Bus (*Since 1993)
25		Van-Based Other Bus (*Since 1993)
28	28	Other Van Type
29	29	Unknown Van Type
LIGHT	T CONV	ENTIONAL TRUCKS (PICKUP STYLE CAB, ≤4,536 KG GVWR)
30	30	Compact Pickup (S-10, LUV, Ram 50, Rampage, Courier, Ranger, S-5, Pup, Mazda Pickup, Mitsubishi Truck, Datsun/Nissan Pickup, Arrow Pickup, Scamp, Toyota Pickup, VW Pickup, D50, Colt P/U, T-10, S-15, T-15, Ram 100, Dakota, Sonoma)
31	31	Standard Pickup (C10-C35, Jeep P/U, Comanche, Ram P/U, K10-K35, D100-D350, W100-350, F100-F350, R100-500, R10-R35, V10-35, Silverado, Sierra, T100)
32	32	Pickup With Slide-In Camper
33	33	Convertible Pickup
39	39	Unknown (Pickup Style) Light Conventional Truck
OTHE	R LIGH	T TRUCKS (≤4,536 KG GVWR)
40	40	Cab Chassis Based (Included Rescue Vehicle, Light Stake, Dump, And Tow Truck)
41	41	Truck Based Panel
45	45	Other Light Conventional Truck Type
48		Unknown Other Light Truck Type (Utility, Van, Pickup, Or Other Light Truck)
	48	Unknown Light Truck Type (Not A Pickup)
49	49	Unknown Light Vehicle Type (Automobile, Utility, Van, Or Light Truck)

```
1992-
       2010-
       Later (Exceptions indicated by " * ")
2009
 BUSES (EXCLUDES VAN BASED BUSES WITH A GVWR < = 10,000 LBS.)
               School Bus (Designed To Carry Students, Not Cross Country Or Transit)
 50
       50
       51
               Cross Country/Intercity Bus (Motor Coach)
  --
       52
               Transit Bus (City Bus)
               Van-Based Bus GVWR > 10.000 lbs. (*Since 2011)
       55
  --
               Other Bus Type (e.g., Transit, Intercity, Bus Based Motor Home)
 58
       58
 59
       59
               Unknown Bus Type
 MEDIUM/HEAVY TRUCKS (>4,536 KG GVWR)
 60
       60
               Step Van
               Single-Unit Straight Truck (10,000 lbs<GVWR< or =19,500 lbs) (*2010 Only)
       61
  --
               Single-Unit Straight Truck or Cab-Chassis (10,000 lbs<GVWR< or =19.500
  --
       61
               lbs) (*Since 2011)
               Single-Unit Straight Truck (19,500 lbs<GVWR< or =26,000 lbs) (*2010 Only)
       62
               Single-Unit Straight Truck or Cab-Chassis (19.500 lbs<GVWR< or =26.000
       62
               lbs) (*Since 2011)
       63
               Single-Unit Straight Truck (GVWR>26,000 lbs) (2010 Only)
               Single-Unit Straight Truck or Cab-Chassis (GVWR>26,000 lbs) (*Since 2011)
       63
               Single Unit Straight Truck
 64
        --
               Single Unit Straight Truck or Cab-Chassis (GVWR unknown) (*Since 2011)
       64
 66
       66
               Truck-Tractor (Cab Only, Or With Any Number Of Trailing Units; Any Weight)
               Medium/Heavy Pickup (GVWR > 10,000 lbs) (*Since 2001)
       67
               Single-Unit Straight Truck (GVWR unknown) (*2010 Only)
       68
               Unknown if Single-Unit or Combination-Unit Medium Truck (10,000 lbs <
       71
               GVWR < 26,000 lbs)
               Unknown if Single-Unit or Combination-Unit Heavy Truck (GVWR>26,000
       72
       78
 78
               Unknown Medium/Heavy Truck Type
               Unknown Truck Type (Light/Medium/Heavy)
 79
       79
 MOTOR HOMES
               Light Truck Based Motor Home (Chassis Mounted)
 42
       42
       65
               Medium/Heavy Truck-Based Motor Home
 65
       73
               Camper or Motor Home, Unknown Truck Type
 MOTORED CYCLES, MOPEDS, ALL-TERRAIN VEHICLES
80
       80
               Motorcycle
 81
       81
               Moped (Motorized Bicycle)
82
       82
               Three Wheeled Motorcycle Or Moped
               Off-Road Motorcycle (2-Wheel)
       83
 88
       88
               Other Motored Cycle Type (Minibike, Motor Scooter, Pocket Motorcycles,
               Pocket Bikes)
               Unknown Motored Cycle Type
89
       89
 90
       90
               ATV (All-Terrain Vehicle: Includes 3 or 4 Wheels)
```

Attribute Codes

1992- 2009	2010- Later (Exceptions indicated by " * ")
OTHE	R VEHI	CLES
91	91	Snowmobile
92	92	Farm Equipment Other Than Trucks
93	93	Construction Equipment Other Than Trucks (Includes Graders)
	94	Low Speed Vehicle (LSV)/Neighborhood Electric Vehicle (NEV) (*Since 2011)
97	97	Other Vehicle Type (Includes Go-Cart, Fork-Lift, City Street Sweeper,
		Dune/Swamp Buggy, Golf Cart)
	98	Not Reported
99	99	Unknown Body Type

V11I Imputed Body Type

Definition: The attributes for this imputed data element have changed over the years to mirror the values for Body Type, excluding values 49, 79, and 99 for unknown light vehicle type, unknown truck type (light/medium/heavy), and unknown body type, respectively, and value 98 for not reported body type.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **BDYTYP H** 1988-2009

BDYTYP IM 2010-Later

V12 Vehicle Model Year

Definition: This data element identifies the manufacturer's model year of this vehicle.

Additional Information: From 1988 to 1998, model years earlier than 1941 were coded "1940." Starting in 1999 the actual model year was coded for all vehicles.

This data element also appears in the Person data file and in the Parkwork data file as PMODYEAR (PMODELYR prior to 2011).

SAS Name: MODEL_YR *1988-2010*

MOD_YEAR 2011-Later

Attribute Codes

1988-	1999-		2011-	
1998	2009	2010	Later	
1940				Model Year 1940 and Earlier
1941-xxxx	XXXX	XXXX	XXXX	Actual Model Year
		7777	9998	Not Reported
9999	9999	9999	9999	Unknown

V12I Imputed Model Year

Definition: This imputed data element has the same definition and data element values as Model Year, excluding value 9999 for unknown model year and value 9998 (value 7777 in 2010) for not reported.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: MDLYR_I 1988-2009

MDLYR_IM 2010-Later

V13 Vehicle Identification Number (VIN)

Definition: This data element records the vehicle identification number assigned by the vehicle manufacturer. The VIN contains information on the vehicle such as: manufacturer, model year, model, body type, restraint type, etc.

Additional Information: If a character of the VIN is missing or undecipherable, that character is blank. From 1988-2008 the first 11 characters of the VIN are used; from 2009 onward the first 12 are used.

This data element also appears in the Parkwork data file as PVIN.

SAS Name: VIN

Attribute Codes

1988-2008 (character data type, length 11) **2009-Later** (character data type, length 12)

1988-		2010-	
2008	2009	Later	
0000000000	00000000000	00000000000	No VIN Required
XXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	First 12 Characters of the VIN
		8888888888	Not Reported
9999999999	99999999999	99999999999	Unknown

V14 Vehicle Trailing

Definition: This data element indicates if vehicle was pulling a trailer unit. A trailer unit can be a horse trailer, fifth wheel trailer, camper, boat, truck trailer, towed vehicle or any other trailer.

Additional Information: Prior to 2009 if each linkage was non-fixed then Vehicle Trailer=no.

This data element also appears in the Person data file and in the Parkwork data file as PTRAILER.

SAS Name: TRAILER 1988-2008
TOW VEH 2009-Later

1988- 1998	1999- 2008	2009- Later	
0	1	0	No Trailing Units
1	2	1	Yes, One Trailing Unit
2	3	2	Yes, Two Trailing Units
3	4	3	Yes, Three or More Trailing Units
4	5	4	Yes, Number of Trailing Units Unknown
		5	Vehicle Towing Another Motor Vehicle – Fixed Linkage
		6	Vehicle Towing Another Motor Vehicle – Non-fixed Linkage
9	6	9	Unknown

V15 Jackknife

Definition: This data element indicates if a jackknife occurred. A jackknife occurs when the trailer does not follow directly behind the power unit (tracking) and the driver did not initiate the non-tracking situation.

Additional Information: Jackknife is defined differently for V14 and A06, First Harmful Event. In A06 jackknife is defined as sufficient rotation between a vehicle/trailer that they contact each other. For V14, contact is not required

SAS Name: JACKNIFE 1988-2010

J_KNIFE 2011-Later

1988- 2010	2011- Later	
0		No Jackknife Noted on PAR
	0	Not an Articulated Vehicle
1		Jackknife Occurred
	1	No
	2	Yes, First Event
	3	Yes, Subsequent Event

V16 Motor Carrier Identification Number (MCID)

Definition: This data element records the issuing authority and motor carrier identification number if applicable to this vehicle. This is a derived data element that is the combination of two data elements MCARR_I1 and MCARR_I2.

Additional Information: The Carrier Identification Number is found only on vehicles of interstate for-hire or private carriers in the transportation business. It is the unique number assigned to the Carrier by the United States Department of Commerce Commission, or the State. The number can be either a US DOT number (on interstate private carriers) or an ICC MC number (interstate for-hire carriers). Collected only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79), this data element is applicable to the following vehicles:

- Medium/Heavy Trucks: vehicles with two axles/six tires and/or gross weight greater than 10,000 pounds.
- Buses with 16 or more seats (including the driver)
- Trucks and Vans of any size carrying hazardous cargo.
- Light commercial trucks pulling a trailer with gross combination weight rating (GCWR) greater than 10,000 pounds.

In 2002 the data element changed from numeric to character to preserve leading zeros. In 2003 the length was changed from 8 characters to 9 characters. In 2011 the length was changed from 9 characters to 11 characters with the first two characters representing the issuing authority followed by the nine character carrier identification number.

This data element also appears in the Parkwork data file as PMCARR_ID (PCARIDNO prior to 2011).

SAS Name: **C_ID_NO** 1992-2001

CARIDNUM 2002-2009 MCARR ID 2010-Later

Attribute Codes

1992-2001

0 Not Applicable

xxxxxx U.S. DOT or ICC MC Number

999999 Unknown

	2003-		
2002	2009	2010	
00000000	00000000	000000000	Not Applicable
XXXXXXX	xxxxxxx	1-999999996	U.S. DOT or ICC MC Number
		99999997	Not Reported
9999999	99999999	99999999	Unknown

V16 Motor Carrier Identification Number (MCID) (continued)

Attribute Codes

2011-Later

xxxxxxxxxxx 11-Character Combination of MCARR_I1 followed by MCARR_I2

0000000000 Not Applicable 7777777777 Not Reported

8888888888 None 9999999999 Unknown

V16A MCID Issuing Authority

Definition: This data element records the issuing authority if applicable to this vehicle.

Additional Information: This data element is only applicable for the following vehicles:

- Medium/Heavy Trucks: vehicles with two axles/six tires and/or gross weight greater than 10,000 pounds.
- Buses with 16 or more seats (including the driver)
- Trucks and Vans of any size carrying hazardous cargo.
- Light commercial trucks pulling a trailer with gross combination weight rating (GCWR) greater than 10,000 pounds.

This data element also appears in the Parkwork data file as PMCARR_I1.

SAS Name: MCARR_I1

Attribute Codes

2011-Later

00	Not Applicable
01-56	State Code
57	US DOT
58	MC/MX (ICC)
77	Not Reported
88	None
95	Canada
96	Mexico
99	Unknown

V16B MCID Identification Number

Definition: This data element records the motor carrier identification number if applicable to this vehicle.

Additional Information: The Carrier Identification Number is found only on vehicles of interstate for-hire or private carriers in the transportation business. It is the unique number assigned to the Carrier by the United States Department of Commerce Commission, or the State. The number can be either a US DOT number (on interstate private carriers) or an ICC MC number (interstate for-hire carriers). Collected only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79), this data element is applicable to the following vehicles:

- Medium/Heavy Trucks: vehicles with two axles/six tires and/or gross weight greater than 10,000 pounds.
- Buses with 16 or more seats (including the driver)
- Trucks and Vans of any size carrying hazardous cargo.
- Light commercial trucks pulling a trailer with gross combination weight rating (GCWR) greater than 10,000 pounds.

This data element also appears in the Parkwork data file as PMCARR_I2.

SAS Name: MCARR 12

Attribute Codes

2011-Later

xxxxxxxx Actual 9-Digit Number 000000000 Not Applicable 777777777 Not Reported 88888888 None 999999999 Unknown

V17 Gross Vehicle Weight Rating

Definition: This data element identifies the gross vehicle weight rating of this vehicle when applicable.

Additional Information: The Gross Vehicle Weight Rating (GVWR) or Gross Combination Weight Rating (GCWR) is a value specified by the manufacturer for a single-unit truck, truck tractor, or trailer. In the absence of a gross vehicle weight rating, an estimate of the gross weight of a fully loaded unit can be substituted.

This data element is the gross vehicle weight of the Power Unit only. The weight of trailers is not added.

This data element also appears in the Parkwork data file as PGVWR.

SAS Name: GVWR

Attribute Codes

2011-Later

- 0 Not Applicable
- 1 10,000 lbs or Less
- 2 10,001 lbs 26,000 lbs
- 3 26,001 lbs or More
- 8 Not Reported
- 9 Unknown

V18 Vehicle Configuration

Definition: This data element identifies the general configuration of this vehicle when applicable.

Additional Information: Not Applicable is used for automobiles, motorcycles, passenger vans (with less than 9 seats, including driver) and single-unit light trucks or cargo vans (10,000 lbs. or less GVWR), not carrying hazardous cargo.

This data element also appears in the Parkwork data file as PV_CONFIG.

SAS Name: V_CONFIG

2010	2011- Later	
0	0	Not Applicable
1	1	Single-Unit Truck (2 axles and GVWR more than 10,000 lbs.)
2	2	Single-Unit Truck (3 or More axles)
4	4	Truck Pulling Trailer(s)
5	5	Truck Tractor (Bobtail, i.e., Tractor Only, No Trailer)
6	6	Truck Tractor/Semi-Trailer
7	7	Truck Tractor/Double
8	8	Truck Tractor/Triple
10	10	Vehicle 10,000 lbs or Less Placarded for Hazardous Materials
19	19	Truck More than 10,000 lbs, Cannot Classify
20	20	Bus/Large Van (Seats for 9-15 Occupants, Including Driver)
21	21	Bus (Seats for More Than 15 Occupants, Including Driver)
97	98	Not Reported
99	99	Unknown

V19 Cargo Body Type

Definition: This data element identifies the primary cargo carrying capability of this vehicle when applicable.

Additional Information: From 1992 to 2008 specific cargo body type was coded only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79). All other vehicles were coded "Not applicable." Starting in 2009 passenger vehicles and light trucks that display a hazardous cargo placard are coded "No Cargo Body Type," as are medium/heavy trucks with no cargo carrying capability. "Not Applicable" is coded only for passenger vehicles and light trucks and vans that do not display a hazardous cargo placard. Before 2009 "Unknown" was coded for both unknown cargo body type and unknown vehicle type. Starting in 2009 "Unknown" is coded only for unknown vehicle type. See the annual Coding and Editing Manuals for more information.

This data element also appears in the Parkwork data file as PCARGTYP.

SAS Name: **CARG_TYP** *1992-2008*

CARGO BT 2009-Later

1992- 2008	2009	2010- Later	
0	0	0	Not Applicable
1	22	22	Bus
2	1	1	Van/Enclosed Box
3	2	2	Cargo Tank
4	3	3	Flatbed
5	4	4	Dump
6	5	5	Concrete Mixer
7	6	6	Auto Transporter
8	7	7	Garbage/Refuse
	8	8	Grain/Chips/Gravel
	9	9	Pole-Trailer
	10	10	Log
	11	11	Intermodal Container Chassis
	12	12	Vehicle Towing Another Vehicle
		28	Not Reported
	96	96	No Cargo Body
98	97	97	Other
	98	98	Unknown Cargo Body Type
99	99	99	Unknown

V20A/HM1 Hazardous Materials Involvement

Definition: This data element indicates whether the vehicle was carrying hazardous materials.

Additional Information: This data element also appears in the Parkwork data file as

PHAZ INV.

SAS Name: HAZ_INV

Attribute Codes

2009-Later

1 No 2 Yes

V20B/HM2 Hazardous Materials Placard

Definition: This data element illndicates the presence of hazardous materials and whether the vehicle displayed a hazardous materials placard.

Additional Information: Prior to 2009 Yes and No were coded only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79). Starting in 2009 body type was not a factor in coding this data element. See the annual Coding and Editing Manuals for more information. From 2005-2008 the data element name was "Hazardous Materials Placarded."

This data element also appears in the Parkwork data file as PHAZPLAC (PHAZ_MAT prior to 2009).

SAS Name: HAZ_MAT *2005-2008*

HAZ PLAC 2009-Later

2005- 2008	2009- Later	
		NIa (A Paalala
0	0	Not Applicable
2	1	No
1	2	Yes
	8	Not Reported
9		Unknown

V20C/HM3 Hazardous Material Identification Number

Definition: This data element indicates the 4-digit hazardous material identification number.

Additional Information: Prior to 2009 placard numbers were coded only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79). Other vehicles were coded "Not Applicable," or "Unknown" if body type was unknown. Starting in 2009 body type was not a factor in coding this data element. From 2005-2008 the data element name was "Hazardous Materials Placard Number." See the annual Coding and Editing Manuals for more information.

This data element also appears in the Parkwork data file as PHAZ_ID (PHAZM_NO prior to 2009).

SAS Name: **HAZM_NO** 1992-2008

HAZ_ID 2009-Later

Attribute Codes

1992-	2009-	
2008	Later	
0	0	Not Applicable
XXXX	XXXX	Actual 4-Digit Number
	8888	Not Reported
9999		Unknown

V20D/HM4 Hazardous Material Class Number

Definition: This data element indicates the single-digit hazardous material class number for the vehicle.

Additional Information: This data element was added in 2009 and is coded for all vehicles.

This data element also appears in the Parkwork data file as PHAZ_CNO.

SAS Name: HAZ_CNO

Attribute Codes

2009-Later

- 0 Not Applicable
- 1 Explosives
- 2 Gases
- 3 Flammable / Combustible Liquid
- 4 Flammable Solid, Spontaneously Combustible, and Dangerous When Wet
- 5 Oxidizer and Organic Peroxide
- 6 Poison and Poison Inhalation Hazard
- 7 Radioactive
- 8 Corrosive
- 9 Miscellaneous
- 88 Not Reported

V20E/HM5 Release of Hazardous Material from the Cargo Compartment

Definition: This data element indicates whether any hazardous cargo was released from the cargo tank or compartment.

Additional Information: Prior to 2009 Yes and No were coded only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79). Other vehicles were coded Not Applicable, or Unknown if body type was unknown. Starting in 2009 body type is not a factor in coding this data element. Prior to 2009 the data element name was "Hazardous Materials Release."

This data element also appears in the Parkwork data file as PHAZ_REL (PHAZMA_R prior to 2009).

SAS Name: HAZ_MA_R 2005-2008
HAZ_REL 2009-Later

2005- 2008	2009- Later	
0	0	Not Applicable
2	1	No
1	2	Yes
	8	Not Reported
9		Unknown

V21 Bus Use

Definition: This data element describes the common type of bus service this vehicle was being used as at the time of the crash.

Additional Information: This data element also appears in the Parkwork data file as PBUS_USE.

SAS Name: BUS_USE

2010	2011- Later	
0	0	Not a Bus
1	1	School
4	6	Transit/Commuter
5	4	Intercity
6	5	Charter/Tour
7	7	Shuttle
8	8	Modified for Personal/Private Use
97	98	Not Reported
99	99	Unknown

V22 Special Use

Definition: This data element indicates whether the vehicle has a special use. Special use means "in use" and not necessarily emergency use.

Additional Information: All military vehicles are classified as "4" even if they are police, ambulance, or fire trucks. The Remarks and Attribute descriptions changed considerably in the 2009 Coding and Editing Manual. The analyst should compare the 2008 and 2009 NASS GES Coding and Editing Manuals for more detailed information.

This data element also appears in the Person data file and in the Parkwork data file as PSP_USE.

SAS Name: SPEC USE

1988- 1991	1992- 2008	2009	2010	2011- Later	
0	0	0	0	0	No Special Use
1	1	1	1	1	Taxi
2	2	2	2	2	Vehicle Used as School Bus
3	3	3	3	3	Vehicle Used as Other Bus
4	4	4	4	4	Military
5	5	5	5	5	Police
6	6	6	6	6	Ambulance
7		7	7	7	Fire Truck
	7				Fire Truck and Car
8					Other
		8	8	8	Emergency Services Vehicle
	10				Hearse
	11				Farm Equipment
	12				Construction Equipment
			77	98	Not Reported
9	99	9	99	99	Unknown

V23 Emergency Use

Definition: This data element indicates whether certain types of Special Use vehicles are on an emergency run.

Additional Information: From 1988-2008 this includes military, police, ambulance, and fire vehicles. In 2009 it also includes emergency services vehicles. Value "0" is coded if an applicable vehicle was not on an emergency run or it was not one of the applicable vehicles.

This data element also appears in the Person data file and in the Parkwork data file as PEM_USE.

SAS Name: EMCY_USE *1988-2008*

EMER USE 2009-Later

1988- 2009	2010	2011- Later	
0			No Emergency Use or Not an Applicable Vehicle
	0	0	No
1	1	1	Yes
	7	8	Not Reported
9	9	9	Unknown

V24 Travel Speed

Definition: This data element records the speed the vehicle was traveling prior to the occurrence of the crash as reported by the investigating officer.

Additional Information:

SAS Name: SPEED *1988-2008*

TRAV_SP 2009-Later

Attribute Codes

1988-1999

0 Stopped Vehicle1-96 Travel Speed (mph)97 mph or Greater

99 Unknown

2000-2008

0 Stopped Vehicle1-998 Travel Speed (mph)

999 Unknown

2009-Later

Stopped Motor Vehicle in Transport
 1-151 Reported Speed Up to 151 mph
 Speed Greater than 151 mph
 Not Reported

999 Unknown

V26 Rollover

Definition: This data element indicates if a rollover occurred (tripped or untripped). Rollover is defined as any vehicle rotation of 90 degrees or more about any true longitudinal or lateral axis. Rollover can occur at any time during the crash.

Additional Information: In 1992, Rollover was changed to include more specific rollover information. Prior to 2009 the data element name was '*Rollover Type*'.

This data element also appears in the Person data file.

SAS Name: ROLLOVER

1992- 2008	2009- Later	
0	0	No Rollover
	1	Rollover, Tripped By Object/Vehicle
20		Tripped Rollover-By Curb
21		Tripped Rollover-By Guardrail
22		Tripped Rollover-By Ditch
23		Tripped Rollover-By Soft Soil
28		Tripped Rollover-Other
29		Tripped Rollover-Unknown Mechanism
10	2	Rollover, Untripped
99	9	Rollover, Unknown Type

V27 Location of Rollover

Definition: This data element identifies the location of the start, or trip point, of the vehicle's roll.

Additional Information:

SAS Name: ROLINLOC

2009- 2010	2011- Later	
0	0	No Rollover
1	1	On Roadway
2	2	On Shoulder
3	3	On Median/Separator
4	4	In Gore
5	5	On Roadside
6	6	Outside of Trafficway
	7	In Parking Lane/Zone
9	9	Unknown

V28 Area of Impact- Initial/Most Damaged

V28A Initial Point of Impact

Definition: This data element identifies the first impact point that produced property damage or personal injury (regardless of FIRST or MOST HARMFUL EVENT).

Additional Information: This data element was added to the Vehicle data file in 1990.

This data element also appears in the Person data file and in the Parkwork data file as PIMPACT (PIMPACT prior to 2010).

SAS Name: IMPACT 1988-2009

IMPACT1 2010-Later

1990- 1991	1992- 2006	2007- 2009	
0			No Damage/Non-Collision
	0	0	Non-Collision
1	1	1	Front
2	2	2	Right Side
3	3	3	Left Side
4	4	4	Back
5	5	5	Top
6	6	6	Undercarriage
7			Corner
	11	11	Front Right Corner
	12	12	Front Left Corner
	13	13	Back Right Corner
	14	14	Back Left Corner
		15	Object Set in Motion
99	99	99	Point of Impact Unknown

V28A Initial Point of Impact (continued)

Attribute Codes

2010	2011- Later	
0	0	Non-Collision
21-32	1-12	Clock points
33	13	Тор
34	14	Undercarriage
38	18	Set-in-Motion (Not a Clock Point)
61	61	Left
62	62	Left-Front Half
63	63	Left-Back Half
81	81	Right
82	82	Right-Front Half
83	83	Right-Back Half
97	98	Not Reported
99	99	Unknown

V28AI Imputed Initial Point of Impact

Definition: This imputed data element has the same definition and data element values as Initial Point of Impact, excluding value 99 for unknown initial point of impact and value 98 (value 97 in 2010) for not reported initial point of impact.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **IMPACT_H** 1988-2009

IMPACT1_IM 2010-Later

V28B Most Damaged Area

Definition: This data element identifies the area on this vehicle that was most damaged during an event it underwent in the crash.

Additional Information: The striking vehicle, not the vehicle struck, determines the underride/override condition. After the crash, in the case of an override or underride one vehicle is over the other. If the striking vehicle is over the other, then the crash is an override. If the striking vehicle is under the other, the crash is an underride.

This data element also appears in the Person data file and in the Parkwork data file as PIMPACT2.

SAS Name: IMPACT2

2010	2011- Later	
0	0	Non-Collision
21-32	1-12	Clock points
33	13	Тор
34	14	Undercarriage
38	18	Set-in-Motion (Not a Clock Point)
61	61	Left
62	62	Left-Front Half
63	63	Left-Back Half
81	81	Right
82	82	Right-Front Half
83	83	Right-Back Half
97	98	Not Reported
99	99	Unknown

V29 Extent of Damage

Definition: This data element indicates the amount of damage sustained by the vehicle in this crash as indicated in the case materials based on an operational damage scale.

Additional Information: Prior to 2009 this data element was called Damage Severity.

This data element also appears in the Parkwork data file as PVEH_SEV.

SAS Name: VEH_SEV 1988-2008

DEFORMED 2009-Later

1988- 2008	2009	2010	2011- Later	
0	0	0	0	No Damage
1	2	2	2	Minor Damage
2				Functional (Moderate)
	4	4	4	Functional Damage
3				Disabling (Severe)
	6	6	6	Disabling Damage
		7	8	Not Reported
9	9	9	9	Unknown

V30 Vehicle Removal

Definition: This data element describes the mode by which the vehicle left the scene of the crash.

Additional Information: Prior to 2009 only the power unit of an articulated combination was considered, i.e. if only the trailing unit was towed then TOWED=Driven. Starting in 2009 the disposal status of the trailing unit is also considered. Prior to 2009 the data element name was *Manner of Leaving Scene*.

This data element also appears in the Parkwork data file as PTOWED.

SAS Name: TOWED

1988- 1989	1999- 2008	2009	2010	2011- Later	
1	1	1	1	1	Driven Away
2					Towed Away
	2				Towed Due to Damage
		2	2	2	Towed Due to Disabling Damage
	3				Towed Not Due to Damage
		3	3	3	Towed Not Due to Disabling Damage
3	4				Abandoned
		4	4	4	Abandoned/Left at Scene
			7	8	Not Reported
4	9	9	9	9	Unknown

V32 Most Harmful Event

Definition: This data element identifies the event that resulted in the most severe injury or, if no injury, the greatest property damage involving this motor vehicle.

Additional Information: This data element also appears in the Parkwork data file as PM_HARM.

SAS Name: V_EVENT *1988-2010*

M_HARM 2011-Later

1988- 1991	1992- 1998	1999- 2008	2009	2010	2011- Later	
NON	COLLIS	ION				
1	1	1	1	1	1	Rollover/Overturn
2	2	2	2	2	2	Fire/Explosion
3	3	3	3	3	3	Immersion
4		4	4	4	4	Gas Inhalation
5	5	5	5			Jackknife
				5	51	Jackknife (Harmful to This Vehicle)
6	6	6	6			Noncollision Injury (Injured In Vehicle Or Fell From Vehicle)
	50	7	7	7	44	Pavement Surface Irregularity (Ruts,
0	0	0	0	0	7	Potholes, Grates, etc.)
8	8	8	8	8	7	Other Noncollision
9	9	9	9		 10	Noncollision-No Details
10	10	10	10	10 11	16	Thrown or Falling Object
				12	6 72	Injured in Vehicle (Non-Collision)
				12	12	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
				13	5	Fell/Jumped from Vehicle
COLI	LISION	NITH OF	BJECT N	IOT FIXI	ED	
21	21	21	21	21	8	Pedestrian
22	22	22	22			Cycle or Cyclist (Pedalcyclist or Pedalcycle)
				22	9	Pedalcyclist
23	23	23	23			Railway Train
				23	10	Railway Vehicle
24	24	24	24			Animal
				24	11	Live Animal
				49	49	Ridden Animal or Animal Drawn Conveyance
25	25	25	25			Motor Vehicle in Transport
26	26	26	26			Parked Motor Vehicle (or Other M.V. Not in
						Transport)
27	27	27	27			Other Type Non-Motorist
				27	15	Non-Motorist on Personal Conveyance
			47			Vehicle Occupant

V32 Most Harmful Event (continued)

1988- 1991	1992- 1998	1999- 2008	2009	2010	2011- Later	
28	28	28	28	28	18	Other Object Not Fixed
29	29	29	29			Object Not Fixed-No Details
				29	14	Parked Motor Vehicle
				30	45	Working Motor Vehicle
COLI	LISION	NITH FIX	KED OB	JECT	· ·	
31	31	31	31	31	58	Ground
32	32	32	32	32	19	Building
33	33	33	33	33	20	Impact Attenuator/Crash Cushion
34	34	34	34			Bridge Structure (Bridge
						Pier/Abutment/Parapet End/Rail)
35	35	35	35			Guardrail
36	36	36	36			Concrete Traffic Barrier or Other
						Longitudinal Barrier Type
				36	25	Concrete Traffic Barrier
37	37	37	37			Post, Pole or Support (Sign Post, Utility
						Post)
38	38	38	38			Culvert or Ditch
39	39	39	39	39	33	Curb
40	40	40	40	40	35	Embankment
41	41	41	41	41	38	Fence
42	42	42	42	42	39	Wall
43	43	43	43	43	40	Fire Hydrant
44	44	44	44	44	41	Shrubbery
45	45	45	45			Tree
				45	42	Tree (Standing Only)
46	46	46	46	46	17	Boulder
48	59	58	58	58	43	Other Fixed Object
49	59	59	59	 74		Fixed Object, No Details
				71 70	50	Bridge Overhead Structure
				72 72	21	Bridge Pier or Support
				73 74	23	Bridge Rail (Includes Parapet)
				74 75	24 52	Guardrail Face Guardrail End
				75 76		
				76 77	57 26	Cable Barrier Other Traffic Barrier
				77 78	26 50	
				76 79	59 46	Traffic Sign Support
						Traffic Signal Support
				80 91	30 31	Utility Pole/Light Support
				81 82	31 32	Other Post, Other Pole or Other Supports Culvert
				83	3∠ 34	Ditch
				აა 84	3 4 48	Snow Bank
		 		85	53	Mail Box
				-	00	ITIGII DOA

V32 Most Harmful Event (continued)

Attribute Codes

1988- 1991	1992- 1998	1999- 2008	2009	2010	2011- Later			
COLLISION WITH MOTOR VEHICLE IN TRANSPORT								
				90	12	Motor Vehicle In-Transport		
				91 92	54 55	Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in- Motion from/by Another Motor Vehicle In- Transport Motor Vehicle in Motion Outside the		
NOT	REPOR	TED AN	D UNKN	IOWN		Trafficway		
97						Other – No Details (*1988-1989 only)		
				97		Not Reported		
99	99	99	99	99	99	Unknown		

V32I Imputed Most Harmful Event

Definition: This imputed data element has the same data element values as Most Harmful Event, excluding value 99 for unknown most harmful event and value 97 for not reported most harmful event.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **V_EVNT_H** 1988-2009

VEVENT IM 2010-Later

V34 Fire Occurrence

Definition: This data element identifies whether a fire in any way related to the crash occurred in this vehicle.

Additional Information: This data element also appears in the Person data file and in the Parkwork data file as PFIRE.

SAS Name: FIRE 1988-2008

FIRE_EXP 2009-Later

Attribute Codes

1988-2008

0 No Fire Noted on PAR

1 Fire Occurred in Vehicle

2009-Later

- 0 No or Not Reported
- 1 Yes

V90 Maximum Injury Severity in Vehicle

Definition: This data element indicates the single most severe injury level reported for any occupant in this vehicle. This data element is derived by comparing the injury severity for each occupant record in this vehicle. The following order of severity codes has been used since 2001.

- 4-Fatal
- 3- Incapacitating
- 2-Non-incapacitating
- 1-Possible Injury
- 5-Injured, Unknown Severity
- 0-No Injury
- 6-Died Prior
- 9-Unknown if Injured
- 8-No Person in the Vehicle

Additional Information: From 1999 to 2000 the priority was different: Unknown if Injured had priority over No Injury.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: MAX_VSEV

Attribute Codes

1988- 2009	2010- Later	
0	0	No Injury
1	1	Possible Injury
2	2	Non-incapacitating
3	3	Incapacitating
4	4	Fatal
5	5	Injured, Unknown Injury Severity
6	6	Died Prior
8	8	No Person in Vehicle
9		Unknown
	9	Unknown if Injured/Not Reported

V90I Imputed Maximum Injury Severity in Vehicle

Definition: This imputed data element has the same definition and data element values as Maximum Injury Severity in Vehicle, excluding value 9 for unknown maximum injury severity.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

The data element is derived from the Imputed Injury Severity (P09I) in the Person data file.

SAS Name: MXVSEV_I 1988-2009

MXVSEV_IM 2010-Later

V91 Number Injured in Vehicle

Definition: This data element is derived by counting all the persons with Injury Severity (P9) of (1, 2, 3, 4, 5, or 9) in a vehicle This count includes fatally injured occupants.

Additional Information: See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived.

SAS Name: NUM INJV

Attribute Codes

1988-Later

- 0 No Person Injured in Vehicle
- 1-97 Actual Number
- 98 No Person in the Vehicle
- 99 All Persons in the Vehicle are Unknown if Injured

V91I Imputed Number Injured in Vehicle

Definition: This imputed data element has the same definition and data element values as Number Injured in Vehicle, excluding value 99 for unknown number injured, which is imputed, and the attribute code 98, which is converted to code 0.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

This data element is derived from the Imputed Injury Severity (P09I) data element.

SAS Name: **NUMINJ I** 1988-2009

NUMINJ_IM 2010-Later

V92 Driver Drinking in Vehicle

Definition: This data element reports alcohol use by the driver of the vehicle. The data element is derived from the police-reported alcohol involvement data element in the Person data file.

Additional Information: In 1988, this data element reported alcohol use by any occupant in the vehicle, including the driver. In 1989, this data element was changed from Alcohol Involved in Vehicle to Driver Drinking in Vehicle to report alcohol use by the driver.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived.

SAS Name: VEH ALCH

Attribute Codes

1988-Later

- 1 Alcohol Involved
- 2 No Alcohol Involved
- 8 No Driver Present/Unknown if Driver Present
- 9 Unknown

V92I Imputed Driver Drinking in Vehicle

Definition: This data element has the same definition and data element values as Driver Drinking in Vehicle, excluding value 9 for unknown alcohol involvement, which is imputed, and value 8, which is converted to attribute code 2.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

This imputed data element is derived from Imputed Police Reported Alcohol Involvement (P11I) in the Person data file.

SAS Name: **V_ALCH_I** 1988-2009

V_ALCH_IM 2010-Later

D4 Driver Presence

Definition: This data element indicates whether a driver was present for motor vehicles intransport.

Additional Information:

SAS Name: DR_PRES

Attribute Codes

1988-2008

- 0 Unattended Vehicle (*Driverless*, *Or No Driver Involved*)
- 1 Driver Operated Vehicle
- 2 Hit And Run
- 9 Unknown Driver Presence

2009-Later

- 0 No Driver Present / Not Applicable
- 1 Yes
- 9 Unknown

D6 Driver's Zip Code

Definition: This data element identifies the zip code of the driver's address as listed on the police accident report.

Additional Information: This data element was added to the Vehicle data file in 1992. It changed from numeric to character in 2002.

SAS Name: DR_ZIP_C 1992-2001

DZIPCODE 2002-2010 **DR_ZIP** 2011-Later

1992- 1999	2000- 2010	2011- Later	
0			Not Resident of U.S. or Territories or Driver Not Present
	00000	00000	Not Resident of U.S. or Territories
XXXXX	XXXXX	XXXXX	Actual Zip Code
		99997	No Driver Present/Unknown if Driver Present
	99998		No Driver Present
99999	99999	99999	Unknown

D22 Speed Related

Definition: This data element indicates whether this vehicle's speed is a contributing factor to the cause of the crash.

Additional Information: This data element was added to the Vehicle data file in 1997.

SAS Name: SPEEDREL

1997- 1999	2000- 2009	2010- Later	
0	0	0	No
1	1	1	Yes
	8		No Driver Present
		8	No Driver Present/Unknown if Driver Present
9	9	9	Unknown

PC5 Trafficway Description

Definition: This data element identifies the value indicated in the case materials which best describes the trafficway flow just prior to this vehicle's critical precrash event.

Additional Information: This data element has been coded at the Accident level and included in Accident data file (SAS data element TRAF_WAY) since 1988. Starting in 2002 the trafficway flow for each vehicle in a crash is available in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

Prior to 2010, this data element was called Trafficway Flow.

SAS Name: VTRAFWAY

Attribute Codes

2002	2003- 2009	
	0	Not Physically Divided- Center 2-way Left Turn Lane
1	1	Not Physically Divided- Two Way Trafficway
2	2	Divided Highway (Median Strip, Barrier)
3	3	One Way Trafficway
9	9	Unknown

2010-Later

- 0 Non-Trafficway Area
- 1 Two-Way, Not Divided
- 2 Two-Way, Divided, Unprotected (Painted > 4 Feet) Median
- 3 Two-Way, Divided, Positive Median Barrier
- 4 One-Way Trafficway
- 5 Two-Way, Not Divided With a Continuous Left-Turn Lane
- 6 Entrance/Exit Ramp
- 8 Not Reported
- 9 Unknown

PC6 Total Lanes in Roadway

Definition: Indicates the number of lanes of travel on this vehicle's roadway. If the roadway is a divided trafficway, the number of travel lanes counts only lanes in the direction of travel of the first harmful event. If the roadway is an undivided trafficway, the number of travel lanes are all the lanes regardless of their direction of travel.

Additional Information: This data element has been coded at the Accident level and been on the Accident data file (SAS data element DNUM_LAN) since 1988. Starting in 2002 the number of lanes for each vehicle in a crash is available in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

SAS Name: VNUM_LAN

2002- 2009	2010- Later	
	0	Non-Trafficway Area
1	1	One Lane
2	2	Two Lanes
3	3	Three Lanes
4	4	Four Lanes
5	5	Five Lanes
6	6	Six Lanes
7	7	Seven or More Lanes
	8	Not Reported
9	9	Unknown

PC7 Speed Limit

Definition: Posted speed limit in miles per hour.

Additional Information: This data element has been coded at the Accident level and included in Accident data file (SAS data element DSPD_LIM) since 1988. Starting in 2002 the speed limit for each vehicle in a crash is available in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

SAS Name: VSPD LIM

2002- 2009	2010	2011- Later	
0			No Statutory Limit (Parking Lot, Alley, etc.)
	0	0	No Statutory Limit/Non-Trafficway Area
5-75	5-75		Speed Limit (In mph)
		5-80	Speed Limit (In 5 mph Increments)
	97	98	Not Reported
99	99	99	Unknown

PC8 Roadway Alignment

Definition: Horizontal alignment of this vehicle's roadway in the immediate vicinity of the first harmful event.

Additional Information: This data element has been coded at the Accident level and included in Accident data file (SAS data element ALIGN) since 1988. Starting in 2002 the roadway alignment for each vehicle in a crash is available in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

SAS Name: VALIGN

2002- 2009	2010- Later	
	0	Non-Trafficway Area
1	1	Straight
2		Curve
	2	Curve Right
	3	Curve Left
	4	Curve – Unknown Direction
	8	Not Reported
9	9	Unknown

PC9 Roadway Grade

Definition: Vertical alignment of this vehicle's roadway in the immediate vicinity of the first harmful event.

Additional Information: This data element has been coded at the Accident level and included in Accident data file (SAS data element PROFILE) since 1988. Starting in 2002 the roadway profile for each vehicle in a crash is available in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

Prior to 2010, this data element was called Roadway Profile.

SAS Name: VPROFILE

2002- 2009	2010- Later	
	0	Non-Trafficway Area
1	1	Level
2		Grade
	2	Grade, Unknown Slope
3	3	Hillcrest
	4	Sag (Bottom)
	5	Uphill
	6	Downhill
8		Sag
	8	Not Reported
9	9	Unknown

PC11 Roadway Surface Condition

Definition: Condition of this vehicle's road surface at the time of the crash.

Additional Information: This data element has been coded at the Accident level and included in Accident data file (SAS data element SUR_COND) since 1988. Starting in 2002 the roadway surface condition for each vehicle in a crash is available in the Vehicle data file.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

SAS Name: VSURCOND

2002-	2010-	
2009	Later	
	0	Non-Trafficway Area
1	1	Dry
2	2	Wet
3		Snow or Slush
	3	Snow
4		Ice
	4	Ice/Frost
5		Sand, Dirt, Oil
	5	Sand
	6	Water (Standing or Moving)
	7	Oil
8	8	Other
	10	Slush
	11	Mud, Dirt, Gravel
	98	Not Reported
9	99	Unknown

PC12 Traffic Control Device

Definition: Indicates whether or not a traffic control device was present for the vehicle and the type of traffic control device.

Additional Information: If a vehicle is controlled by more than one device, the device coded is based on the following priority:

- 51 Officer, Crossing Guard, Flagman, etc
- The lowest numbered device shown below
- 0 No traffic control device.

This data element has been coded at the Accident level and has been included in the Accident data file (SAS data element TRAF_CON) since 1988.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 2002-2009, this information is also available on the Vehicle data file (Vehicle.VTRAFCON) to store a selected vehicle control device for each vehicle, the Biketraf data file (Biketraf.BTRAFCON) to store all traffic control devices for cyclists, and the Trafcon data file (Trafcon.MTRAFCON) to store all traffic control devices for a vehicle.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

Starting in 2010 this is a single-response question, so the Trafcon data file is discontinued, however, the Biketraf data file will still be available in 2010. From 2010 onward, this data element will be available only in the vehicle data file (Vehicle.VTRAFCON) and Accident data file (Accident.DTRAFCON).

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived prior to 2010.

SAS Name: VTRAFCON

2002-		2011-	
2009	2010	Later	
0	0	0	No Controls
TRAF	FIC SIG	SNALS	
1			Traffic Control Signal (On Colors)
	1	1	Traffic Control Signal (On Colors) Without Pedestrian Signal
	2	2	Traffic Control Signal (On Colors) With Pedestrian Signal
	3	3	Traffic Control Signal (On Colors) Not Known if Pedestrian Signal
4			Flashing Traffic Control Signal or Flashing Beacon
	4	4	Flashing Traffic Control Signal

PC12 Traffic Control Device (continued)

2002- 2009	2010	2011- Later	
8	8	8	Other Highway Traffic Signal
9	9	9	Unknown Highway Traffic Signal
		RY SIGNS	
21	21	20	Stop Sign
22	22	21	Yield Sign
23	23	23	School Zone Sign/Device
28	28	28	Other Regulatory Sign
29	29	29	Unknown Regulatory Sign
	5	7	Lane Use Control Signal
WAR	NING SI	GNS	
40			Advisory Speed Sign
41			Warning Sign For Road Conditions (Hill, Steep Grade, etc.)
42			Warning Sign For Road Construction
43			Warning Sign For Environment/Traffic (Fog Ahead, Wind, Crash
			Ahead, etc.)
	44	40	Warning Sign
49			Unknown Type Warning
51			Officer, Crossing Guard, Flagman, etc
MISC	ELLANE	FOUS	
	51	50	Person
61			Active Devices (e.g., Gates, Flashing Lights, Traffic Signal)
62			Passive Devices (e.g., Stop Sign, Cross Bucks)
	63	65	Railway Crossing Device
ОТНЕ			3 · · · · · · · · · · · · · · · · · · ·
97			Traffic Control Present-No Details
	97	97	Not Reported
98			Other Traffic Control (Whether or Not At RR Grade Crossing)
	98	98	Other
99	99	99	Unknown

PC13 Traffic Control Device Functioning

Definition: This data element identifies the functionality of the traffic control device recorded for this vehicle in the data element Traffic Control Device.

Additional Information: This data element was added to the data file in 2010 to indicate whether or not the traffic control device was functioning.

The information for this data element was collected at the vehicle level starting in 1999. The vehicle level data elements first appeared in the SAS data files in 2002.

From 1999 through 2003, the coding instructions were to code the value indicated on the PAR. In 2004, the coding instructions were modified to code the value indicated on the PAR which best represents the environment just prior to the vehicle's critical precrash event.

SAS Name: VTCONT_F

Attribute Codes

2010-Later

- 0 No Controls
- 1 Device Not Functioning
- 2 Device Functioning Functioning Improperly
- 3 Device Functioning Properly
- 8 Not Reported
- 9 Unknown

PC17 Pre-Event Movement (Prior To Recognition of Critical Event)

Definition: Records the attribute which best describes this vehicle's activity prior to the driver's realization of an impending critical event or just prior to impact if the driver took no action or had no time to attempt to any evasive maneuvers.

Additional Information: In 1992, data elements PC17, PC19–PC22 were added to the Vehicle data file. These data elements were designed to identify: (1) what the vehicle was doing just prior to the critical precrash event, (2) what made the vehicle's situation critical, (3) what was the corrective action made, if any, to this critical situation, and what was the (4) location and (5) stability of the vehicle just prior to impact.

Prior to 2011 this data element was called "Movement Prior to Critical Event".

SAS Name: P CRASH1

1992- 1994	1995- 1998		2011- Later	
	0	0	0	No Driver Present
1	1	1	1	Going Straight
2	2	2		Decelerating in Traffic Lane
			2	Decelerating in Road
	3	3		Accelerating in Traffic Lane
			3	Accelerating in Road
3	4	4		Starting in Traffic Lane
			4	Starting in Road
4	5	5		Stopped in Traffic Lane
			5	Stopped in Road
5	6	6	6	Passing or Overtaking Another Vehicle
6	7	7	7	Disabled or Parked in Travel Lane
7	8	8	8	Leaving a Parking Position
8	9	9	9	Entering a Parking Position
10	10	10	10	Turning Right
11	11	11	11	Turning Left
12	12	12	12	Making a U-turn
13	13	13	13	Backing Up (Other Than For Parking Position)
15	14	14	14	Negotiating a Curve
16	15	15	15	Changing Lanes
17	16	16	16	Merging
18	17	17	17	Successful Corrective Action to a Previous Critical Event
94				More than Two Vehicles Involved
98	97	97	98	Other
99	99	99	99	Unknown

PC17I Imputed Pre-Event Movement (Prior To Recognition of Critical Event)

Definition: This imputed data element has the same definition and data element values as Movement Prior to Critical Event, excluding value 99 for unknown movement prior to critical event.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: MANEUV_I *1988-2009*

PCRASH1_IM 2010-Later

PC19 Critical Event- Pre-Crash

Definition: Identifies the critical event which made the crash imminent (i.e., something occurred which made the collision possible).

Additional Information: A critical event is coded for each vehicle and identifies the circumstances leading to the vehicle's first impact in the crash. From 1992 to 1993 coding distinguishes between events initiated by "this" vehicle, events initiated by the "other" vehicle, and events initiated by non-motorists. In 1994 coding changed to eliminate the concept of initiation, and to add factors. In 1999 there were extensive additions, deletions, and renumbering.

In 1992, data elements PC17, PC19–PC22 were added to the Vehicle data file. These data elements were designed to identify: (1) what the vehicle was doing just prior to the critical precrash event, (2) what made the vehicle's situation critical, (3) what was the corrective action made, if any, to this critical situation, and what was the (4) location and (5) stability of the vehicle just prior to impact.

SAS Name: P CRASH2

Attribute Codes

1992-1993

0 Not Applicable/No Collision

I. CRITICAL EVENT INITIATED BY THIS VEHICLE

LOSS OF CONTROL DUE TO:

- 1 Blow Out or Flat Tire
- 2 Stalled Engine
- 3 Disabling Vehicle Failure (e.g., Wheel Fell Off)
- 4 Minor Vehicle Failure
- 5 Poor Road Conditions (Puddle, Pothole, Ice, etc.)
- 6 Excessive Speed
- 9 Other or Unknown Reason

TRAVELING OVER EDGE OF ROADWAY:

- 10 Over Left Edge of Roadway
- 11 Over Right Edge of Roadway
- 12 End Departure
- 19 Unknown Which Edge

IN ANOTHER VEHICLE'S LANE:

- 20 Stopped
- 21 Traveling In Same Direction With Lower Speed
- 22 Traveling In Same Direction With Higher Speed
- 23 Traveling In Opposite Direction

ENCROACHING INTO ANOTHER VEHICLE'S LANE: AT NON-JUNCTION

- 26 From Adjacent Lane (Opposite Direction)
- 30 From Adjacent Lane (Same Direction)-Over Left Lane Line
- 31 From Adjacent Lane (Same Direction)-Over Right Lane Line

Attribute Codes

1992-1993

ENCROACHING INTO ANOTHER VEHICLE'S LANE: AT JUNCTION

- 33 Entering Intersection-Turning Into Same Direction
- 34 Entering Intersection-Straight Across Path
- 35 Entering Intersection-Turning Into Opposite Direction
- 36 Entering Intersection-Intended Path Unknown
- 37 Entering Driveway, Alley Access, Etc.
- 38 From Driveway, Alley Access, Etc.-Turning Into Same Direction
- 39 From Driveway, Alley Access, Etc.-Straight Across Path
- 40 From Driveway, Alley Access, Etc.-Turning Into Opposite Direction
- 41 From Driveway, Alley Access, Etc.-Intended Path Unknown
- 42 Entering From "Yield" Entrance (Ramp/Channel)
- 48 Encroaching-Details Unknown
- 49 This Vehicle Initiated Critical Event-Details Unknown

II. CRITICAL EVENT INITIATED BY THE OTHER VEHICLE

MOTOR VEHICLE ALREADY IN THIS VEHICLE'S LANE:

- 50 Stopped
- 51 Traveling In Same Direction With Lower Speed
- 52 Traveling In Same Direction With Higher Speed
- 53 Traveling In Opposite Direction

ANOTHER VEHICLE ENCROACHING INTO THIS VEHICLE'S LANE: AT NON-JUNCTION

- 56 From Adjacent Lane (Opposite Direction)
- 60 From Adjacent Lane (Same Direction)-Over Left Lane Line
- 61 From Adjacent Lane (Same Direction)-Over Right Lane Line
- 64 From Parallel/Diagonal Parking Lane

ANOTHER VEHICLE ENCROACHING INTO THIS VEHICLE'S LANE: AT JUNCTION

- 65 Entering Intersection-Turning Into Same Direction
- 66 Entering Intersection-Straight Across Path
- 67 Entering Intersection-Turning Into Opposite Direction
- 68 Entering Intersection-Intended Path Unknown
- 69 Entering Driveway, Alley Access, Etc.
- 70 From Driveway, Alley Access, Etc.-Turning Into Same Direction
- 71 From Driveway, Alley Access, Etc.-Straight Across Path
- 72 From Driveway, Alley Access, Etc.-Turning Into Opposite Direction
- 73 From Driveway, Alley Access, Etc.-Intended Path Unknown
- 74 Entering From "Yield" Entrance (Ramp/Channel)
- 78 Encroaching-Details Unknown
- 79 Other Vehicle Initiated Critical Event-Details Unknown

Attribute Codes

1992-1993

III. CRITICAL EVENT INITIATED BY PEDESTRIAN, PEDALCYCLIST, OTHER NON-MOTORIST, ANIMAL OR OBJECT

- 80 Pedestrian In Roadway
- 81 Pedestrian Approaching Roadway
- 83 Pedalcyclist/Other Non-Motorist In Roadway
- 84 Pedalcyclist/Other Non-Motorist Approaching Roadway
- 86 Pedestrian/Pedalcyclist/Other Non-Motorist-Unknown Location
- 87 Animal In Roadway
- 88 Animal Approaching Roadway
- 90 Object In Roadway
- 93 Animal Or Object-Unknown Location

IV. MISCELLANEOUS

- 94 More Than Two Vehicles Involved
- 98 Other Event
- 99 Unknown

1994- 1998	1999- 2010	2011- Later	(exceptions indicated by "*")				
0			Not Applicable/No Collision				
THIS	VEHICL	E LOSS	OF CONTROL DUE TO:				
10	1	1	Blow Out/Flat Tire				
20	2	2	Stalled Engine				
30	3	3	Disabling Vehicle Failure (e.g., Wheel Fell Off)				
40	4	4	Non-Disabling Vehicle Problem (e.g., Hood Flew Up)				
50	5	5	Poor Road Conditions (Puddle, Pothole, Ice, etc.)				
60	6	6	Traveling Too Fast For Conditions				
99			Other or Unknown Reason				
	8	8	Other Cause of Control Loss				
	9	9	Unknown Cause of Control Loss				
THIS	THIS VEHICLE TRAVELING:						

	10	10	Over the Lane Line on Left Side of Travel Lane
	11	11	Over The Lane Line on Right Side of Travel Lane
100	12	12	Off The Edge of The Road on The Left Side
101	13	13	Off The Edge of The Road on The Right Side
199			Unknown Which Edge
102	14	14	End Departure
	15		Turning Left At Intersection
		15	Turning Left At Junction

1994- 1998	1999- 2010	2011- Later	(exceptions indicated by "*")
	16		Turning Right At Intersection
		16	Turning Right At Junction
	17	17	Crossing Over (Passing Through) Intersection
	18	18	This Vehicle Decelerating
	19	19	Unknown Travel Direction
IN AN	IOTHER	VEHICL	E'S LANE:
200			Stopped
210			Traveling In Same Direction With Lower/Steady Speed
215			Traveling In Same Direction While Decelerating (*Added In 1995)
220			Traveling In Same Direction With Higher Speed
230			Traveling In Opposite Direction
	ROACHII	NG INTO	ANOTHER VEHICLE'S LANE: AT NON-JUNCTION
300			From Adjacent Lane (Opposite Direction)
310			From Adjacent Lane (Same Direction)-Over Left Lane Line
320			From Adjacent Lane (Same Direction)-Over Right Lane Line
330			From Parallel/Diagonal Parking Lane
_	ROACHII	NG INTO) ANOTHER VEHICLE'S LANE: AT JUNCTION
410			Entering Intersection-Turning Into Same Direction
411			Entering Intersection-Straight Across Path
412			Entering Intersection-Turning Across Path
413			Entering Intersection-Turning Into Opposite Direction
429			Entering Intersection-Intended Path Unknown
430			Entering Driveway, Alley Access, Etc.
440			From Driveway, Alley Access, EtcTurning Into Same Direction
441			From Driveway, Alley Access, EtcStraight Across Path
442			From Driveway, Alley Access, EtcTurning Into Opposite Direction
459			From Driveway, Alley Access, EtcIntended Path Unknown
460			Entering From "Yield" Entrance (Ramp/Channel)
497			Encroaching-Other
498			Encroaching-Details Unknown
499 OTU	 =D MOT	 OD VEH	This Vehicle Initiated Critical Event-Details Unknown
			ICLE IN LANE
500	50	50	Other Vehicle Stopped
510	51	51	Traveling in Same Direction with Lower or Steady Speed
515	52 53	52 52	Traveling in Same Direction while Decelerating (*Added In 1995)
520	53 54	53 54	Traveling in Same Direction with Higher Speed
530	54	54	Traveling in Opposite Direction
	55 56	55 50	In Crossover
	56	56 50	Backing Linknown Travel Direction Of The Other Mater Vehicle in Land
	59	59	Unknown Travel Direction Of The Other Motor Vehicle in Lane

```
1994-
        1999-
               2011-
                       (exceptions indicated by "*")
1998
        2010
               Later
 OTHER MOTOR VEHICLE ENCROACHING INTO LANE
600
                        From Adjacent Lane (Opposite Direction)
610
         60
                 60
                        From Adjacent Lane (Same Direction)-Over Left Lane Line
                        From Adjacent Lane (Same Direction)-Over Right Lane Line
                 61
620
         61
                        From Opposite Direction Over Left Lane Line
         62
                 62
                        From Opposite Direction Over Right Lane Line
         63
                 63
                        From Parallel/Diagonal Parking Lane
630
                 64
                        From Parking Lane, Median, Shoulder, Roadside
  --
         64
710
                        Entering Intersection-Turning Into Same Direction
                 --
         --
                        From Crossing Street, Turning Into Same Direction
         65
                 65
                        Entering Intersection-Straight Across Path
711
                        From Crossing Street, Across Path
         66
                 66
712
                        Entering Intersection-Turning Across Path
                 --
          --
713
                 --
                        Entering Intersection-Turning Into Opposite Direction
                        From Crossing Street, Turning Into Opposite Direction
                 67
         67
729
                        Entering Intersection-Intended Path Unknown
                        From Crossing Street, Intended Path Unknown
                 68
         68
730
                        Entering Driveway, Alley Access, Etc.
         --
                 --
740
         70
                 70
                        From Driveway, Turning Into Same Direction
741
                 71
                        From Driveway, Across Path
         71
                        From Driveway, Turning Into Opposite Direction
742
         72
                 72
                 73
                        From Driveway, Intended Path Unknown
759
         73
         74
                 74
                        From Entrance to Limited Access Highway
 --
760
                        Entering From "Yield" Entrance (Ramp/Channel)
                 --
797
                        Encroaching-Other
798
         78
                 78
                        Encroaching By Other Vehicle – Details Unknown
799
                        Other Vehicle Initiated Critical Event-Details Unknown
 PEDESTRIAN, PEDACYLIST OR OTHER NON-MOTORIST
800
         80
                        Pedestrian in Roadway
                 80
                        Pedestrian in Road
          --
801
                        Pedestrian Approaching Roadway
         81
                 --
                        Pedestrian Approaching Road
                 81
                        Pedestrian Unknown Location
         82
                 82
                        Pedalcyclist/Other Non-Motorist in Roadway
810
         83
810
                 83
                        Pedalcyclist/Other Non-Motorist in Road
         --
811
         84
                 --
                        Pedalcyclist/Other Non-Motorist Approaching Roadway
                 84
                        Pedalcyclist/Other Non-Motorist Approaching Road
811
                        Pedalcyclist Or Other Non-Motorist Unknown Location
         85
                 85
                        Pedestrian/Pedalcyclist/Other Non-Motorist Unknown Location
829
```

1994- 1998	1999- 2010	2011- Later	(exceptions indicated by "*")
OBJE	CT OR	ANIMAL	
830	87		Animal in Roadway
		87	Animal in Road
831	88		Animal Approaching Roadway
		88	Animal Approaching Road
	89	89	Animal – Unknown Location
840	90		Object in Roadway
		90	Object in Road
841	91		Object Approaching Roadway
		91	Object Approaching Road
	92	92	Object Unknown Location
859			Animal Or Object-Unknown Location
OTHE	ER .		
994			More Than Two Vehicles Involved
998	98	98	Other Critical Precrash Event
UNKI	NOWN		
999	99	99	Unknown

PC20 Attempted Avoidance Maneuver

Definition: Describes the actions taken by the driver of the vehicle in response to the impending danger. Because this data element focuses upon the driver's action just prior to the first harmful event it is coded independently of any maneuvers associated with this vehicle's Accident Type (V23).

Additional Information: In 1992, data elements PC17, PC19–PC22 were added to the Vehicle data file. These data elements were designed to identify: (1) what the vehicle was doing just prior to the critical precrash event, (2) what made the vehicle's situation critical, (3) what was the corrective action made, if any, to this critical situation, and what was the (4) location and (5) stability of the vehicle just prior to impact.

Prior to 2011 this data element was called "Corrective Action Attempted".

SAS Name: P_CRASH3

1992- 1998		
0		Not Applicable/ No Corrective Action Attempted
1		Braked/Slowed
5		Backed
	0	No Driver Present
	1	No Avoidance Maneuver
	2	Braking (No Lockup)
	3	Braking (Lockup)
	4	Braking (Lockup Unknown)
	5	Releasing Brakes
2	6	Steering Left
3	7	Steering Right
11	8	Braking And Steering Left
12	9	Braking And Steering Right
4	10	Accelerated
13	11	Accelerating And Steering Left
14	12	Accelerating And Steering Right
15		Steered in Both Directions
94		More than Two Vehicles Involved
97		Corrective Action Attempted-No Details
98		Other Single or Multiple Corrective Action
	98	Other Actions
99	99	Unknown

PC21 Pre-Impact Stability

Definition: Assesses the stability of the vehicle during the period immediately prior to this vehicle's initial involvement in the crash sequence.

Additional Information: In 1992, data elements PC17, PC19–PC22 were added to the Vehicle data file. These data elements were designed to identify: (1) what the vehicle was doing just prior to the critical precrash event, (2) what made the vehicle's situation critical, (3) what was the corrective action made, if any, to this critical situation, and what was the (4) location and (5) stability of the vehicle just prior to impact.

Prior to 2011 this data element was called "Precrash Vehicle Control".

SAS Name: PCRASH4

1995- 1998	1999- Later	
0	0	No Driver Present
1		Vehicle Control Maintained
2		Vehicle Rotated (Yawed) Clockwise
3		Vehicle Rotated (Yawed) Counter-Clockwise
4		Vehicle Slid/Skid Longitudinally-No Rotation
9		Vehicle Rotated (Yawed) Unknown Direction
20		Combination of 02-09
94		More Than Two Vehicles Involved
98		Other or Unknown Type of Vehicle Control Was Lost
	1	Tracking
	2	Skidding Longitudinally – Rotation Less Than 30 Degrees
	3	Skidding Laterally – Clockwise Rotation
	4	Skidding Laterally – Counterclockwise Rotation
	7	Other Vehicle Loss-of-Control
	9	Precrash Stability Unknown

PC22 Pre-Impact Location

Definition: Identifies the path of this vehicle prior to its first involvement in the crash sequence, and further reports the results of the vehicle's precrash stability coded in data element V28.

Additional Information: In 1992, data elements PC17, PC19–PC22 were added to the Vehicle data file. These data elements were designed to identify: (1) what the vehicle was doing just prior to the critical precrash event, (2) what made the vehicle's situation critical, (3) what was the corrective action made, if any, to this critical situation, and what was the (4) location and (5) stability of the vehicle just prior to impact.

Prior to 2011 this data element was called "Precrash Location"

SAS Name: PCRASH5

1995- 1998	1999- 2010	2011- Later	
0	0	0	No Driver Present
1	1	1	Stayed In Original Travel Lane
2	2	2	Stayed On Roadway But Left Original Travel Lane
3	3	3	Stayed On Roadway, Not Known If Left Original Travel Lane
4	4	4	Departed Roadway
6	5	5	Remained Off Roadway
7	6	6	Returned To Roadway
	7	7	Entered Roadway
94			More Than Two Vehicles Involved
99	99	9	Unknown

PC23 Crash Type

Definition: Categorizes the precrash situation. For graphic descriptions of possible values see *Appendix B: Accident Type Diagram*.

Additional Information: Prior to 2011 this data element was called "Accident Type". In 2011 the term "crash" also replaced "accident" in the attributes below.

SAS Name: ACC_TYPE

Attribute Codes

1988-Later

0 No Impact

CATEGORY I: SINGLE DRIVER

CONFIGURATION A: RIGHT ROADSIDE DEPARTURE

- 1 Drive Off Road
- 2 Control/Traction Loss
- 3 Avoid Collision with Vehicle, Pedestrian, Animal
- 4 Specifics Other
- 5 Specifics Unknown

CONFIGURATION B: LEFT ROADSIDE DEPARTURE

- 6 Drive Off Road
- 7 Control/Traction Loss
- 8 Avoid Collision With Vehicle, Pedestrian, Animal
- 9 Specifics Other
- 10 Specifics Unknown

CONFIGURATION C: FORWARD IMPACT

- 11 Parked Vehicle
- 12 Stationary Object
- 13 Pedestrian/Animal
- 14 End Departure
- 15 Specifics Other
- 16 Specifics Unknown

CATEGORY II: SAME TRAFFICWAY, SAME DIRECTION

CONFIGURATION D: REAR END

- 20 Stopped
- 21 Stopped, Straight
- 22 Stopped, Left
- 23 Stopped, Right
- 24 Slower
- 25 Slower, Going Straight
- 26 Slower, Going Left
- 27 Slower, Going Right
- 28 Decelerating (Slowing)
- 29 Decelerating (Slowing), Going Straight

PC23 CrashType (continued)

Attribute Codes

1988-Later

- 30 Decelerating (Slowing), Going Left
- 31 Decelerating (Slowing), Going Right
- 32 Specifics Other
- 33 Specifics Unknown

CONFIGURATION E: FORWARD IMPACT

- 34 This Vehicles Frontal Area Impacts Another Vehicle.
- 35 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 36 This Vehicles Frontal Area Impacts Another Vehicle.
- 37 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 38 This Vehicles Frontal Area Impacts Another Vehicle.
- 39 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 40 This Vehicles Frontal Area Impacts Another Vehicle.
- 41 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 42 Specifics Other
- 43 Specifics Unknown

CONFIGURATION F: SIDESWIPE/ANGLE

- 44 Straight Ahead on Left.
- 45 Straight Ahead on Left/Right.
- 46 Changing Lanes to the Right
- 47 Changing Lanes to the Left
- 48 Specifics Other
- 49 Specifics Unknown

CATEGORY III: SAME TRAFFICWAY, OPPOSITE DIRECTION

CONFIGURATION G: HEAD-ON

- 50 Lateral Move (Left/Right)
- 51 Lateral Move (Going Straight)
- 52 Specifics Other
- 53 Specifics Unknown

CONFIGURATION H: FORWARD IMPACT

- 54 This Vehicles Frontal Area Impacts Another Vehicle.
- 55 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 56 This Vehicles Frontal Area Impacts Another Vehicle.
- 57 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 58 This Vehicles Frontal Area Impacts Another Vehicle.
- 59 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 60 This Vehicles Frontal Area Impacts Another Vehicle.
- 61 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 62 Specifics Other
- 63 Specifics Unknown

PC23 Crash Type (continued)

Attribute Codes

1988-Later

CONFIGURATION I: SIDESWIPE/ANGLE

- 64 Lateral Move (Left/Right)
- 65 Lateral Move (Going Straight)
- 66 Specifics Other
- 67 Specifics Unknown

CATEGORY IV: CHANGING TRAFFICWAY, VEHICLE TURNING

CONFIGURATION J: TURN ACROSS PATH

- 68 Initial Opposite Directions (Left/Right)
- 69 Initial Opposite Directions (Going Straight)
- 70 Initial Same Directions (Turning Right)
- 71 Initial Same Directions (Going Straight)
- 72 Initial Same Directions (Turning Left)
- 73 Initial Same Directions (Going Straight)
- 74 Specifics Other
- 75 Specifics Unknown

CONFIGURATION K: TURN INTO PATH

- 76 Turn Into Same Direction (Turning Left)
- 77 Turn Into Same Direction (Going Straight)
- 78 Turn Into Same Direction (*Turning Right*)
- 79 Turn Into Same Direction (Going Straight)
- 80 Turn Into Opposite Directions (*Turning Right*)
- 81 Turn Into Opposite Directions (Going Straight)
- 82 Turn Into Opposite Directions (*Turning Left*)
- 83 Turn Into Opposite Directions (Going Straight)
- 84 Specifics Other
- 85 Specifics Unknown

CATEGORY V: INTERSECTING PATHS (VEHICLE DAMAGE)

CONFIGURATION L: STRAIGHT PATHS

- 86 Striking from the Right
- 87 Struck on the Right
- 88 Striking from the Left
- 89 Struck on the Left
- 90 Specifics Other
- 91 Specifics Unknown

CATEGORY VI: MISCELLANEOUS

CONFIGURATION M: BACKING, ETC.

- 92 Backing Vehicle
- 93 Other Vehicle or Object
- 97 Untripped Rollover (1992 to 1998 only)
- 98 Other Crash Type
- 99 Unknown Crash Type

Discontinued VEHICLE Data Elements

Number of Occupants Coded (discontinued)

Definition: The number of occupants coded for this vehicle.

Additional Information: This data element has been in the Vehicle data file for all NASS GES years. The SAS name has stayed the same but the definition has changed. From 1988 to 1989 V10 (OCC_INVL) represented the number of occupants in the vehicle and V10A (OCC_COD) represented the number of occupants in the vehicle that were coded. The number coded and the number involved are not always the same because, for example, some PARs have information only for injured occupants. In 1990 V10A (OCC_COD) was dropped and V10 (OCC_INVL) changed to represent the number of occupants coded. The definition of V10 has stayed the same since 1990. In 2000 V10B (NUMOCCS), representing the total number of occupants, was added to the Vehicle data file.

This data element also appeared in the Parkwork data file as POCCINVL.

SAS Name: OCC_INVL

Attribute Codes

1988- 1989	1990- 1999	2000- 2010	
0	0	0	None
1-95	1-29	1-95	Number of Occupants Involved
	30		30 or More
96			96 or More
97			Unknown-Only Injured Reported
			Not Reported
99			Unknown

Number of Occupants Coded (discontinued)

Definition: Derived by counting the number of occupants including drivers that were coded for this vehicle.

Additional Information: This data element was dropped from the Vehicle data file in 1990.

SAS Name: OCC_COD

Attribute Codes

1988-1989

0-30 Number of Occupants Coded

99 Unknown

Most Harmful Event Number (discontinued)

Definition: Indicates the number of the event that caused the most severe property damage or injury for the vehicle.

Additional Information: This data element may be used to identify the specific event in the Event data file.

This data element was added to the Event data file in 1999.

SAS Name: MHENUM

Attribute Codes

2000-2010

1-xx Event Number

Vehicle Control After Corrective Action (discontinued)

Definition: Assesses the stability of the vehicle during the period immediately after the attempted corrective action up to the initial impact in the crash sequence. The stability of the vehicle prior to a corrective action is not considered.

Additional Information: In 1992, data elements V21, V26-V29 were added to the Vehicle data file. These data elements were designed to identify: (1) what the vehicle was doing just prior to the critical precrash event, (2) what made the vehicle's situation critical, (3) what was the corrective action made, if any, to this critical situation, and what was the (4) location and (5) stability of the vehicle just prior to impact.

In 1995, the name and definition of this data element changed to reflect the control of the vehicle at the time of the critical event and the first harmful event, not the control as a result of any corrective action.

SAS Name: P_CRASH4

Attribute Codes

1992-1994

- 0 No Driver Present
- 1 Vehicle Control Maintained After Corrective Action
- 2 Vehicle Rotated (Yawed) Clockwise
- 3 Vehicle Rotated (Yawed) Counter-Clockwise
- 4 Vehicle Slid/Skid Longitudinally-No Rotation
- 5 Vehicle Slid/Skid Laterally-No Rotation
- 9 Vehicle Rotated (Yawed) Unknown Direction
- 20 Combination of 02-09
- 94 More than Two Vehicles Involved
- 98 Other or Unknown Type of Vehicle Control Was Lost After Corrective Action
- 99 Unknown if Vehicle Control Was Lost After Corrective Action

Vehicle Path After Corrective Action (discontinued)

Definition: Identifies the consequences of the corrective action identified in data element V27 and further reports the results of the vehicle's precrash stability coded in data element V28. The response for this data element must relate directly to the response coded for data element V27.

Additional Information: In 1995 the name and definition of this data element changed to reflect the control of the vehicle at the time of the critical event and the first harmful event, not the control as a result of any corrective action.

SAS Name: P_CRASH5

Attribute Codes

1992-1994

- 0 No Corrective Action
- 1 Vehicle Staved in Travel Lane Where Corrective Action was Initiated
- Vehicle Stayed on Roadway But Left Travel Lane Where Corrective Action was Initiated
- 3 Vehicle Stayed on Roadway, Not Known if Left Travel Lane Where Corrective Action was Initiated
- 4 Vehicle Departed Roadway
- 5 Corrective Action Initiated Off Roadway
- 94 More Than Two Vehicles Involved
- 99 Vehicle Path Unknown

Number of Axles on Vehicle, Including Trailers (discontinued)

Definition: Coded only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79) The data element was discontinued in 2009.

Additional Information: This data element also appears in the Parkwork data file as PAXLES (prior to 2010).

SAS Name: AXLES

Attribute Codes

1992-2008

0 Not Applicable2-20 Number Of Axles

99 Unknown

Vehicle Role (discontinued)

Definition: Indicates vehicle role in single or multi-vehicle crashes.

Additional Information: This data element was discontinued in 2010.

SAS Name: VEH_ROLE

Attribute Codes

1988-2009

- 0 Non-Collision
- 1 Striking
- 2 Struck
- 3 Both
- 9 Unknown

Imputed Vehicle Role (discontinued)

Definition: This imputed data element has the same definition and data element values as Vehicle Role, excluding value 9 for unknown vehicle role.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

This data element was discontinued in 2010.

SAS Name: VROLE_I

Damage Areas (discontinued)

Definition: This vehicle's specific areas damaged due to impact. The totality of the damage is used when determining the specific areas. Five digits are used to indicate up to five specific areas of damage on the vehicle.

Additional Information: This data element replaced Maximum Damage Area (V17) in 1990.

Five digits are used to indicate up to five specific areas of damage on the vehicle. If there are no records coded for the vehicle, then 99999 is assigned. If any of the records have SAS code 0 (no damage) coded, then 00000 is assigned. If there is a record with SAS code 7, and there is also a record with SAS code 9, then 99999 is assigned. Please note that "Unknowns" has priority over ALL, otherwise the value is set to 70000. If there is a record for all values 1 through 6, then the value is set to 70000 ("ALL" should have been coded instead). If none of the above conditions apply, then an ordered string of the SAS code values between 1 and 6, and the string is padded at the start with 9's if there is a record with SAS code 9, and padded with 0's if not. For example, if the records have SAS codes 3, 1,5, and 9, then the result would be 99135.

Examples of complete codes are:

0 = No damage

12000 = Front and right damage only

12999 = Front and right damage and unknown if damaged in other areas

This data element was discontinued in 2010.

SAS Name: DAM_AREA

Attribute Codes

1990-2009

- 0 No damage
- 1 Front
- 2 Right side
- 3 Left side
- 4 Back
- 5 Top
- 6 Undercarriage
- 7 All areas damaged
- 9 Unknown damage areas

Violations Charged (discontinued)

Definition: Indicates which violations are charged to drivers.

Additional Information: Starting in 2002 multiple violations for a driver are available in the Violatn data file (SAS data element MVIOLATN).

From 1988 to 2009, if a driver has more than one violation the lowest of the attribute codes shown below is chosen. But the renumbering in 2009 causes the violation rolled up to the driver to be different than in 2008 in some cases when there are multiple charges selected.

Note that the priority used in the 2008 and prior, in SAS, is

- 1-- Alcohol or Drugs,
- 2-- Speeding,
- 3-- Alcohol or Drugs and Speeding,
- 4-- Reckless Driving,
- 5-- Driving With a Suspended or Revoked License,
- 6-- Failure to Yield Right-of-Way,
- 7-- Running a Traffic Signal or Stop Sign,
- 97-- Violation charged, no details (1990-2008),
- 98-- Other Violation (1990-2008),
- 50-- Hit & Run (and No Information) (1990-2008),
- 96-- Not Reported (1999-2008),
- 99-- Unknown if charged(1988-2008),
- 0-- None.
- 95-- no driver present (2000-2008).

And the order of 50, 96, 99, 0 and 95 makes no difference because no other violations are allowed when any of these was selected.

In 2009, the hierarchy is as follows, similar to what FARS chooses, but not the same.

In FARS, up to three violations are coded based on the following hierarchy: codes "01-09" (Serious Violations) are coded first, followed by "11-19," (Impairment Offenses), Racing, Pass Stopped School Bus, and Driving While License Withdrawn. Beyond this hierarchy, choose violations which are not reflected in other data elements, such as Related Factors.

But in NASS GES, the attribute with the lowest SAS codes is chosen. If the codes 0-None or 95-no driver present are selected, then no other violation can be selected.

Starting in 2010, this data element is only available in the Violatn data file.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived in 2009 and before.

SAS Name: VIOLATN

Violations Charged (continued)

Attribute Codes

1988- 1989	1990- 1998	1999	2000- 2008	
0	0	0	0	None
1	1	1	1	Alcohol or Drugs
2	2	2	2	Speeding
3	3	3	3	Alcohol or Drugs and Speeding
4	4	4	4	Reckless Driving
5	5	5	5	Driving With a Suspended or Revoked License
6	6	6	6	Failure to Yield Right-of-Way
7	7	7	7	Running a Traffic Signal or Stop Sign
	50	50	50	Hit & Run (and No Information)
			95	No Driver Present
		96	96	Not Reported
	97	97	97	Violation Charged-No Details
8	98	98	98	Other Violation
9	99	99	99	Unknown if Charged

2009

0 None

RECKLESS/CARELESS/HIT-AND-RUN TYPE OFFENSES

- 1 Manslaughter or Homicide
- 2 Willful Reckless Driving; Driving to Endanger; Negligent Driving
- 3 Unsafe Reckless (Not Willful, Wanton Reckless) Driving
- 4 Inattentive, Careless, Improper Driving
- 5 Fleeing or Eluding Police
- 6 Fail to Obey Police, Fireman, Authorized Person Directing Traffic
- 7 Hit-And-Run, Fail to Stop After Crash
- 8 Fail to Give Aid, Information, Wait For Police After Crash
- 9 Serious Violation Resulting in Death

IMPAIRMENT OFFENSES

- 11 Driving While Intoxicated (Alcohol Or Drugs) or BAC Above Limit
- 12 Driving While Impaired
- 13 Driving Under Influence of Substance Not Intended to Intoxicate
- 14 Drinking While Operating
- 15 Illegal Possession of Alcohol or Drugs
- 16 Driving With Detectable Alcohol
- 18 Refusal to Submit to Chemical Test
- 19 Alcohol, Drug or Impairment Violations Generally

Violations Charged (continued)

SPEED-RELATED OFFENSES

- 21 Racing
- 22 Speeding (Above The Speed Limit)
- 23 Speed Greater Than Reasonable & Prudent (Not Necessarily Over The Limit)
- 24 Exceeding Special Limit
- 25 Energy Speed (Exceeding 55 mph, Non-Pointable)
- 26 Driving Too Slowly
- 29 Speed Related Violations, Generally

RULES OF THE ROAD - TRAFFIC SIGN & SIGNALS

- 31 Fail to Stop For Red Signal
- 32 Fail to Stop For Flashing Red
- 33 Violation of Turn On Red (Fail to Stop & Yield, Yield to Pedestrians Before Turning)
- 34 Fail to Obey Flashing Signal (Yellow or Red)
- 35 Fail to Obey Signal, Generally
- 36 Violate RR Grade Crossing Device/Regulations
- 37 Fail to Obey Stop Sign
- 38 Fail to Obey Yield Sign
- 39 Fail to Obey Traffic Control Device

RULES OF THE ROAD - TURNING, YIELDING, SIGNALING

- 41 Turn in Violation of Traffic Control
- 42 Improper Method & Position of Turn (Too Wide, Wrong Lane)
- 43 Fail to Signal For Turn or Stop
- 45 Fail to Yield To Emergency Vehicle
- 46 Fail to Yield, Generally
- 48 Enter Intersection When Space Insufficient
- 49 Turn, Yield, Signaling Violations, Generally

RULES OF THE ROAD - WRONG SIDE, PASSING & FOLLOWING

- 51 Driving Wrong Way On One-Way Road
- 52 Driving On Left, Wrong Side Of Road, Generally
- 53 Improper, Unsafe Passing
- 54 Pass On Right (Drive Off Pavement To Pass)
- 55 Pass Stopped School Bus
- 56 Fail to Give Way When Overtaken
- 58 Following Too Closely
- 59 Wrong Side, Passing, Following Violations, Generally

RULES OF THE ROAD - LANE USAGE

- 61 Unsafe or Prohibited Lane Change
- 62 Improper Use of Lane (Enter of 3-Lane Road, HOV Designated Lane)
- 63 Certain Traffic to Use Right Lane (Trucks, Slow-Moving, etc.)
- 66 Motorcycle Lane Violations (More than Two per Lane, Riding Between Lanes, etc.)
- 67 Motorcyclist Attached to Another Vehicle
- 69 Lane Violations, Generally

Violations Charged (continued)

NON-MOVING – LICENSE AND REGISTRATION VIOLATIONS

- 71 Driving While License Withdrawn (Including Violation of Provisions of Work Permit)
- 72 Other Driver License Violations
- 73 Commercial Driver Violations (Log Book, Hours, Permits Carried)
- 74 Vehicle Registration Violations
- 75 Fail to Carry Insurance Card
- 76 Driving Uninsured Vehicle
- 79 Non-Moving Violations, Generally

EQUIPMENT

- 81 Lamp Violations
- 82 Brake Violations
- 83 Failure to Require Restraint Use (By Self Or Passengers)
- 84 Motorcycle Equipment Violations (Helmet, Special Equipment)
- 85 Violation Of Hazardous Cargo Regulations
- 86 Size, Weight, Load Violations
- 89 Equipment Violations, Generally

LICENSE, REGISTRATION & OTHER VIOLATIONS

- 91 Parking
- 92 Theft, Unauthorized Use Of Motor Vehicle
- 93 Driving Where Prohibited (Sidewalk, Limited Access, Off Truck Route)
- 95 No Driver Present / Unknown if Driver Present
- 97 Not Reported (Added in 2010)
- 98 Other Moving Violation (Coasting, Backing, Opening Door)
- 99 Unknown Violation

Imputed Violations Charged (discontinued)

Definition: From 1988 to 2008 this data element had the same definition and data element values as Violations Charged, excluding value 99 for unknown if charged and value 97 (value 96 from 2004 to 2008) for not reported violations.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: VLTN_I 1988-2009

This data element was discontinued in 2010.

Driver Physical/Mental Impairment (discontinued)

Definition: Identifies driver's physical or mental impairment that may have contributed to the cause of the accident. If two or more impairments apply, the lowest of the attribute codes is chosen.

Additional Information: In 1988 and 1989 a distinction was made between impairment for drivers and for non-motorists; the data element for driver impairment was in the Vehicle data file and the data element for non-motorist impairment was in the Person data file. In 1990 these data elements were replaced by a single data element in the Person data file: *Person's Physical Impairment* (P18) was used for both driver and non-motorist impairment. See discussion of *Person's Physical Impairment* (P18) for further changes.

SAS Name: DR_IMPMT

Attribute Codes

- 0 No Impairments
- 1 Drowsy, Sleepy, Asleep, Fatigued
- 2 III, Blackout
- 3 Emotional (e.g., Depression, Angry, Disturbed)
- 4 Drugs-Medication
- 5 Other Drugs (Marijuana, Cocaine, etc.)
- 6 Restricted to Wheelchair
- 7 Impaired Due to Previous Injury
- 8 Deaf
- 50 Hit-and Run Vehicle
- 97 Physical/Mental Impairment-No Details
- 98 Other Physical/Mental Impairment
- 99 Unknown Physical/Mental Condition

Driver's Vision Obscured By (discontinued)

Definition: Identifies visual circumstances that may have contributed to the cause of the crash.

Additional Information: In 2004 the codes 93-Not on PAR and 94-Not Coded replaced 96-Not Reported. Not on PAR is coded if no block exists on the PAR for reporting obscured driver vision and no other information is available. Not Coded is used if there is a specific location on the police report for obscured driver vision but the investigating officer fails to make an assessment, and there is no other information available.

Starting in 2009 this type of unknown (Not on PAR, Not Coded) is coded 99. If a driver's vision is obscured by more than one item, the lowest of the attribute codes is chosen.

Starting in 2002 multiple obstructions for a driver are available in the Vision data file (SAS data element MVISOBSC). The Vehicle.VIS_OBSC is rolled up from the Vision data file. If there are no records, then the value 00 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned.

Starting in 2010, this data element is only available in the Vision data file.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived in 2009 and before.

SAS Name: VIS OBSC

1988 1991	1992- 1998	1999	2000- 2003	2004- 2008	2009	
0	0	0	0	0	0	No Obstruction noted
1					1	Rain, Snow, Fog, Smoke, Sand, Dust
	1	1	1	1		Rain, Snow, Smoke, Sand, Dust
2	2	2	2	2	2	Reflected Glare, Bright Sunlight, Headlights
3	3	3	3	3		Curve or Hill
					3	Curve, Hill, or Other Roadway Design Feature
4	4	4	4	4		Building, Billboard, or Other Design Features (includes signs, Embankment)
					4	Building, Billboard, or Other Structure
5	5	5	5	5	5	Trees, Crops, Vegetation
6	6	6	6	6	6	Moving In-Transport Motor Vehicle (Including Load)
7	7	7	7	7		Parked Vehicle
					7	Not-in-Transport Motor Vehicle (Parked, Working)
8	8	8	8	8	8	Splash or Spray of Passing Vehicle
9	9	9	9	9	9	Inadequate Defrost or Defog System
10	10	10	10	10	10	Inadequate Vehicle Lighting System
11	11	11	11	11	11	Obstruction Interior to Vehicle

	Driver's	Vision (Obscure	ed By	(contin	ued)
12	12	12	12	12	12	External Mirrors
13	13	13	13	13		Head Restraints
14	14	14	14	14	13	Broken or Improperly Cleaned Windshield
					14	Obstructing Angles on Vehicle
15	15	15	15	15		Fog
50	50	50	50	50		Hit & Run Vehicle (And No Information)
				93		Not on PAR
				94		Not Coded
			95	95		No Driver Present
					95	No Driver Present / Unknown if Driver
						Present
		96	96			Not Reported
97	97	97	97	97	97	Vision Obscured-No Details
98	98	98	98	98	98	Other Visual Obstruction
99	99	99	99	99	99	Unknown Whether Vision was Obstructed

Driver's Action (discontinued)

Definition: Indicates if the driver was avoiding, swerving, or sliding due to one of the following. If two or more actions were noted on the PAR, the lowest of the attribute codes was chosen.

Additional Information: In 1990 this data element was replaced with *Driver Maneuvered to Avoid* (D6).

SAS Name : DR_ACT

Attribute Codes

- 0 Not Avoiding, Swerving, or Sliding
- 1 Severe Crosswind
- 2 Wind from Passing Truck
- 3 slippery or Loose Surface
- 4 Tire Blow-out or Flat
- 5 Debris or Objects in Road
- 6 Ruts, Holes, Bumps in Road
- 7 Animals in Road
- 8 Vehicle in Road
- 9 Phantom Vehicle
- 10 Pedestrian, Pedalcyclist, or Other Non-motorist in Road
- 11 Water, Snow, Oil slick in Road
- 50 Hit-and Run Vehicle
- 97 Avoiding, Swerving, or Sliding-No Details
- 98 Other Cause
- 99 Unknown Action

Driver Maneuvered to Avoid (discontinued)

Definition: Identifies an action taken by the driver to avoid something or someone in the road. The maneuver may have subsequently contributed to the cause of the crash. If a driver made more than one avoidance maneuver, the lowest of the attribute codes shown below is chosen.

Additional Information: Starting in 2002 multiple maneuvers for a driver are available in the Maneuver data file (SAS data element MDRMANAV). The Vehicle.DRMAN_AV is rolled up from the Maneuver data file. If there are no records, then the value 00 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned.

Starting in 2010, this data element is only available in the Maneuver data file.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived in 2009 and before.

SAS Name: DRMAN_AV

1990- 1998	1999	2000- 2001	2002- 2003	2004- 2009	
0	0	0	0	0	Driver Did Not Maneuver To Avoid
1	1	1	1	1	Object In Road
2	2	2	2	2	Poor Road Conditions (Puddle, Ice, Pot Hole, etc.)
3	3	3	3	3	Animal In Road
4	4	4	4	4	Vehicle In Road
5	5	5	5	5	Pedestrian, Pedalcyclist, or Other Non-Motorist in the Road
50	50	50	50	50	Hit & Run (And No Information)
				92	Phantom /Non-Contact Motor Vehicle
			93	93	Not on PAR
			94	94	Not Coded
		95	95	95	No Driver Present
	96	96			Not Reported
97	97	97	97	97	Avoidance Maneuver-No details
99	99	99	99	99	Unknown If Driver Maneuvered To Avoid

Driver Distracted By (discontinued)

Definition: Identifies a distraction which may have influenced driver performance and contributed to the cause of the crash. The distraction can be either inside the vehicle (internal) or outside the vehicle (external). If a driver had more than one distraction, the lowest of the attribute codes is chosen.

Additional Information: Starting in 2002 multiple distractions for a driver are available in the Distract data file (SAS data element MDRDSTRD). The Vehicle.DR_DSTRD is rolled up from the Distract data file. If there are no records, then the value 00 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned with the exceptions that SAS code 98 has priority over SAS code 92, and all other values have priority over SAS code 0.

Starting in 2010, this data element is only available in the Distract data file.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived in 2009 and before.

SAS Name: DR_DSTRD

Attribute Codes

- 0 Not Distracted
- 1 Passengers, Occupants
- 2 Vehicle Instrument Display (Radio, CB, Heating)
- 3 Phone
- 4 Other Internal Distractions
- 5 Other Crash ("Rubbernecking")
- 6 Other External Distractions
- 50 Hit & Run (And No Information)
- 97 Distractions-No Details
- 99 Unknown if Distracted

1999	2000- 2001	2002- 2003	2004- 2006	2007- 2009	
0	0	0	0	0	Not Distracted
1	1	1	1	1	Looked But Did Not See
3	3	3	3	3	By Other Occupants
4	4	4	4	4	By Moving Object In Vehicle
5	5	5	5	5	While Talking Or Listening To Cellular Phone
6	6	6	6	6	While Dialing Cellular Phone
7	7	7	7	7	While Adjusting Climate Control
8	8	8	8	8	While Adjusting Radio, Cassette Or CD
9	9	9	9	9	While Using Other Devices Integral To Vehicle
10	10	10	10	10	While Using Or Reaching For Other Devices
11	11	11	11	11	Sleepy Or Fell Asleep
12	12	12	12	12	Distracted By Outside Person Or Object
13	13	13	13	13	Eating Or Drinking
14	14	14	14	14	Smoking Related

Driver Distracted By (continued)

	2000-	2002-	2004-	2007-	
1999	2001	2003	2006	2009	
				15	Other Cellular Phone Related
				50	Hit & Run (And No Information)
			92	92	Distraction Or Inattention, Details Unknown
		93	93	93	Not On PAR
		94	94	94	Not Coded
	95	95	95	95	No Driver Present
96	96				Not Reported
97	97	97	97	97	Inattentive Or Lost In Thought
98	98	98			Other Distraction Or Inattention
			98	98	Other Distraction
99	99	99	99	99	Unknown If Distracted

Rollover (discontinued)

Definition: Indicates if a rollover occurred (tripped or untripped). Rollover is defined as any vehicle rotation of 90 degrees or more about any true longitudinal or lateral axis.

Additional Information: The coding of this data element changed after 1991. See *V30 Rollover* (*V30 Rollover Type* from 1992-2009).

SAS Name: ROLLOVER

Attribute Codes

1988-1991

0 No Rollover Noted on PAR

1 Rollover Occurred

Maximum Damage Area (discontinued)

Definition: This data element reports the most severe area of damage on the vehicle.

Additional Information: In 1990, this data element was replaced with *Initial Point of Impact*

and Damage Areas.

SAS Name: DAM AREA

Attribute Codes

1988-1989

- 0 No Damage
- 1 Front
- 2 Right Side
- 3 Left Side
- 4 Back
- 5 Top
- 6 Undercarriage
- 8 Multiple Damage Areas
- 9 Damage Area Not Determinable or Unknown

Hot-Deck Imputed Damage Area (discontinued)

Definition: This imputed data element has the same definition and data element values as Maximum Damage Area, excluding value 9 for damage area not determinable or unknown.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

In 1990, this data element was dropped from the Vehicle data file.

SAS Name: DAM_AR_H

Vehicle Maneuver (discontinued)

Definition: Reports the last action this vehicle's driver engaged in either just prior to the impact or just before the driver's realized the impending danger.

Additional Information: This data element changed in 1992, when NASS GES began to collect precrash information. Vehicle Maneuver was changed to Movement Prior to Critical Event. In addition to changing the definition, data element values were added, modified, or deleted and the SAS name changed.

SAS Name: MANEUVER

Attribute Codes

1988-1991

- 1 Going Straight
- 2 Slowing or Stopping in Traffic Lane
- 3 Starting in Traffic Lane
- 4 Stopped in Traffic Lane
- 5 Passing or Overtaking Another Vehicle
- 6 Leaving a Parked Position
- 7 Parked
- 8 Entering a Parked Position
- 9 Maneuvering to Avoid an Animal, Pedestrian, Object or Vehicle
- 10 Turning Right
- 11 Turning Left
- 12 Making U-turn
- 13 Backing Up (Other Than For Parking Purposes)
- 14 Changing Lanes or Merging
- 15 Negotiating a Curve
- 98 Other
- 99 Unknown

Imputed Vehicle Maneuver (discontinued)

Definition: This imputed data element, used in 1988-1991, has the same as definition and data element values as Vehicle Maneuver, excluding value 99 for unknown vehicle maneuver.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: MANEUV_I

Contributing Circumstances, Motor Vehicle (discontinued)

Definition: This data element describes the possible pre-existing motor vehicle defects or maintenance conditions that may have contributed to the crash.

Additional Information: From 1988 to 1994 the data element was called Vehicle Defects and the SAS name was DEFECT; in 1995 the name was changed to Vehicle Contributing Factors to include of all factors that may have contributed to this vehicle's involvement in the crash. The SAS name changed to FACTOR.

Starting in 2002 multiple contributing factors for a vehicle are available in the Factor data file (SAS data element MFACTOR).

From 2002 to 2009, the Vehicle.FACTOR is rolled up from the Factor data file. If there are no records, then the value 0 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned.

Starting in 2010, Vehicle.FACTOR is discontinued and is only available in the Factor data file. The data element name changed to be Contributing Circumstances, Motor Vehicle.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived in 2009 and before.

SAS Name: DEFECT *1988-1994*

FACTOR 1995-2009

1988- 1994	1995- 2009	
0	0	None
1	1	Tires
2	2	Brake System
3	3	Steering System-Tie Rod, Kingpin, Ball Joint, etc.
4	4	Suspension-Springs, Shock Absorbers, McPherson Struts, Control Arms, etc.
5	5	Power Train-Universal Joint, Drive Shaft, Transmission, etc.
6	6	Exhaust System
7	7	Headlights
8	8	Signal Lights
9	9	Other Lights
10	10	Wipers
11	11	Wheels
12	12	Mirrors
13	13	Driver Seating and Control
14	14	Body, Doors
15	15	Trailer Hitch
50	50	Hit-and-Run Vehicle

Contributing Circumstances, Motor Vehicle (continued)

1988- 1994	1995- 2009	
97		Vehicle Defects-No Details
	97	Vehicle Contributing Factors-No Details
98		Other Vehicle Defects
	98	Other Vehicle Contributing Factors
99		Unknown if Vehicle Has Defects
	99	Unknown if Vehicle Has Contributing Factors

The PERSON Data File

The Person data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO, and PER_NO. CASENUM, VEH_NO and PER_NO are the unique identifiers. CASENUM and VEH_NO should be used to merge the Person data file with the Vehicle data file. The Person data file also contains the data elements on the following pages. In the Person data file, VEH_NO equals 0 for non-motorists (PER_TYPE=4,5,6,7,8,10 or 19) with the exception of occupants of a motor vehicle not in-transport (PER_TYPE=3) which have valid vehicle numbers.

P5/NM5 Age

Definition: Indicates the person's age at the time of the crash, with respect to the person's last birthday.

Additional Information:

SAS Name: AGE

Attribute Codes

1988-	2001-			2011-	
2000	2008	2009	2010	Later	
0	0	0	0	0	Less than One Year
1-96	1-998	1-120	1-110	1-120	Years of Age
97					97 Years or Older
			997	998	Not Reported
99	999	999	999	999	Unknown

P5/NM5I Imputed Age

Definition: This imputed data element has the same definition and data element values as Age, excluding the value 999 (value 99 prior to 2001) for unknown age and value 998 (value 997 in 2010) for not reported age.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: AGE H 1988-2009

AGE IM 2010-Later

P6/NM6 Sex

Definition: Indicates the police reported sex for this person

Additional Information:

SAS Name: SEX

Attribute Codes

1988-		2011-	
2009	2010	Later	
1	1	1	Male
2	2	2	Female
	7	8	Not Reported
9	9	9	Unknown

P6/NM6 Imputed Sex

Definition: This imputed data element has the same definition and data element values as Sex, excluding value 9 for unknown sex and value 8 (value 7 in 2010) for not reported sex.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: SEX_H 1988-2009

SEX_IM 2010-Later

P7/NM7 Person Type

Definition: Indicates the role of the person in the vehicle.

Additional Information: From 1988 to 2004 a person in or on a working vehicle was coded Person Type=8 (Other or Unknown Non-Occupant). From 2005 to 2008 such a person was coded 7 (Person in or on a Working Vehicle). Starting in 2009 such a person is coded 3 (Occupant of a Motor Vehicle Not in Transport).

SAS Name: **PER_TYPE** *1988-2008*

PER_TYP 2009-Later

1988- 2004	2005- 2008	2009	2010	2011- Later	
МОТ	ORISTS				
1	1	1	1	1	Driver of a Motor Vehicle in Transport
2	2	2	2	2	Passenger of a Motor Vehicle in Transport
9	9	9	9	9	Unknown Occupant Type in a Motor Vehicle in Transport
			77		Not Reported Occupant Type in a Motor Vehicle in Transport
NON	-MOTOF	RISTS-C	CCUPA	NT	
3	3	3	3	3	Occupant of a Motor Vehicle Not in Transport
4	4	4	4	4	Occupant of a Non-Motor Vehicle Transport Device
NON	-MOTOF	RISTS-N	ON-OC	CUPANT	
5	5	5	5	5	Pedestrian
6	6				Cyclist (Pedalcyclist)
		6	6	6	Bicyclist
		7	7	7	Other Cyclist
		8	8	8	Persons on Personal Conveyances
		10	10	10	Persons in or on Buildings
	7				Person in or on a Working Vehicle
8	8				Other or Unknown Non-Occupant
		19	19	19	Unknown Type of Non-Motorist
			78		Not Reported Type of Non-Motorist

P8/NM8 Injury Severity

Definition: Indicates the police reported injury severity for this person.

Additional Information:

SAS Name: INJ_SEV

Attribute Codes

1988-Later

- 0 No Injury (O)
- 1 Possible Injury (C)
- 2 Non-incapacitating Evident Injury (B)
- 3 Incapacitating Injury (A)
- 4 Fatal Injury (K)
- 5 Injured, Severity Unknown (U)
- 6 Died Prior to Crash
- 7 Not Reported (*2010 Only)
- 9 Unknown if Injured

P8/NM8 Imputed Injury Severity

Definition: This imputed data element has the same definition and data element values as Injury Severity, excluding value 9 for unknown if injured and value 7 for not reported if injured.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **INJSEV_H** 1988-2009

INJSEV_IM 2010-Later

P9 Seating Position

Definition: Indicates the location of the occupants in the vehicle. More than one person can be assigned the same seat position, however this is coded only when a person is sitting on someone's lap.

Additional Information:

SAS Name: SEAT_POS

1988- 1991-	1992- 2002	2003- 2008	2009	2010	2011- Later	
0	0	0	0	0		Non-Motorist
					0	Not a Motor Vehicle Occupant
11	11	11	11	11	11	Front Seat – Left Side (<i>Driver's Side</i>)
12	12	12	12	12	12	Front Seat – Middle
13	13	13	13	13	13	Front Seat – Right Side
18	18	18	18	18	18	Front Seat – Other
19	19	19	19	19	19	Front Seat – Unknown
21	21	21	21	21	21	Second Seat – Left Side
22	22	22	22	22	22	Second Seat – Middle
23	23	23	23	23	23	Second Seat – Right Side
28	28	28	28	28	28	Second Seat – Other
29	29	29	29	29	29	Second Seat – Unknown
	31	31	31	31	31	Third Seat – Left Side
	32	32	32	32	32	Third Seat – Middle
	33	33	33	33	33	Third Seat - Right Side
	38	38	38	38	38	Third Seat – Other
	39	39	39	39	39	Third Seat – Unknown
		41	41	41	41	Fourth Seat – Left Side
		42	42	42	42	Fourth Seat – Middle
		43	43	43	43	Fourth Seat – Right Side
		48	48	48	48	Fourth Seat – Other
		49	49	49	49	Fourth Seat – Unknown
30	50	50	50	50	50	Sleeper Section of Cab (Truck)
40	51	51				Other Passenger in Passenger or Cargo Area
			51	51	51	Other Passenger in Enclosed Passenger or Cargo Area
			52	52	52	Other Passenger in Unenclosed Passenger or Cargo Area
			53	53	53	Other Passenger in Passenger or Cargo Area, Unknown Whether or Not Enclosed
50	52	52	54	54	54	Trailing Unit
60	53	53	55	55	55	Riding on Vehicle Exterior
				97	98	Not Reported
99	99	99	99	99	99	Unknown

P9I Imputed Seating Position

Definition: This imputed data element has the same definition and data element values as Seating Position, excluding values 18, 19, 28, 29, 38, 39, 48, 49 and 99 for unknown or other seating position in 2009 and prior. Starting 2010, this imputed data element has the same definition and element values as Seating Position, excluding values 19, 29, 39, 49 and 99 for unknown seating position and values 97, 98 for not reported seating position..

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **SEAT H** 1988-2009

SEAT_IM 2010-Later

P10 Restraint System/Helmet Use

Definition: Police reported occupant use of available vehicle restraints (i.e., belts child safety seat, helmet, or automatic restraints).

Additional Information: For a distinction between manual or automatic restraint see *Restraint Type* from 1990 to 1998.

This data element replaced *Safety Equipment Use* in 1990. Starting in 1992 information on air bags is contained in the data element *Air Bag Availability/Function*.

SAS Name: REST_SYS 1990-2010

REST USE 2011-Present

1990- 1991	1992- 1994	1995- 2009	2010	2011- Later	
0	0	0			None Used or Not Applicable
1	1	1			Lap/Shoulder Belt
2	2	2			Lap Belt
3	3	3			Shoulder Belt
4					Air Bag Deployed
5					Air Bag Deployed and Lap/Shoulder Belt
6	6	6			Child Safety Seat
7	7	5			Motorcycle Helmet
		7			None Available
8	8	8			Restraint Used-Specifics Unknown or Other
9	9	9			Unknown if Used
			21	3	Lap and Shoulder Belt Used
			22	2	Lap Belt Only Used
			23	1	Shoulder Belt Only Used
			28	8	Restraint Used – Type Unknown
			30	0	Not Applicable
			31	7	None Used – Motor Vehicle Occupant
			37	10	Child Restraint System – Forward Facing
			38	11	Child Restraint System – Rear Facing
			39	12	Booster Seat
			40	4	Child Restraint Type Unknown
			41	17	No Helmet
			42	5	DOT-Compliant Motorcycle Helmet
			43	16	Other Helmet
			96	96	Not a Motor Vehicle Occupant
			97	98	Not Reported
			98	97	Other
			99	99	Unknown

P11 Indication of Misuse of Restraint System/Helmet

Definition: This data element indicates any mis-use of the restraint system or helmet used by this person.

Additional Information:

SAS Name: REST_MIS

2010	2011- Later	
1	0	No
2	1	Yes
96	8	Not a Motor Vehicle Occupant

P12 Air Bag Deployed

Definition: Indicates whether the vehicle was equipped with an air bag in the seat position of this occupant, and if so, the deployment status.

Additional Information: This data element is designed to collect both air bag availability and deployment for each occupied seat position. Variation in the presentation of the source data on the state crash report forms and the selections coded on the police crash report (PAR) may produce unlikely combinations or missing data. For example:

- 1. If the seat position does not have an air bag at the time of manufacture, but the information on the PAR indicates an air bag was available or deployed, the information on the PAR takes precedence.
- 2. If the seat position has an air bag installed at the time of manufacture and the PAR indicates there is no air bag available, then the PAR information takes precedence.

This data element was added to the Person data file in 1992.

SAS Name: AIRBAG 1992-2008
AIR BAG 2009-Later

1992- 1999	2000- 2008	2009	2010	2011- Later	
0	0				No Air Bag Available (Includes Airbags That Are
					Switched Off)
		0			Not Applicable (Non-Motorist or Vehicle/Seat Not
					Equipped)
			0	0	Not Applicable
1	1				Deployed
		1	1	1	Deployed – Front
		2	2	2	Deployed – Side (Door, Seat Back)
		3	3	3	Deployed – Curtain (Roof)
		7	7	7	Deployed – Other (Knee, Air Belt, etc.)
		8	8	8	Deployed – Combination
		9	9	9	Deployment – Unknown Location
2	2	20	20	20	Not Deployed
		28	28	28	Switched Off
	8				Not Applicable (Non-Motorist)
			96	97	Not a Motor Vehicle Occupant
			97	98	Not Reported
9	9	99			Unknown if Available or Deployed
			99	99	Deployment Unknown

P13 Ejection

Definition: Refers to occupants being totally or partially thrown from the vehicle as a result of an impact or rollover.

Additional Information: Starting in 2011, "Not Applicable" includes people not in motor vehicles (i.e., pedestrians, bicyclists, etc.)

SAS Name: EJECT 1988-2008

EJECTION 2009-Later

Attribute Codes

1988- 1989	1990- 1994	1995- 1998	1999- 2000	2001- 2003	2004- 2008	2009	2010- Later	
0	0	0	0	0	0	0	0	Not Ejected
1		1	1	1	1	1	1	Totally Ejected
	1							Ejected (Partial or Total)
2		2	2	2	2	2	2	Partially Ejected
					5			Not on PAR
					6			Not Coded
7		7		7	7	3	3	Ejected – Unknown Degree
							4	Not a Motor Vehicle
								Occupant (2010 only)
							7	Not Reported
				8	8	8	8	Not Applicable
9	9	9	9	9	9	9	9	Unknown

P13I Imputed Ejection

Definition: From 2004 to 2008 this imputed data element had the same definition and data element values as Ejection, excluding 9 "Unknown if Ejected," 5 "Not on PAR," and 6 "Not Coded." That is, it had the values (0,1,2,7, and 8). Prior to 2004, and in 2009, the only difference in the imputed data element is that 9, "Unknown if Ejected" was excluded. From 2010 onward, the excluded attributes are 9 for unknown ejection and 7 for not reported ejection.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: **EJECT_I** 1988-2009

EJECT IM 2010-Later

P16/NM15 Police-Reported Alcohol Involvement

Definition: Indicates that the person had consumed an alcoholic beverage.

Additional Information: From 1988 to 2008 alcohol involvement was reported only for drivers of in-transport motor vehicles and non-motorists. Other person types were coded 0 (Not Applicable or, for 1988-1989, Alcohol Not Involved). Starting in 2009 alcohol involvement is reported for all person types.

This data element does not indicate that alcohol was a cause of the crash. If a PAR indicates that opened or unopened alcohol bottles were found in the vehicle, then this information does not by itself constitute involvement.

SAS Name: **PER_ALCH** 1988-2010

DRINKING 2011-Later

Attribute Codes

1988- 1989	1990- 1998	1999- 2001	2002- 2008	2009- Later	
0		1	1	0	No (Alcohol Not Involved)
	0				Alcohol Not Involved or N/A
		0	0		Not Applicable
1	1	2	2	1	Yes (Alcohol Involved)
			6		Not on PAR
			7		Not Coded
	7				Alcohol and/or Drugs Involved
8	8	8		8	Not Reported
9	9	9	9	9	Unknown (Police Reported)

P16/NM15I Imputed Police-Reported Alcohol Involvement

Definition: The definition and data element values are the same as Police-Reported Alcohol Involvement with the following exceptions: From 1988 to 1993 the imputed data element excludes the attribute code 9 (Unknown – Police Reported) and any person who was coded 8 (Not Reported) for PER_ALCH was coded No Alcohol Involved for ALCH_H. Beginning in 1994 the methodology changed for the attribute 8 – rather than converting it to No Alcohol Involved it was imputed. The SAS name for the imputed data element changed from ALCH_H to PERALC_H in 1994 to reflect this change. In 2002 the PER_ALCH code 8 was replaced by 6 and 7, so from 2002 to 2008 codes 6 and 7, as well as 9, are imputed. Starting in 2009 codes 8 and 9 are imputed for not reported and unknown alcohol involvement, respectively.

Additional Information: See *Understanding the NASS GES Imputation Process* section of this manual.

SAS Name: ALCH H 1988-1993

PERALC_H 1994-2009
PERALCH IM 2010-Later

P18/NM17 Alcohol Test

P18A/NM17A Alcohol Test Status

Definition: Did the Police Report indicate an alcohol test was given?

Additional Information: From 2005 to 2008 this was reported only for drivers of in-transport motor vehicles and non-motorists. Other person types were coded 8 (Not Applicable). Starting in 2009 it is reported for all person types.

SAS Name: ALCHTEST 2005-2010

ALC_STATUS 2011-Present

Attribute Codes

- 0 No
- 1 Yes
- 6 Not on Par
- 7 Not Coded
- 8 Not Applicable
- 9 Unknown

2009	2010	2011- Later	
0	0	0	Test Not Given
1	1	1	Test Refused
2	2	2	Test Given
	7	8	Not Reported
9			Unknown if Tested/Not Reported
	9	9	Unknown if Tested

P18B/NM17B Alcohol Test Type

Definition: Identifies the type of test administered to the person as indicated in the case materials.

Additional Information: If a valid blood test is administered along with another type of test then blood test is coded. This information is reported for all person types.

SAS Name: ALTSTYPE *2009-2010*

ATST_TYP 2011-Present

Attribute Codes

2009	2010	2011- Later	
0	0	0	Test Not Given
1	1	1	Blood
2	2	2	Breath (Breathalyzer "BAC")
3	3	3	Urine
8	8	8	Other Test Type
10	10	10	Preliminary Breath Test (PBT)
	97	95	Not Reported
98	98	98	Unknown Test Type
99			Unknown if Tested/Not Reported
	99	99	Unknown if Tested

P18C/NM17C Alcohol Test Result

Definition: The actual value reported from a test performed on this person to detect the presence of alcohol.

Additional Information: This information is reported for all person types.

SAS Name: ALTRSULT 2009-2010

ALC RES 2011-Later

2009	2010- Later	
0-93	0-93	Actual Value
94	94	.94 or Greater
	95	Not Reported
96	96	Test Not Given
97	97	Test Performed, Results Unknown
98	98	Positive Reading With No Actual Value
99		Unknown if Tested/Not Reported
	99	Unknown if Tested

P19/NM18 Police Reported Drug Involvement

Definition: Indicates that the person had taken drugs.

Additional Information: From 1990 to 2008 drug involvement was reported only for drivers of in-transport motor vehicles and non- motorists. Other person types were coded Not Applicable. Starting in 2009 drug involvement is reported for all person types.

Involvement is not an indication that drugs were in any way cause of the crash, even though it may have been. If the PAR indicates that drugs were found in the vehicle, then this information does not by itself constitute involvement.

This data element was added to the Person data file in 1990.

SAS Name: **PER_DRUG** 1990-2010

DRUGS 2011-Later

1990- 1998	1999	2000- 2001	2002- 2008	2009- Later	
0					Drugs Not Involved or Not Applicable
	1	0	0		Not Applicable
	0	1	1	0	No (Drugs Not Involved)
1	2	2	2	1	Yes (Drugs Involved)
			6		Not on PAR
			7		Not Coded
7					Drugs and/or Alcohol Involved
8	8	8		8	Not Reported
9	9	9	9	9	Unknown (Police Reported)

P21/NM20 Drug Test

P21A/NM20A Drug Test Status

Definition: Did the Police Report indicate a drug test was given to the person?

Additional Information: From 2005 to 2008 this was reported only for drivers of in-transport motor vehicles and non-motorists. Other person types were coded 8 (Not Applicable). Starting in 2009 it is reported for all person types.

SAS Name: DRUGTEST 2005-2010

DSTATUS 2011-Present

Attribute Codes

- 0 No
- 1 Yes
- 6 Not on Par
- 7 Not Coded
- 8 Not Applicable
- 9 Unknown

2009	2010	2011- Later	
0	0	0	Test Not Given
1	1	1	Test Refused
2	2	2	Test Given
	7	8	Not Reported
9			Unknown if Tested/Not Reported
	9	9	Unknown if Tested

P21B/NM20B Drug Test Type

Definition: Identifies the type of test administered to the person as indicated in the case materials.

Additional Information: This information is reported for all person types.

SAS Name: DRTSTYPE 2009-2010

DRUGTST1, DRUGTST2, DRUGTST3 2011-Later

Attribute Codes

2009	2010	2011- Later	
0	0	0	Test Not Given
1	1	1	Blood Test
2	2	2	Urine Test
3	3	3	Both Blood and Urine Tests
8	8	8	Other Test Type
	97	6	Not Reported
98	98	7	Unknown Test Type
99			Unknown if Tested/Not Reported
	99	9	Unknown if Tested

P21C/NM20C Drug Test Result

Definition: The actual value reported from a test performed on this person to detect the presence of drugs. This information is reported for all person types.

SAS Name: DRTRSULT 2009-2010

DRUGRES1, DRUGRES2, DRUGRES3 2011-Later

		2011-	
2009	2010	Later	
0	0	000	Test Not Given
1			Negative
	1		Negative/No Drugs Reported
		001	Negative/No Drugs Found
2			Positive
	2	998	Positive/Tested for Drugs, Drugs Found, Type Unknown
	5	095	Not Reported
7	7	997	Tested for Drugs, Result Unknown
9			Unknown if Tested/Not Reported
	9	999	Unknown if Tested

P22/NM21 Transported to Medical Facility By

Definition: Indicates whether persons involved in the crash were transported to a hospital or treatment facility.

Additional Information: Prior to 2011 this data element was called "Taken to Hospital or Treatment Facility".

SAS Name: HOSPITAL

1988- 2009	2010	2011- Later	
0			No
1			Yes
9			Unknown
	4	0	Not Transported
	5	5	EMS Ground
	6	1	EMS Air
	7	3	EMS Unknown Mode
	8	2	Law Enforcement
	9	4	Transported Unknown Source
	97	8	Not Reported
	98	6	Other
	99	9	Unknown

NM4 Non-Motorist Striking Vehicle Number

Definition: This data element identifies the vehicle which made contact with the non-motorist. The value entered must match the vehicle number of the striking vehicle.

Additional Information:

SAS Name: STR_VEH

1994-	2011-	
2010	Later	
0	0	Occupant of Motor Vehicle
1-30	1-998	Assigned Vehicle Number
	999	Unknown

NM10 Non-Motorist Location

Definition: Reports the location of non-motorists at the time of impact.

Additional Information: Non-motorists who are occupants of motor vehicles not in-transport are coded with respect to the location of the vehicle.

SAS Name: LOCATN 1988-2010

LOCATION 2011-Present

1988- 2009	2010	2011- Later	
0			Not Applicable-Driver or Occupant of M.V. in Transport
	0	0	Not Applicable-Motor Vehicle Occupant
1			Intersection-In Crosswalk
2			Intersection-On Roadway
8			Intersection-Other
9			Intersection-Unknown Location
11			Non-Intersection-In Crosswalk
12			Non-Intersection-On Roadway
18			Non-Intersection-Other
19			Non-Intersection-Unknown Location
20			In Crosswalk-Unknown if Intersection
	21	1	Intersection-In Marked Crosswalk
	22	2	Intersection-Unmarked Crosswalk
	23	3	Intersection-Not in Crosswalk
	24	9	Intersection-Unknown Location
	25	10	Non-Intersection-In Marked Crosswalk
	26	11	Non-Intersection-On Roadway, Not in Marked Crosswalk
	27	13	Non-Intersection-On Roadway, Crosswalk Availability Unknown
	28	16	Bicycle Lane
	29	20	Shoulder/Roadside
	30	21	Sidewalk
	31	22	Median/Crossing Island
	32	23	Driveway Access
	33	24	Shared-Use Path/Trail
	34	25	Non-Trafficway Area
	35	14	Parking Lane/Zone
	37	98	Not Reported
98	38	28	Other Location
99	39	99	Unknown Location

Discontinued PERSON Data Elements

Restraint Type (discontinued)

Definition: Provides additional information about the restraint system coded in the data element *Restraint System Use*, distinguishing between automatic and manual type devices used.

Additional Information: This data element was added to the Person Data set in 1990 and deleted in 1999.

SAS Name: REST_TYP

Attribute Codes

- 0 None Available or Not Applicable
- 1 Automatic (Passive)
- 2 Manual (Active)
- 9 Unknown Type

Non-Motorist's Physical/Mental Condition (discontinued)

Definition: Indicates the physical/mental condition for non-motorists.

Additional Information: If the person is a driver or occupant of a motor vehicle in-transport, they are coded as 0. When two or more circumstances apply, the attribute with the lowest numerical value is coded.

In 1990, this data element was dropped and replaced with *Person's Physical Impairment*.

SAS Name: PHY_COND

Attribute Codes

- No Physical/Mental Conditions, Non-motorist; or Not Applicable, Driver or Occupant of Motor Vehicle in Transport
- 1 III, Blackout
- 2 Emotional (e.g. Depression, Angry, Disturbed)
- 3 Drugs-Medication
- 4 Other Drugs (e.g. Cocaine, Marijuana, etc.)
- 5 Walking with Cane or Crutches
- 6 Paraplegic or Restricted to Wheelchair
- 7 Impaired Due to Previous Injury
- 8 Deaf
- 9 Blind
- 97 Physical/Mental Impairment-No Details
- 98 Other Physical/Mental Impairment
- 99 Unknown Physical/Mental Condition

Condition at Time of Crash (discontinued)

Definition: Identifies physical impairments for all drivers and non-motorists which may have contributed to the cause of the crash.

Additional Information: In 1990 this data element replaced *Non-Motorist's Physical / Mental Condition* in the Person data file and *Driver Physical/Mental Impairment* in the Vehicle data file.

If more than one impairment is noted on the Police Accident Report the lowest numbered code is selected. From 2002 on all impairments for a driver or non-motorist are available in the Impair data file (SAS data element MIMPAIR).

The Person.IMPAIRMT is rolled up from the Impair data file. If there are no records, then the value 0 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned.

Starting in 2010, this data element will be available only in the Impair data file.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived prior in 2009 and before.

SAS Name: IMPAIRMT

1990- 2006	2007- 2009	
0	0	None
1	1	III, Blackout
2	2	Drowsy, Sleepy, Fell Asleep, Fatigued
3	3	Walking with a Cane or Crutches
4	4	Paraplegic or Restricted to Wheelchair
5	5	Impaired Due to Previous Injury
6	6	Deaf
7	7	Blind
	50	Hit & Run (And No Information)
	93	Not on PAR
	94	Not Coded
97	97	Physical Impairment-No Details
98	98	Other Physical Impairment
99	99	Unknown if Physically Impaired

Non-Motorist Action (discontinued)

Definition: Identifies circumstances (actions) that may have contributed to the cause of the crash. The actions coded pertain to non-motorists only.

Additional Information: For 1990-2008 that is Person Type (P03) =4 (Occupant of a Non-Motor Vehicle Transport Device), 5 (Pedestrian), 6 (Pedalcyclist), 7 (Other Cyclist), or 8 (Other or Unknown). From 2009 on it is Person Type (P03)= 4 (Occupant of a Non-Motor Vehicle Transport Device), 5 (Pedestrian), 6 (Bicyclist), 7 (Other Cyclist), 8 (Persons on Personal Conveyances), or 19 (Unknown Type of Non-Motorist).

If more than one action is noted on the Police Accident Report the lowest numbered code shown below is selected.

The Person.ACTION is rolled up from the Nmaction data file. If there are no records, then the value 00 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records, with the exception that if the SAS code 0 is one of the values, is assigned. The SAS code 0 is excluded from the calculation, all other values take precedence over 0 (zero).

From 2002 to 2009 all actions for a non-motorist are available in the Nmaction data file (SAS data element MACTION).

This data element was discontinued in 2010 and replaced with two data elements: *Non-Motorist Action/Circumstances Prior to Crash* and *Non-Motorist Action/Circumstances at Time of Crash*. These data elements are in the Nmprior and Nmcrash data files, respectively.

See Appendix F: Rules for Derived Data Elements for an expanded explanation of this data element and how it is derived prior in 2009 and before.

SAS Name: ACTION

Attribute Codes

1000- 1002-

1990- 1991	2009	
0	0	No Action
NON	-мотоғ	RIST VEHICLE OPERATOR:
1	1	Failing to Have Lights on When Required
2	2	Operating without Required Equipment
3	3	Improper or Erratic Lane Changing
4	4	Failure to Keep in Proper Lane or Running Off Road
5	5	Making Improper Entry to or Exit from Trafficway
6	6	Operating the Vehicle in Erratic, Reckless, Negligent Manner
7	7	Failure to Yield Right of Way
8	8	Failure to Obey Traffic Signs/Control Devices/Officers, Failure to Observe
		Safety Zone
9	9	Making Other Improper Turn
10	10	Driving on Wrong Side of Road

Non-Motorist Action (continued)

Unknown Action

Attribute Codes

99

99

1990-1992-1991 2009 OTHER NON-MOTORIST: 21 21 Darting or Running into Road 22 22 Improper Crossing of Roadway or Intersection (Jaywalking) 23 Walking/Riding with or Against Traffic, Playing, Working, Sitting, Lying, Standing in Roadway 24 24 Inattentive (Talking, Eating, etc.) 25 25 Jogging Non-Motorist Pushing Vehicle 26 26 27 Walking with Traffic --28 Walking Against Traffic 29 Playing, Working, Sitting, Lying, Standing, Etc. In Roadway Other Action 98 98

Non-Motorist Safety Equipment Use (discontinued)

Definition: Identifies safety equipment worn or carried by the non-motorist.

Additional Information: For 1990-2008 that is Person Type (P03) =4 (Occupant of a Non-Motor Vehicle Transport Device), 5 (Pedestrian), 6 (Pedalcyclist), 7 (Other Cyclist), or 8 (Other or Unknown). From 2009 on it is Person Type (P03)= 4 (Occupant of a Non-Motor Vehicle Transport Device), 5 (Pedestrian), 6 (Bicyclist), 7 (Other Cyclist), 8 (Persons on Personal Conveyances), or 19 (Unknown Type of Non-Motorist).

If more than one item is noted on the Police Accident Report the lowest numbered code shown below is selected. From 2002 on all items for a non-motorist are available in the Safetyeq data file (SAS data element MSAFEQMT).

The Person.SAF_EQMT is rolled up from the Safetyeq data file. In 2009 and before, if the person type is not 4, 5, 6, 7, 8, or 10 (SAS codes), then the value 0 is assigned. Also, If there are no records, then the value 0 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, and there are both records with SAS codes 2 and 3, then the value is set to 4. If not, the records are prioritized by the following SAS code order, where the earliest value on the list is used: 2, 3, 8, 9, 0, and 1.

Starting in 2010, this data element will be available only in the Safetyeq data file.

See *Appendix F: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived prior in 2009 and before.

SAS Name: SAF EQMT

1990- 1998	1999- 2009	
0		None Used or Not Applicable
	0	Not Applicable
	1	None Used
1	2	Bicycle Helmet
2	3	Reflective Equipment
3	4	Bicycle Helmet and Reflective Equipment
8	8	Other Safety Equipment
9	9	Unknown if Used

Safety Equipment Use (discontinued)

Definition: Indicates the occupant's use of available vehicle restraints. The presence of an air bag system does not mean that there are no active belts present.

Additional Information: This data element was dropped from the Person data file in 1990 and was replaced with *Restraint System Use*.

SAS Name: SAF_EQMT

Attribute Codes

1988-1989

- 0 Non-Motorist
- 1 Child Restraint Used
- 2 Manual Lap Belt Used
- 3 Manual Shoulder Belt Only Used
- 4 Manual Shoulder and Lap Belt Used
- 5 Automatic Belt Used
- 6 Deployed Air Bag
- 7 Motorcycle Helmet Used
- 8 Other Restraint / Safety Equipment Used
- 9 Restraint Used-Type Unknown
- 10 None Used
- 11 None Available
- 99 Unknown Use or Availability

Person's Action (discontinued)

Definition: Person's actions are indicated for everyone involved in the crash except the driver of a motor vehicle in-transport.

Additional Information: This data element was dropped from the Person data file in 1990 and was replaced with the data element *Non-motorist's Action*.

SAS Name: ACTION

Attribute Codes

1988-1989

0 Not Applicable-Driver or, if non-driver, No Action

NON-MOTORIST VEHICLE OPERATOR:

- 1 Failing to have Lights on When Required
- 2 Operating without Required Equipment
- 3 Improper or Erratic Lane Changing
- 4 Failure to Keep in Proper Lane or Running Off Road
- 5 Making Improper Entry to or Exit from Trafficway
- 6 Operating the Vehicle in Erratic, Reckless, Negligent Manner
- 7 Failure of Yield Right of Way
- 8 Failure to Obey Traffic Signs/Control Devices/Officers, Failure to Observe Safety Zone
- 9 Making Other Improper Turns
- 10 Driving on Wrong Side of Road

MOTOR VEHICLE OCCUPANT:

20 Interfering with Driver

OTHER NON-MOTORISTS:

- 21 Darting or Running into Road
- 22 Improper Crossing of Roadway or Intersection (Jaywalking)
- Walking/Riding with or Against Traffic, Playing, Working, Sitting, Lying, Standing in Roadway
- 24 Inattentive (Talking, Eating, etc..)
- 25 Jogger
- 26 Non-motorist Pushing Vehicle
- 98 Other Action
- 99 Unknown Action

The CEVENT Data File

The Cevent data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ and EVENTNUM. CASENUM and EVENTNUM are the unique identifiers. CASENUM may be used to merge with crashes in the Accident data file. The data file also contains:

C17 Vehicle Number (This Vehicle)

Definition: Number assigned to an in-transport motor vehicle involved in the event. This data element is the same as VEH_NO in the Vehicle data file.

Additional Information:

SAS Name: VEHNUM *2000-2010*

VNUMBER1 2011-Later

Attribute Codes

2000- 2011-2010 Later

1-100 1-999 Vehicle Number

C17 Area of Impact (This Vehicle)

Definition: Indicates the impact point that produced property damage or personal injury for this transport motor vehicle involved in the event.

Additional Information:

SAS Name: **GAD** 2000-2010

AOI1 2011-Later

2000-	2007-	
2006	2009	
0	0	Non-Collision
1	1	Front
2	2	Right Side
3	3	Left Side
4	4	Back
5	5	Тор
6	6	Undercarriage
11	11	Front Right Corner
12	12	Front Left Corner
13	13	Back Right Corner
14	14	Back Left Corner
	15	Object Set in Motion
99	99	Point of Impact Unknown

2010	2011- Later	
0	0	Non-Collision
21-32	1-12	Clock points
33	13	Тор
34	14	Undercarriage
38	18	Set-in-Motion (Not a Clock Point)
55	55	Non-Harmful Event
61	61	Left
62	62	Left-Front Half
63	63	Left-Back Half
81	81	Right
82	82	Right-Front Half
83	83	Right-Back Half
97	98	Not Reported
99	99	Unknown

V31 Sequence of Events

Definition: The events in sequence related to this motor vehicle, regardless of injury and/or property damage. Events for the crash are recorded in the order in which they occur, time-wise, from the Police Accident Report (PAR) narrative and diagram.

Additional Information: Prior to 2010, this data element is called *Non-Collision Category or Object Contacted*. Codes 1-100 are reserved for the Vehicle Number of the contacted vehicle. The remainder of the codes identified the type of non-collision event or the fixed/non-fixed object contacted. In 2010, non-harmful events are added and the data element name is changed to *Non-Harmful Event, Non-Collision Category or Object Contacted*. In 2011, the vehicle number codes 1-100 are retired. Codes 12, 54 and 55 are used to identify contact with another in-transport motor vehicle and the data element *Vehicle Number (Other Vehicle)* added to record the number of the contacted vehicle.

SAS Name: OBJCONT *2000-2010*

SOE 2011-Later

2000- 2009	2010	2011- Later	
1-100	1-100		Vehicle Number of Other Vehicle
101	101	1	Rollover/Overturn
102	102	2	Fire/Explosion
103	103	3	Immersion
104	104	4	Gas Inhalation
105			Jackknife
	105	51	Jackknife (Harmful to This Vehicle)
106			Noncollision Injury (Injured in Vehicle, or Fell From Veh.)
107	107	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
108	108	7	Other Noncollision
109			Noncollision-No Details
110	110	16	Thrown or Falling Object
	111	6	Injured in Vehicle (Non-Collision)
	112	72	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
	113	5	Fell/Jumped from Vehicle
121	121	8	Pedestrian
122			Cycle or Cyclist (Pedalcyclist or Pedalcycle)
	122	9	Pedalcyclist
123			Railway Train
	123	10	Railway Vehicle
124			Animal
	124	11	Live Animal
126			Parked Motor Vehicle (or Other M.V. Not in Transport)
127			Other Type Non-Motorist
	127	15	Non-Motorist on Personal Conveyance
128	128	18	Other Object (Not Fixed)
129			Object Not Fixed-No Details

V31 Sequence of Events (continued)

2000- 2009	2010	2011- Later	
	129	14	Parked Motor Vehicle
	130	45	Working Motor Vehicle
131	131	58	Ground
132	132	19	Building
133	133	20	Impact Attenuator/Crash Cushion
134			Bridge Structure (Bridge Pier/Abutment/Parapet End/Rail)
135			Guardrail
136			Concrete Traffic Barrier or Other Longitudinal Barrier Type
	136	25	Concrete Traffic Barrier
137			Post, Pole or Support (Sign Post, Utility Post)
138			Culvert or Ditch
139	139	33	Curb
140	140	35	Embankment
141	141	38	Fence
142	142	39	Wall
143	143	40	Fire Hydrant
144	144	41	Shrubbery
145			Tree
	145	42	Tree (Standing Only)
146	146	17	Boulder
147			Vehicle Occupant (2009 Only)
	149	49	Ridden Animal or Animal-Drawn Conveyance
	151	70	Jackknife <i>(Non-Harmful)</i>
158	158	43	Other Fixed Object
159			Fixed Object-No Details
	160	60	Cargo/Equipment Loss or Shift (Non-Harmfu)
	161	61	Equipment Failure (Blown Tire, Brake Failure, etc.)
	162	62	Separation of Units
	163	63	Ran Off Roadway – Right
	164	64	Ran Off Roadway – Left
	165	65	Cross Median
	166	68	Cross Centerline
	167	66	Downhill Runaway
	168	67	Vehicle Went Airborne
	169	69	Re-Entering Roadway
	171	50	Bridge Overhead Structure
	172	21	Bridge Pier or Support
	173	23	Bridge Rail (Includes Parapet)
	174	24	Guardrail Face
	175	52	Guardrail End
	176	57	Cable Barrier
	177	26	Other Traffic Barrier

V31 Sequence of Events (continued)

2000-		2011-	
2009	2010	Later	
	178	59	Traffic Sign Support
	179	46	Traffic Signal Support
	180	30	Utility Pole/Light Support
	181	31	Other Post, Other Pole or Other Supports
	182	32	Culvert
	183	34	Ditch
	184	48	Snow Bank
	185	53	Mail Box
	190	12	Motor Vehicle In-Transport
	191	54	Motor Vehicle In-Transport Strikes or is Struck by Cargo,
			Persons or Objects Set-in-Motion from/by Another Motor
			Vehicle In-Transport
	192	55	Motor Vehicle in Motion Outside the Trafficway
	197		Not Reported
999	999	99	Unknown

C17 Vehicle Number (Other Vehicle)

Definition: This data element represents the number assigned to the "other" motor vehicle involved in the event. This data element is the same as VEH_NO in the Vehicle data file.

Additional Information:

SAS Name: VNUMBER2

Attribute Codes

1-999	Vehicle Number
5555	Non-Harmful Event
9999	Not a Motor Vehicle

C17 Area of Impact (Other Vehicle)

Definition: This data element indicates the impact point for the other in-transport motor vehicle involved in the harmful event.

Additional Information:

SAS Name: OBJGAD *2000-2010*

AOI2 2011-Later

2000	2001- 2009	
1	1	Front
2	2	Right Side
3	3	Left Side
4	4	Back
5	5	Тор
6	6	Undercarriage
11	11	Front Right Corner
12	12	Front Left Corner
13	13	Back Right Corner
14	14	Back Left Corner
	98	Not a Motor Vehicle in Transport
99	99	Point of Impact Unknown

2010	2011- Later	
21-32	1-12	Clock points
33	13	Тор
34	14	Undercarriage
38		Set-in-Motion (Not a Clock Point)
55	55	Non-Harmful Event
61	61	Left
62	62	Left-Front Half
63	63	Left-Back Half
	77	Not a Motor Vehicle
81	81	Right
82	82	Right-Front Half
83	83	Right-Back Half
97	98	Not Reported
98		Not a Motor Vehicle in Transport
99	99	Unknown

Discontinued CEVENT Data Elements

Vehicle's Action (discontinued)

Definition: Describes the action for the event for the vehicle identified by VEHNUM.

Additional Information:

SAS Name: E_ACTION

2002-		
2009	2010	
1	1	Non-Collision
2	2	Collision With Object Not Fixed
3	3	Collision With Fixed Object
4		Strike Another In-Transport Motor Vehicle
5		Struck By An In-Transport Motor Vehicle
	6	Non-Harmful Event
	7	Motor Vehicle In-Transport
	8	Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or
		Objects Set-in-Motion from/by Another Motor Vehicle In-Transport
	9	Motor Vehicle In Motion Outside the Trafficway
	97	Not Reported

The VEVENT Data File

The Vevent data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO, EVENTNUM and VEVENTNUM. CASENUM, VEH_NO and VEVENTNUM are the unique identifiers. CASENUM and VEH_NO may be used to merge with the Vehicle data file. The data file also contains:

C17 Vehicle Number (This Vehicle)

Definition: Vehicle number of the in-transport motor vehicle involved in the event. If the event is an impact between two in-transport motor vehicles, this is the vehicle number of the vehicle with the lower vehicle number. If the event is an impact between a vehicle and an object set in motion by another vehicle, this is the number of the vehicle which set the object in motion, even if it is the higher number.

Additional Information: Example:

If Vehicle #1 (V1) impacts Vehicle #2 (V2), then we have at least 2 Vevent records.

<u>VEH NO</u>	<u>EVENTNUM</u>	VNUMBER1	<u>SOE</u>
1	1	1	2
2	1	1	2

The explanation of these 2 records is as follows:

V1 was involved in event 1 where V1 impacts V2 V2 was involved in event 1 where V1 impacts V2

SAS Name: VEHNUM 2010

VNUMBER1 2011-Later

Attribute Codes

2011-2010 Later

1-100 1-999 Vehicle Number

C17 Area of Impact (This Vehicle)

Definition: Indicates the impact point that produced property damage or personal injury for this transport motor vehicle involved in the event.

Additional Information:

SAS Name: GAD 2010

AOI1 2011-Later

2011- Later	
0	Non-Collision
1-12	Clock points
13	Top
14	Undercarriage
18	Set-in-Motion (Not a Clock Point)
55	Non-Harmful Event
61	Left
62	Left-Front Half
63	Left-Back Half
81	Right
82	Right-Front Half
83	Right-Back Half
98	Not Reported
99	Unknown
	Later 0 1-12 13 14 18 55 61 62 63 81 82 83 98

V31 Sequence of Events

Definition: The events in sequence related to this motor vehicle, regardless of injury and/or property damage. Events for the vehicle are recorded in the order in which they occur, timewise, from the Police Accident Report (PAR) narrative and diagram.

Additional Information: Prior to 2010, this data element is called *Non-Collision Category or Object Contacted*. Codes 1-100 are reserved for the Vehicle Number of the contacted vehicle. The remainder of the codes identified the type of non-collision event or the fixed/non-fixed object contacted. In 2010, non-harmful events are added and the data element name is changed to *Non-Harmful Event, Non-Collision Category or Object Contacted*. In 2011, the vehicle number codes 1-100 are retired. Codes 12, 54 and 55 are used to identify contact with another in-transport motor vehicle and the data element *Vehicle Number (Other Vehicle)* added to record the number of the contacted vehicle.

SAS Name: OBJCONT 2010

SOE 2011-Later

2010	2011- Later	
1-100		Vehicle Number of Other Vehicle
101	1	Rollover/Overturn
102	2	Fire/Explosion
103	3	Immersion
104	4	Gas Inhalation
105	51	Jackknife (Harmful to This Vehicle)
107	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
108	7	Other Noncollision
110	16	Thrown or Falling Object
111	6	Injured in Vehicle (Non-Collision)
112	72	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
113	5	Fell/Jumped from Vehicle
121	8	Pedestrian
122	9	Pedalcyclist
123	10	Railway Vehicle
124	11	Live Animal
127	15	Non-Motorist on Personal Conveyance
128	18	Other Object (Not Fixed)
129	14	Parked Motor Vehicle
130	45	Working Motor Vehicle
131	58	Ground
132	19	Building
133	20	Impact Attenuator/Crash Cushion
136	25	Concrete Traffic Barrier
139	33	Curb
140	35	Embankment

V31 Sequence of Events (continued)

2010	2011- Later	
141	38	Fence
142	39	Wall
143	40	Fire Hydrant
144	41	Shrubbery
145	42	Tree (Standing Only)
146	17	Boulder
149	49	Ridden Animal or Animal-Drawn Conveyance
151	70	Jackknife (Non-Harmful)
158	43	Other Fixed Object
160	60	Cargo/Equipment Loss or Shift (Non-Harmfu)
161	61	Equipment Failure (Blown Tire, Brake Failure, etc.)
162	62	Separation of Units
163	63	Ran Off Roadway – Right
164	64	Ran Off Roadway – Left
165	65	Cross Median
166	68	Cross Centerline
167	66	Downhill Runaway
168	67	Vehicle Went Airborne
169	69	Re-Entering Roadway
171	50	Bridge Overhead Structure
172	21	Bridge Pier or Support
173	23	Bridge Rail (Includes Parapet)
174	24	Guardrail Face
175	52	Guardrail End
176	57	Cable Barrier
177	26	Other Traffic Barrier
178	59	Traffic Sign Support
179	46	Traffic Signal Support
180	30	Utility Pole/Light Support
181	31	Other Post, Other Pole or Other Supports
182	32	Culvert
183	34	Ditch
184	48	Snow Bank
185	53	Mail Box
190	12	Motor Vehicle In-Transport
191	54	Motor Vehicle In-Transport Strikes or is Struck by Cargo,
		Persons or Objects Set-in-Motion from/by Another Motor
		Vehicle In-Transport
192	55	Motor Vehicle in Motion Outside the Trafficway
197		Not Reported
999	99	Unknown

C17 Vehicle Number (Other Vehicle)

Definition: This data element represents the number assigned to the "other" motor vehicle involved in the event. This data element is the same as VEH_NO in the Vehicle data file.

Additional Information:

SAS Name: VNUMBER2

Attribute Codes

1-999	Vehicle Number
5555	Non-Harmful Event
9999	Not a Motor Vehicle

C17 Area of Impact (Other Vehicle)

Definition: Indicates the impact point for the other in-transport motor vehicle involved in the harmful event.

Additional Information:

SAS Name: OBJGAD 2010

AOI2 2011-Later

	2011-	
2010	Later	
21-32	1-12	Clock points
33	13	Тор
34	14	Undercarriage
38		Set-in-Motion (Not a Clock Point)
55	55	Non-Harmful Event
61	61	Left
62	62	Left-Front Half
63	63	Left-Back Half
	77	Not a Motor Vehicle
81	81	Right
82	82	Right-Front Half
83	83	Right-Back Half
97	98	Not Reported
99	99	Unknown

Discontinued VEVENT Data Elements

Vehicle's Action (discontinued)

Definition: Describes the action for the event for the vehicle identified by VEHNUM.

Additional Information:

SAS Name: E_ACTION

Attribute Codes

2010

- 1 Non-Collision
- 2 Collision With Object Not Fixed
- 3 Collision With Fixed Object
- 6 Non-Harmful Event
- 7 Motor Vehicle In-Transport
- 8 Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in-Motion from/by Another Motor Vehicle In-Transport
- 9 Motor Vehicle In Motion Outside the Trafficway
- 97 Not Reported

Vehicle Number (Parked/Working Vehicle) (discontinued)

Definition: The number of the parked or working vehicle.

Additional Information:

SAS Name: PVEHNUM

Attribute Codes

2010

1-30 Parked/Working Vehicle Number96 Not a Parked/Working Vehicle

Area of Impact (Parked/Working Vehicle) (discontinued)

Definition: This data element indicates the impact point for the parked or working vehicle involved in the harmful event.

Additional Information:

SAS Name: PGAD

Attribute Codes

2010

20	Non-Collision
21-32	Clock Points
33	Тор
34	Undercarriage
61	Left
62	Left-Front Half
63	Left-Back Half
81	Right
82	Right-Front Half
83	Right-Back Half
96	Not a Parked/Working Vehicle

The VSOE Data File

The Vevent data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO, EVENTNUM and VEVENTNUM. CASENUM, VEH_NO and VEVENTNUM are the unique identifiers. CASENUM and VEH_NO may be used to merge with the Vehicle data file. The data file also contains:

C17 Area of Impact Associated with the Event

Definition: Indicates the impact point that produced property damage or personal injury for the transport motor vehicle involved in this event.

Additional Information:

SAS Name: AOI

Attribute Codes

- 00 Non-Collision01-12 Clock Points
- 13 Top
- 14 Undercarriage
- 18 Set-In-Motion (Not a Clock Point)
- 55 Non-Harmful Event
- 61 Left
- 62 Left-Front Half
- 63 Left-Back Half
- 81 Right
- 82 Right-Front Half
- 83 Right-Back Half
- 98 Not Reported
- 99 Unknown

V31 Sequence of Events

Definition: The events in sequence related to this motor vehicle, regardless of injury and/or property damage. Events for the vehicle are recorded in the order in which they occur, timewise, from the Police Accident Report (PAR) narrative and diagram.

Additional Information:

SAS Name: SOE

Attribute Codes

- 01 Rollover/Overturn
- 02 Fire/Explosion
- 03 Immersion
- 04 Gas Inhalation
- 05 Fell/Jumped from Vehicle
- 06 Injured in Vehicle (Non-Collision)
- 07 Other Non-Collision
- 08 Pedestrian
- 09 Pedalcyclist
- 10 Railway Vehicle
- 11 Live Animal
- 12 Motor Vehicle in Transport
- 14 Parked Motor Vehicle
- 15 Non-Motorist on Personal Conveyance
- 16 Thrown or Falling Object
- 17 Boulder
- 18 Other Object (Not Fixed)
- 19 Building
- 20 Impact Attenuator/Crash Cushion
- 21 Bridge Pier or Support
- 23 Bridge Rail (Includes Parapet)
- 24 Guardrail Face
- 25 Concrete Traffic Barrier
- 26 Other Traffic Barrier
- 30 Utility Pole/Light Support
- 31 Other Post, Other Pole, or Other Support
- 32 Culvert
- 33 Curb
- 34 Ditch
- 35 Embankment
- 38 Fence
- 39 Wall
- 40 Fire Hydrant

V31 Sequence of Events (continued)

Attribute Codes

- 41 Shrubbery
- 42 Tree (Standing Only)
- 43 Other Fixed Object
- 44 Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
- 45 Working Motor Vehicle
- 46 Traffic Signal Support
- 48 Snow Bank
- 49 Ridden Animal or Animal-Drawn Conveyance (Since 1998)
- 50 Bridge Overhead Structure
- 51 Jackknife (Harmful to This Vehicle)
- 52 Guardrail End
- 53 Mail Box
- Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in-Motion from/by Another Motor Vehicle In-Transport
- 55 Motor Vehicle in Motion Outside the Trafficway (Since 2008)
- 57 Cable Barrier (Since 2008)
- 58 Ground
- 59 Traffic Sign Support
- 60 Cargo/Equipment Loss or Shift (Non-Harmful)
- 61 Equipment Failure (Blown Tire, Brake Failure, etc.)
- 62 Separation of Units
- 63 Ran Off Road Right
- 64 Ran Off Road Left
- 65 Cross Median
- 66 Downhill Runaway
- 67 Vehicle Went Airborne
- 68 Cross Centerline
- 69 Re-Entering Highway
- 70 Jackknife (Non-Harmful)
- 72 Cargo/Equipment Loss or Shift (Harmful To This Vehicle)
- 98 Not Reported
- 99 Unknown

The FACTOR Data File

The Factor data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, and VEH_NO. CASENUM, VEH_NO and MFACTOR are the unique identifiers. CASENUM and VEH_NO should be used to merge the Factor data file with the Vehicle data file. MFACTOR identifies each vehicle factor (as a separate record) and is described below:

PC4 Contributing Circumstances, Motor Vehicle

Definition: This data element describes the possible pre-existing motor vehicle defects or maintenance conditions that may have contributed to the crash.

Additional Information: This data element has been coded at the Vehicle level, and included in Vehicle/Driver data file (SAS data element FACTOR), since 1995. Starting in 2002 multiple factors for each vehicle are available in the Factor data file. It is important to determine the significance of pre-existing problems, including equipment and operation, in motor vehicles involved in a crash.

Prior to 2011 this data element was called "Vehicle Contributing Factors".

SAS Name: MFACTOR

2002- 2009	2010- Later	
0	0	None
1	1	Tires
2	2	Brake System
3	3	Steering System-Tie Rod, Kingpin, Ball Joint, etc.
4	4	Suspension-Springs, Shock Absorbers, McPherson Struts, Control Arms, etc.
5	5	Power Train-Universal Joint, Drive Shaft, Transmission, etc.
6	6	Exhaust System
7	7	Headlights
8	8	Signal Lights
9	9	Other Lights
10	10	Wipers
11	11	Wheels
12	12	Mirrors
13		Driver Seating and Control
	13	Windows/Windshield
14	14	Body, Doors
15		Trailer Hitch
	15	Truck Coupling/Trailer Hitch/Safety Chains
	16	Safety Systems
50		Hit-and-Run Vehicle
97	17	Vehicle Contributing Factors-No Details
	97	Other
98		Other Vehicle Contributing Factors
	98	Not Reported
99		Unknown if Vehicle Has Contributing Factors
	99	Unknown

The VIOLATN Data File

The Violatn data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, and VEH_NO. CASENUM, VEH_NO and MVIOLATN are the unique identifiers. CASENUM and VEH_NO should be used to merge the Violatn data file with the Vehicle data file. MVIOLATN identifies each violation (as a separate record) and is described below:

D21 Violations Charged

Definition: Indicates which violations are charged to drivers.

Additional Information: This data element has been coded at the Driver level and included in Vehicle/Driver data file (SAS data element VIOLATN) since 1988. Starting in 2002 all violations charged to a driver are available in the Violatn data file.

SAS Name: MVIOLATN

Attribute Codes

2002-2008

- 0 None
- 1 Alcohol
- 2 Drugs
- 3 Speeding
- 4 Reckless Driving
- 5 Driving With a Suspended or Revoked License
- 6 Failure to Yield Right-of-Way
- 7 Running a Traffic Signal or Stop Sign
- 50 Hit & Run (And No Information)
- 95 No Driver Present
- 96 Not Reported
- 97 Violation Charged-No Details
- 98 Other Violation
- 99 Unknown if Charged

2009-Later

0 None

RECKLESS/CARELESS/HIT-AND-RUN TYPE OFFENSES

- 1 Manslaughter or Homicide
- 2 Willful Reckless Driving; Driving to Endanger; Negligent Driving
- 3 Unsafe Reckless (Not Willful, Wanton Reckless) Driving
- 4 Inattentive, Careless, Improper Driving
- 5 Fleeing or Eluding Police
- 6 Fail to Obey Police, Fireman, Authorized Person Directing Traffic
- 7 Hit-And-Run, Fail to Stop After Crash
- 8 Fail to Give Aid, Information, Wait For Police After Crash
- 9 Serious Violation Resulting In Death

IMPAIRMENT OFFENSES

- Driving While Intoxicated (Alcohol Or Drugs) Or BAC Above Limit (Any Detectable BAC for CDLs)
- 12 Driving While Impaired
- 13 Driving Under Influence of Substance Not Intended To Intoxicate
- 14 Drinking While Operating
- 15 Illegal Possession of Alcohol or Drugs
- 16 Driving With Detectable Alcohol
- 18 Refusal to Submit to Chemical Test
- 19 Alcohol, Drug or Impairment Violations Generally

D21 Violations Charged (continued)

SPEED-RELATED OFFENSES

- 21 Racing
- 22 Speeding (Above The Speed Limit)
- 23 Speed Greater than Reasonable & Prudent (Not Necessarily Over The Limit)
- 24 Exceeding Special Limit
- 25 Energy Speed (Exceeding 55 mph, Non-Pointable)
- 26 Driving Too Slowly
- 29 Speed Related Violations, Generally

RULES OF THE ROAD - TRAFFIC SIGN & SIGNALS

- 31 Fail to Stop For Red Signal
- 32 Fail to Stop For Flashing Red
- 33 Violation of Turn On Red (Fail to Stop & Yield, Yield to Pedestrians Before Turning)
- 34 Fail to Obey Flashing Signal (Yellow Or Red)
- 35 Fail to Obey Signal, Generally
- 36 Violate RR Grade Crossing Device/Regulations
- 37 Fail to Obey Stop Sign
- 38 Fail to Obey Yield Sign
- 39 Fail to Obey Traffic Control Device

RULES OF THE ROAD - TURNING, YIELDING, SIGNALING

- Turn in Violation of Traffic Control (Disobey Signs, Turn Arrow Or Pavement Markings; This Is Not A Right-On-Red Violation)
- 42 Improper Method & Position of Turn (*Too Wide, Wrong Lane*)
- 43 Fail to Signal For Turn or Stop
- 45 Fail to Yield to Emergency Vehicle
- 46 Fail to Yield, Generally
- 48 Enter Intersection when Space Insufficient
- 49 Turn, Yield, Signaling Violations, Generally

RULES OF THE ROAD - WRONG SIDE, PASSING & FOLLOWING

- 51 Driving Wrong Way on One-Way Road
- 52 Driving On Left, Wrong Side of Road, Generally
- 53 Improper, Unsafe Passing
- 54 Pass on Right (Drive Off Pavement To Pass)
- 55 Pass Stopped School Bus
- 56 Fail to Give Way When Overtaken
- 58 Following Too Closely
- 59 Wrong Side, Passing, Following Violations, Generally

RULES OF THE ROAD - LANE USAGE

- 61 Unsafe or Prohibited Lane Change
- 62 Improper Use of Lane (Enter of 3-Lane Road, HOV Designated Lane)
- 63 Certain Traffic to Use Right Lane (*Trucks, Slow-Moving, etc.*)
- 66 Motorcycle Lane Violations (More than Two per Lane, Riding Between Lanes, etc.)
- 67 Motorcyclist Attached to Another Vehicle
- 69 Lane Violations, Generally

D21 Violations Charged (continued)

NON-MOVING - LICENSE AND REGISTRATION VIOLATIONS

- 71 Driving While License Withdrawn (Including Violation of Provisions of Work Permit)
- 72 Other Driver License Violations
- 73 Commercial Driver Violations (Log Book, Hours, Permits Carried)
- 74 Vehicle Registration Violations
- 75 Fail to Carry Insurance Card
- 76 Driving Uninsured Vehicle
- 79 Non-Moving Violations, Generally

EQUIPMENT

- 81 Lamp Violations
- 82 Brake Violations
- 83 Failure to Require Restraint Use (By Self or Passengers)
- 84 Motorcycle Equipment Violations (Helmet, Special Equipment)
- 85 Violation of Hazardous Cargo Regulations
- 86 Size, Weight, Load Violations
- 89 Equipment Violations, Generally

LICENSE, REGISTRATION & OTHER VIOLATIONS

- 91 Parking
- 92 Theft, Unauthorized Use of Motor Vehicle
- 93 Driving Where Prohibited (Sidewalk, Limited Access, Off Truck Route)
- 95 No Driver Present / Unknown if Driver Present
- 97 Not Reported (Added in 2010)
- 98 Other Moving Violation (Coasting, Backing, Opening Door)
- 99 Unknown Violation

The VISION Data File

The Vision data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, and VEH_NO. CASENUM, VEH_NO and MVISOBSC are the unique identifiers. CASENUM and VEH_NO should be used to merge the Vision data file with the Vehicle data file. MVISOBSC identifies each visual obstruction (as a separate record) and is described below:

PC14 Driver's Vision Obscured By

Definition: Identifies visual circumstances that may have contributed to the cause of the crash.

Additional Information: In 2004 the codes 93-Not on PAR and 94-Not Coded replaced 96-Not Reported. Not on PAR is coded if no block exists on the PAR for reporting obscured driver vision and no other information is available. Not Coded is used if there is a specific location on the police report for obscured driver vision but the investigating officer fails to make an assessment, and there is no other information available.

This data element has been coded at the Driver level and included in Vehicle/Driver data file (SAS data element VIS_OBSC) since 1988. Starting in 2002 all visual obstructions for a driver are available in the Vision data file.

SAS Name: MVISOBSC

2002- 2003	2004- 2008	2009- Later	
0	0	0	No Obstruction
		1	Rain, Snow, Fog, Smoke, Sand, Dust
1	1		Rain, Snow, Smoke, Sand, Dust
2	2	2	Reflected Glare, Bright Sunlight, Headlights
3	3		Curve or Hill
		3	Curve, Hill, or Other Roadway Design Feature
4	4		Building, Billboard, or Other Design Features (Includes Signs, Embankment)
		4	Building, Billboard, or Other Structure
5	5	5	Trees, Crops, Vegetation
6	6	6	In-Transport Motor Vehicle (Including Load)
7	7		Parked Vehicle
		7	Not-in-Transport Motor Vehicle (Parked, Working)
8	8	8	Splash or Spray of Passing Vehicle
9	9	9	Inadequate Defrost or Defog System
10	10	10	Inadequate Vehicle Lighting System
11	11	11	Obstruction Interior to Vehicle
12	12	12	External Mirrors
13	13		Head Restraints
14	14	13	Broken or Improperly Cleaned Windshield
		14	Obstructing Angles on Vehicle
15	15		Fog
50	50		Hit & Run Vehicle (And No Information)
	93		Not on PAR
	94		Not Coded
95	95		No Driver Present
		95	No Driver Present / Unknown if Driver Present
96			Not Reported
97	97	97	Vision Obscured – No Details
98	98	98	Other Visual Obstruction
99	99	99	Unknown Whether Vision was Obstructed

The MANEUVER Data File

The Maneuver data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, and VEH_NO. CASENUM, VEH_NO and MDRMANAV are the unique identifiers. CASENUM and VEH_NO should be used to merge the Maneuver data file with the Vehicle data file. MDRMANAV identifies each avoidance attempt (as a separate record) and is described below:

PC15 Driver Maneuvered to Avoid

Definition: Identifies an action taken by the driver to avoid something or someone in the road. The maneuver may have subsequently contributed to the cause of the crash.

Additional Information: This data element has been coded at the Driver level and included in Vehicle/Driver data file (SAS data element DRMAN_AV) since 1990. Starting in 2002 multiple maneuvers made by each driver are available in the Maneuver data file.

SAS Name: MDRMANAV

2002- 2003	2004- 2009	2010	2011- Later	
0	0	0	0	Driver Did Not Maneuver To Avoid
1	1	1	1	Object In Road
2	2	2	2	Poor Road Conditions (Puddle, Ice, Pot Hole, etc.)
3	3			Animal In Road
		3	3	Live Animal
4	4			Vehicle In Road
		4	4	Motor Vehicle
5	5	5	5	Pedestrian, Pedalcyclist, or Other Non-Motorist in the Road
50	50			Hit & Run (And No Information)
	92	92	92	Phantom /Non-Contact Motor Vehicle
93	93			Not on PAR
94	94			Not Coded
95	95	95		No Driver Present
			95	No Driver Present / Unknown if Driver Present
97	97			Avoidance Maneuver-No Details
		98	98	Not Reported
99	99	99	99	Unknown If Driver Maneuvered To Avoid

The DISTRACT Data File

The Distract data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, and VEH_NO. CASENUM, VEH_NO and MDRDSTRD are the unique identifiers. CASENUM and VEH_NO should be used to merge the Distract data file with the Vehicle data file. MDRDSTRD identifies each distraction (as a separate record) and is described below:

PC16 Driver Distracted By

Definition: Identifies all distractions which may have influenced driver performance and contributed to the cause of the crash. The distraction can be either inside the vehicle (internal) or outside the vehicle (external).

Additional Information: This data element has been coded at the Driver level and included in Vehicle/Driver data file (SAS data element DR_DSTRD) since 1990. Starting in 2002 multiple distractions for each driver are available in the Distract data file.

SAS Name: MDRDSTRD

2002- 2003	2004- 2006	2007- 2009	2010	2011- Later	
0	0	0	0	0	Not Distracted
1	1	1	1	1	Looked But Did Not See
3	3	3	3	3	By Other Occupants
4	4	4	4	4	By Moving Object In Vehicle
5	5	5	5	5	While Talking Or Listening To Cellular Phone
6	6	6	6	6	While Dialing Cellular Phone
7	7	7			While Adjusting Climate Control
			7	7	While Adjusting Audio And/or Climate Controls
8	8	8			While Adjusting Radio, Cassette Or CD
9	9	9	9	9	While Using Other Devices/Controls Integral To Vehicle
10	10	10			While Using Or Reaching For Other Devices
			10	10	While Using Or Reaching For Device/Object
					Brought into Vehicle
11	11	11			Sleepy Or Fell Asleep
12	12	12			Distracted By Outside Person Or Object
			12	12	Distracted By Outside Person, Object Or Event
13	13	13	13	13	Eating Or Drinking
14	14	14	14	14	Smoking Related
		15	15	15	Other Cellular Phone Related
				16	No Driver Present/Unknown if Driver Present
		50			Hit & Run (And No Information)
	92	92	92	92	Distraction Or Inattention, Details Unknown
93	93	93			Not On PAR
94	94	94			Not Coded
95	95	95	95		No Driver Present
			96	96	Not Reported
97	97	97	97	97	Inattentive Or Lost In Thought
98					Other Distraction Or Inattention
	98	98	98	98	Other Distraction
99	99	99	99	99	Unknown If Distracted

The DRIMPAIR Data File

The Drimpair data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO, PER_NO, and DRIMPAIR. CASENUM, VEH_NO, PER_NO and DRIMPAIR are the unique identifiers. CASENUM, VEH_NO, and PER_NO should be used to merge the Drimpair data file with the Person data file. DRIMPAIR identifies each impairment (as a separate record) and is described below:

D23 Condition (Impairment) at Time of Crash- Driver

Definition: This data element identifies physical impairments to this driver that may have contributed to the crash as identified by law enforcement.

Additional Information: This data element has been coded at the person level and included in the Person data file (SAS data element IMPAIRMT) since 1990. From 2002-2010 all impairments of a driver or non-motorist are available in the Impair data file. Starting in 2011 all impairments of a driver are in the Drimpair data file and all impairments of a non-motorist are in the Nmimpair data set.

SAS Name: MIMPAIR 2002-2010

DRIMPAIR 2011-Present

	2007- 2009	2010- Later	
0	0		None
		0	None/Apparently Normal
1	1	1	III, Blackout
2	2		Drowsy, Sleepy, Fell Asleep, Fatigued
		2	Asleep or Fatigued
3	3	3	Walking with a Cane or Crutches
4	4	4	Paraplegic or Restricted to Wheelchair
5	5	5	Impaired Due to Previous Injury
6	6	6	Deaf
7	7	7	Blind
		8	Emotional (Depressed, Angry, Disturbed, etc.)
		9	Under the Influence of Alcohol, Drugs or Medication
		10	Physical Impairment – No Details
	50		Hit & Run (And No Information)
	93		Not on PAR
	94		Not Coded
97	97		Physical Impairment-No Details
98	98	96	Other Physical Impairment
		98	Not Reported
99	99	99	Unknown if Impaired

The NMIMPAIR Data File

The Nmimpair data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO, PER_NO, and NMIMPAIR. CASENUM, VEH_NO, PER_NO and NMIMPAIR are the unique identifiers. CASENUM, VEH_NO, and PER_NO should be used to merge the Nmimpair data file with the Person data file. NMIMPAIR identifies each impairment (as a separate record) and is described below:

NM14 Condition (Impairment) at Time of Crash- Non-Motorist

Definition: This data element identifies physical impairments to the non-motorist that may have contributed to the crash as identified by law enforcement.

Additional Information: This data element has been coded at the person level and included in the Person data file (SAS data element IMPAIRMT) since 1990. From 2002-2010 all impairments of a driver or non-motorist are available in the Impair data file. Starting in 2011 all impairments of a driver are in the Drimpair data file and all impairments of a non-motorist are in the Nmimpair data set.

SAS Name: MIMPAIR 2002-2010

NMIMPAIR 2011-Present

2002- 2006	2007- 2009	2010- Later	
0	0		None
		0	None/Apparently Normal
1	1	1	III, Blackout
2	2		Drowsy, Sleepy, Fell Asleep, Fatigued
		2	Asleep or Fatigued
3	3	3	Walking with a Cane or Crutches
4	4	4	Paraplegic or Restricted to Wheelchair
5	5	5	Impaired Due to Previous Injury
6	6	6	Deaf
7	7	7	Blind
		8	Emotional (Depressed, Angry, Disturbed, etc.)
		9	Under the Influence of Alcohol, Drugs or Medication
		10	Physical Impairment – No Details
	50		Hit & Run (And No Information)
	93		Not on PAR
	94		Not Coded
97	97		Physical Impairment-No Details
98	98	96	Other Physical Impairment
		98	Not Reported
99	99	99	Unknown if Impaired

The NMCRASH Data File

The Nmcrash data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO, PER_NO, and MTM_CRSH. CASENUM, PER_NO and MTM_CRSH are the unique identifiers. CASENUM, VEH_NO and PER_NO should be used to merge the Nmcrash data file with non-motorists from the Person data file. MTM_CRSH identifies each action (as a separate record) and is described below:

NM12 Non-Motorist Action/Circumstances at Time of Crash

Definition: This data element describes the action(s) and/or circumstances of the non-motorist that law enforcement indicated may have contributed to the crash.

Additional Information: It selects all that apply. This data element is based on the judgment of the law enforcement officer investigating the crash.

SAS Name: MTM CRSH

Attribute Codes

- 0 No Improper Action
- 1 Dart/Dash
- 2 Failure to Yield Right-Of-Way
- 3 Failure to Obey Traffic Signs, Signals or Officer
- 4 In Roadway Improperly (Standing, Lying, Working, Playing)
- 5 Entering/Exiting Vehicle
- 6 Inattentive (Talking, Eating, etc.)
- 7 Improper Turn/Merge
- 8 Improper Passing
- 9 Wrong-Way Riding or Walking
- 10 Driving on Wrong Side of Road
- 12 Improper Crossing of Roadway or Intersection (Jaywalking)
- 13 Failing to Have Lights on When Required
- 14 Operating Without Required Equipment
- 15 Improper or Erratic Lane Changing
- 16 Failure to Keep in Proper Lane or Running Off Road
- 17 Making Improper Entry to or Exit from Trafficway
- 18 Operating the Vehicle in Other Erratic, Reckless, Careless or Negligent Manner
- 19 Not Visible (Dark Clothing, No Lighting, etc.)
- 20 Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle
- 21 Other
- 98 Not Reported
- 99 Unknown

The NMPRIOR Data File

The Nmprior data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO, PER_NO, and MPR_ACT. CASENUM, PER_NO and MPR_ACT are the unique identifiers. CASENUM, VEH_NO and PER_NO should be used to merge the Nmprior data file with non-motorists from the Person data file. MPR_ACT identifies each action (as a separate record) and is described below:

NM11 Non-Motorist Action/Circumstances Prior to Crash

Definition: This data element describes the action(s) of the non-motorist immediately prior to their involvement in the crash.

Additional Information: It selects all that apply. It is also an indication of whether the non-motorist was walking/cycling to/from school in addition to the action of the non-motorist immediately prior to their involvement in the crash.

SAS Name: MPR_ACT

2010	2011- Later	
1	1	Going to or from School (K-12)
2	2	Waiting to Cross Roadway
3	3	Crossing Roadway
4	4	Jogging/Running
5	5	Movement Along Roadway with Traffic (In or Adjacent to Travel Lane)
6	6	Movement Along Roadway Against Traffic (In or Adjacent to Travel Lane)
7	7	Movement on Sidewalk
8	8	In Roadway-Other (Working, Playing, etc.)
9	9	Adjacent to Roadway (e.g., Shoulder, Median)
10	10	Working in Trafficway (Incident Response)
11	11	Entering/Exiting a Vehicle
12	12	Disabled Vehicle Related (Working on, Pushing, Leaving/Approaching)
	14	Other
15	15	None
98	98	Not Reported
99	99	Unknown

The SAFETYEQ Data File

The Safetyeq data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO, PER_NO, and MSAFEQMT. CASENUM, PER_NO and MSAFEQMT are the unique identifiers. CASENUM, VEH_NO and PER_NO should be used to merge the Safetyeq data file with non-motorists from the Person data file. MSAFEQMT identifies each item of safety equipment (as a separate record) and is described below:

NM13 Non-Motorist Safety Equipment Use

Definition: Identifies safety equipment worn or carried by the non-motorist.

Additional Information: For 2002-2008 it is coded for Person Type (P03) =4 (Occupant of a Non-Motor Vehicle Transport Device), 5 (Pedestrian), 6 (Pedalcyclist), 7 (Other Cyclist), or 8 (Other or Unknown). From 2009 on it is coded for Person Type (P03)= 4 (Occupant of a Non-Motor Vehicle Transport Device), 5 (Pedestrian), 6 (Bicyclist), 7 (Other Cyclist), 8 (Persons on Personal Conveyances), or 19 (Unknown Type of Non-Motorist).

This data element has been coded at the person level and included in Person data file (SAS data element SAF_EQMT) since 1990. Starting in 2002 all items for a non-motorist are available in the Safetyeq data file. There can be one or more safety equipment responses for each nonmotorist.

SAS Name: MSAFEQMT

2002- 2009	2010- Later	
0		Not Applicable
1	1	None Used
2		Bicycle Helmet
	2	Helmet
3		Reflective Equipment
	3	Reflective Equipment/Clothing (Jacket, Backpack, etc.)
4		Bicycle Helmet and Reflective Equipment
	4	Protective Pads Used (Elbows, Knees, Shins, etc.)
	5	Lighting
8	7	Other Safety Equipment
	8	Not Reported
9	9	Unknown if Used

The PARKWORK Data File

The Parkwork data file includes Vehicle data elements applicable to parked vehicles. The data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, and PJ. CASENUM and VEH_NO are the unique identifiers. It also contains:

C4A Number of Vehicles Involved

Definition: The number of vehicles involved in the crash.

Additional Information:

SAS Name: PVE_FORMS

Attribute Codes

2011-Later

1-100 Number of Vehicles

C8 Crash Date

C8A Month of Crash

Definition: The month in which the crash occurred.

Additional Information:

SAS Name: PMONTH

Attribute Codes

- 1 January
- 2 February
- 3 March
- 4 April
- 5 May
- 6 June
- 7 July
- 8 August
- 9 September
- 10 October
- 11 November
- 12 December

C9 Crash Time

C9A Hour of Crash

Definition: The hour at which the crash occurred.

Additional Information: Military time is used. Noon is coded as "12."

From 1988-2008 midnight was coded as HOUR=24 and MINUTE=0. Starting in 2009 midnight is coded as HOUR=0 and MINUTE=0. For all years, hour is coded 0 for one minute after midnight to fifty-nine minutes after midnight.

SAS Name: PHOUR

Attribute Codes

2011-Later

0-23 Hour

99 Unknown

C9B Minute of Crash

Definition: The minutes after the hour at which the crash occurred.

Additional Information:

SAS Name: PMINUTE

Attribute Codes

2011-Later

0-59 Minute 99 Unknown

C18 First Harmful Event

Definition: Indicates the first property damaging or injury producing event in the crash.

Additional Information:

SAS Name: PHARM_EV

Attribute Codes

- 1 Rollover/Overturn
- 2 Fire/Explosion
- 3 Immersion
- 4 Gas Inhalation
- 5 Fell/Jumped from Vehicle
- 6 Injured in Vehicle (Non-Collision)
- 7 Other Non-Collision
- 8 Pedestrian
- 9 Pedalcyclist
- 10 Railway Vehicle
- 11 Live Animal
- 12 Motor Vehicle in Transport
- 14 Parked Motor Vehicle
- 15 Non-Motorist on Personal Conveyance
- 16 Thrown or Falling Object
- 17 Boulder
- 18 Other Object (Not Fixed)
- 19 Building
- 20 Impact Attenuator/Crash Cushion
- 21 Bridge Pier or Support
- 23 Bridge Rail (Includes Parapet)
- 24 Guardrail Face
- 25 Concrete Traffic Barrier
- 26 Other Traffic Barrier
- 30 Utility Pole/Light Support
- 31 Other Post, Other Pole, or Other Support
- 32 Culvert
- 33 Curb
- 34 Ditch
- 35 Embankment
- 38 Fence
- 39 Wall
- 40 Fire Hydrant
- 41 Shrubbery
- 42 Tree (Standing Only)
- 43 Other Fixed Object
- 44 Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)

C18 First Harmful Event (continued)

Attribute Codes

- 45 Working Motor Vehicle
- 46 Traffic Signal Support
- 48 Snow Bank
- 49 Ridden Animal or Animal-Drawn Conveyance (Since 1998)
- 50 Bridge Overhead Structure
- 51 Jackknife (Harmful to This Vehicle)
- 52 Guardrail End
- 53 Mail Box
- Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in-Motion from/by Another Motor Vehicle In-Transport
- 55 Motor Vehicle in Motion Outside the Trafficway (Since 2008)
- 57 Cable Barrier (Since 2008)
- 58 Ground
- 59 Traffic Sign Support
- 60 Cargo/Equipment Loss or Shift (Non-Harmful)
- 61 Equipment Failure (Blown Tire, Brake Failure, etc.)
- 62 Separation of Units
- 63 Ran Off Road Right
- 64 Ran Off Road Left
- 65 Cross Median
- 66 Downhill Runaway
- 67 Vehicle Went Airborne
- 68 Cross Centerline
- 69 Re-Entering Highway
- 70 Jackknife (Non-Harmful)
- 72 Cargo/Equipment Loss or Shift (Harmful To This Vehicle)
- 98 Not Reported
- 99 Unknown

C19 Manner of Collision

Definition: Indicates the orientation of the vehicles in a collision. If a non-collision, it is classified as such.

Additional Information:

SAS Name: PMAN_COLL

Attribute Codes

- 0 Not Collision with Motor Vehicle in Transport
- 1 Front-to-Rear
- 2 Front-to-Front
- 6 Angle
- 7 Sideswipe, Same Direction
- 8 Sideswipe, Opposite Direction
- 9 Rear-to-Side
- 10 Rear-to-Rear
- 11 Other
- 98 Not Reported
- 99 Unknown

V4 Number of Occupants

Definition: The number of occupants of this parked/working vehicle.

Additional Information:

SAS Name: PNUMOCCS

2005- 2008	2009- Later	
0	0	None
1-998	1-95	Number of Occupants Involved
	96	Ninety-six or More
	97	Not Reported (2010 Only)
999	99	Unknown

V5 Unit Type

Definition: Indicates the type of parked/working vehicle. A parked vehicle is a motor vehicle which is stopped off the roadway, i.e., parked off the roadway.

Additional Information: From 2005 to 2008 working vehicles were defined as transport devices being used as equipment which would be classified under ANSI D16.1-1996 as motor vehicles, if not being used as equipment. In 2009 the definition changed to include only vehicles involved in trafficway maintenance, construction, or utility activities. Also, vehicles performing private maintenance, construction, or utility activities were excluded. For example, a tow truck using its winch for a stalled vehicle would be considered a working vehicle prior to 2009, but not after. Data users are strongly advised to consult the annual NASS GES Coding and Editing Manuals for a detailed discussion.

SAS Name: PTYPE

Attribute Codes

2005-2010

- 1 Parked Vehicle
- 2 Working Vehicle

- 1 Motor Vehicle in Transport (Inside or Outside the Trafficway)
- 2 Motor Vehicle Not in Transport Within the Trafficway
- 3 Motor Vehicle Not in Transport Outside the Trafficway
- 4 Working Motor Vehicle (Highway Construction, Maintenance, Utility Only)

V6 Hit and Run

Definition: Hit and run is coded when a motor vehicle in-transport, or its driver, departs from the scene; vehicles not in-transport are excluded. It does not matter whether the hit-and-run vehicle was striking or struck.

Additional Information:

SAS Name: PHIT_RUN

Attribute Codes

- 0 No
- 1 Yes
- 8 Not Reported
- 9 Unknown

V9 Vehicle Make

Definition: A numerical code indicating the make of the parked/working vehicle.

Additional Information: See Appendix A: Vehicle Make/Model Designation for more detailed

information.

SAS Name: PMAKE

Attribute Codes

- 1 American Motors
- 2 Jeep/Kaiser-Jeep/Willys-Jeep
- 3 AM General
- 6 Chrysler
- 7 Dodge
- 8 Imperial
- 9 Plymouth
- 10 Eagle
- 12 Ford
- 13 Lincoln
- 14 Mercury
- 18 Buick/Opel
- 19 Cadillac
- 20 Chevrolet
- 21 Oldsmobile
- 22 Pontiac
- 23 GMC
- 24 Saturn
- 25 Grumman
- 29 Other Domestic Manufacturers
- 30 Volkswagen
- 31 Alfa Romeo
- 32 Audi
- 33 Austin/Austin Healey
- 34 BMW
- 35 Datsun/Nissan
- 36 Fiat
- 37 Honda
- 38 Isuzu
- 39 Jaguar
- 40 Lancia
- 41 Mazda
- 42 Mercedes-Benz
- 43 MG
- 44 Peugeot
- 45 Porsche

V9 Vehicle Make (continued)

Attribute Codes

- 46 Renault
- 47 Saab
- 48 Subaru
- 49 Toyota
- 50 Triumph
- 51 Volvo
- 52 Mitsubishi
- 53 Suzuki
- 54 Acura
- 55 Hyundai
- 56 Merkur
- 57 Yugo
- 58 Infiniti
- 59 Lexus
- 59 Lexus
- 60 Diahatsu
- 61 Sterling
- 62 Land Rover
- 63 Kia
- 64 Daewoo
- 65 Mini (2002-2007 Only)
- 65 Smart (2008-Later)
- 66 Mahindra (Since 2011)
- 69 Other Import
- 70 BSA
- 71 Ducati
- 72 Harley-Davidson
- 73 Kawasaki
- 74 Moto-Guzzi
- 75 Norton
- 76 Yamaha
- 78 Other Make Moped
- 79 Other Make Motored Cycle
- 80 Brockway
- 81 Diamond Rio/Rio
- 82 Freightliner/White
- 82/98 White/Autocar, White/GMC
 - 83 FWD
 - 84 International Harvester/Navistar
 - 85 Kenworth
 - 86 Mack
 - 87 Peterbilt
 - 88 Iveco/Magirus
 - 90 Bluebird
 - 91 Eagle Coach
 - 92 Gillig

V9 Vehicle Make (continued)

Attribute Codes

- 93 MCI
- 94 Thomas Built
- 97 Not Reported
- 98 Other Make
- 99 Unknown Make

V10 Vehicle Model

Definition: A numerical code indicating the model of the parked/working vehicle.

Additional Information:

SAS Name: PMODEL

Attribute Codes

2005-Later

See Appendix A: Vehicle Make/Model Designation for make and model codes.

V11 Body Type

Definition: The body type of the make of the parked/working vehicle.

Additional Information:

SAS Name: PBODYTYP

Attribute Codes

```
2005- 2010-
2009 Later (Exceptions indicated by " * ")
```

AUTOMOBILES

- 1 1 Convertible (Excludes Sun-Roof, T-Bar)
- 2 2 2-Door Sedan, Hardtop, Coupe
- 3 3-Door/2-Door Hatchback
- 4 4 4-Door Sedan, Hardtop
- 5 5-Door/4-Door Hatchback
- 6 Station Wagon (Excluding Van And Truck Based)
- 7 7 Hatchback, Number Of Doors Unknown
- 17 17 3-Door Coupe
- 8 -- Other Automobile Type
- -- 8 Sedan/Hardtop, Number of Doors Unknown
- 9 -- Unknown Automobile Type
- -- 9 Other or Unknown Automobile Type

AUTOMOBILE DERIVATIVES

- 10 10 Auto Based Pickup (Includes El Camino, Caballero, Ranchero, SSR, G8-ST, Baha, Brat, And Rabbit Pickup)
- 11 Auto Based Panel (Cargo Station Wagon, Auto-Based Ambulance/Hearse)
- 12 Large Limousine (More Than Four Side Doors Or Stretched Chassis)
- 13 Three Wheel Automobile Or Automobile Derivative

UTILITY VEHICLES

- 14 14 Compact Utility (ANSI D-16 Utility Vehicle Categories "Small" and "Midsize")
- 15 Large Utility (ANSI D-16 Utility Vehicle Categories "Full Size" and "Large")
- 16 16 Utility Station Wagon
- 19 19 Utility Vehicle, Unknown Body Type

VAN-BASED LIGHT TRUCKS (< 4,536 KG GVWR)

- 20 20 Minivan
- 21 21 Large Van Includes Van-Based Buses
- 22 Step Van Or Walk-In Van (≤ 4,536 Kg GVWR)
- 23 -- Van-Based Motor-Home
- 24 -- Van-Based School Bus
- 25 -- Van-Based Other Bus
- 28 28 Other Van Type
- 29 29 Unknown Van Type

V11 Body Type (continued)

llibule	Oucs	
2005- 2009	2010- Later (E	Exceptions indicated by " * ")
LIGHT	CONVI	ENTIONAL TRUCKS (PICKUP STYLE CAB, ≤4,536 KG GVWR)
30	30	Compact Pickup (S-10, LUV, Ram 50, Rampage, Courier, Ranger, S-5, Pup, Mazda Pickup, Mitsubishi Truck, Datsun/Nissan Pickup, Arrow Pickup, Scamp, Toyota Pickup, VW Pickup, D50, Colt P/U, T-10, S-15, T-15, Ram 100, Dakota, Sonoma)
31	31	Standard Pickup (C10-C35, Jeep P/U, Comanche, Ram P/U, K10-K35, D100-D350, W100-350, F100-F350, R100-500, R10-R35, V10-35, Silverado, Sierra, T100)
32	32	Pickup With Slide-In Camper
33	33	Convertible Pickup
39	39	Unknown (Pickup Style) Light Conventional Truck
OTHE	R LIGH	T TRUCKS (≤4,536 KG GVWR)
40	40	Cab Chassis Based (Included Rescue Vehicle, Light Stake, Dump, And Tow Truck)
41	41	Truck Based Panel
45	45	Other Light Conventional Truck Type
48		Unknown Other Light Truck Type (Utility, Van, Pickup, Or Other Light Truck)
	48	Unknown Light Truck Type (Not A Pickup)
49	49	Unknown Light Vehicle Type (Automobile, Utility, Van, Or Light Truck)
BUSE	S (EXCL	LUDES VAN BASED)
50	50	School Bus (Designed To Carry Students, Not Cross Country Or Transit)
	51	Cross Country/Intercity Bus (Motor Coach)
	52	Transit Bus (City Bus)
	55	Van-Based Bus GVWR > 10,000 lbs. (*Since 2011)
58	58	Other Bus Type (e.g., Transit, Intercity, Bus Based Motor Home)
59	59	Unknown Bus Type
		VY TRUCKS (>4,536 KG GVWR)
60	60	Step Van
	61	Single-Unit Straight Truck (10,000 lbs <gvwr< (*2010="" lbs)="" only)<="" or="19,500" td=""></gvwr<>
	61	Single-Unit Straight Truck or Cab-Chassis (10,000 lbs <gvwr< (*since="" 2011)<="" lbs)="" or="19,500" td=""></gvwr<>
	62	Single-Unit Straight Truck (19,500 lbs <gvwr< (*2010="" lbs)="" only)<="" or="26,000" td=""></gvwr<>
	62	Single-Unit Straight Truck or Cab-Chassis (19,500 lbs <gvwr< (*since="" 2011)<="" lbs)="" or="26,000" td=""></gvwr<>
	63	Single-Unit Straight Truck (GVWR>26,000 lbs) (*2010 Only)
 C4	63	Single-Unit Straight Truck or Cab-Chassis (GVWR>26,000 lbs) (*Since 2011)
64		Single Unit Straight Truck
 66	64 66	Single Unit Straight Truck or Cab-Chassis (GVWR unknown) (*Since 2011)
66	66 67	Truck-Tractor (Cab Only, Or With Any Number Of Trailing Units; Any Weight)
	68	Medium/Heavy Pickup (GVWR > 10,000 lbs) (*Since 2001) Single-Unit Straight Truck (GVWR unknown) (*2010 Only)
	00	Single-onit Straight Truck (GVVVA Unknown) (2010 Only)

V11 Body Type (continued)

2005- 2009	2010- Later	
	71	Unknown if Single-Unit or Combination-Unit Medium Truck (10,000 lbs < GVWR < 26,000 lbs)
	72	Unknown if Single-Unit or Combination-Unit Heavy Truck (GVWR>26,000 lbs)
78	78	Unknown Medium/Heavy Truck Type
79	79	Unknown Truck Type (Light/Medium/Heavy)
MOTO	OR HOM	ES
42	42	Light Truck Based Motor Home (Chassis Mounted)
65	65	Medium/Heavy Truck-Based Motor Home
	73	Camper or Motor Home, Unknown Truck Type
MOTO	ORED C	YCLES, MOPEDS, ALL-TERRAIN VEHICLES
80	80	Motorcycle
81	81	Moped (Motorized Bicycle)
82	82	Three Wheeled Motorcycle Or Moped
	83	Off-Road Motorcycle (2-Wheel)
88	88	Other Motored Cycle Type (Minibike, Motor Scooter, Pocket Motorcycles, Pocket Bikes)
89	89	Unknown Motored Cycle Type
90	90	ATV (All-Terrain Vehicle; Includes 3 or 4 Wheels)
OTHE	R VEHI	CLES
91	91	Snowmobile
92	92	Farm Equipment Other Than Trucks
93	93	Construction Equipment Other Than Trucks (Includes Graders)
	94	Low Speed Vehicle (LSV)/Neighborhood Electric Vehicle (NEV) (*Since 2011)
97	97	Other Vehicle Type (Includes Go-Cart, Fork-Lift, City Street Sweeper, Dune/Swamp Buggy, Golf Cart)
	98	Not Reported
99	99	Unknown Body Type

V12 Vehicle Model Year

Definition: This data element identifies the manufacturer's model year of this vehicle.

Additional Information:

SAS Name: PMODELYR 2010

PMODYEAR 2011-Later

2005-		2011-	
2009	2010	Later	
XXXX	XXXX	XXXX	Actual Model Year
	7777	9998	Not Reported
9999	9999	9999	Unknown

V13 Vehicle Identification Number (VIN)

Definition: The vehicle identification number assigned by the vehicle manufacturer. The VIN contains information on the vehicle such as: manufacturer, model year, model, body type, restraint type, etc.

Additional Information: If a character of the VIN is missing or undecipherable, that character is blank. From 1988-2008 the first 11 characters of the VIN are coded; from 2009 onward the first 12 are coded.

SAS Name: PVIN

Attribute Codes

2005-2008 (character data type, length 11) **2009-Later** (character data type, length 12)

2005-		2010-	
2008	2009	Later	
0000000000	00000000000	00000000000	No VIN
XXXXXXXXXX	xxxxxxxxxxx	XXXXXXXXXXXX	Actual VIN
		8888888888	Not Reported
9999999999	99999999999	99999999999	Unknown VIN

V14 Vehicle Trailing

Definition: Indicates if the parked/working vehicle was pulling a trailing unit. A trailer unit can be a horse trailer, fifth wheel trailer, camper, boat, truck trailer, towed vehicle or any other trailer.

Additional Information: Prior to 2009 if linkage was non-fixed each unit was considered a separate vehicle, i.e. PTRAILER=no.

SAS Name: PTRAILER

2005- 2008	2009- Later	
1	0	No Trailing Units
2	1	Yes, One Trailing Unit
3	2	Yes, Two Trailing Units
4	3	Yes, Three or More Trailing Units
5	4	Yes, Number of Trailing Units Unknown
	5	Vehicle Towing Another Motor Vehicle – Fixed Linkage
	6	Vehicle Towing Another Motor Vehicle – Non-fixed Linkage
6	9	Unknown

V16 Motor Carrier Identification Number (MCID)

Definition: The parked/working vehicle's Carrier's ID is the unique number assigned to the Carrier by the United States Department of Commerce Commission, or the State. This number will be found only on vehicles of interstate for-hire or private carriers in the transportation business. The number can be either a US DOT number (on interstate private carriers) or an ICC MC number (interstate for-hire carriers). Collected for PBODYTYP (PV5) 50-64, 66-79 only.

Additional Information:

SAS Name: PCARIDNO 2005-2010

PMCARR ID 2011-Later

Attribute Codes

2009	2010

 000000000
 000000000
 Not Applicable

 xxxxxxxxx
 1-999999996
 U.S. DOT Number

 - 999999997
 Not Reported

 999999999
 Unknown

2011-Later

xxxxxxxxxx 11-Character Combination of MCARR_I1 followed by MCARR_I2

V16A MCID Issuing Authority

Definition: This data element records the issuing authority if applicable to this vehicle.

Additional Information: This data element is only applicable for the following vehicles:

- Medium/Heavy Trucks: vehicles with two axles/six tires and/or gross weight greater than 10,000 pounds.
- Buses with 16 or more seats (including the driver)
- Trucks and Vans of any size carrying hazardous cargo.
- Light commercial trucks pulling a trailer with gross combination weight rating (GCWR) greater than 10,000 pounds.

SAS Name: PMCARR_I1

Attribute Codes

00	Not Applicable
01-56	FARS State Code
57	US DOT
58	MC/MX (ICC)
77	Not Reported
88	None
95	Canada
96	Mexico
99	Unknown

V16B MCID Identification Number

Definition: This data element records the motor carrier identification number if applicable to this vehicle.

Additional Information: This data element is only applicable for the following vehicles:

- Medium/Heavy Trucks: vehicles with two axles/six tires and/or gross weight greater than 10,000 pounds.
- Buses with 16 or more seats (including the driver)
- Trucks and Vans of any size carrying hazardous cargo.
- Light commercial trucks pulling a trailer with gross combination weight rating (GCWR) greater than 10,000 pounds.

SAS Name: PMCARR I2

Attribute Codes

Actual 9-Digit Number
Not Applicable
Not Reported
None
Unknown

V17 Gross Vehicle Weight Rating/GCWR

Definition: This data element identifies the gross vehicle weight rating of this vehicle when applicable.

Additional Information: The Gross Vehicle Weight Rating (GVWR) or Gross Combination Weight Rating (GCWR) is a value specified by the manufacturer for a single-unit truck, truck tractor, or trailer. In the absence of a gross vehicle weight rating, an estimate of the gross weight of a fully loaded unit can be substituted.

This data element is the gross vehicle weight of the Power Unit only. The weight of trailers is not added.

SAS Name: PGVWR

Attribute Codes

- 0 Not Applicable
- 1 10,000 lbs or Less
- 2 10,001 lbs 26,000 lbs
- 3 26,001 lbs or More
- 8 Not Reported
- 9 Unknown

V18 Vehicle Configuration

Definition: This data element identifies the general configuration of this parked/working vehicle when applicable.

Additional Information:

SAS Name: PV_CONFIG

2010	2011- Later	
0	0	Not Applicable
1	1	Single-Unit Truck (2 axles and GVWR more than 10,000 lbs.)
2	2	Single-Unit Truck (3 or More axles)
4	4	Truck Pulling Trailer(s)
5	5	Truck Tractor (Bobtail, i.e., Tractor Only, No Trailer)
6	6	Truck Tractor/Semi-Trailer
7	7	Truck Tractor/Double
8	8	Truck Tractor/Triple
10	10	Vehicle 10,000 lbs or Less Placarded for Hazardous Materials
19	19	Truck More than 10,000 lbs, Cannot Classify
20	20	Bus/Large Van (Seats for 9-15 Occupants, Including Driver)
21	21	Bus (Seats for More Than 15 Occupants, Including Driver)
97	98	Not Reported
99	99	Unknown

V19 Cargo Body Type

Definition: This data element identifies the primary cargo carrying capability of this parked/working vehicle when applicable.

Additional Information: From 1992 to 2008 specific cargo body type was coded only for buses and trucks over 4,500 kg GVWR (PBODYTYP (PV5)= 60, 64, 66-79). All other vehicles were coded "Not applicable." Starting in 2009 passenger vehicles and light trucks that display a hazardous cargo placard are coded "No Cargo Body Type," as are medium/heavy trucks with no cargo carrying capability. "Not Applicable" is coded only for passenger vehicles and light trucks and vans that do not display a hazardous cargo placard. Before 2009 "Unknown" was coded for both unknown cargo body type and unknown vehicle type. Starting in 2009 "Unknown" is coded only for unknown vehicle type. See the annual Coding and Editing Manuals for more information.

SAS Name: PCARGTYP

2005- 2008	2009	2010- Later	
0	0	0	Not Applicable
1	22	22	Bus
2	1	1	Van/Enclosed Box
3	2	2	Cargo Tank
4	3	3	Flatbed
5	4	4	Dump
6	5	5	Concrete Mixer
7	6	6	Auto Transporter
8	7	7	Garbage/Refuse
	8	8	Grain/Chips/Gravel
	9	9	Pole-Trailer
	10	10	Log
	11	11	Intermodal Container Chassis
	12	12	Vehicle Towing Another Vehicle
		28	Not Reported
	96	96	No Cargo Body
98	97	97	Other
	98	98	Unknown Cargo Body Type
99	99	99	Unknown

V20A/HM1 Hazardous Materials Involvement

Definition: Indicates whether the vehicle was carrying hazardous materials.

Additional Information:

SAS Name: PHAZ_INV

Attribute Codes

2009-Later

1 No 2 Yes

V20B/HM2 Hazardous Materials Placard

Definition: Indicates the presence of hazardous materials and whether the vehicle displayed a hazardous materials placard.

Additional Information: Prior to 2009 Yes and No were coded only for buses and trucks over 4,500 kg GVWR (PBODYTYP (PV5)= 60, 64, 66-79). Starting in 2009 body type was not a factor in coding this data element. See the annual Coding and Editing Manuals for more information. From 2005-2008 the data element name was "Parked/Working Vehicle Hazardous Materials Placarded."

SAS Name: PHAZ MAT 2005-2008

PHAZPLAC 2009-Later

2005- 2008	2009- Later	
0	0	Not Applicable
2	1	No
1	2	Yes
	8	Not Reported
9		Unknown

V20C/HM3 Hazardous Material Identification Number

Definition:

Additional Information: Prior to 2009 placard numbers were coded only for buses and trucks over 4,500 kg GVWR (PBODYTYP (PV5)= 60, 64, 66-79). Other vehicles were coded "Not Applicable," or "Unknown" if body type was unknown. Starting in 2009 body type was not a factor in coding this data element. From 2005-2008 the data element name was "Parked/Working Vehicle Hazardous Materials Placard Number." See the annual Coding and Editing Manuals for more information.

SAS Name: PHAZM_NO *2005-2008*

PHAZ ID 2009-Later

Attribute Codes

2005- 2008	2009- Later	
0	0	Not Applicable
XXXX	XXXX	Actual 4-Digit Number
	8888	Not Reported
9999		Unknown

V20D/HM4 Hazardous Material Class Number

Definition: Indicates the single digit hazardous material class number for the vehicle.

Additional Information: This data element was added in 2009 and is coded for all vehicles.

SAS Name: PHAZ_CNO

Attribute Codes

- 0 Not Applicable
- 1 Explosives
- 2 Gases
- 3 Flammable / Combustible Liquid
- 4 Flammable Solid, Spontaneously Combustible, and Dangerous When Wet
- 5 Oxidizer and Organic Peroxide
- 6 Poison and Poison Inhalation Hazard
- 7 Radioactive
- 8 Corrosive
- 9 Miscellaneous
- 88 Not Reported

V20E/HM5 Release of Hazardous Material from the Cargo Compartment

Definition: Indicates whether or not any hazardous cargo was released from the parked/working vehicle cargo tank or compartment.

Additional Information: Prior to 2009 Yes and No were coded only for buses and trucks over 4,500 kg GVWR (PBODYTYP (PV5)= 60, 64, 66-79 only). Other vehicles were coded Not Applicable, or Unknown if body type was unknown. Starting in 2009 body type is not a factor in coding this data element. Prior to 2009 the data element name was "*Parked/Working Vehicle Hazardous Materials Release*."

SAS Name: PHAZMA R 2005-2008

PHAZ REL 2009-Later

2005- 2008	2009- Later	
0	0	Not Applicable
2	1	No
1	2	Yes
	8	Not Reported
9		Unknown

V21 Bus Use

Definition: This data element describes the common type of bus service this vehicle was being used as at the time of the crash.

Additional Information:

SAS Name: PBUS_USE

Attribute Codes

- 0 Not a Bus
- 1 School
- 4 Intercity
- 5 Charter/Tour
- 6 Transit/Commuter
- 7 Shuttle
- 8 Modified for Personal/Private Use
- 98 Not Reported
- 99 Unknown

V22 Special Use

Definition: Indicates whether the parked/working vehicle has a special use. Special use means "in use" and not necessarily emergency use.

Additional Information: All military vehicles are classified as "4" even if they are police, ambulance, or fire trucks. The Remarks and Attribute descriptions changed considerably in the 2009 Coding and Editing Manual. The analyst should compare the 2008 and 2009 NASS GES Coding and Editing Manuals for more detailed information.

SAS Name: PSP_USE

2005- 2008	2009	2010	2011- Later	
0	0	0	0	No Special Use
1	1	1	1	Taxi
2	2	2	2	Vehicle Used as School Bus
3	3	3	3	Vehicle Used as Other Bus
4	4	4	4	Military
5	5	5	5	Police
6	6	6	6	Ambulance
7		7	7	Fire truck
	7			Fire Truck and Car
8				Other (Farm or Construction Equip., etc.)
		8	8	Emergency Services Vehicle
	10			Hearse
	11			Farm Equipment
	12			Construction Equipment
		77	98	Not Reported
9	99	99	99	Unknown

V23 Emergency Use

Definition: Indicates whether a Special Use (PV08) parked/working vehicle is on an emergency run.

Additional Information: From 1988-2008 this includes military, police, ambulance, and fire vehicles. In 2009 it also includes emergency services vehicles. Value "0" is coded if the vehicle was not on an emergency run or it was not one of the applicable vehicles.

SAS Name: PEM_USE

2005- 2009	2010	2011- Later	
0			No Emergency Use or Not an Applicable Vehicle
	0	0	No
1	1	1	Yes
	7	8	Not Reported
9	9	9	Unknown

V28 Area of Impact- Initial/Most Damaged

V28A Initial Point of Impact

Definition: The first impact point for the parked/working vehicle that produced property damage or personal injury.

Additional Information:

SAS Name: PIMPACT 2005-2009

PIMPACT1 2010-Later

Attribute Codes

2005-2009

- 1 Front
- 2 Right Side
- 3 Left Side
- 4 Back
- 5 Top
- 6 Undercarriage
- 11 Front Right Corner
- 12 Front Left Corner
- 13 Back Right Corner
- 14 Back Left Corner
- 99 Initial Point of Impact Unknown

2010	2011- Later	
0	0	Non-Collision
21-32	1-12	Clock points
33	13	Тор
34	14	Undercarriage
38	18	Set-in-Motion (Not a Clock Point)
61	61	Left
62	62	Left-Front Half
63	63	Left-Back Half
81	81	Right
82	82	Right-Front Half
83	83	Right-Back Half
97	98	Not Reported
99	99	Unknown

V28B Area of Impact- Most Damaged

Definition: This data element identifies the area on the parked/working vehicle that was most damaged during an event it underwent in the crash.

Additional Information: The striking vehicle, not the vehicle struck, determines the underride/override condition. After the crash, in the case of an override or underride one vehicle is over the other. If the striking vehicle is over the other, then the crash is an override. If the striking vehicle is under the other, the crash is an underride.

SAS Name: PIMPACT2

2011- Later	
0	Non-Collision
1-12	Clock points
13	Тор
14	Undercarriage
18	Set-in-Motion (Not a Clock Point)
61	Left
62	Left-Front Half
63	Left-Back Half
81	Right
82	Right-Front Half
83	Right-Back Half
98	Not Reported
99	Unknown
	Later 0 1-12 13 14 18 61 62 63 81 82 83 98

V29 Extent of Damage

Definition: Reports the severity of the parked/working vehicle damage.

Additional Information:

SAS Name: PVEH_SEV

Attribute Codes

2005-2008

0 None

1 Minor (And Not Towed Due To Damage)

2 Moderate

3 Severe

2009	2010	2011- Later	
0	0	0	No Damage
2	2	2	Minor Damage
4	4	4	Functional Damage
6	6	6	Disabling Damage
	7	8	Not Reported
9	9	9	Unknown

V30 Vehicle Removal

Definition: Indicates the disposition of the vehicle at the crash scene.

Additional Information: Prior to 2009 only the power unit of an articulated combination was considered, i.e. if only the trailing unit was towed then PTOWED=Driven. Starting in 2009 the disposal status of the trailing unit is also considered.

SAS Name: PTOWED

2005- 2009	2010	2011- Later	
1	1	1	Driven Away
2	2	2	Towed Due to Disabling Damage
3	3	3	Towed Not Due to Disabling Damage
4	4	4	Abandoned/Left at Scene
	7	8	Not Reported
9	9	9	Unknown

V32 Most Harmful Event

Definition: This data element identifies the event that resulted in the most severe injury or, if no injury, the greatest property damage involving this motor vehicle.

Additional Information:

SAS Name: PM_HARM

Attribute Codes

2011-Later

NONCOLLISION

- 1 Rollover/Overturn
- 2 Fire/Explosion
- 3 Immersion
- 4 Gas Inhalation
- 5 Fell/Jumped from Vehicle
- 6 Injured in Vehicle (Non-Collision)
- 7 Other Noncollision
- 16 Thrown or Falling Object
- 44 Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
- 51 Jackknife (Harmful to This Vehicle)
- 72 Cargo/Equipment Loss or Shift (Harmful to This Vehicle)

COLLISION WITH OBJECT NOT FIXED

- 8 Pedestrian
- 9 Pedalcyclist
- 10 Railway Vehicle
- 11 Live Animal
- 14 Parked Motor Vehicle
- 15 Non-Motorist on Personal Conveyance
- 18 Other Object Not Fixed
- 45 Working Motor Vehicle
- 49 Ridden Animal or Animal Drawn Conveyance

COLLISION WITH FIXED OBJECT

- 17 Boulder
- 19 Building
- 20 Impact Attenuator/Crash Cushion
- 21 Bridge Pier or Support
- 23 Bridge Rail (Includes Parapet)
- 24 Guardrail Face
- 25 Concrete Traffic Barrier
- 26 Other Traffic Barrier
- 30 Utility Pole/Light Support
- 31 Other Post, Other Pole or Other Supports
- 32 Culvert
- 33 Curb
- 34 Ditch
- 35 Embankment

- 38 Fence
- 39 Wall
- 40 Fire Hydrant
- 41 Shrubbery
- 42 Tree (Standing Only)
- 43 Other Fixed Object
- 46 Traffic Signal Support
- 48 Snow Bank
- 50 Bridge Overhead Structure
- 52 Guardrail End
- 53 Mail Box
- 57 Cable Barrier
- 58 Ground
- 59 Traffic Sign Support

COLLISION WITH MOTOR VEHICLE IN TRANSPORT

- 12 Motor Vehicle In-Transport
- Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in-Motion from/by Another Motor Vehicle In-Transport
- 55 Motor Vehicle in Motion Outside the Trafficway

NOT REPORTED AND UNKNOWN

V34 Fire Occurrence

Definition: Indicates whether or not a parked/working vehicle sustained fire damage.

SAS Name: PFIRE

Attribute Codes

2005-2008

0 No Fire Noted on PAR

1 Fire Occurred in Parked/Working Vehicle

- 0 No or Not Reported
- 1 Yes

Discontinued PARKWORK Data Elements

Number of Occupants Coded (discontinued)

Definition: The number of occupants coded for this parked/working vehicle.

Additional Information: The number of persons coded and the number persons involved are not always the same because, for example, some PARs have information only for injured occupants.

SAS Name: POCCINVL

Attribute Codes

2005-Later

x Number of Occupants Coded

Number of Axles, Including Trailers (discontinued)

Definition: Coded for parked/working buses and trucks over 4,500 kg GVWR Collected for PBODYTYP (V5) 50-64, 66-79 only.)

Additional Information: This data element was deleted in 2009.

SAS Name: PAXLES

Attribute Codes

2005-2008

0 Not Applicable2-20 Number of Axles

Rollover (discontinued)

Definition: Indicates if a rollover occurred (tripped or untripped) for the parked/working vehicle. Rollover is defined as any vehicle rotation of 90 degrees or more about any true longitudinal or lateral axis. Rollover can occur at any time during the crash.

Additional Information:

SAS Name: PROLLOVR

2005- 2008	2009- 2010	
0	0	No Rollover
	1	Rollover, Tripped By Object/Vehicle
20		Tripped Rollover-By Curb
21		Tripped Rollover-By Guardrail
22		Tripped Rollover-By Ditch
23		Tripped Rollover-By Soft Soil
28		Tripped Rollover-Other
29		Tripped Rollover-Unknown Mechanism
10	2	Rollover, Untripped
99	9	Rollover, Unknown Type

Location of Rollover (discontinued)

Definition: Identifies the location of the start, or trip point, of the vehicle's roll.

Additional Information:

SAS Name: PROLINLOC

Attribute Codes

2009-2010

- 0 No Rollover
- 1 On Roadway
- 2 On Shoulder
- 3 On Median/Separator
- 4 In Gore
- 5 On Roadside
- 6 Outside of Trafficway
- 9 Unknown

Vehicle Location (discontinued)

Definition: This data element identifies the attribute which best describes the location of the parked/working vehicle.

Additional Information: This data element was discontinued in 2011. However, the location of a parked/working vehicle involved in the first harmful event can still be found in Accident.REL_ROAD.

SAS Name: PREL_RWY

2005-		
2009	2010	
1	1	On Roadway
2	2	On Shoulder
3	3	On Median
4	4	On Roadside
5	5	Outside Trafficway
6	6	Off Roadway, Location Unknown
7	7	In Parking Lane
8	8	Gore
9	9	Continuous Left Turn Lane
10	10	Separator
	97	Not Reported
99	99	Unknown

The PBTYPE Data File

The Pbtype data file describes, through a series of on-screen prompts, the sequence of events and precipitating actions leading to crashes between motor vehicles and pedestrians or bicyclists. It contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, VEH_NO and PER_NO. CASENUM, VEH_NO and PER_NO are the unique identifiers. The data file also contains:

P5/NM5 Age

Definition: This data element identifies the person's age, in years, with respect to the person's last birthday.

Additional Information:

SAS Name: PBAGE

Attribute Codes

2011-Later

000 Less than One Year001-120 Age of the Individual in Years

998 Not Reported 999 Unknown

P6/NM6 Sex

Definition: This data element identifies the sex of the person involved in the crash

Additional Information:

SAS Name: PBSEX

Attribute Codes

- 1 Male
- 2 Female
- 8 Not Reported
- 9 Unknown

P7/NM7 Person Type

Definition: This data element describes the role of this person involved in the crash.

Additional Information:

SAS Name: PBPTYPE

Attribute Codes

- 4 Occupant of a Non-Motor Vehicle Transport Device
- 5 Pedestrian
- 6 Bicyclist
- 7 Other Cyclist
- 8 Person on Personal Conveyances
- 10 Persons In/On Buildings
- 19 Unknown Type of Non-Motorist

NM9 Marked Crosswalk Present - Pedestrian/Bicyclist

Definition: This data element indicates if a marked crosswalk was present at the crash site.

Additional Information:

SAS Name: PBCWALK

Attribute Codes

2010-Later

0 No

1 Yes

NM9 Side Walk Present - Pedestrian/Bicyclist

Definition: This data element indicates if a sidewalk was present at the crash site.

Additional Information:

SAS Name: PBSWALK

Attribute Codes

2010-Later

0 No

1 Yes

NM9 School Zone - Pedestrian/Bicyclist

Definition: This data element indicates if the crash occurred in a school zone.

Additional Information:

SAS Name: PBSZONE

Attribute Codes

2010-Later

0 No

1 Yes

NM9 Crash Type – Pedestrian

Definition: This data element summarizes the circumstances of the crash for this pedestrian.

Additional Information:

SAS Name: PEDCTYPE

Attribute Codes

- 0 Not a Pedestrian
- 110 Assault with Vehicle
- 120 Dispute-Related
- 130 Pedestrian on Vehicle
- 140 Vehicle-Vehicle/Object
- 150 Motor Vehicle Loss of Control
- 160 Pedestrian Loss of Control
- 190 Other Unusual Circumstances
- 211 Backing Vehicle Driveway
- 212 Backing Vehicle Driveway/Sidewalk Intersection
- 213 Backing Vehicle Roadway
- 214 Backing Vehicle Parking Lot
- 219 Backing Vehicle Other/Unknown
- 220 Driverless Vehicle
- 230 Disabled Vehicle-Related
- 240 Emergency Vehicle-Related
- 250 Play Vehicle-Related
- 311 Working in Roadway
- 312 Playing in Roadway
- 313 Lying in Roadway
- 320 Entering/Exiting Parked Vehicle
- 330 Mailbox-Related
- 341 Commercial Bus-Related
- 342 School Bus-Related
- 360 Ice Cream/Vendor Truck-Related
- 410 Walking Along Roadway With Traffic From Behind
- 420 Walking Along Roadway With Traffic From Front
- 430 Walking Along Roadway Against Traffic From Behind
- 440 Walking Along Roadway Against Traffic From Front
- 459 Walking Along Roadway Direction/Position Unknown
- 460 Motorist Entering Driveway or Alley
- 465 Motorist Exiting Driveway or Alley
- 469 Driveway Crossing Other/Unknown
- 510 Waiting to Cross Vehicle Turning
- 520 Waiting to Cross Vehicle Not Turning
- 590 Waiting to Cross Vehicle Action Unknown

NM9 Crash Type – Pedestrian (continued)

Attribute Codes

- 610 Standing in Roadway
- 620 Walking in Roadway
- 680 Non-Intersection Other/Unknown
- 690 Intersection Other/Unknown
- 710 Multiple Threat
- 730 Trapped
- 741 Dash
- 742 Dart-Out
- 760 Pedestrian Failed to Yield
- 770 Motorist Failed to Yield
- 781 Motorist Left Turn Parallel Paths
- 782 Motorist Left Turn Perpendicular Paths
- 791 Motorist Right Turn Parallel Paths
- 792 Motorist Right Turn on Red Parallel Paths
- 794 Motorist Right Turn on Red Perpendicular Paths
- 795 Motorist Right Turn Perpendicular Paths
- 799 Motorist Turn/Merge Other/Unknown
- 830 Off Roadway Parking Lot
- 890 Off Roadway Other/Unknown
- 900 Other Unknown Location
- 910 Crossing an Expressway

NM9 Crash Type – Bicyclist

Definition: This data element summarizes the circumstances of the crash for this bicyclist.

Additional Information:

SAS Name: BIKECTYPE

Attribute Codes

- 0 Not a Cyclist
- 111 Motorist Turning Error Left Turn
- 112 Motorist Turning Error Right Turn
- 113 Motorist Turning Error Other
- 114 Bicyclist Turning Error Left Turn
- 115 Bicyclist Turning Error Right Turn
- 116 Bicyclist Turning Error Other
- 121 Bicyclist Lost Control Mechanical Problems
- 122 Bicyclist Lost Control Oversteering, Improper Braking, Speed
- 123 Bicyclist Lost Control Alcohol/Drug Impairment
- 124 Bicyclist Lost Control Surface Conditions
- 129 Bicyclist Lost Control Other/Unknown
- 131 Motorist Lost Control Mechanical Problems
- 132 Motorist Lost Control Oversteering, Improper Braking, Speed
- 133 Motorist Lost Control Alcohol/Drug Impairment
- 134 Motorist Lost Control Surface Conditions
- 139 Motorist Lost Control Other/Unknown
- 141 Motorist Drive-out Sign-Controlled Intersection
- 142 Bicyclist Ride-out Sign-Controlled Intersection
- 143 Motorist Drive-Through-Sign-Controlled Intersection
- 144 Bicyclist Ride-Through-Sign-Controlled Intersection
- 147 Multiple Threat Sign-Controlled Intersection
- 148 Sign-Controlled Intersection Other/Unknown
- 151 Motorist Drive-out Right Turn on Red
- 152 Motorist Drive-out Signalized Intersection
- 153 Bicyclist Ride-out Signalized Intersection
- 154 Motorist Drive-Through Signalized Intersection
- 155 Bicyclist Ride-Through Signalized Intersection
- 156 Bicyclist Failed to Clear Trapped
- 157 Bicyclist Failed to Clear Multiple Threat
- 158 Signalized Intersection Other/Unknown
- 159 Bicyclist Failed to Clear Unknown
- 160 Crossing Paths Uncontrolled Intersection
- 180 Crossing Paths Intersection Other/Unknown
- 211 Motorist Left Turn Same Direction
- 212 Motorist Left Turn Opposite Direction
- 213 Motorist Right Turn Same Direction
- 214 Motorist Right Turn Opposite Direction

NM9 Crash Type – Bicyclist (continued)

Attribute Codes

- 215 Motorist Drive-in/out Parking
- 216 Bus/Delivery Vehicle Pullover
- 217 Motorist Right Turn on Red Same Direction
- 218 Motorist Right Turn on Red Opposite Direction
- 219 Motorist Right Turn on Red Other/Unknown
- 221 Bicyclist Left Turn Same Direction
- 222 Bicyclist Left Turn Opposite Direction
- 223 Bicyclist Right Turn Same Direction
- 224 Bicyclist Right Turn Opposite Direction
- 225 Bicyclist Ride-out Parallel Path
- 231 Motorist Overtaking Undetected Bicyclist
- 232 Motorist Overtaking Misjudged Space
- 235 Motorist Overtaking Bicyclist Swerved
- 239 Motorist Overtaking Other/Unknown
- 241 Bicyclist Overtaking Passing on Right
- 242 Bicyclist Overtaking Passing on Left
- 243 Bicyclist Overtaking Parked Vehicle
- 244 Bicyclist Overtaking Extended Door
- 249 Bicyclist Overtaking Other/Unknown
- 250 Head-on Bicyclist
- 255 Head-on Motorist
- 259 Head-on Unknown
- 280 Parallel Paths Other/Unknown
- 311 Bicyclist Ride-out Residential Driveway
- 312 Bicyclist Ride-out Commercial Driveway/Alley
- 318 Bicyclist Ride-out Other Midblock
- 319 Bicyclist Ride-out Unknown
- 321 Motorist Drive-out Residential Driveway
- 322 Motorist Drive-out Commercial Driveway/Alley
- 328 Motorist Drive-out Other Midblock
- 329 Motorist Drive-out Midblock Unknown
- 357 Multiple Threat Midblock
- 380 Crossing Paths Midblock Other/Unknown
- 400 Bicycle Only
- 510 Motorist Intentionally Caused
- 520 Bicyclist Intentionally Caused
- 600 Backing Vehicle
- 700 Play Vehicle-Related
- 800 Unusual Circumstances
- 910 Non-Roadway
- 970 Unknown Approach Paths
- 980 Unknown Location

NM9 Crash Location – Pedestrian

Definition: This data element identifies the crash location of the pedestrian with respect to an intersection.

Additional Information: This data element indicates where the pedestrian crash occurred.

SAS Name: PEDLOC

Attribute Codes

- 1 Intersection
- 2 Intersection-Related
- 3 Non-Intersection
- 4 Non-Roadway
- 7 Not a Pedestrian
- 9 Unknown/Insufficient Information

NM9 Crash Location – Bicyclist

Definition: This data element identifies the crash location of the bicyclist with respect to an intersection.

Additional Information: This data element indicates where the bicyclist crash occurred.

SAS Name: BIKELOC

Attribute Codes

- 1 Intersection
- 2 Intersection-Related
- 3 Non-Intersection
- 4 Non-Roadway
- 7 Not a Cyclist
- 9 Unknown/Insufficient Information

NM9 Pedestrian Position

Definition: This data element identifies the position/location of the pedestrian with respect to the trafficway when contacted.

Additional Information:

SAS Name: PEDPOS

Attribute Codes

- 1 Intersection Proper
- 2 Crosswalk Area
- 3 Travel Lane
- 4 Paved Shoulder/Bike Lane/Parking Lane
- 5 Sidewalk/Shared Use Path/Driveway Crossing
- 6 Unpaved Right-of-Way
- 7 Driveway/alley
- 8 Non-Roadway-Parking Lot/Other
- 9 Other/Unknown
- 77 Not a Pedestrian

NM9 Bicyclist Position

Definition: This data element identifies the position/location of the bicyclist with respect to the trafficway when contacted.

Additional Information:

SAS Name: BIKEPOS

Attribute Codes

- 1 Travel Lane
- 2 Bike Lane/Paved Shoulder
- 3 Sidewalk/Crosswalk/Driveway Crossing
- 4 Multi-Use Path
- 5 Driveway/Alley
- 6 Non-Roadway
- 7 Not a Cyclist
- 8 Other
- 9 Unknown

NM9 Pedestrian Direction

Definition: This data element identifies the compass direction of travel of the pedestrian prior to being contacted in the crash.

Additional Information: This data element indicates the initial travel direction of the pedestrian.

SAS Name: PEDDIR

Attribute Codes

- 1 North
- 2 East
- 3 South
- 4 West
- 7 Not a Pedestrian
- 8 Not Applicable
- 9 Unknown

NM9 Bicyclist Direction

Definition: This data element identifies the travel direction of the bicyclist with respect to the flow of traffic prior to being contacted in the crash.

Additional Information: This data element indicates the initial travel direction of the bicyclist.

SAS Name: BIKEDIR

Attribute Codes

- 1 With Traffic
- 2 Facing Traffic
- 3 Not Applicable
- 7 Not a Cyclist
- 9 Unknown

NM9 Motorist Direction

Definition: This data element identifies the compass direction of travel of the motorist prior to being involved in the crash.

Additional Information: This data element indicates the initial travel direction of the motorist involved in a pedestrian crash.

SAS Name: MOTDIR

Attribute Codes

- 1 North
- 2 East
- 3 South
- 4 West
- 7 Not a Pedestrian
- 8 Not Applicable
- 9 Unknown

NM9 Motorist Maneuver

Definition: This data element identifies if the motorist was engaged in a turning maneuver at an intersection prior to being involved in a pedestrian/bicyclist crash.

Additional Information: The data element indicates the maneuver being made by the motorist at the time of a pedestrian collision.

SAS Name: MOTMAN

Attribute Codes

- 1 Left Turn
- 2 Right Turn
- 3 Straight Through
- 7 Not a Pedestrian
- 8 Not Applicable
- 9 Unknown

NM9 Intersection Leg

Definition: This data element identifies on which leg of an intersection the crash occurred.

Additional Information: The data element identifies the leg of the intersection where the pedestrian crash occurred.

SAS Name: PEDLEG

Attribute Codes

- 1 Near
- 2 Far
- 7 Not a Pedestrian
- 8 Not Applicable
- 9 Unknown

NM9 Pedestrian Scenario

Definition: This data element summarizes the movements of the pedestrian and motorist in an intersection area.

Additional Information: This data element identifies the location and travel directions of the motorist and pedestrian for those crashes that occur at intersections.

SAS Name: PEDSNR

Attribute Codes

2010-Later

MOTORIST TRAVELING STRAIGHT THROUGH – CRASH OCCURRED ON NEAR (APPROACH) SIDE OF INTERSECTION

- 1a Pedestrian Within Crosswalk Area, Traveled From Motorist's Left.
- 1b Pedestrian Within Crosswalk Area, Traveled From Motorist's Right.
- 1c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 2a Pedestrian Outside Crosswalk Area, Traveled From Motorist's Left.
- 2b Pedestrian Outside Crosswalk Area, Traveled From Motorist's Right.
- 2c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

MOTORIST TRAVELING STRAIGHT THROUGH – CRASH OCCURRED ON FAR SIDE OF INTERSECTION

- 3a Pedestrian Within Crosswalk Area, Traveled From Motorist's Left.
- 3b Pedestrian Within Crosswalk Area, Traveled From Motorist's Right.
- 3c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 4a Pedestrian Outside Crosswalk Area, Traveled From Motorist's Left.
- 4b Pedestrian Outside Crosswalk Area, Traveled From Motorist's Right.
- 4c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

MOTORIST TURNING RIGHT – CRASH OCCURRED ON NEAR (APPROACH) SIDE OF INTERSECTION

- 5a Pedestrian Within Crosswalk Area, Traveled From Motorist's Left.
- 5b Pedestrian Within Crosswalk Area, Traveled From Motorist's Right.
- 5c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 6a Pedestrian Outside Crosswalk Area, Traveled From Motorist's Left.
- 6b Pedestrian Outside Crosswalk Area, Traveled From Motorist's Right.
- 6c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

MOTORIST TURNING RIGHT – CRASH OCCURRED ON FAR SIDE OF INTERSECTION

- 7a Pedestrian Within Crosswalk Area, Approach Direction Same as Motorist's.
- 7b Pedestrian Within Crosswalk Area, Approach Direction Opposite Motorist's.
- 7c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 8a Pedestrian Outside Crosswalk Area, Approach Direction Same as Motorist's.
- 8b Pedestrian Outside Crosswalk Area, Approach Direction Opposite Motorist's.
- 8c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

NM9 Pedestrian Scenario (continued)

Attribute Codes

2010-Later

MOTORIST TURNING LEFT – CRASH OCCURRED ON NEAR (APPROACH) SIDE OF INTERSECTION

- 9a Pedestrian Within Crosswalk Area, Traveled From Motorist's Left.
- 9b Pedestrian Within Crosswalk Area, Traveled From Motorist's Right.
- 9c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 10a Pedestrian Outside Crosswalk Area, Traveled From Motorist's Left.
- 10b Pedestrian Outside Crosswalk Area, Traveled From Motorist's Right.
- 10c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

MOTORIST TURNING LEFT - CRASH OCCURRED ON FAR SIDE OF INTERSECTION

- 11a Pedestrian Within Crosswalk Area, Approach Direction Same as Motorist's.
- 11b Pedestrian Within Crosswalk Area, Approach Direction Opposite Motorist's.
- 11c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 12a Pedestrian Outside Crosswalk Area, Approach Direction Same as Motorist's.
- 12b Pedestrian Outside Crosswalk Area, Approach Direction Opposite Motorist's.
- 12c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.
- 7 Not a Pedestrian
- 8 Not Applicable

NM9 Pedestrian - Crash Group

Definition: This data element provides general groupings of the more specific individual Pedestrian Crash Types.

Additional Information: The Pedestrian Crash Types are divided into 16 homogeneous crash groups [pages 96-98 of the PBCAT manual]. Suggested countermeasures are available for 12 of these groups [www.walkinginfo.org/pedsafe, pages 75-76 of the PBCAT manual].

SAS Name: PEDCGP

Attribute Codes

- Not a Pedestrian
- 100 Unusual Circumstances
- 200 Backing Vehicle
- 310 Working or Playing in Roadway
- 340 Bus-Related
- 350 Unique Midblock
- 400 Walking Along Roadway
- 460 Crossing Driveway or Alley
- 500 Waiting to Cross
- 600 Pedestrian in Roadway Circumstances Unknown
- 720 Multiple Threat/Trapped
- 740 Dash/Dart-Out
- 750 Crossing Roadway Vehicle Not Turning
- 790 Crossing Roadway Vehicle Turning
- 800 Off Roadway
- 910 Crossing Expressway
- 990 Other/Unknown Insufficient Details

PB38B Bicycle - Crash Group

Definition: This data element provides general groupings of the more specific individual Bicyclist Crash Types.

Additional Information: The Bicycle Crash Types are divided into 21 homogeneous crash groups [pages 96-98 of the PBCAT manual]. Suggested countermeasures are available for 13 of these groups [www.bicyclinginfo.org/bikesafe, pages 75-76 of the PBCAT manual].

SAS Name: BIKECGP

Attribute Codes

- 0 Not a Cyclist
- 110 Loss of Control/Turning Error
- 140 Motorist Failed to Yield Sign-Controlled Intersection
- 145 Bicyclist Failed to Yield Sign-Controlled Intersection
- 150 Motorist Failed to Yield Signalized Intersection
- 158 Bicyclist Failed to Yield Signalized Intersection
- 190 Crossing Paths Other Circumstances
- 210 Motorist Left Turn/Merge
- 215 Motorist Right Turn/Merge
- 219 Parking/Bus-Related
- 220 Bicyclist Left Turn/Merge
- 225 Bicyclist Right Turn/Merge
- 230 Motorist Overtaking Bicyclist
- 240 Bicyclist Overtaking Motorist
- 258 Head-On
- 290 Parallel Paths Other Circumstances
- 310 Bicyclist Failed to Yield Midblock
- 320 Motorist Failed to Yield Midblock
- 600 Backing Vehicle
- 850 Other/Unusual Circumstances
- 910 Non-Roadway
- 990 Other/Unknown Insufficient Details

The NMACTION Data File

The Nmaction data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, PER_NO, and MACTION. CASENUM, PER_NO and MACTION are the unique identifiers. CASENUM and PER_NO should be used to merge the Impair data file with non-motorists from the Person data file.

This data file was discontinued in 2010 and replaced with two files: Nmprior and Nmcrash.

Non-Motorist Action (discontinued)

Definition: Identifies non-motorist actions that may have contributed to the cause of the crash.

Additional Information: For 2002-2008 it is coded for Person Type (P03) =4 (Occupant of a Non-Motor Vehicle Transport Device), 5 (Pedestrian), 6 (Pedalcyclist), 7 (Other Cyclist), or 8 (Other or Unknown). From 2009 on it is coded for Person Type (P03)= 4 (Occupant of a Non-Motor Vehicle Transport Device), 5 (Pedestrian), 6 (Bicyclist), 7 (Other Cyclist), 8 (Persons on Personal Conveyances), or 19 (Unknown Type of Non-Motorist).

This data element has been coded at the person level and included in Person data file (SAS data element ACTION) since 1990. Starting in 2002 all actions for a non-motorist are available in the Nmaction data file.

This data element was replaced in 2010 with *P25 Non-Motorist Action/Circumstances Prior to Crash* and *P26 Non-Motorist Action/Circumstances at Time of Crash*.

SAS Name: MACTION

Attribute Codes

2002-2009

0 No Action

NON-MOTORIST VEHICLE OPERATOR:

- 1 Failing to Have Lights on When Required
- 2 Operating without Required Equipment
- 3 Improper or Erratic Lane Changing
- 4 Failure to Keep in Proper Lane or Running Off Road
- 5 Making Improper Entry to or Exit from Trafficway
- 6 Operating the Vehicle in Erratic, Reckless, Negligent Manner
- 7 Failure to Yield Right of Way
- 8 Failure to Obey Traffic Signs/Control Devices/Officers, Failure to Observe Safety Zone
- 9 Making Other Improper Turn
- 10 Driving on Wrong Side of Road

OTHER NON-MOTORIST:

- 21 Darting or Running into Road
- 22 Improper Crossing of Roadway or Intersection (Jaywalking)
- 24 Inattentive (Talking, Eating, etc.)
- 25 Jogaina
- 26 Non-Motorist Pushing Vehicle
- 27 Walking with Traffic
- 28 Walking Against Traffic
- 29 Playing, Working, Sitting, Lying, Standing, Etc. In Roadway
- 98 Other Action
- 99 Unknown Action

The TRAFCON Data File

The Trafcon data file includes the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, and VEH_NO. CASENUM, VEH_NO and MTRAFCON are the unique identifiers. CASENUM and VEH_NO should be used to merge the Trafcon data file with the Vehicle data file. MTRAFCON identifies each traffic control device for motor vehicles (as a separate record).

This data file was discontinued in 2010.

Traffic Control Device – Vehicles (discontinued)

Definition: Indicates whether or not traffic control devices were present for a motor vehicle and the type of traffic control device.

Additional Information: This data element has been coded at the Accident level and included in Accident data file (SAS data element TRAF_CON) since 1988. Starting in 2002 each traffic control device for a vehicle is in the Trafcon data file and each traffic control device for a cyclist is in the Biketraf data file. Also starting in 2002 a single, selected, traffic control device for a vehicle is available on the Vehicle data file (SAS data element VTRAFCON).

This data file was discontinued in 2010. The data element is still coded on the Vehicle level, and the information is available in the Accident and Vehicle SAS data files.

SAS Name: MTRAFCON

Attribute Codes

2002-2009

0 No Controls

NOT AT RAILROAD GRADE CROSSING

TRAFFICWAY TRAFFIC SIGNALS:

- 1 Traffic Control Signal (On Colors)
- 4 Flashing Traffic Control Signal or Flashing Beacon
- 8 Other Traffic Signal
- 9 Unknown Traffic Signal

REGULATORY, SCHOOL ZONE SIGNS:

- 21 Stop Sign
- 22 Yield Sign
- 23 School Zone Related Sign
- 28 Other Sign
- 29 Unknown Sign

WARNING SIGNS:

- 40 Advisory Speed Sign
- 41 Warning Sign For Road Conditions (Hill, Steep Grade, etc.)
- 42 Warning Sign For Road Construction
- 43 Warning Sign For Environment/Traffic (Fog Ahead, Wind, Crash Ahead, etc.)
- 49 Unknown Type Warning

MISCELLANEOUS. NOT AT RAILROAD CROSSING:

51 Officer, Crossing Guard, Flagman, etc

AT RAILROAD GRADE CROSSING:

- 61 Active Devices (e.g., Gates, Flashing Lights, Traffic Signal)
- 62 Passive Devices (e.g., Stop Sign, Cross Bucks)

OTHER:

- 97 Traffic Control Present-No Details
- 98 Other Traffic Control (Whether Or Not At RR Grade Crossing)
- 99 Unknown

The BIKETRAF Data File

The Biketraf data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, PJ, and PER_NO. CASENUM, PER_NO and BTRAFCON are the unique identifiers. CASENUM and PER_NO should be used to merge the Biketraf data file with cyclists in the Person data file (PER_TYPE=6). BTRAFCON identifies each traffic control device for cyclists (as a separate record) and is described below:

This data file was discontinued in 2011.

Traffic Control Device - Cyclist (discontinued)

Definition: Indicates whether or not traffic control devices were present for a cyclist and the types of traffic control device.

Additional Information: This data element has been coded at the Accident level and included in the Accident data file (SAS data element TRAF_CON) since 1988. Starting in 2002 each traffic control device for a vehicle is in the Trafcon data file and each traffic control device for a cyclist is in the Biketraf data file. Also starting in 2002 a single, selected, traffic control device for a vehicle is available on the Vehicle data file (SAS data element VTRAFCON).

SAS Name: BTRAFCON

Attribute Codes

2002- 2010-2009 Later

0 0 No Controls

NOT AT RAILROAD GRADE CROSSING

TRAFFICWAY TRAFFIC SIGNALS:

- 1 -- Traffic Control Signal (On Colors)
- -- 1 Traffic Control Signal (On Colors) Without Pedestrian Signal
- -- 2 Traffic Control (On Colors) With Pedestrian Signal
- -- 3 Traffic Control Signal (On Colors) Not Known if Pedestrian Signal
- 4 -- Flashing Traffic Control Signal or Flashing Beacon
- -- 4 Flashing Traffic Control Signal
- 8 8 Other Highway Traffic Signal
- 9 Unknown Highway Traffic Signal

REGULATORY, SCHOOL ZONE SIGNS:

- 21 21 Stop Sign
- 22 22 Yield Sign
- 23 School Zone Sign/Device
- 28 28 Other Regulatory Sign
- 29 29 Unknown Regulatory Sign
- -- 5 Land Use Control Signal

WARNING SIGNS:

- 40 -- Advisory Speed Sign
- 41 -- Warning Sign For Road Conditions (Hill, Steep Grade, etc.)
- 42 -- Warning Sign For Road Construction
- 43 -- Warning Sign For Environment/Traffic (Fog Ahead, Wind, Crash Ahead, etc.)
- -- 44 Warning Sign
- 49 -- Unknown Type Warning

MISCELLANEOUS, NOT AT RAILROAD CROSSING:

- 51 -- Officer, Crossing Guard, Flagman, etc
- -- 51 Person

Traffic Control Device – Cyclist (continued)

AT RAILROAD GRADE CROSSING:

61 62		Active Devices (e.g., Gates, Flashing Lights, Traffic Signal) Passive Devices (e.g., Stop Sign, Cross Bucks)
	63	Railway Crossing Device
OTHE	R:	
97		Traffic Control Present-No Details
	97	Not Reported
98		Other Traffic Control (Whether or Not At RR Grade Crossing)
	98	Other
99	99	Unknown

The PARKEVNT Data File

The Parkevnt data file contains the data elements CASENUM, PSU, STRATUM, REGION, WEIGHT, and PJ. It also contains the data elements listed below. CASENUM is used to merge with crashes in the Accident data file. To merge with the Event data file, use CASENUM and EVENTNUM. To merge with the Person data file, use CASENUM and PVEHNO.

This data file was discontinued in 2011.

Parked/Working Vehicle Number (discontinued)

Definition: The identification number assigned to the parked/working vehicle.

Additional Information:

SAS Name: PVEHNO

Attribute Codes

2005-Later

1-30 Parked/Working Vehicle Number

Parked/Working Vehicle Event Number (discontinued)

Definition: The number of the event that the parked/working vehicle was involved in.

Additional Information: The Event and Parkevnt data files can be merged by CASENUM and EVENTNUM to get a listing of all events in which parked/working vehicles were involved. This listing can identify the specific vehicles involved (in-transport and parked/working) along with the general area of damage for both types of vehicle.

SAS Name: EVENTNUM

Attribute Codes

2005-Later

x Event Number that the parked/working vehicle was involved in

Parked/Working Vehicle Point of Impact (discontinued)

Definition: Indicates the impact point that produced property damage or personal injury for the parked/working vehicle involved in the event.

Additional Information:

SAS Name: PGAD

Attribute Codes

2005-2009

- 1 Front
- 2 Right Side
- 3 Left Side
- 4 Back
- 5 Top
- 6 Undercarriage
- 11 Front Right Corner
- 12 Front Left Corner
- 13 Back Right Corner
- 14 Back Left Corner
- 99 Point of Impact Unknown

21-32	Clock Points
33	Тор
34	Undercarriage
61	Left
62	Left-Front Half
63	Left-Back Half
81	Right
82	Right-Front Half
83	Right-Back Half
97	Not Reported
99	Unknown

Appendices

Appendix A: Vehicle Make/Model Designation

Appendix B: V23 Accident Type Diagram

Appendix C: Summary Statistics

Appendix D: Statistical Methods

Appendix E: Analytical Data Classification of Select NASS GES Data Element

Appendix F: Rules for Derived Data Elements

Appendix G: Summary of the 2010 NASS GES Changes

Appendix H: 2011 Changes to Locator Codes

Appendix A: Vehicle Make/Model Designation

01 AMERICAN MOTORS

MODEL	INCLUDES	YEAR
Rambler/American	Rogue, Scrambler, 220, 440,	all
Rebel/Matador	Barcelona Classic Brougham, 550, 660, 770, Matador (-78), Marlin	all
Ambassador	Brougham, DPL, SST, DL, Limited, 880, 990	all
Pacer	Limited, DL	75-80
AMX	(2 seater only)	68-70
Javelin	SST, AMX (71-74)	all
Hornet/Concord	Sportabout, Limited, DL, SC-360, SST, AMX (75-78)	all
Spirit/Gremlin	Limited, DL, Custom, X, GT (83-on), AMX (79-on)	all
Eagle	Concord based	80-87
Eagle SX-4	Spirit Gremlin based	81-84
Other automobile		-
Unknown automobile		-
Other vehicle		-
Unknown vehicle		-
	Rambler/American Rebel/Matador Ambassador Pacer AMX Javelin Hornet/Concord Spirit/Gremlin Eagle Eagle SX-4 Other automobile Unknown automobile Other vehicle	Rambler/American Rebel/Matador

Note: Alliance, Encore, Premier- See Renault - Code "46"

02 JEEP (Includes KAISER-JEEP)

CODE	MODEL	INCLUDES	YEAR
001	Compass		-
398	Other automobile		-
399	Unknown automobile		-
401	CJ-2/CJ-3/CJ-4	Military	-66
402	CJ-5/CJ-6/CH-7/ CH-8	Scrambler, Golden Eagle, Renegade, Laredo, Wrangler	67-on
403	YJ-series	Wrangler	86-on
404	Cherokee (84-on)	Limited, Laredo, Pioneer, Briarwood, Grand	84-on
405	Liberty		2002
406	Commander		-
407	Patriot		-
421	Cherokee (-83)	Wide Track, Chief, Commando, Jeepster	all
431	Grand Wagoneer	Custom, Brougham Limited, Wagoneer	71-91
481	Pickup	J-10, J-20, Honcho	all
482	Comanche	Chief	86-92
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

03 AM GENERAL

CODE	MODEL	INCLUDES	YEAR
401	Dispatcher	Post Office (Jeep)	all
402	Hummer H3		-
421	Hummer		93-on
466	Dispatcher	DJ-series-Post Office Van	all
498	Other light truck		-
499	Unknown light truck		-
884	Medium/Heavy truck	Military off-road	-
898	Other medium-heavy truck		-
899	Unknown medium/heavy truck		-
950	Bus based Motorhome		-
983	Bus flat front (rear engine) Trans	sit	-
988	Other bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

06 CHRYSLER

CODE	MODEL	INCLUDES	YEAR
009	Cordoba	Crown, 300, LS	75-83
010	New Yorker/Newport/ Fifth Avenue/Imperial	Custom, Royal, Brougham, Town and Country, 300 (-71) (excludes all FWD)	all
013	Rampage 2.2 (Car Based Pickup)	GT, Sport	-
014	New Yorker/E Class/ Imperial (90-93)/Fifth Avenue	FWD vehicles, Turbo	83-on
015	Laser	Turbo, XE, XT	84-86
016	LeBaron	Medallion, Salon(RWD), Landau, LX, FWD except GTS or GTC Sport Coupe	77-on
017	LeBaron GTS/GTC	GTS-Turbo GTC-Sport Coupe	85-on 87-on
018	Intrepid (Canadian made)		-
019	Neon (export)		-
031	TC (Maserati Sport)	Turbo Convertible	88-91
035	Conquest	TSi, Turbo	87-89
041	Concorde		93-on
042	LHS	New Yorker (94-on)	94-on
043	Sebring		95-on
044	Cirrus		95-on
051	300M		-
052	PT Cruiser		2001-on
053	Prowler		-
054	Pacifica		-
055	Crossfire		-
398	Other automobile		-
399	Unknown automobile		-
421	Aspen		-
441	Town and Country	Minivan	90-on
442	Voyager		2002
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

07 DODGE

CODE	MODEL	INCLUDES	YEAR
001	Dart	Custom, Swinger, Sport, GT, Demon, Special, Special Edition, 170,270,340,360	62-76
002	Coronet/Charger(-78)/ Magnum	Brougham, Custom, Superbee, Crestwood, Deluxe, XE, R/T, SE, 440, 500, Police	-79
003	Polara/Monaco Royal Monaco	Custom, Special, Crestwood, Brougham, Police, Taxi	-78
004	Viper	RT/10, GTS	92-on
005	Challenger	R/T, T/A, Rallye	70-74
006	Aspen	Custom, Special Edition, Police, R/T, Sport	76-80
007	Diplomat	Medallion, Salon, S	77-89
800	Omni/Charger (83 on)	024, DeTomaso Miser, GLH, GLHS, Shelby, Charger 2.2, America, Expo	78-90
009	Mirada		80-83
010	St. Regis	Police, Taxi	79-81
011	Aries (K)	Custom, SE, LE	81-89
012	400	LS	82-83
013	Rampage (car based pickup)	2.2, GT, Sport	82-84
014	600	ES, Turbo	83-88
015	Daytona	Turbo Z, Shelby Z Pacifica, C/S Competition, IROC R/T	84-94
016	Lancer	Pacifica, Turbo, ES, Shelby	85-89
017	Shadow	ES, Turbo	87-on
018	Dynasty		88-on
019	Spirit	ES, Shelby, RT	89-94
020	Neon	Expresso	94-on
021	Magnum		-
024	Charger (2006+)		-
025	Caliber		-
026	Avenger		-
027	Journey	SE, SXT, R/T	2009-on
028	Challenger (2008+)		2008-on
033	Challenger	all imported	78-83
034	Colt (excludes Vista)	RS, Turbo, Custom, GTS, DL, E, Premier, Deluxe, Carousel, GT	74-94
035	Conquest	Turbo	84-86

07 DODGE (continued)

039	Stealth		91-on	
040	Monaco		90-92	
041	Intrepid		93-on	
042	Avenger		95-on	
043	Stratus		95-on	
398	Other automobile		-	
399	Unknown automobile		-	
401	Raider	Sport	86-on	
403	Nitro		-	
421	Ramcharger		all	
422	Durango		98-00	
441	Vista	4x4	84-91	
442	Caravan	Mini-Ram, SE, ES	84-on	
461	B-series vans	Sportsman, Royal, Maxiwagon, Ram B150-B350, Tradesman	all	
462	Sprinter		-	
470	Van derivative	Kary Van	all	
471	D50, Colt P/U, RAM50/RAM 100		a	all
472	Dakota		87-on	
481	D, W-series pickup	Ram, Custom, Royal, Miser, D100-D350, W100-W350	all -	
482	Ram	1500/2500/3500 P/U	94-on	
498	Other light truck		-	
499	Unknown light truck		-	
850	Truck based motorhome		-	
881	Medium/Heavy	CBE	a	all
882 low entry	Medium/Heavy all	COE		
883 high entry	Medium/Heavy all	COE		
884 engine loca	Medium/Heavy ation	-	unkno	wn
890 entry posit	Medium/Heavy ion unknown	COE -		
898	Other medium/heavy truck		-	
899	Unknown Medium/heavy truck		-	
950	Bus based motorhome		-	
981 based)	Medium bus		(not v	an

07 DODGE (continued)

988	Other bus	-
989	Unknown bus	-
998	Other vehicle	-
999	Unknown vehicle	-

08 IMPERIAL

CODE	MODEL	INCLUDES	YEAR
010	Imperial	Lebaron Mark Cross, Frank Sinatra editions	-76 81-83
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

09 PLYMOUTH

CODE	MODEL	INCLUDES	YEAR
001	Valiant/Duster (-76)/ Scamp	100, 200, Brougham, Signet, Custom, Special 340/360, 340, 360, Twister	-76
002	Satellite/Belvedere	Belvedere I/II, GTX, Roadrunner (-74), Sebring, Sebring Plus, Superbird, Brougham	-74
003	Fury	I, II, III, Roadrunner (75), Salon, VIP, Sport, Suburban	-74 75-78
004	Gran Fury	Sedan, Brougham, Custom Sport, Suburban	75-89
005	Barracuda	Formula, S, 340, AAR, Cuda, Gran Coupe	65-74
006	Volaré	Custom, Premier, Roadrunner (76-on), Police	76-80
007	Caravelle	Turbo, SE	85-89
008	Horizon	TC-3, Miser, Turismo 2.2, Custom, SE, Duster (85-on), America, Expo	78-90
011	Reliant (K)	SE, LE	81-89
013	Scamp (car based pickup)	GT, 2.2	82-84
017	Sundance	Turbo	87-on
019	Acclaim	LX, LE	89-on
020	Neon	Expresso	94-on
031	Cricket		71-72
032 GS, GT	76-80	Arrow	Fire Arrow,
033 imported	78-83	Sapporo	all
034	Champ/Colt (excludes Vista)	Turbo, Custom-Station Wagon (84-on)	79-94
035	Conquest	TSi	84-89
038	Breeze		96-on
039	Prowler		96-on
037	Laser	RS, Turbo	89-on
398	Other automobile		-
399	Unknown automobile		-
421	Trailduster		all
441	Vista	4x4	87-on
442	Voyager (minivan)	SE, LX	84-on
461	Van-fullsize (B-series)	Voyager, Sport, Premier	all
471	Arrow pickup (foreign)		all

09 PLYMOUTH (continued)

498	Other light truck	-
499	Unknown light truck	-
998	Other vehicle	-
999	Unknown vehicle	_

10 EAGLE

CODE	MODEL	INCLUDES	YEAR
034	Summit	DL, LX, ES	89-on
037	Talon	TSI	90-on
040	Premier	LX, ES	88-92
041	Vision		93-on
044	Medallion	DL, LX	88-90
398	Other automobile		-
399	Unknown automobile		-
441	Summit Wagon		92-on
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>12 FORD</u>

CODE	MODEL	INCLUDES	YEAR
001	Falcon	Sprint, GT, Futura	-70
002	Fairlane	Torino thru 1970	-70
003	Mustang/Mustang II	Mach, Boss, Granada, Cobra,	65-on
004	Thunderbird (all sizes)	Ghia, SVO, GT, LX, Shelby Landau, Heritage, Turbo coupe, Elan, Fila, Sport, LX, SC	55-on
005	LTD II	S, Squire, Brougham	77-79
006	LTD/Custom/Galaxie (all sizes)	XL, Landau, Ranch Wagon, Country Squire, S, 500, Brougham, XL GT	65-on
007	Ranchero	Falcon/Fairlane based Torino/LTD II based	-71 72-79
800	Maverick	Grabber	70-78
009	Pinto	Pony, MPG, ESS	71-80
010	Torino/Gran Torino/Elite	GT, Cobra, Sport, Squire, Brougham	71-76
011	Granada	ESS, Ghia	75-82
012	Fairmont	Futura, Sport Coupe	78-83
013	Escort/EXP	L, GL, GLX, SS, GT, LX, ZX2	81-on
015	Tempo	L, GL, GLX, Sport, 4x4	84-94
016	Crown Victoria		81-on
017	Taurus/Taurus X	MT-5, L, GL, LX, SHO	86-on
018	Probe	GL, LX, GT	88-on
021	Five Hundred		-
022	Freestyle		-
023	Fusion		-
024	Edge		-
025	Flex	Includes SE, SEL, Limited	2009-on
031	English Ford	Cortina	60-on
032	Fiesta	Sport, Ghia	78-80
033	Festiva		88-93
034	Laser		93-on
035	Contour		94-on
036	Aspire		94-on
037	Focus		-
038	GT		-
398	Other automobile		all
399	Unknown automobile		-

12 FORD (continued)

401	Bronco II/Bronco (-77) Explorer	Eddie Bauer, XL, XLT Explorer (90-on)	83-on
402	Escape		2001
421	Bronco-fullsize	Eddie Bauer, Custom, XL, XLT	78-on
422	Expedition		97-on
431	Excursion		2000
441 Cargo Van	Aerostar 86-on		XLT,
442	Windstar		94-on
443	Freestar		-
444	Transit Connect		2010-on
461	E-series vans	Econoline, Clubwagon, Chateau, E150-E350	all
470	Van derivative	i.e: parcel van	all
471	Ranger	Supercab, 4x4, STX, Splash	82-on
472	Courier	Imported pickup	all
473	Sport Trac		2001
481	F-series pickup	F-100 - F-350	all
498	Other light truck		-
499	Unknown light truck		-
850	Truck based motorhome		-
880	F450/550 Pickup > 4,536 GVW		-
881 8 L-series,	Medium/Heavy FT-series	CBE all	F-5 thru F-
882 series, low	Medium/Heavy entry	COE all	C/CT
883 series, high	Medium/Heavy n entry	COE all	C/CLT
884	Medium/Heavy	unknown engine location	-
890 position un	Medium/Heavy known	COE -	entry
898	Other medium/heavy		truck -
899	Unknown medium/heavy	truck	-
950	Bus based motorhome		-
981	Medium bus	B-series (not van based)	all
988	Other bus		all
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

13 LINCOLN

CODE	MODEL	INCLUDES	YEAR
001	Continental/Town Car	Continental (-81), Town Car (82 on)	all 82-on
002	Mark	I, II, III, IV, V, VI, VII, LSC, VIII All Signature/ Designer Series	all
005	Continental (82-on)	All Signature/Designer Series	-
011	Versailles		77-80
012	LS		2000
013	Zephyr/MKZ		-
014	MKX		-
015	MKS		-
016	MKT		2009-on
398	Other automobile		-
399	Unknown automobile		-
401	Aviator		-
421	Navigator		97-on
481	Blackwood		2002
482	Mark LT		-
498	Other Light Truck		97-on
499	Unknown Light Truck		97-on
998	Other vehicle		-
999	Unknown vehicle		-

14 MERCURY (MERKUR: See 56)

CODE	MODEL	INCLUDES	YEAR
002	Cyclone	GT, CJ, Spoiler	-71
003	Capri-domestic	RS, Turbo, GS, Black Magic	79-86
004	Cougar/XR7	XR-7, RS, LS, GS, Eliminator, Brougham, Villager, (includes all body styles)	67-on
006	Marquis/Monterey	Marauder, X-100, Parklane, S-55, Custom, Brougham, Montclair, Grand Marquis	55-on
800	Comet	Caliente, GT, Voyager, 202, Capri (66-67)	62-77
009	Bobcat	Runabout, Villager	75-80
010	Montego	Comet (68-70), GT, MX, Villager, Brougham	67-76
011	Monarch	Ghia	75-80
012	Zephyr	GS, Z-7	78-83
013	Lynx/LN-7 (82-83)	L, LS, GS, RS, XR-3	81-87
015	Topaz	L, LS, GS, 4x4	84-on
017	Sable	LS, GS	86-on
020	Montego (2005+)		-
021	Milan		-
031	Capri-foreign	Capri II, 2+2	70-77
033	Pantera	de Tamaso	72-74
036	Tracer	L, GL	88-on
037	Mystique		94-on
038	Cougar		-
039	Marauder		-
398	Other automobile		-
399	Unknown automobile		-
401	Mountaineer		96-on
402	Mariner		-
443	Villager	LS, GS	93-on
444	Monterey		2004-on
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

18 BUICK

CODE	MODEL	INCLUDES	YEAR
001	Special/Skylark	GS, GS-350, GS-400, GS-455, GS, California, Sport wagon, Custom	-72
002	LeSabre/Centurion/ Wildcat	Estate Wagon, Luxus, Invicta, Custom, Limited T-Type	55-on
003	Electra, Electra 225, Park Avenue (91-on)	Limited, Park Avenue, Ultra	60-on
004	Roadmaster	Estate Wagon, Limited	91-on
005	Riviera	S-Type,T-Type	63-on
007	Century	Luxus, T-Type Luxus, T-Type, FWD (82-on), Custom, Regal (72-77)	72-on
800	Apollo/Skylark	Skylark (75), S/R	73-76
010	Regal	Turbo, Luxus, Grand National, GNX, T-Type	78-88
012	Skyhawk	S-Type, Roadhawk, T-Type, GT	75-89
015	Skylark (76-85)	(except 75), S/R, S, Limited, Sport, T-Type	-85
018	Somerset/Skylark	Skylark (86-on), Somerset GS, Regal, Custom, Limited, T-Type	85-on
020	Regal (FWD)	Limited	88-on
021	Reatta		88-91
022	Lacrosse		-
023	Lucerne		-
024	Enclave		-
031	Opel Kadett		-75
032	Opel Manta	1900, Luxus, Rallye, Sports Coupe	-75
033	Opel GT		-75
034	Opel Isuzu	Deluxe, Sport	76-79
398	Other automobile		-
399	Unknown automobile		-
401	Rendezvous		2002
402	Rainier		-
441	Terraza		-
498	Other Light Truck		-
499	Unknown Light Truck		-
998	Other vehicle		-
999	Unknown vehicle		-

19 CADILLAC

CODE	MODEL	INCLUDES	YEAR
003	Deville/Fleetwood (except Limousine)	Coupe de Ville, Sedan de Ville, Fleetwood, Brougham, Fleetwood, 60 Special, etc. d'Elegance, Concourse	all
004	Limousine	Fleetwood 75, Formal de Ville based	all
005	Eldorado	Biarritz, El-doro, Touring Coupe	67-on
006	Commercial Series	Ambulance/Hearse	all
009	Allanté		87-on
014	Seville	Elegante, STS	76-on
016	Cimarron	D'oro	82-88
017	Catera	RWD	97-on
018	CTS		2003
019	XLR		-
020	SRX		-
021	STS		-
022	DTS		-
398	Other automobile		-
399	Unknown automobile		-
421	Escalade		-
431	Ecalade ESV		-
480	Escalade EXT (Data years 2005	5 and earlier)	-
481	Escalade EXT (Data years 2006	and beyond)	-
498	Other Light Truck		-
499	Unknown Light Truck		-
998	Other vehicle		-
999	Unknown vehicle		-

20 CHEVROLET

CODE	MODEL	INCLUDES	YEAR
001	Chevelle/Malibu	Classic, Concours, S-3, Laguna, Nomad, 300, Greenbriar, Estate, Deluxe, SS 396/454	64-83
002	Impala/Caprice	Biscayne, Belair, Super Sport, Classic, Classic Brougham, Townsman, Brookwood, Kingswood	55-on
004	Corvette	Stingray	53-on
006	Corvair	Corvair Monza, 500, Corvair Spyder, Corsa, Yenko	60-69
007	El Camino	Royal Knight, SS	59-on
800	Nova (-79)	Chevy II, LN, LE, Concours SS-350/396, Rally	62-79
009	Camaro	SS, RS, LT, Berlinefta, IROC-Z, Z28	67-on
010	Monte Carlo (RWD)	LS, SS, Aerocoupe, Landau	70-88
011	Vega	GT, Cosworth	71-77
012	Monza	Spyder, 2+2, Towne Coupe	75-80
013	Chevette	S, Scooter, CS	76-87
015	Citation	X-11, Citation II	80-85
016	Cavalier	CS, RS, Z24, LS	82-on
017	Celebrity	CS, Eurosport, VR	82-on
019	Beretta/Corsica	GT	87-on
020	Lumina	(GM-10 based), Z-34, Euro	90-on
022	Cobalt		-
023	HHR		-
024	Traverse	LS, LT, LTZ	2009-on
025	Cruze	Applicable Body Types: 02,04	2011-on
026	Volt	Body Type 5	2011-on
031	Spectrum		85-on
032	Nova/GEO Prizm	CL, NUMMI-built vehicles	85-on
033	Sprint/GEO Sprint		85-on
034	GEO Metro	LSi, XFi	89-on
035	GEO Storm	GSi	85-on
036	Monte Carlo (FWD only)	Z34	95-on
037	Malibu		97-on
038	SSR		-
039	Aveo		-
398	Other automobile		-
399	Unknown automobile		-

20 CHEVROLET (continued)

401	S-10 Blazer, Blazer	S-10 p/u based	83-on
402	GEO Tracker	LSi	89-on
403	Trailblazer		2002-on
404	Equinox		
421	Fullsize Blazer, Tahoe	K-series, fullsized p/u based	69-on
431	Suburban	All models	all
441	Astro Van	Minivan	85-on
442	Lumina APV/Venture		90-on
443	Ventura		97-on
444	Uplander		-
461	G-series van	Beauville, Chevy Van, Sport Van, G10-G30, Express	all
466	P-series van		all
470	Van derivative	Hi-cube, Parcel Van	all
471	S-10/T-10	4x4	82-on
472	LUV	Imported pickup	all
473	Colorado		-
481	C, K, R, V-series pickup	C10-C30, K10-K30, R10-R30, VI0-V30, Silverado, C-Kl500, 2500, 3500	all
482	Avalanche		2002
498	Other light truck		-
499	Unknown light truck		-
850	Truck based motorhome		-
881	Medium/Heavy CBE	C50/60/65, M60/65, H70/80/90, J70/80/90, Bison 90, all other CBE	all
882	Medium/Heavy COE low entry	T60/65, all other COE low entry	all
883	Medium/Heavy COE high entry	Titan 90, all other COE high entry	all
884	Medium/Heavy	Unknown engine location	-
890	Medium/Heavy	Unknown engine location, MKIII, 1500	-
898	Other medium/heavy truck		-
899	Unknown medium/heavy truck		-
950	Bus based motorhome		-
981	Bus	S-60 series	all
988	Other bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

21 OLDSMOBILE

001 Cutlass (RWD-only) Supreme, S, LS, Salon Brougham, Vista Cruiser, F85 (thru 72), Rallye 350, Hurst Olds, 442, Calais, Classic (88) 62-88 002 Delta 88 Royale, Custom, Delta, Jetstar 88, Delmont 88, Starfire (thru 66), Custom Cruiser all 003 Ninety-Eight Regency, Luxury all 005 Toronado XSR, Trofeo, Brougham Custom 66-92 006 Commercial Series Ambulance/Hearse all 012 Starfire SX,GT 75-80 015 Omega X body type FWD, RWD 75-85 016 Firenza S, LS, SX, Cruiser, GT 82-88 017 Ciera Cutlass Ciera, Brougham, ES 82-on 018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 399 Unknown light	CODE	MODEL	INCLUDES	YEAR
003 Ninety-Eight Regency, Luxury all 005 Toronado XSR, Trofeo, Brougham Custom 66-92 006 Commercial Series Ambulance/Hearse all 012 Starfire SX,GT 75-80 015 Omega X body type FWD, RWD 75-85 016 Firenza S, LS, SX, Cruiser, GT 82-88 017 Ciera Cutlass Ciera, Brougham, ES 82-on 018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	001	Cutlass (RWD-only)	Vista Cruiser, F85 (thru 72), Rallye 350, Hurst Olds, 442,	62-88
005 Toronado XSR, Trofeo, Brougham Custom 66-92 006 Commercial Series Ambulance/Hearse all 012 Starfire SX,GT 75-80 015 Omega X body type FWD, RWD 75-85 016 Firenza S, LS, SX, Cruiser, GT 82-88 017 Ciera Cutlass Ciera, Brougham, ES 82-on 018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 90 Other vehicle -	002	Delta 88	Delmont 88, Starfire (thru 66),	all
006 Commercial Series Ambulance/Hearse all 012 Starfire SX,GT 75-80 015 Omega X body type FWD, RWD 75-85 016 Firenza S, LS, SX, Cruiser, GT 82-88 017 Ciera Cutlass Ciera, Brougham, ES 82-on 018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	003	Ninety-Eight	Regency, Luxury	all
012 Starfire SX,GT 75-80 015 Omega X body type FWD, RWD 75-85 016 Firenza S, LS, SX, Cruiser, GT 82-88 017 Ciera Cutlass Ciera, Brougham, ES 82-on 018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	005	Toronado	XSR, Trofeo, Brougham Custom	66-92
015 Omega X body type FWD, RWD 75-85 016 Firenza S, LS, SX, Cruiser, GT 82-88 017 Ciera Cutlass Ciera, Brougham, ES 82-on 018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	006	Commercial Series	Ambulance/Hearse	all
016 Firenza S, LS, SX, Cruiser, GT 82-88 017 Ciera Cutlass Ciera, Brougham, ES 82-on 018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	012	Starfire	SX,GT	75-80
017 Ciera Cutlass Ciera, Brougham, ES 82-on 018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	015	Omega	X body type FWD, RWD	75-85
018 Calais GT, ES, 500 85-91 020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	016	Firenza	S, LS, SX, Cruiser, GT	82-88
020 Cutlass (FWD) Supreme 88-on 021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	017	Ciera	Cutlass Ciera, Brougham, ES	82-on
021 Achieva SC 92-on 022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 399 Unknown automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	018	Calais	GT, ES, 500	85-91
022 Aurora 94-on 023 Intrigue - 024 Alero - 398 Other automobile - 399 Unknown automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	020	Cutlass (FWD)	Supreme	88-on
023 Intrigue - 024 Alero - 398 Other automobile - 399 Unknown automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	021	Achieva	SC	92-on
024 Alero - 398 Other automobile - 399 Unknown automobile - 401 Bravada 91-on 441 Silhouette 90-on 498 Other light truck - 499 Unknown light truck - 998 Other vehicle -	022	Aurora		94-on
398Other automobile-399Unknown automobile-401Bravada91-on441Silhouette90-on498Other light truck-499Unknown light truck-998Other vehicle-	023	Intrigue		-
399Unknown automobile-401Bravada91-on441Silhouette90-on498Other light truck-499Unknown light truck-998Other vehicle-	024	Alero		-
401Bravada91-on441Silhouette90-on498Other light truck-499Unknown light truck-998Other vehicle-	398	Other automobile		-
441Silhouette90-on498Other light truck-499Unknown light truck-998Other vehicle-	399	Unknown automobile		-
498Other light truck-499Unknown light truck-998Other vehicle-	401	Bravada		91-on
499 Unknown light truck - 998 Other vehicle -	441	Silhouette		90-on
998 Other vehicle -	498	Other light truck		-
	499	Unknown light truck		-
999 Unknown vehicle -	998	Other vehicle		-
	999	Unknown vehicle		-

22 PONTIAC

CODE	MODEL	INCLUDES	YEAR
001	Lemans Tempest (-79)	Safari, T-37, Luxury, Grand Sport, GTO (-73), GT-37, Sprint, Judge, Grand AM (73-75), Grand Lemans	62-79
002	Bonneville/Catalina/ Parisienne	Brougham, Grand Safari, Safari, Grandville, 2+2 Executive, Starchief SE, SSE, SSEi, Parisienne	all
005	Fiero	2M4, 2M6, GT, SE	84-88
800	Ventura	II, SJ, Sprint, GTO (74-on), Custom	71-77
009	Firebird/Trans AM	Esprit, Formula, GTA, Redbird, Yellowbird, Skybird, SE	67-on
010	Grand Prix (RWD)	J, LJ, SJ, Brougham, 2+2	63-87
011	Astre	Safari, SJ, Custom	75-77
012	Sunbird (thru 80)	Safari, Sport, Formula	76-80
013	T-1000/1000		81-87
015	Phoenix	LJ, SJ	77-84
016	J2000/2000/Sunbird Sunfire	Sunbird (84-on), LE, SE, GT, Convertible, GT/SE	82-on
017	6000	STE, SE, LE	82-on
018	Grand AM	SE,LE	all
019	G5		-
020	Grand Prix (FWD)	SE, McLaren Turbo, GTP	88-on
022	G6		-
023	Solstice		-
024	G8	Includes GT	2008-on
025	G3		2009-on
031	Lemans (88-on)	SE, Tempest (Canadian)	88-on
032	Vibe	Includes GT, AWD	2003-on
398	Other automobile		-
399	Unknown automobile		-
401	Aztek		2001
403	Torrent		-
441	Trans Sport/Montana		90-on
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

23 GMC

CODE	MODEL	INCLUDES	YEAR
007	Caballero/Sprint	Sierra Madre del Sur, SP	65-on
800	Acadia		-
398	Other automobile		-
399	Unknown automobile		-
401	Jimmy/Typhoon/Envoy	S15 based	83-on
402	Terrain	SLE, SLT	2009-on
421	Fullsize Jimmy Yukon	fullsize pickup based	all
431	Suburban	all models	all
441	Safari (minivan)		86-on
461	G-series van	Rally Van, Vandura, G15-G35, Savana	all
466	P-series van		all
470	Van derivative	Hicube, parcel van, Value Van, Magna Van	all
471	S15/TI5/Sonoma	Includes 4x4, Cyclone	82-on
472	Canyon		-
481	C, K, R, V-series pickup	C15-35, K15-35, R15-35, VI5-35, Sierra	all
498	Other light truck		-
499	Unknown light truck		-
850	Truck based motorhome		-
881	Medium/Heavy CBE	W5000/6000/7000 series, Brigadier/General models	all
882	Medium/Heavy COE low entry	W60OO/W7000, all other COE, low entry	all
883	Medium/Heavy COE high entry	Astro 95, all other COE, high entry	all
884	Medium/Heavy	Unknown engine location	-
890	Medium/Heavy COE	entry position unknown	-
898	Other medium/heavy truck		-
899	Unknown medium/heavy truck		-
950	Bus based motorhome		-
981	Bus	B6000	all
988	Other Bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

24 SATURN

CODE	MODEL	INCLUDES	YEAR
001	SL	SL1, SL2, SL3	91-on
002	SC	SC1,SC2	91-on
003	SW	SW1, SW2	93-on
004	EV1	(electric vehicle)	97-on
005	LS/LS1/LS2/L100/L200/L300		2000
006	LW/LW1/LW2/LW200/LW300		2000
007	lon		-
800	Sky		-
009	Aura		-
010	Outlook	XE, XR (Body Type = S/W)	
011	Astra	XE, XR, Sport (Body Types: 03 & 05)	
398	Other automobile		-
399	Unknown automobile		-
401	Vue		2002
441	Relay		-
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

25 GRUMMAN

CODE	MODEL	INCLUDES	YEAR
441	LLV	Postal vehicle	all
442	Step-in van	Multi-stop, step van	all
498	Other light truck		-
499	Unknown light truck		-
850	Truck based motorhome		-
881	Medium/Heavy CBE		all
882	Medium/Heavy COE low entry		all
883	Medium/Heavy COE high entry		all
884	Medium/Heavy Unknown engine location		-
890	Medium/Heavy COE entry positi unknown	ion	-
898	Other medium/heavy truck		-
899	Unknown medium/heavy truck		-
983	Bus-flat front, rear engine	Transit	all
988	Other bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

29 OTHER DOMESTIC MANUFACTURER

CODE	MODEL	INCLUDES	YEAR
001	Studebaker/Avanti	Lark, Gran Turismo, Hawk, Cruiser, all associated subseries	-66
002	Checker	Marathon, Superba, Taxi, Aerobus	-82
398	Other make	Desoto, Excaliber, Stutz, Hudson, Packard, Consulier	all
399	Unknown make		-
498	Other Light Truck		-
898	Other Medium/Heavy Truck		-
988	Other Bus		-
998	Other vehicle		-

30 VOLKSWAGEN

	MODEL	INCLUDES	YEAR
031	Karmann Ghia		-74
032	Beetle 1300/1500	flat windshield	-77
033	Super Beetle	distinguished by curved windshield	71-80
034	411/412	Squareback/Fastback	71-74
035	Squareback/Fastback	Type 3, 1600	-74
036	Rabbit	L, GTI, Sport, LS, Custom, DL, Deluxe	75-84
037	Dasher		74-81
038	Scirocco	16V	75-88
040	Jetta	GL, GLI	80-92
041	Quantum	Synco	82-88
042	Golf	Synco, GTI, Cabriolet, GT, GL	85-92
043	Rabbit pickup	car based pickup	80-83
044	Fox	GL	87-on
045	Corrado		89-on
046	Passat	GL, GLS (1.8T, Synchro, V6), TDI, GLX (1.8T, 2.0T, W8, Synchro, V6), 4 Motion, 3.6 GL	90-on
047	Jetta III		93-on
048	Golf III		93-on
049	New Beetle		1988
050	Phaeton		-
051	EOS		-
398	Other automobile		-
399	Unknown automobile		-
401	The Thing (181)		73-75
402	Tiguan		2008-on
421	Touareg		-
441	Vanagon/Camper	Bus, Kombi, Van	all
442	Eurovan		92-on
443	Routan	S, SE, SEL Premium/RSE	2009-on
498	Other light truck		-
499	Unknown light truck		-
998	Other Vehicle		-
999	Unknown vehicle		-

31 ALFA ROMEO

CODE	MODEL	INCLUDES	YEAR
031	Spider	All roadsters, Veloce, 1750/2000 roadsters	all
032	Sports Sedan	All 4 door sedans Milano (86), Giulia, Super,Berlina, Alfetta, 1750/2000 sedans	all
033	Sprint Veloce	All 2-door coupes Alfetta GT, 1750/2000 GTV, Sprint GT	all
034	GTV-6		81-on
035	164		89-on
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>32 AUDI</u>

CODE	MODEL	INCLUDES	YEAR
031	Super 90		70-72
032	100/A6	S, LS, GL, Quattro (89 on)	70-77 89 on
033	Fox		74-79
034	4000	Quattro, Coupe GT, CS, S	80-88
035	5000	Quattro, CS, S, Turbo	78-88
036	80/90	Quattro	88-95
037	200	Quattro	88-92
038	V-8 Quattro		90-94
039	Coupe Quattro		90-93
040	S4/S6		93-on
041	Cabriolet		94-on
042	A4		96-on
043	A3		96-on
044	A8		96-on
045	TT		2000
046	S8		2001
047	Allroad		2001
049	A5		-
050	R8		2008-on
398	Other automobile		-
399	Unknown automobile		-
401	Q7		-
402	Q5		
498	Other Light Truck		
998	Other vehicle		-
999	Unknown vehicle		-

33 AUSTIN/AUSTIN HEALEY

CODE	MODEL	INCLUDES	YEAR
031	Marina	GT	all
032	America		all
033	Healey Sprite		all
034	Healy 3000	Healy 100	all
035	Mini		all
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>34 BMW</u>

CODE	MODEL	INCLUDES	YEAR
031	1600, 2000	Tii, 1800, 2000S	-76
032	Coupe	2800CS, 3.0CS	69-76
033	Bavaria Sedan	2500, 2800	69-74
034	3-series	318i, 318ti, 320i, 325e, 325es, 325I, 328, M3	77-on
035	5-series	524i, 528i, 530i, 533i, 535i, TD 525i (wagon), M5, 54OiA, 540I	75-on 77-on
036	6-series	630, 633, 635, csi, M6	-
037	7-series	733i, 735i, L7, 740i, 750iL	78-on
038	8-series	850, 840ic	90-on
039	Z3	M Coupe (Brickland)	96-on
040	Z8		-
041	V5		-
042	Z4		-
043	1 Series	128i, 135i	2008-on
044	X6		2008-on
398	Other automobile		-
399	Unknown automobile		-
401	X5	4WD	2000
402	X3		-
498	Other Light Truck		-
499	Unknown Light Truck		-

Motorcycles

CODE	MODEL	
701	0-50cc	-
702	51-124cc	-
703	125-349cc	-
704	350-449cc	-
705	450-749cc	-
706	750cc-over	-
709	Unknown cc	-
799	Unknown motored cycle	-
998	Other Vehicle	-
999	Unknown vehicle	-

35 NISSAN/DATSUN

CODE	MODEL	INCLUDES	YEAR
031	F10		77-78
032	200/240 SX		78-on
033	1200/210/B210	Honeybee	71-82
034	Z-car, ZX	240/260/280Z, 300 ZX,Turbo, 2+2	70-on
035	310		79-82
036	510	PL	68-73 78-81
037	610	PL	73-76
038	710	PL	74-77
039	810/Maxima		77-on
040	Roadster	SPL 311, SRL 311, 1600, 2000, convertible	-70
041	PL 411, RL 411		-67
042	Stanza	XE	82-92
043	Sentra		83-on
044	Pulsar	NX, EXA (86-on)	83-90
045	Micra		87-on
046	NX1600/2000		92-on
047	Altima		93-on
048	350Z/370Z		-
049	Murano		-
050	Versa		
051	Rogue	Includes S, SL	2008-on
052	Cube		2010-on
053	GT-R		2009-on
055	Leaf		2011-on
398	Other automobile		-
399	Unknown automobile		-
401	Pathfinder	MPV, 4 x 4	86-on
402	Xterra		2000
403	Juke		2011-on
421	Armada		-
441	Van	XE, GXE	87-on
442	Axxess		89-90
443	Quest		93-on
444	Altra EV	Electric vehicle	1998-2005
445	NV	Body Types 21 & 22	2011-on

35 NISSAN/DATSUN (continued)

471	Datsun/Nissan Pickup/Frontier	PL620, King Cab, Hardbody	73-on
473	Titan (Data years 2005 and earlier)		-
481	Titan (Data years 2006 and beyond)		-
498	Other light truck	Patrol	(1960)
499	Unknown light truck		-
883	Medium/Heavy COE	high entry	all
898	Other medium/heavy truck		all
899	Unknown medium/heavy truck		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>36 FIAT</u>

CODE	MODEL	INCLUDES	YEAR
031	124 (Coupe/Sedan)	Sport	67-75
032	124 Spider/Racer	Spider 2000/1500	68-83
033	Brava - 131		75-82
034	850 (Coupe/Spyder)		67-73
035	128		72-79
036	X-1/9		75-83
037	Strada		79-83
398	Other automobile	600, 1100	all
399	Unknown automobile		-
882	Medium/Heavy COE	low entry	all
883	Medium/Heavy COE	high entry	all
890	Medium/Heavy COE	entry position unknown	-
898	Other medium/heavy truck		all
899	Unknown medium/heavy truck		-
998	Other vehicle		-
999	Unknown vehicle		-

37 HONDA (ACURA: See 54)

CODE	MODEL	INCLUDES	YEAR
031	Civic/CRX	1300, 1500, CVCC, DX, EX, VX, S, Si, HF, 4WD Wagon, del Sol	73-on
032	Accord	LX, CVCC, SE-i, LX-i, EX, EX Wagon	76-on
033	Prelude	Si	80-on
034	600	Coupe, Sedan	all
035	S2000		-
037	Insight		-
038	FCX		2004-on
039	Fit		-
398	Other automobile	all Hondas not listed above	-
399	Unknown automobile		-
401	Passport		94-on
402	CR-V		-
403	Data element		-
421	Pilot		-
441	Odyssey		95-on
471	Ridgeline		-
498	Other Light Truck		94-on
499	Unknown Light Truck		94-on

Motorcycles

CODE	MODEL	
701	0-50cc	-
702	51-124cc	-
703	125-349cc	-
704	350-449cc	-
705	450-749cc	-
706	750cc-over	-
709	Unknown cc	-

37 HONDA (continued)

All Terrain Cycles/Vehicles (Model codes 731–739 are designed solely for off-road use)

CODE	MODEL	_
731	0-50cc	-
732	51-124 cc	-
733	125-349 cc	-
734	350cc or greater	-
739	Unknown cc	-
798	Other Motorcycle	-
799	Unknown motored cycle	-
998	Other vehicle	-
999	Unknown vehicle	-

<u>38 ISUZU</u>

CODE	MODEL	INCLUDES	YEAR
031	I-Mark	S, RS, Turbo	85-89
032	Impulse	Turbo, RS	84-on
033	Stylus		90-an
398	Other automobile		-
399	Unknown automobile		-
401	Trooper/Trooper II	Deluxe, LS	84-on
402	Rodeo		91-on
403	Amigo		89-94
404	Vehicross		1999
405	Axiom		2000
421	Ascender		-
441	Oasis		96-on
471	P'up (pickup) Hombre	4 x 4	all
473	i-280/i-290	S, LS, Luxury	2006-on
474	i-350/i-370	LS, Limited, S	2006-on
498	Other light truck		-
499	Unknown light truck		all
881	Medium/Heavy CBE		all
882	Medium/Heavy COE	low entry	all
883	Medium/Heavy COE	high entry	all
884	Medium/Heavy	unknown engine location	-
890	Medium/Heavy COE	entry position unknown	-
898	Other medium/heavy truck		-
899	Unknown medium/heavy truck		-
950	Bus based motorhome		-
981	Bus Conventional front engine		-
982	Bus Front engine/flat front		-
983	Bus Rear engine/flat front		-
988	Other bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

39 JAGUAR

CODE	MODEL	INCLUDES	YEAR
031	XJ-S Coupe		76-on
032	Vander Plas/XJ6/12 Sedan/Coupe/XJ8	L, XJ, C, 340/420 Sedan	all
033	XKE V12, Roadster, 120, 2 + 2		all
034	X100/S-Type		97-on
035	X-Type		-
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

40 LANCIA

CODE	MODEL	INCLUDES	YEAR
031	Beta Sedan - HPE		80
032	Beta Coupe - Zagato		82
033	Scorpion		78
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

41 MAZDA

CODE	MODEL	INCLUDES	YEAR
031	RX2		72-74
032	RX3		72-78
033	RX4		74-78
034	RX7	S, GS, GSL, SE	79-on
035	323/GLC/Protege	DX, Protege (90-on)	77-on
036	Cosmo		76-78
037	626	GT, GS, GSL, SE	79-on
038	808		72-77
039	Mizer		76
040	R-100		-72
041	616/618		-72
042	1800		-72
043	929		88-on
044	MX-6	Turbo	88-on
045	Miata		90-on
046	MX-3	GS	92-on
047	Millenia		95-on
048	MP3		-
049	RX-8		-
050	Mazda 6		-
051	Mazda 3		-
052	Mazda 5		-
053	CX-7		-
054	CX-9		-
398	Other automobile		-
399	Unknown automobile		-
401	Navajo		91-on
402	Tribute		-
441	MPV		89-on
471	Mazda pickup	B-2000, B-2200, B-2600, B-4000, Cab Plus, SE-5, LX	all
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

42 MERCEDES BENZ

CODE	MODEL	INCLUDES	YEAR
031	200/220/230/240/250/ 260/280/300/320/420	Sedan and 5 passenger C only, SE, CD, D, SD, TD, CE, E. DOES NOT include 280 SE (75 on), 300 SD - see code 037	all
032	230/280 SL	2 seater only	all
033	300/350/380/450/500 SL, 560 SL	2 seater only, 300/500 SL (90-on)	all
034	350/380/420/450/560	SLC	all
035	280/300 SEL	TD, TD-T, CDT	all
036	380/420/450/500/560 SEL and 500/560 SEC/ 350 SDL/300 SDL		all
037	300 SE/380/450 SE	280 S, 280 SE (75 on), 300 SD Sedan, 350 SD	all
038	600, 6.9 Sedan	Pullman	all
039	190	D, E, 2.3, 2.5	all
040	300	CE Cabriolet	93-on
041	400/500E		92-on
042	C Class	220/280C (Kompressor)/C240/ C280/C320/C300/C350/C36/C43/ C32/55/63 AMG	94-on
043	S Class		-
044	SL Class		-
045	SLK		-
046	CL		-
047	CLK		-
048	E		-
049	SLR Mclaren		-
050	R-Class		-
051	CLS-Class		-
398	Other automobile		-
399	Unknown automobile		-
401	M		-
402	G Class		-
470	Van derivative	Kurbstar	82-on
498	Other light truck		-
499	Unknown light truck		-

42 MERCEDES BENZ (continued)

881	Medium/Heavy CBE		all
882	Medium/Heavy COE	low entry	all
883	Medium/Heavy COE	high entry	all
884	Medium/Heavy	Unknown engine location	-
890	Medium/Heavy COE	entry position unknown	-
898	Other medium/heavy truck		-
899	Unknown medium/heavy truck		-
950	Bus based motorhome		-
981	Medium bus		all
988	Other bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>43 MG</u>

CODE	MODEL	INCLUDES	YEAR
031	Midget	MKIII, 1500	-79
032	MGB		76-79
033	MGB	GT	67-75
034	MGA		all
035	TA/TC/TD/TF		all
036	MGC	GT	-69
398	Other automobile	Sport Sedan	-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

44 PEUGEOT

CODE	MODEL	INCLUDES	YEAR
031	304		71-73
032	403		-67
033	404		-70
034	504/505	STI, STX, Turbo, S, GL, GLS, Liberte, Station Wagon	70-91
035	604	SL, D	77-84
036	405	Mi-16	89-91
398	Other automobile		-
399	Unknown automobile		-

Motorcycles

CODE	MODEL	
701	0-50cc	-
702	51-124cc	-
709	Unknown cc	-
799	Unknown motored cycle	-
998	Other vehicle	-
999	Unknown vehicle	-

45 PORSCHE

CODE	MODEL	INCLUDES	YEAR
031	911	L, S, E, T, SC, Carrera, Slopenose, Speedster, Panorama	all
032	912	E, T	-69
033	914	S, 1.8, 2.0, 914/6	70-76
034	924	Turbo, S	77-88
035	928	S	78-on
036	930	Turbo	79
037	944	Turbo, S	83-91
038	959		89-94
039	968		92-95
040	986 Boxter		-
041	Cayman		-
398	Other automobile	Spyder, Speedster, 356	-
399	Unknown automobile		-
421	Cayenne		-
998	Other vehicle		-
999	Unknown vehicle		-

46 RENAULT/AMC

CODE	MODEL	INCLUDES	YEAR
031	LeCar	5	76-83
032	Dauphine/I0/R-8/ Caravelle	all models	-71
033	12	R12L, R12TL	72-77
034	15	R15, R15TL	73-76
035	16	R16	69-72
036	17	R17, Gordini Coupe, R17TL	73-80
037	RI 8i	Sportwagon	81-on
038	Fuego	TL, TS, GTL, GTS, Turbo	82-85
039	Alliance/Encore, GTA,Convertible	L, DL, Limited, X-37	83-on
041	Alpine	GT	87-on
044	Medallion	DL, LX	87 only
045	Premier		87 only
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>47 SAAB</u>

CODE	MODEL	INCLUDES	YEAR
031	99/99E/900	S, Turbo, Cabriolet	all
032	Sonnett	II, III, V-4	68-74
033	95/96/97		-73
034	9000	S, Turbo, CS (93-on)	85-on
035	9-3		-
036	9-5		-
037	9-2X		-
398	Other automobile	Monte Carlo 850	all
399	Unknown autmobile		-
401	9-7X		-
498	Other Light Truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

48 SUBARU

CODE	MODEL	INCLUDES	YEAR
031	DL/FE/G/GF/GL/GLF/ STD/Loyale	4 wheel drive, Turbo	72-94
032	Star		70-71
033	360		69-70
034	Legacy	Brighton, Outback, Outback II	89-on
035	XT, XT6	4WD Turbo, convertible, DL	86-on
036	Justy	DL, GL	87-94
037	SVX		92-on
038	Impreza		93-on
043	Brat	DL, GL	78-on
044	Baja		-
045	Outback		-
398	Other automobile		-
399	Unknown automobile		-
401	Forester		-
402	B9 Tribeca		-
498	Other Light Truck		-
499	Unknown Light Truck		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>49 TOYOTA</u>

CODE	MODEL	INCLUDES	YEAR
031	Corona	Mark 11, Custom, 1900, 2000, Deluxe	-82
032	Corolla	1100, 1200, 1600, SR-5, LE, Deluxe, Custom, FX16	69-85 86-on
033	Celica	1900, 2000, GT, ST, GTS	71-on
034	Supra	Celica Supra, Soarer	79-92
035	Cressida		78-92
036	Crown	2300, 2600	-71
037	Carina	2000	72-73
038	Tercel	Corolla Tercel, 4WD Wagon	80-on
039	Starlet		81-84
040	Camry	LE, Deluxe, XLE, Coupe	83-on
041	MR-2		85-95
042	Paseo		92-on
043	Avalon		95-on
044	Solara		-
045	Echo		-
046	Prius		-
048	Scion XA		-
049	Scion XB		-
050	Scion TC		-
051	Yaris		-
052	Scion XD	4-door hatchback	2008-on
053	Venza		2009-on
398	Other automobile	2000 GT Coupe (1960s)	all
399	Unknown automobile		-
401	4-Runner		85-on
402	RAV-4		96-on
403	Highlander		-
404	Matrix		-
405	FJ Cruiser		-
421	Landcruiser		76-on
422	Sequoia		-
441 on	Minivan/Previa	LE, Cargo	84-
442	Sienna		-

49 TOYOTA (continued)

471	Pickup	SR-5, Extra Cab, Sport, LN44, Chinook, Wonder Wagon	74-on
472	Tacoma		95-on
481	T-100		93-on
482	Tundra		
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

50 TRIUMPH

CODE	MODEL	INCLUDES	YEAR
031	Spitfire	I, II, III, IV, 1500	-81
032	GT-6	MK3	67-73
033	TR4	TR2, TR3, TR4A	-68
034	TR6		69-76
035	TR7/8		75-81
036	Herald	Vitesse	60-74
037	Stag		60-74
398	Other automobile	2000, 1200 series	-
399	Unknown automobile		-

Motorcycles

CODE	MODEL	
701	0-50cc	-
702	51-124cc	-
703	125-349cc	-
704	350-449cc	-
705	450-749cc	-
706	750cc-over	-
709	Unknown cc	-
799	Unknown motored cycle	-
998	Other vehicle	-
999	Unknown vehicle	-

51 VOLVO (includes Volvo/White and Volvo/GM Heavy Trucks)

CODE	MODEL	INCLUDES	YEAR
031	122	S	58-68
032	142/144/145	S, E, GL, GLS, Deluxe	67-74
033	164	S, E	69-75
034	240/242/244/245	DL, GL, GLE, GLT, Deluxe	75-on
035	262/264/265	GL	76-82
036	1800	E, S, ES	60-73
037	P-544		47-65
038	760 780	Turbo, GLE	83-90 87-92
039	740	GLE, GT, Turbo, GL	85-92
040	940	GLE, Turbo, SE	91-on
041	960		92-on
042	850	GLT, Wagon	93-on
043	70 Series	C70 (LT, HT, T5), S70 (GLT, T5, AWD), V70 (R, SC Cross Country, GLT, T-5, XC-70, M, 2.4T, 2.4, 2.5T, T-6, R, 3.2) LPT, HPT	-
044	90 Series		-
045	80 Series	S80	-
046	40 Series	S40,V40	-
047	60 Series	S60 (2.4T, 2.4, 2.5 AWD, T5) 2.4M, 2.5T, R, T5, 2.4i, R-Design	-
048	V50		-
049	C30	1.0, 2.0, TS, R-Design	2008-on
050	XC60		2008-on
398	Other automobile		-
399	Unknown automobile		-
401	XC90		-
881	Medium/Heavy CBE		all
882	Medium/Heavy COE	low entry	all
883	Medium/Heavy COE	high entry	all
884	Medium/Heavy	unknown engine location	-
890	Medium/Heavy COE	entry position unknown	-
898	Other medium/heavy truck		all
899	Unknown medium/heavy truck		-
950	Bus based motorhome		-

51 VOLVO (continued)

981	Medium bus	all
988	Other bus	all
989	Unknown bus	-
998	Other vehicle	-
999	Unknown vehicle	-

52 MITSUBISHI

CODE	MODEL	INCLUDES	YEAR
031	Starion	2+2, LE, Turbo	83-90
032	Tredia	L, LS, Turbo	83-88
033	Cordia	L, Turbo	83-88
034	Galant	ECS, Sigma (thru-88)	85-on
035	Mirage	L, Turbo	85-on
036	Precis		90-on
037	Eclipse		90-on
038	Sigma		89-90
039	3000 GT	Spyder, VR-4	91-on
040	Diamante		92-on
046	Lancer		-
398	Other automobile		-
399	Unknown automobile		-
401	Montero	Sport	85-on
402	Outlander		-
403	Endeavor		-
441	Minivan	LS	87-on
442	Expo	LRV, Sport	92-95
471	Pickup	Mighty Max, SPX, 4x4	all
472	Raider/Durocross		-
498	Other light truck		-
499	Unknown light truck		-
882	Medium/Heavy COE	low entry, FUSO FE	all
898	Other medium/heavy truck		-
899	Unknown medium/heavy truck		-
950	Bus based motorhome		-
981	Bus Conventional front engine		all
982	Bus Front engine/flat front		all
983	Bus Rear engine/flat front		all
988	Other bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

53 SUZUKI

CODE	MODEL	INCLUDES	YEAR
031	SA310	GLX	86-on
034	Swift	GTi,GTX	89-on
035	Esteem		-
036	Aerio		-
037	Forenza		-
038	Verona		-
039	Reno		-
040	SX4		-
398	Other automobile		-
399	Unknown automobile		-
401	Samurai	Standard, Deluxe	85-95
402	Sidekick/Grand Vitara		89-on
403	X-90/Vitara		96-on
404	Grand Vitara		-
405	XL7		-
481	Equator		2009-on
498	Other light truck		-
499	Unknown light truck		-

Motorcycles

CODE	MODEL	
701	0-50cc	-
702	51-124cc	-
703	125-349cc	-
704	350-449cc	-
705	450-749cc	-
706	750cc-over	-
709	Unknown cc	-

53 SUZUKI (continued)

All Terrain Cycles/Vehicles

CODE	MODEL	INCLUDES	YEAR
731	0-50cc	includes all ATCs/ATVs	-
732	51-124	designed soley for off-road use.	-
733	125-349cc		-
734	350cc or greater		-
739	Unknown cc		-
798	Other Motored Cycle		-
799	Unknown motored cycle		-
998	Other vehicle		-
999	Unknown vehicle		-

54 ACURA

CODE	MODEL	INCLUDES	YEAR
031	Integra	RS, LS, GS	86-on
032	Legend/RL		86-on
033	NSX	NSX -T	91-on
034	Vigor	TL2.5/TL3.2	92-on
035	CL/TL	Coupe	96-on
038	RSX		-
039	TSX		-
040	ZDX	Body Type = 05/5-door/4-door hatchback	2010-on
398	Other automobile		-
399	Unknown automobile		-
401	SLX		96-on
402	RDX		-
421	MDX		-
498	Other Light Truck		-
499	Unknown Light Truck		-
998	Other vehicle		-
999	Unknown vehicle		-

55 HYUNDAI

CODE	MODEL	INCLUDES	YEAR
031	Pony		84-88
032	Excel	GL, GLS	84-94
033	Sonata		89-on
034	Scoupe		91-95
035	Elantra		92-on
036	Accent		95-on
037	Tiburon		-
038	XG300/350		-
039	Azera		-
040	Equus		2008-on
041	Genesis	3.8, 4.6	2009-on
398	Other automobile		-
399	Unknown automobile		-
401	Santa Fe		-
402	Tuscon		-
403	Veracruz		-
441	Entourage		-
498	Other Light Truck		-
499	Unknown Light Truck		-
998	Other vehicle		-
999	Unknown vehicle		-

56 MERKUR

CODE	MODEL	INCLUDES	YEAR
031	XR4Ti	Turbo	85-89
032	Scorpio	Tu rbo	87-90
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>57 YUGO</u>

CODE	MODEL	INCLUDES	YEAR
031	GV	GVX, Cabriolet	86-92
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

<u>58 INFINITI</u>

CODE	MODEL	INCLUDES	YEAR
031	M30		90-92
032	Q45		90-on
033	G20		91-96
034	J30		93-on
035	130		96-on
036	135		-
037	G35/G37		-
038	M35/M37/M45/M56		-
039	FX35/45/50		-
040	EX35	Includes Journey	2008-on
398	Other automobile		-
399	Unknown automobile		-
401	T30/QX4 (2010 and later)		97-on
421	QX56		-
498	Other Light Truck		97-on
499	Unknown Light Truck		97-on
998	Other vehicle		-
999	Unknown vehicle		-

59 LEXUS

CODE	MODEL	INCLUDES	YEAR
031	ES-250/300/330/350		90-on
032	LS	400/430/460/L/600h/L	90-on
033	SC-300/SC-400	2 door Coupe	92-on
034	GS-300/350/400/430/450h		94-on
035	IS-250/300/350/500		-
036	SC 430		2002
398	Other automobile		-
399	Unknown automobile		-
401	RX300		-
402	GX470		-
403	RX330/350/400h	Hybrid, Thundercloud, Mark Levinson Package	2004-on
421	LX-450/470		96-on
498	Other light Truck		96-on
499	Unknown Light Truck		96-on
998	Other vehicle		-
999	Unknown vehicle		-

60 DAIHATSU

CODE	MODEL	INCLUDES	YEAR
031	Charade		90-92
398	Other automobile		-
399	Unknown automobile		-
401	Rocky		90-92
498	Other light truck		-
499	Unknown light truck		-
998	Other vehicle		-
999	Unknown vehicle		-

61 STERLING

CODE	MODEL	INCLUDES	YEAR
031	827S	Li	86-91
398	Other automobile		-
399	Unknown automobile		-
998	Other vehicle		-
999	Unknown vehicle		-

62 LAND ROVER

CODE	MODEL	INCLUDES	YEAR
401	Discovery (LR)		94-on
402	Defender 90 (LR)		94-98
421	County LWB (RR)/County	Classis (RR)	all
422	Defender 90 (LR), 4.0 SE	(RR), and Freelander	1999-2010
423	LR3		-
424	LR2		-
498	Other Light Truck		all
499	Unknown Light Truck		all
998	Other vehicle		-
999	Unknown vehicle		-

63 KIA

CODE	MODEL	INCLUDES	YEAR
031	Sephia		all
032	Spectra		-
033	Rio/Rio5		-
034	Optima		-
035	Amanti		-
036	Rondo		-
037	Soul		2009-on
038	Forte		2010-on
398	Other automobile		-
399	Unknown automobile		-
401	Sportage		96-on
402	Sorrento		-
421	Borrego	EX, LX (Body Type = 15/Large Utility)	2009-on
441	Sedona		-
498	Other Light Truck		-
499	Unknown Light Truck		-
998	Other vehicle		-
999	Unknown vehicle		-

64 DAEWOO

CODE	MODEL	INCLUDES	YEAR
031	Lanos		-
032	Nubira		-
033	Leganza		-
398	Other Automobile		-
399	Unknown Automobile		-
999	Unknown Vehicle		-

65 SMART

CODE	MODEL	INCLUDES	YEAR
031	ForTwo	Pure & Passion	-
398	Other automobile		-
399	Unknown automobile		-

66 MAHINDRA

CODE	MODEL	INCLUDES	YEAR
???	???	??	2011-on

69 OTHER FOREIGN

CODE	MODEL	INCLUDES	YEAR
031	Aston Martin	Lagonda, Vantage, Volante, Saloon	all
032	Bricklin		all
033	Citreon		all
034	Delorean		all
035	Ferrari		all
036	Hillman		all
037	Jensen	Healy	all
038	Lamborghini	Countach 5000S, Jalpa	all
039	Lotus	Europe, Esprit	all
040	Maserati	Biturbo	all
041	Morris	Minor	all
042	Rolls Royce/Bentley	Cloud/shadow series	all
044	Simca		all
045	Sunbeam		all
046	TVR		all
048	Desta		all
049	Reliant		all
052	Bertone	X/19	all
053	Lada		all
054	Mini Cooper		
398	Other make	Morgan, Singer	all
399	Unknown make		-
498	Other light truck		-

MAKES 70 to 79: See "Classification of Motored Cycles and All Terrain Vehicles / Cycles".

81 DIAMOND REO / REO

CODE	MODEL	INCLUDES	YEAR
850	Medium/Heavy Truck Based M	otorhome	-
881	Medium Heavy - CBE		all
882	Medium/Heavy - COE/Low ent	try	-
883	Medium/Heavy - COE/High en	try	-
884	Medium/Heavy – Unknown Eng	gine Location	-
890	Medium/Heavy - COE/Entry Po	osition Unknown	-
898	Medium/Heavy - Other		-
899	Unknown Medium/Heavy Truck	(-

82 FREIGHTLINER/WHITE

CODE	MODEL	INCLUDES	YEAR
461	Sprinter/Advantage		-
470	M-Line Walk-in Van		-
498	Other Light Truck		-
499	Unknown Light Truck		-
850	Truck based motorhome		-
881	Medium Heavy - CBE		all
882	Medium/Heavy COE low entry	,	all
883	Medium/Heavy COE high entry	у	all
884	Medium/Heavy unknown engir	ne location	-
890	Medium/Heavy COE entry pos	sition unknown	-
898	Other medium/heavy truck		all
899	Unknown medium/heavy truck		-
981	Conventional bus		all
982	Bus-flat front, front engine		all
983	Bus-flat front, rear engine		all
988	Other bus		-
989	Unknown bus		-
999	Unknown vehicle		-

84 INTERNATIONAL HARVESTER

CODE	MODEL	DDEL INCLUDES	
421	Scout	Scout II, Utility pickup, SS-2, Roadstar, 800 series, Traveler, Terra Traveltop	all
431	Travelall	1010-1210, 100-200	all
466	Multistop Van	Metro RM, 120-160, MS 1210, MS 1510	all
481	Pickup	R-100-500, 900A-1 500C/D, 1010-1510	all
498	Other light truck		-
499	Unknown light truck		-
850	Truck based motorhome		-
881	Medium Heavy - CBE	Loadstar/Fleetstar, Paystar, CBE Transtar, 4200, S-series Mixer	all
882	Medium/Heavy COE low entry	CO, VCO, DCO, 190-1950, Cargostar, LFM, 5370	all
883	Medium/Heavy COE high entry	DCO, DCOT, UCO, VCOT, 405-series, COE Transtar, Unistar, Conco 707B, 9600	all
884	Medium/Heavy	unknown engine location	-
890	Medium/Heavy COE	entry position unknown	-
898	Other medium/heavy truck	firetruck-RI4O-R301, C08190	all
899	Unknown medium/heavy truck		-
950	Bus based Motorhome		all
981	Conventional bus	RI53-1853 - Loadstar, 1603-1853	all
982	Bus-flat front, front engine	173FC,183FC	all
983	Bus-flat front, rear engine	183RE, 193RE-transit	all
988	Other bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

MAKES 85 to 98: See "Classification for Medium/Heavy Trucks and Buses".

99 UNKNOWN MAKE

CODE	MODEL	INCLUDES	YEAR
399	Unknown automobile		-
499	Unknown light truck		-
799	Unknown motored cycle		-
899	Unknown medium/heavy truck		-
988	Other bus		-
989	Unknown bus		-
998	Other vehicle		-
999	Unknown vehicle		-

Classification for Motored Cycles and All Terrain Vehicles / Cycles

Vehicle Make	MC	ATC	ATV	Make Code
BMW	x			34
Honda	Х	x	x	37
Peugeot	Х			44
Triumph	х			50
Suzuki	х	X	x	53
BSA	Х			70
Ducati	X			71
Harley-Davidson	X			72
Kawasaki	X	X	x	73
Moto-Guzzi	X		x	74
Norton	X			75
Yamaha	X	x	x	76
Other make moped	X			78
Other make motorized cycle	X	x	Х	79
Unknown make				99

The following model codes are used for all manufacturers of motored cycles and all terrain vehicles/cycles:

Motored Cycles:		All Terrain Vehicles/Cycl	es:
0-50cc	701	0-50cc	731
51-124cc	702	51-124cc	732
125-349cc	703	125-349cc	733
350-449cc	704	350cc or greater	734
450-749cc	705	Unknown cc	739
750cc-or greater	706		
Unknown cc	709		
All Cycles:			
Other motored cycle	798		
Unknown motored cycle	799		
Other vehicle	998		

Classification for Medium/Heavy Trucks and Buses

Vehicle Make	Truck	Bus	Make Code	
AM General	Х	Х	03	
Dodge	X	х	07	
Ford	x	Х	12	
Chevrolet	x	Х	20	
GMC	x	Х	23	
Grumman	x	Х	25	
Nissan/Datsun	x		35	
Fiat	x		36	
Isuzu	x	Х	38	
Mercedes Benz	x	Х	42	
Volvo	x	X	51	
Mitsubishi	x		52	
Brockway	x		80	
Diamond Reo/Reo	x		81	
Freightliner/White	x		82	
FWD	x		83	
International Harvester/	x	Х	84	
Navistar Kenworth	x		85	
Mack	x		86	
Peterbilt	x		87	
lveco/Magirus	Х		88	
Other Make			98	

Classification for Medium/Heavy Trucks and Buses (continued)

For Make=98 (Other Medium/Heavy Trucks/ Buses, and Other Vehicle Makes), the following Model codes represent other truck and bus makes or types:

Other Truck and Bus Makes:


Autocar	801
Auto-Union-DKW	802
Divco	803
Western Star	804
Oshkosh	805
Hino	806
Scania	807
Sterling Trucks	808
Neoplan (bus)	902

Codes for medium and heavy truck models and bus models are shown below. These codes are used for all manufacturers of medium/heavy trucks and buses:

Truck and Bus Models:

Light truck based motorhome	498
Unknown type light motorhome	499
Truck based motorhome	850
Medium/Heavy CBE	881
Medium/Heavy COE-low entry	882
Medium/Heavy COE-high entry	883
Medium/Heavy Unknown engine location	884
Medium/Heavy COE-entry position unknown	890
Medium/Heavy - Other	898
Unknown light/medium/heavy truck	899
Bus based motorhome	950
Bus-conventional front engine	981
Bus - front engine/flat front	982
Bus - rear engine/flat front	983
Other Bus (e.g. Blue Bird, Chance Coach)	988
Unknown Bus	989
Other vehicle (e.g. farm vehicle, go-cart)	998
Unknown Vehicle	999

Appendix B: V23 Accident Type Diagram



Appendix C: Summary Statistics

The following two tables provide a summary of descriptive statistics from the NASS GES data files. Table 1 represents the actual number of records or unweighted sample and Table 2 represents the national estimates or weighted sample for years 1988 - 2011. These statistics provide the analyst a benchmark to compare against numbers obtained from the analytical data files.

Table 1: Unweighted Sample

Year	Crashes	Vehicles	People	Drivers	Occupants	Pedestrians	Pedalcyclists
1988	48,831	83,633	122,738	82,708	119,914	1,554	1,021
1989	44,105	74,778	110,896	74,354	107,447	1,880	1,315
1990	46,290	80,154	117,141	79,716	113,439	1,995	1,468
1991	42,600	73,833	108,955	73,481	105,580	1,723	1,348
1992	46,197	80,566	118,933	80,152	115,346	1,891	1,415
1993	55,644	96,544	143,525	96,209	138,759	2,589	1,845
1994	55,759	97,441	143,743	97,109	139,221	2,442	1,715
1995	53,749	95,803	140,512	95,477	136,890	1,909	1,336
1996	56,030	100,861	147,903	100,500	144,332	1,820	1,305
1997	55,562	100,032	145,890	99,688	142,366	1,838	1,266
1998	54,006	97,362	141,372	97,074	138,545	1,593	1,165
1999	52,913	94,846	137,048	94,549	134,095	1,736	1,108
2000	57,382	102,551	146,596	102,268	143,530	1,703	1,128
2001	55,964	100,161	143,281	99,893	140,147	1,732	1,005
2002	54,291	96,424	139,614	96,070	136,362	1,734	1,154
2003	59,156	105,295	151,167	104,951	147,730	1,895	1,122
2004	60,974	108,413	156,143	108,119	152,428	2,014	1,280
2005	54,597	96,340	137,884	96,059	134,523	1,778	1,207
2006	56,055	98,929	141,412	98,689	137,731	2,007	1,220
2007	61,282	107,202	152,727	106,935	148,370	2,356	1,446
2008	55,946	96,546	137,303	96,268	133,042	2,160	1,599
2009	44,645	77,594	110,990	77,389	107,469	1,778	1,305
2010	46,391	81,406	116,020	81,200	112,329	1,874	1,301
2011	55,166	96,608	136,652	96,349	132,098	2,421	1,593

Drivers: PERSON TYPE = 1
Occupants: PERSON TYPE IN (1,2,9)
Pedestrians: PERSON TYPE = 5

Pedalcyclists: PERSON TYPE = 6 (6 or 7 in 2009 and Later)

Table 2: Weighted Sample

Year	Crashes	Vehicles	People	Drivers	Occupants	Pedestrians	Pedalcyclists
1988	6 976 790	12 007 070	17,247,886	11 051 602	17,005,088	101 474	92.525
1989	6,876,780	12,007,970		11,851,683		121,474	82,535
1990	6,644,549	11,556,267	16,612,033	11,485,928	16,361,647	121,403	85,193
	6,462,126	11,315,087	16,298,795	11,252,874	16,061,886	116,405	86,059
1991	6,109,931	10,711,298	15,593,416	10,658,830	15,368,100	98,849	77,045
1992	5,992,938	10,535,596	15,339,372	10,485,244	15,136,291	94,646	71,084
1993	6,094,772	10,725,032	15,767,005	10,688,211	15,546,338	102,261	78,438
1994	6,489,122	11,487,378	16,836,682	11,451,723	16,617,814	101,781	70,862
1995	6,690,061	11,979,882	17,517,709	11,937,794	17,309,929	92,350	74,751
1996	6,761,051	12,082,760	17,704,717	12,043,981	17,490,909	89,992	67,892
1997	6,611,906	11,834,167	17,280,356	11,798,756	17,083,876	83,174	64,599
1998	6,325,242	11,386,502	16,521,887	11,354,181	16,338,158	73,829	59,581
1999	6,271,524	11,220,598	16,068,665	11,182,321	15,910,909	90,768	56,668
2000	6,389,310	11,346,184	16,113,394	11,317,668	15,952,464	83,156	56,350
2001	6,314,117	11,187,914	15,914,491	11,159,551	15,732,540	83,129	50,730
2002	6,304,493	11,168,656	15,737,226	11,129,037	15,569,434	74,491	51,684
2003	6,317,752	11,175,816	15,756,262	11,142,663	15,588,774	74,335	51,028
2004	6,169,998	10,945,334	15,341,895	10,916,913	15,183,714	73,478	44,436
2005	6,146,907	10,838,878	15,160,503	10,813,148	15,003,907	68,193	50,232
2006	5,964,194	10,571,511	14,695,390	10,545,598	14,532,697	65,404	48,524
2007	6,015,938	10,539,204	14,595,063	10,511,751	14,407,390	77,149	51,008
2008	5,801,228	10,096,536	13,914,399	10,066,779	13,729,518	73,417	57,439
2009	5,497,506	9,630,224	13,384,796	9,604,259	13,215,739	62,094	54,448
2010	5,408,612	9,551,084	13,216,589	9,526,827	13,029,817	74,649	55,513
2011	5,326,445	9,395,385	12,880,206	9,373,775	12,704,500	75,000	52,152

Drivers: PERSON TYPE = 1
Occupants: PERSON TYPE IN (1,2,9)
Pedestrians: PERSON TYPE = 5

Pedalcyclists: PERSON TYPE = 6 (6 or 7 in 2009 and Later)

Appendix D: Statistical Methods

National Estimates:

The national estimates produced from the NASS GES data may differ from the true population values because they are based on a probability sample of police-reported crashes that involve injury or major property damage, rather than a census of these types of crashes. The size of these differences may vary depending on the makeup of the sample which is selected. The standard error of an estimate is a measure of the precision or reliability with which an estimate from this particular NASS GES sample approximates the result of a census.

Generalized Estimated Sampling Errors

It is impractical to compute and provide a standard error for each national estimate. Instead, generalized standard errors for estimates of totals are presented in the following tables for 1988 to the current NASS GES year. The following steps produced the generalized standard errors:

- 3. The standard errors for selected estimates were calculated using Taylor series approximations. Generalized standard errors were calculated separately for crash, vehicle, and person characteristics.
- 4. Using regression techniques, three equations were found that best fit the separate standard errors for crash, vehicle, and person estimates.
- 5. The equations were used to generate approximate standard errors for the three types of estimates.

The NASS GES estimates and an estimate of one standard error are given in the following tables. By adding and subtracting the standard error to the associated estimate, a 95 percent confidence interval for an estimate can be created.

For example, if the estimated number of injured or killed pedestrians in 1995 was 90,000 (rounded to the nearest 1,000). To calculate one standard error for this person estimate, use the table on page 238. Look under the Person Estimate column for the value of 90,000. Look under the Person Standard Error column to the right for the corresponding person error value. For the person estimate of 90,000 the person standard error value is 7,100. The 95 percent confidence interval for this estimate would be approximately 90,000 + or - 1.96 * (7,100) or 76,000 to 104,000.

If the person estimate falls between the values shown on the table linear interpolation will be required. For example, had the person estimate been 92,000 instead of 90,000 the person standard error would need to be calculated. Use linear interpolation from the standard error values for 90,000 and 100,000. One approximate standard error would be 7,100 + 120 = 7,220. The 95 percent confidence interval for this estimate would be approximately 92,000 + or - 1.96 * (7,220) or 78,000 to 106,000.

More information on standard error estimates can be obtained from the National Center for Statistics and Analysis.

	1988 NASS GES ESTIMATES AND STANDARD ERRORS							
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	600	1,000	500	1,000	500			
5,000	1,400	5,000	1,200	5,000	1,200			
10,000	2,100	10,000	1,800	10,000	1,800			
20,000	3,200	20,000	2,900	20,000	2,9000			
30,000	4,200	30,000	3,800	30,000	3,800			
40,000	5,200	40,000	4,700	40,000	4,700			
50,000	6,100	50,000	5,500	50,000	5,600			
60,000	6,900	60,000	6,300	60,000	6,400			
70,000	7,800	70,000	7,100	70,000	7,200			
80,000	8,600	80,000	7,900	80,000	8,000			
90,000	9,400	90,000	8,600	90,000	8,800			
100,000	10,200	100,000	9,400	100,000	9,500			
200,000	17,600	200,000	16,500	200,000	17,000			
300,000	24,600	300,000	23,400	300,000	24,200			
400,000	31,400	400,000	30,100	400,000	31,300			
500,000	38,100	500,000	36,700	500,000	38,300			
600,000	44,800	600,000	43,400	600,000	45,400			
700,000	51,300	700,000	50,000	700,000	52,500			
800,000	57,900	800,000	56,600	800,000	59,500			
900,000	64,400	900,000	63,200	900,000	66,600			
1,000,000	71,000	1,000,000	69,900	1,000,000	73,800			
1,500,000	103,700	2,000,000	137,400	2,000,000	146,800			
2,000,000	136,500	3,000,000	207,300	3,000,000	223,000			
2,500,000	169,600	4,000,000	279,300	4,000,000	302,200			
3,000,000	203,100	5,000,000	353,400	5,000,000	384,000			
3,500,000	236,900	6,000,000	429,500	6,000,000	468,200			
4,000,000	271,000	7,000,000	507,300	7,000,000	554,700			
4,500,000	305,400	8,000,000	586,800	8,000,000	643,300			
5,000,000	340,200	9,000,000	667,900	9,000,000	733,900			
5,500,000	375,400	10,000,000	750,500	10,000,000	826,300			
6,000,000	410,800	11,000,000	834,500	11,000,000	920,600			
7,000,000	482,600	12,000,000	919,900	12,000,000	1,016,600			
$*SE = e^{a/2+b/2(\ln n)}$	X)**2, where	$**SE = e^{a/2+b/2(\ln a)}$	^{n X)**2} , where	*** $SE = e^{a/2 + b/2(\ln X)^{**2}}$, where				
a = 9.6	63	a = 9.	16	a = 1	9.04			
b = .06	57	b = .00	69	b = 0	.070			

1989 NASS GES ESTIMATES AND STANDARD ERRORS							
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***		
1,000	600	1,000	500	1,000	500		
5,000	1,400	5,000	1,200	5,000	1,200		
10,000	2,100	10,000	1,800	10,000	1,800		
20,000	3,200	20,000	2,900	20,000	2,900		
30,000	4,200	30,000	3,800	30,000	3,800		
40,000	5,200	40,000	4,700	40,000	4,700		
50,000	6,100	50,000	5,500	50,000	5,600		
60,000	6,900	60,000	6,300	60,000	6,400		
70,000	7,800	70,000	7,100	70,000	7,200		
80,000	8,600	80,000	7,900	80,000	8,000		
90,000	9,400	90,000	8,600	90,000	8,800		
100,000	10,200	100,000	9,400	100,000	9,500		
200,000	17,600	200,000	16,500	200,000	17,000		
300,000	24,600	300,000	23,400	300,000	24,200		
400,000	31,400	400,000	30,100	400,000	31,300		
500,000	38,100	500,000	36,700	500,000	38,300		
600,000	44,800	600,000	43,400	600,000	45,400		
700,000	51,300	700,000	50,000	700,000	52,500		
800,000	57,900	800,000	56,600	800,000	59,500		
900,000	64,400	900,000	63,200	900,000	66,600		
1,000,000	71,000	1,000,000	69,900	1,000,000	73,800		
1,500,000	103,700	2,000,000	137,400	2,000,000	146,800		
2,000,000	136,500	3,000,000	207,300	3,000,000	223,000		
2,500,000	169,600	4,000,000	279,300	4,000,000	302,200		
3,000,000	203,100	5,000,000	353,400	5,000,000	384,000		
3,500,000	236,900	6,000,000	429,500	6,000,000	468,200		
4,000,000	271,000	7,000,000	507,300	7,000,000	554,700		
4,500,000	305,400	8,000,000	586,800	8,000,000	643,300		
5,000,000	340,200	9,000,000	667,900	9,000,000	733,900		
5,500,000	375,400	10,000,000	750,500	10,000,000	826,300		
6,000,000	410,800	11,000,000	834,500	11,000,000	920,600		
7,000,000	482,600	12,000,000	919,900	12,000,000	1,016,600		
$*SE = e^{a/2+b/2(\ln n)}$	^{X)**2} , where	** $SE = e^{a/2+b/2(1)}$	^{n X)**2} , where	*** $SE = e^{a/2+b/2(\ln X)^{**2}}$, where			
a = 9.6	53	a = 9.	16	a =	9.04		
b = .06	67	b = .0	69	<i>b</i> =	070		

1990 NASS GES ESTIMATES AND STANDARD ERRORS							
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***		
1,000	700	1,000	400	1,000	400		
5,000	1,400	5,000	1,000	5,000	1,000		
10,000	2,100	10,000	1,600	10,000	1,500		
20,000	3,300	20,000	2,500	20,000	2,400		
30,000	4,200	30,000	3,400	30,000	3,100		
40,000	5,100	40,000	4,200	40,000	3,900		
50,000	5,900	50,000	4,900	50,000	4,500		
60,000	6,800	60,000	5,700	60,000	5,200		
70,000	7,500	70,000	6,400	70,000	5,800		
80,000	8,300	80,000	7,100	80,000	6,500		
90,000	9,000	90,000	7,800	90,000	7,100		
100,000	9,700	100,000	8,500	100,000	7,700		
200,000	16,400	200,000	15,000	200,000	13,400		
300,000	22,600	300,000	21,300	300,000	18,900		
400,000	28,600	400,000	27,500	400,000	24,300		
500,000	34,400	500,000	33,700	500,000	29,600		
600,000	40,000	600,000	39,900	600,000	34,800		
700,000	45,700	700,000	46,100	700,000	40,100		
800,000	51,200	800,000	52,200	800,000	45,300		
900,000	56,700	900,000	58,400	900,000	50,600		
1,000,000	62,200	1,000,000	64,700	1,000,000	55,800		
1,500,000	116,200	2,000,000	128,300	2,000,000	108,800		
2,000,000	169,800	3,000,000	194,500	3,000,000	163,200		
2,500,000	223,700	4,000,000	263,100	4,000,000	219,100		
3,000,000	278,000	5,000,000	334,000	5,000,000	276,400		
3,500,000	332,800	6,000,000	406,900	6,000,000	335,200		
4,000,000	388,100	7,000,000	481,600	7,000,000	394,900		
4,500,000	444,000	8,000,000	558,200	8,000,000	455,900		
5,000,000	500,400	9,000,000	636,400	9,000,000	518,100		
5,500,000	557,300	10,000,000	716,100	10,000,000	581,300		
6,000,000	614,700	11,000,000	797,400	11,000,000	645,500		
7,000,000	672,500	12,000,000	808,100	12,000,000	710,600		
$*SE = e^{(a/2)+(b/2)(\ln(x))^2}, where$		** $SE = e^{(a/2)+(b/2)(\ln(x))^2}$, where		*** $SE = e^{(a/2)+(b/2)(\ln(x))^2}$, where			
a = 9.93		a = 8.8			88000		
b = 0.06	5362	b = 0.00	6977	b=0.	06800		

1991 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	600	1,000	500	1,000	400			
5,000	1,400	5,000	1,100	5,000	1,000			
10,000	2,100	10,000	1,600	10,000	1,500			
20,000	3,200	20,000	2,600	20,000	2,400			
30,000	4,200	30,000	3,500	30,000	3,200			
40,000	5,000	40,000	4,300	40,000	4,000			
50,000	5,900	50,000	5,000	50,000	4,700			
60,000	6,700	60,000	5,800	60,000	5,400			
70,000	7,500	70,000	6,500	70,000	6,100			
80,000	8,200	80,000	7,200	80,000	6,800			
90,000	9,000	90,000	7,900	90,000	7,500			
100,000	9,700	100,000	8,600	100,000	8,200			
200,000	16,500	200,000	15,200	200,000	14,600			
300,000	22,800	300,000	21,600	300,000	20,900			
400,000	29,000	400,000	27,800	400,000	27,200			
500,000	34,900	500,000	34,000	500,000	33,400			
600,000	40,800	600,000	40,200	600,000	39,700			
700,000	46,600	700,000	46,400	700,000	46,000			
800,000	52,400	800,000	52,600	800,000	52,300			
900,000	58,100	900,000	58,900	900,000	58,600			
1,000,000	63,800	1,000,000	65,100	1,000,000	65,000			
2,000,000	120,300	2,000,000	128,600	2,000,000	130,600			
3,000,000	176,900	3,000,000	194,600	3,000,000	199,700			
4,000,000	234,000	4,000,000	262,900	4,000,000	271,800			
5,000,000	291,700	5,000,000	333,200	5,000,000	346,600			
6,000,000	350,200	6,000,000	405,500	6,000,000	423,900			
7,000,000	409,400	7,000,000	479,600	7,000,000	503,500			
8,000,000	469,300	8,000,000	555,400	8,000,000	585,200			
9,000,000	529,900	9,000,000	632,700	9,000,000	668,900			
10,000,000	591,100	10,000,000	711,600	10,000,000	754,500			
11,000,000	652,900	11,000,000	791,900	11,000,000	842,000			
12,000,000	715,400	12,000,000	873,600	12,000,000	931,100			
$*SE = e^{a+b(\ln X)^2}$, where		** $SE = e^{a+b(\ln X)^2}$, where		*** $SE = e^{a+b(\ln X)^2}$, where				
a = 4.900441		a = 4.460186		a = 4.291460				
b = 0.032292		b = 0.034701		b = 0.035576				

1992 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,100	5,000	1,000	5,000	900			
6,000	1,200	10,000	1,500	10,000	1,400			
7,000	1,300	20,000	2,500	20,000	2,200			
8,000	1,400	30,000	3,300	30,000	3,000			
9,000	1,600	40,000	4,100	40,000	3,700			
10,000	1,700	50,000	4,800	50,000	4,400			
20,000	2,700	60,000	5,600	60,000	5,100			
30,000	3,600	70,000	6,300	70,000	5,800			
40,000	4,400	80,000	7,000	80,000	6,500			
50,000	5,200	90,000	7,700	90,000	7,200			
60,000	6,000	100,000	8,400	100,000	7,800			
70,000	6,800	200,000	15,200	200,000	14,200			
80,000	7,600	300,000	21,800	300,000	20,600			
90,000	8,300	400,000	28,300	400,000	26,900			
100,000	9,100	500,000	34,900	500,000	33,200			
200,000	16,200	600,000	41,500	600,000	39,600			
300,000	23,200	700,000	48,100	700,000	46,000			
400,000	30,100	800,000	54,700	800,000	52,400			
500,000	36,900	900,000	61,400	900,000	59,000			
600,000	43,800	1,000,000	68,100	1,000,000	65,500			
700,000	50,700	2,000,000	137,500	2,000,000	134,100			
800,000	57,600	3,000,000	210,800	3,000,000	207,100			
900,000	64,600	4,000,000	287,500	4,000,000	284,000			
1,000,000	71,600	5,000,000	367,200	5,000,000	364,400			
2,000,000	143,600	6,000,000	449,700	6,000,000	447,900			
3,000,000	219,200	7,000,000	534,700	7,000,000	534,200			
4,000,000	298,000	8,000,000	622,100	8,000,000	623,200			
5,000,000	379,700	9,000,000	711,700	9,000,000	714,700			
6,000,000	464,000	10,000,000	803,400	10,000,000	808,500			
6,500,000	507,100	11,000,000	897,100	11,000,000	904,600			
$*SE = e^{a+b(\ln X)^2}$, where		** $SE = e^{a+b(\ln X)^2}$, where		*** $SE = e^{a+b(\ln X)^2}$, where				
<i>a</i> = 4.413218		a = 4.294210		a = 4.132995				
b = 0.035447		b = 0.035807		b = 0.036452				

1993 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,000	5,000	1,000	5,000	900			
6,000	1,200	10,000	1,500	10,000	1,400			
7,000	1,300	20,000	2,400	20,000	2,200			
8,000	1,400	30,000	3,200	30,000	3,000			
9,000	1,500	40,000	4,000	40,000	3,700			
10,000	1,600	50,000	4,700	50,000	4,400			
20,000	2,600	60,000	5,400	60,000	5,100			
30,000	3,500	70,000	6,100	70,000	5,700			
40,000	4,300	80,000	6,800	80,000	6,400			
50,000	5,100	90,000	7,500	90,000	7,000			
60,000	5,800	100,000	8,100	100,000	7,600			
70,000	6,600	200,000	14,600	200,000	13,700			
80,000	7,300	300,000	20,900	300,000	19,600			
90,000	8,000	400,000	27,100	400,000	25,400			
100,000	8,700	500,000	33,300	500,000	31,300			
200,000	15,600	600,000	39,500	600,000	37,100			
300,000	22,300	700,000	45,800	700,000	43,000			
400,000	29,000	800,000	52,100	800,000	48,900			
500,000	35,600	900,000	58,400	900,000	54,800			
600,000	42,200	1,000,000	64,700	1,000,000	60,800			
700,000	48,800	2,000,000	130,200	2,000,000	122,200			
800,000	55,400	3,000,000	199,100	3,000,000	186,900			
900,000	62,100	4,000,000	271,000	4,000,000	254,400			
1,000,000	68,800	5,000,000	345,600	5,000,000	324,400			
2,000,000	137,800	6,000,000	422,700	6,000,000	396,800			
3,000,000	210,100	7,000,000	502,000	7,000,000	471,300			
4,000,000	285,500	8,000,000	583,500	8,000,000	547,800			
5,000,000	363,600	9,000,000	667,000	9,000,000	626,200			
6,000,000	444,100	10,000,000	752,400	10,000,000	706,300			
6,500,000	485,200	11,000,000	839,600	11,000,000	788,200			
7,000,000	526,900	12,000,000	928,600	12,000,000	871,700			
$*SE = e^{a+b(\ln X)^2}$,where	$**SE = e^{a+b(\ln x)}$	^X)²,where	$***SE = e^{a+b}$	$p(\ln X)^2$, where			
a = 4.3885	98	a = 4.285	5811	a = 4.2	22608			
b = 0.0353	68	b = 0.035	5587	b = 0.0	35587			

	1994 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***				
1,000	400	1,000	400	1,000	400				
5,000	1,000	5,000	1,000	5,000	900				
6,000	1,200	10,000	1,500	10,000	1,400				
7,000	1,300	20,000	2,500	20,000	2,300				
8,000	1,400	30,000	3,300	30,000	3,100				
9,000	1,500	40,000	4,200	40,000	3,800				
10,000	1,600	50,000	4,900	50,000	4,500				
20,000	2,600	60,000	5,700	60,000	5,200				
30,000	3,500	70,000	6,500	70,000	5,900				
40,000	4,400	80,000	7,200	80,000	6,500				
50,000	5,200	90,000	7,900	90,000	7,200				
60,000	6,000	100,000	8,600	100,000	7,800				
70,000	6,700	200,000	15,600	200,000	14,100				
80,000	7,500	300,000	22,500	300,000	20,300				
90,000	8,300	400,000	29,300	400,000	26,400				
100,000	9,000	500,000	36,100	500,000	32,600				
200,000	16,300	600,000	42,900	600,000	38,700				
300,000	23,300	700,000	49,800	700,000	44,900				
400,000	30,400	800,000	56,800	800,000	51,100				
500,000	37,400	900,000	63,700	900,000	57,400				
600,000	44,500	1,000,000	70,800	1,000,000	63,700				
700,000	51,500	2,000,000	143,700	2,000,000	128,900				
800,000	58,700	3,000,000	220,900	3,000,000	197,800				
900,000	65,900	4,000,000	301,900	4,000,000	270,000				
1,000,000	73,100	5,000,000	386,300	5,000,000	345,200				
2,000,000	147,900	6,000,000	473,700	6,000,000	422,900				
3,000,000	227,000	7,000,000	564,000	7,000,000	503,100				
4,000,000	309,800	8,000,000	656,800	8,000,000	585,600				
5,000,000	395,900	9,000,000	752,200	9,000,000	670,300				
6,000,000	485,000	10,000,000	849,800	10,000,000	756,900				
6,500,000	530,700	11,000,000	949,700	11,000,000	845,500				
7,000,000	577,000	12,000,000	1,051,700	12,000,000	935,900				
$*SE = e^{a+b(\ln X)^2}$,where	** $SE = e^{a+b(\ln X)^2}$, where		*** $SE = e^{a+b(\ln X)^2}$, where					
a = 4.3476		a = 4.283		a = 4.2					
b = 0.0358	398	b = 0.036	5063	b = 0.0	35915				

1995 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,000	5,000	1,000	5,000	900			
6,000	1,200	10,000	1,600	10,000	1,400			
7,000	1,300	20,000	2,500	20,000	2,300			
8,000	1,400	30,000	3,300	30,000	3,100			
9,000	1,500	40,000	4,200	40,000	3,800			
10,000	1,600	50,000	4,900	50,000	4,500			
20,000	2,600	60,000	5,700	60,000	5,100			
30,000	3,500	70,000	6,400	70,000	5,800			
40,000	4,300	80,000	7,100	80,000	6,400			
50,000	5,100	90,000	7,800	90,000	7,100			
60,000	5,900	100,000	8,500	100,000	7,700			
70,000	6,600	200,000	15,300	200,000	13,700			
80,000	7,400	300,000	22,000	300,000	19,600			
90,000	8,100	400,000	28,500	400,000	25,300			
100,000	8,800	500,000	35,100	500,000	31,000			
200,000	15,800	600,000	41,700	600,000	36,800			
300,000	22,700	700,000	48,200	700,000	42,500			
400,000	29,400	800,000	54,900	800,000	48,300			
500,000	36,200	900,000	61,500	900,000	54,000			
600,000	43,000	1,000,000	68,200	1,000,000	59,800			
700,000	49,800	2,000,000	137,300	2,000,000	119,300			
800,000	56,600	3,000,000	210,100	3,000,000	181,500			
900,000	63,500	4,000,000	286,100	4,000,000	246,100			
1,000,000	70,400	5,000,000	365,000	5,000,000	313,000			
2,000,000	141,700	6,000,000	446,500	6,000,000	381,900			
3,000,000	216,800	7,000,000	530,400	7,000,000	452,600			
4,000,000	295,200	8,000,000	616,700	8,000,000	525,100			
5,000,000	376,500	9,000,000	705,000	9,000,000	599,300			
6,000,000	460,600	10,000,000	795,400	10,000,000	675,100			
6,500,000	503,600	11,000,000	887,700	11,000,000	752,300			
7,000,000	547,200	12,000,000	981,900	12,000,000	831,000			
$*SE = e^{a+b(\ln X)^2}$,where	$**SE = e^{a+b(\ln x)}$, where	$***SE = e^{a+t}$	$e^{(\ln X)^2}$, where			
a = 4.3620		a = 4.329		a = 4.2				
b = 0.0356	27	b = 0.035	5631	b = 0.0	35157			

1996 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	500	1,000	400	1,000	400			
5,000	1,100	5,000	1,000	5,000	1,000			
6,000	1,200	10,000	1,600	10,000	1,500			
7,000	1,300	20,000	2,500	20,000	2,300			
8,000	1,500	30,000	3,300	30,000	3,100			
9,000	1,600	40,000	4,100	40,000	3,800			
10,000	1,700	50,000	4,900	50,000	4,400			
20,000	2,600	60,000	5,600	60,000	5,100			
30,000	3,500	70,000	6,300	70,000	5,700			
40,000	4,300	80,000	7,000	80,000	6,300			
50,000	5,000	90,000	7,700	90,000	6,900			
60,000	5,800	100,000	8,400	100,000	7,500			
70,000	6,500	200,000	14,900	200,000	13,100			
80,000	7,200	300,000	21,300	300,000	18,500			
90,000	7,900	400,000	27,500	400,000	23,700			
100,000	8,500	500,000	33,800	500,000	28,900			
200,000	15,000	600,000	40,000	600,000	34,100			
300,000	21,100	700,000	46,200	700,000	39,200			
400,000	27,100	800,000	52,500	800,000	44,300			
500,000	33,100	900,000	58,800	900,000	49,400			
600,000	39,000	1,000,000	65,100	1,000,000	54,600			
700,000	44,900	2,000,000	129,800	2,000,000	106,400			
800,000	50,800	3,000,000	197,400	3,000,000	159,600			
900,000	56,700	4,000,000	267,600	4,000,000	214,300			
1,000,000	62,700	5,000,000	340,300	5,000,000	270,300			
2,000,000	122,600	6,000,000	415,200	6,000,000	327,700			
3,000,000	184,300	7,000,000	492,100	7,000,000	386,200			
4,000,000	247,800	8,000,000	570,900	8,000,000	445,900			
5,000,000	313,000	9,000,000	651,500	9,000,000	506,700			
6,000,000	379,800	10,000,000	733,900	10,000,000	568,500			
6,500,000	413,700	11,000,000	817,800	11,000,000	631,300			
7,000,000	448,000	12,000,000	903,300	12,000,000	695,100			
$*SE = e^{a+b(\ln X)^2}$, where $**SE =$		$**SE = e^{a+b(\ln x)}$	^X) ² ,where	$***SE = e^{a+a}$	b(ln X)², where			
a = 4.5215		a = 4.374		a = 4.4				
b = 0.0341	180	b = 0.035	5149	b = 0.0	34001			

1997 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,100	5,000	1,000	5,000	1,000			
6,000	1,200	10,000	1,600	10,000	1,600			
7,000	1,300	20,000	2,500	20,000	2,500			
8,000	1,400	30,000	3,300	30,000	3,300			
9,000	1,500	40,000	4,100	40,000	4,100			
10,000	1,600	50,000	4,900	50,000	4,800			
20,000	2,600	60,000	5,600	60,000	5,600			
30,000	3,500	70,000	6,400	70,000	6,300			
40,000	4,300	80,000	7,100	80,000	7,000			
50,000	5,100	90,000	7,800	90,000	7,700			
60,000	5,900	100,000	8,500	100,000	8,300			
70,000	6,600	200,000	15,200	200,000	14,800			
80,000	7,400	300,000	21,800	300,000	21,000			
90,000	8,100	400,000	28,300	400,000	27,200			
100,000	8,800	500,000	34,800	500,000	33,300			
200,000	15,700	600,000	41,300	600,000	39,400			
300,000	22,400	700,000	47,800	700,000	45,600			
400,000	29,000	800,000	54,400	800,000	51,700			
500,000	35,500	900,000	60,900	900,000	57,800			
600,000	42,100	1,000,000	67,600	1,000,000	64,000			
700,000	48,600	2,000,000	135,900	2,000,000	127,200			
800,000	55,200	3,000,000	207,700	3,000,000	193,100			
900,000	61,800	4,000,000	282,600	4,000,000	261,400			
1,000,000	68,500	5,000,000	360,400	5,000,000	332,000			
2,000,000	136,500	6,000,000	440,800	6,000,000	404,700			
3,000,000	207,600	7,000,000	523,500	7,000,000	479,300			
4,000,000	281,500	8,000,000	608,400	8,000,000	555,700			
5,000,000	358,000	9,000,000	695,500	9,000,000	633,700			
6,000,000	436,800	10,000,000	784,500	10,000,000	713,400			
6,500,000	477,000	11,000,000	875,300	11,000,000	794,600			
7,000,000	517,000	12,000,000	968,000	12,000,000	877,200			
$*SE = e^{a+b(\ln X)^2}$, where		** $SE = e^{a+b(\ln X)^2}$, where		$***SE = e^{a+b}$	$e^{(\ln X)^2}$, where			
a = 4.4241		a = 4.331		a=4.3				
b = 0.0351	54	b = 0.035	5/2	b = 0.0	34978			

1998 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	500			
5,000	1,000	5,000	1,000	5,000	1,000			
6,000	1,100	10,000	1,500	10,000	1,600			
7,000	1,300	20,000	2,500	20,000	2,400			
8,000	1,400	30,000	3,300	30,000	3,200			
9,000	1,500	40,000	4,000	40,000	3,900			
10,000	1,600	50,000	4,800	50,000	4,600			
20,000	2,500	60,000	5,500	60,000	5,200			
30,000	3,300	70,000	6,200	70,000	5,900			
40,000	4,100	80,000	6,900	80,000	6,500			
50,000	4,900	90,000	7,500	90,000	7,100			
60,000	5,600	100,000	8,200	100,000	7,700			
70,000	6,300	200,000	14,600	200,000	13,200			
80,000	7,000	300,000	20,800	300,000	18,400			
90,000	7,600	400,000	26,800	400,000	23,500			
100,000	8,300	500,000	32,900	500,000	28,500			
200,000	14,700	600,000	38,900	600,000	33,400			
300,000	20,900	700,000	45,000	700,000	38,300			
400,000	27,000	800,000	51,100	800,000	43,100			
500,000	33,000	900,000	57,100	900,000	48,000			
600,000	39,000	1,000,000	63,200	1,000,000	52,800			
700,000	45,000	2,000,000	125,800	2,000,000	101,200			
800,000	51,100	3,000,000	191,000	3,000,000	150,200			
900,000	57,100	4,000,000	258,600	4,000,000	200,200			
1,000,000	63,200	5,000,000	328,600	5,000,000	251,000			
2,000,000	125,000	6,000,000	400,500	6,000,000	302,800			
3,000,000	189,300	7,000,000	474,400	7,000,000	355,400			
4,000,000	255,900	8,000,000	550,100	8,000,000	408,800			
5,000,000	324,500	9,000,000	627,500	9,000,000	463,000			
6,000,000	395,100	10,000,000	706,400	10,000,000	517,900			
6,500,000	431,000	11,000,000	786,900	11,000,000	573,600			
7,000,000	467,400	12,000,000	868,900	12,000,000	629,900			
$*SE = e^{a+b(\ln X)^2}$,where	$*SE = e^{a+b(\ln X)^2}$	$*SE = e^{a+b(\ln X)^2}, where$		$*SE = e^{a+b(\ln X)^2}$, where			
a = 4.4153		a = 4.3718	351	a = 4.55				
b = 0.0347	778	b = 0.0350	013	b = 0.03	33125			

1999 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,000	5,000	1,000	5,000	1,000			
6,000	1,100	10,000	1,500	10,000	1,500			
7,000	1,300	20,000	2,400	20,000	2,300			
8,000	1,400	30,000	3,200	30,000	3,100			
9,000	1,500	40,000	3,900	40,000	3,800			
10,000	1,600	50,000	4,600	50,000	4,400			
20,000	2,500	60,000	5,300	60,000	5,100			
30,000	3,300	70,000	6,000	70,000	5,700			
40,000	4,100	80,000	6,700	80,000	6,300			
50,000	4,800	90,000	7,300	90,000	6,900			
60,000	5,500	100,000	8,000	100,000	7,500			
70,000	6,200	200,000	14,200	200,000	13,000			
80,000	6,900	300,000	20,200	300,000	18,200			
90,000	7,600	400,000	26,100	400,000	23,300			
100,000	8,300	500,000	32,000	500,000	28,400			
200,000	14,600	600,000	37,800	600,000	33,400			
300,000	20,800	700,000	43,700	700,000	38,300			
400,000	26,800	800,000	49,600	800,000	43,300			
500,000	32,800	900,000	55,500	900,000	48,200			
600,000	38,800	1,000,000	61,400	1,000,000	53,200			
700,000	47,700	2,000,000	122,100	2,000,000	103,000			
800,000	50,700	3,000,000	185,400	3,000,000	154,000			
900,000	56,700	4,000,000	251,000	4,000,000	206,200			
1,000,000	62,700	5,000,000	318,800	5,000,000	259,600			
2,000,000	124,100	6,000,000	388,600	6,000,000	314,100			
3,000,000	187,800	7,000,000	460,300	7,000,000	369,600			
4,000,000	253,800	8,000,000	533,600	8,000,000	426,200			
5,000,000	321,800	9,000,000	608,600	9,000,000	483,700			
6,000,000	391,700	10,000,000	685,200	10,000,000	542,100			
6,500,000	427,300	11,000,000	763,100	11,000,000	601,400			
7,000,000	463,300	12,000,000	842,600	12,000,000	661,500			
$*SE = e^{a+b(\ln X)^2}$,where	$*SE = e^{a+b(\ln X)^2}$,where	$*SE = e^{a+b(\ln a)}$	^{(X)²} ,where			
a = 4.4145		a = 4.3480		a = 4.45				
b = 0.0347	746	b = 0.0349	987	b = 0.03	33682			

2000 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,000	5,000	1,000	5,000	1,000			
6,000	1,100	10,000	1,500	10,000	1,500			
7,000	1,200	20,000	2,400	20,000	2,400			
8,000	1,300	30,000	3,100	30,000	3,100			
9,000	1,400	40,000	3,900	40,000	3,800			
10,000	1,500	50,000	4,600	50,000	4,500			
20,000	2,400	60,000	5,300	60,000	5,100			
30,000	3,200	70,000	5,900	70,000	5,700			
40,000	4,000	80,000	6,600	80,000	6,300			
50,000	4,700	90,000	7,200	90,000	6,900			
60,000	5,400	100,000	7,900	100,000	7,500			
70,000	6,100	200,000	14,000	200,000	13,000			
80,000	6,800	300,000	19,900	300,000	18,200			
90,000	7,500	400,000	25,700	400,000	23,200			
100,000	8,200	500,000	31,500	500,000	28,200			
200,000	14,600	600,000	37,300	600,000	33,200			
300,000	20,800	700,000	43,100	700,000	38,100			
400,000	26,900	800,000	48,900	800,000	43,000			
500,000	33,300	900,000	54,700	900,000	47,900			
600,000	39,100	1,000,000	60,600	1,000,000	52,800			
700,000	45,300	2,000,000	120,400	2,000,000	101,800			
800,000	51,400	3,000,000	182,800	3,000,000	151,900			
900,000	57,600	4,000,000	247,400	4,000,000	203,000			
1,000,000	63,800	5,000,000	314,300	5,000,000	255,200			
2,000,000	127,300	6,000,000	383,100	6,000,000	308,400			
3,000,000	193,900	7,000,000	453,600	7,000,000	362,700			
4,000,000	263,100	8,000,000	525,900	8,000,000	417,800			
5,000,000	334,800	9,000,000	599,800	9,000,000	473,800			
6,000,000	408,700	10,000,000	675,200	10,000,000	530,700			
6,500,000	446,400	11,000,000	752,100	11,000,000	588,400			
7,000,000	484,600	12,000,000	830,300	12,000,000	646,900			
$*SE = e^{a+b(\ln X)^2}$	$*SE = e^{a+b(\ln X)^2}$, where $*SE = e^{a+b(\ln X)^2}$, where		²,where	$*SE = e^{a+b(\ln a)}$	^{1X)²} , where			
a = 4.3366		a = 4.3352		a = 4.48				
b = 0.0352	240	b = 0.0349	980	b = 0.03	33490			

2001 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,000	5,000	1,000	5,000	1,000			
6,000	1,100	10,000	1,500	10,000	1,400			
7,000	1,200	20,000	2,300	20,000	2,200			
8,000	1,300	30,000	3,100	30,000	2,900			
9,000	1,400	40,000	3,800	40,000	3,600			
10,000	1,500	50,000	4,500	50,000	4,200			
20,000	2,400	60,000	5,200	60,000	4,800			
30,000	3,200	70,000	5,900	70,000	5,400			
40,000	4,000	80,000	6,500	80,000	6,000			
50,000	4,700	90,000	7,100	90,000	6,500			
60,000	5,400	100,000	7,800	100,000	7,100			
70,000	6,100	200,000	13,800	200,000	12,200			
80,000	6,800	300,000	19,600	300,000	17,100			
90,000	7,400	400,000	25,300	400,000	21,900			
100,000	8,100	500,000	30,900	500,000	26,500			
200,000	14,400	600,000	36,600	600,000	31,100			
300,000	20,500	700,000	42,200	700,000	35,700			
400,000	26,500	800,000	47,900	800,000	40,300			
500,000	32,500	900,000	56.600	900,000	44,900			
600,000	38,500	1,000,000	59,300	1,000,000	49,400			
700,000	44,500	2,000,000	117,500	2,000,000	95,200			
800,000	50,500	3,000,000	178,000	3,000,000	141,700			
900,000	56,500	4,000,000	240,800	4,000,000	189,100			
1,000,000	62,600	5,000,000	305,500	5,000,000	237,500			
2,000,000	124,600	6,000,000	372,100	6,000,000	286,800			
3,000,000	189,400	7,000,000	440,400	7,000,000	337,000			
4,000,000	256,600	8,000,000	410,300	8,000,000	388,100			
5,000,000	326,100	9,000,000	581,700	9,000,000	439,900			
6,000,000	397,700	10,000,000	654,600	10,000,000	492,400			
6,500,000	432,200	11,000,000	728,800	11,000,000	545,700			
7,000,000	471,200	12,000,000	804,300	12,000,000	599,700			
* $SE = e^{a+b(\ln X)^2}$, where * $SE = e^{a+b(\ln X)^2}$		², where	$*SE = e^{a+b(\ln a)}$	1X)², where				
a = 4.3507		a = 4.3379		a = 4.44				
b = 0.0350	07/0	b = 0.0348	350	b = 0.03	33350			

2002 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,000	5,000	1,000	5,000	1,000			
6,000	1,100	10,000	1,600	10,000	1,500			
7,000	1,200	20,000	2,500	20,000	2,300			
8,000	1,300	30,000	3,300	30,000	3,100			
9,000	1,400	40,000	4,100	40,000	3,700			
10,000	1,500	50,000	4,800	50,000	4,400			
20,000	2,500	60,000	5,500	60,000	5,000			
30,000	3,300	70,000	6,200	70,000	5,600			
40,000	4,100	80,000	6,900	80,000	6,200			
50,000	4,800	90,000	7,500	90,000	6,800			
60,000	5,500	100,000	8,200	100,000	7,300			
70,000	6,300	200,000	14,500	200,000	12,600			
80,000	6,900	300,000	20,600	300,000	17,600			
90,000	7,600	400,000	26,500	400,000	22,500			
100,000	8,300	500,000	32,500	500,000	27,300			
200,000	14,800	600,000	38,400	600,000	32,200			
300,000	21,100	700,000	44,300	700,000	36,700			
400,000	27,400	800,000	50,200	800,000	41,400			
500,000	33,600	900,000	56,100	900,000	46,000			
600,000	39,800	1,000,000	62,000	1,000,000	50,700			
700,000	46,100	2,000,000	122,600	2,000,000	95,200			
800,000	52,300	3,000,000	185,400	3,000,000	144,500			
900,000	58,600	4,000,000	250,500	4,000,000	192,600			
1,000,000	64,900	5,000,000	317,500	5,000,000	241,600			
2,000,000	129,600	6,000,000	386,300	6,000,000	291,600			
3,000,000	197,200	7,000,000	456,900	7,000,000	342,300			
4,000,000	267,700	8,000,000	529,000	8,000,000	393,900			
5,000,000	340,500	9,000,000	602,700	9,000,000	446,200			
6,000,000	415,600	10,000,000	677,800	10,000,000	499,300			
6,500,000	454,000	11,000,000	754,300	11,000,000	553,000			
7,000,000	492,800	12,000,000	832,000	12,000,000	607,500			
		$*SE = e^{a+b(\ln X)}$	$E = e^{a+b(\ln X)^2}$, where		^{(X)²} , where			
a = 4.3559		a = 4.4143		a = 4.49				
b = 0.0352	230	b = 0.0346	590	b = 0.03	33190			

2003 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	900	5,000	900	5,000	900			
6,000	1,000	10,000	1,500	10,000	1,400			
7,000	1,100	20,000	2,300	20,000	2,200			
8,000	1,200	30,000	3,100	30,000	2,900			
9,000	1,300	40,000	3,900	40,000	3,500			
10,000	1,400	50,000	4,600	50,000	4,200			
20,000	2,300	60,000	5,300	60,000	4,800			
30,000	3,100	70,000	6,000	70,000	5,400			
40,000	3,900	80,000	6,600	80,000	5,900			
50,000	4,600	90,000	7,300	90,000	6,500			
60,000	5,300	100,000	8,000	100,000	7,100			
70,000	6,000	200,000	14,300	200,000	12,300			
80,000	6,700	300,000	20,400	300,000	17,400			
90,000	7,400	400,000	26,500	400,000	22,300			
100,000	8,000	500,000	32,600	500,000	27,200			
200,000	14,500	600,000	38,600	600,000	32,000			
300,000	20,900	700,000	44,700	700,000	36,800			
400,000	27,200	800,000	50,900	800,000	41,600			
500,000	33,500	900,000	57,000	900,000	46,500			
600,000	39,900	1,000,000	63,200	1,000,000	51,300			
700,000	46,300	2,000,000	126,900	2,000,000	99,900			
800,000	52,700	3,000,000	194,000	3,000,000	149,900			
900,000	59,200	4,000,000	263,900	4,000,000	201,200			
1,000,000	65,700	5,000,000	336,400	5,000,000	253,800			
2,000,000	133,500	6,000,000	411,300	6,000,000	307,600			
3,000,000	205,200	7,000,000	488,400	7,000,000	362,600			
4,000,000	280,500	8,000,000	567,500	8,000,000	418,600			
5,000,000	359,000	9,000,000	648,600	9,000,000	475,700			
6,000,000	440,200	10,000,000	731,500	10,000,000	533,700			
6,500,000	481,900	11,000,000	816,100	11,000,000	592,600			
7,000,000	524,100	12,000,000	902,400	12,000,000	652,400			
$*SE = e^{a+b(\ln X)}$	²,where	$*SE = e^{a+b(\ln X)}$	²,where	$*SE = e^{a+b(\ln a)}$	1 ^X)²,where			
a = 4.2088		a = 4.2724		a = 4.35				
b = 0.0360)70	b = 0.0355	530	b = 0.03	33990			

	2004 NASS GES ESTIMATES AND STANDARD ERRORS								
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***				
1,000	400	1,000	400	1,000	400				
5,000	900	5,000	900	5,000	900				
6,000	1,000	10,000	1,400	10,000	1,400				
7,000	1,100	20,000	2,300	20,000	2,100				
8,000	1,200	30,000	3,100	30,000	2,800				
9,000	1,300	40,000	3,800	40,000	3,500				
10,000	1,400	50,000	4,500	50,000	4,100				
20,000	2,300	60,000	5,200	60,000	4,700				
30,000	3,100	70,000	5,900	70,000	5,300				
40,000	3,800	80,000	6,600	80,000	5,800				
50,000	4,600	90,000	7,200	90,000	6,400				
60,000	5,300	100,000	7,900	100,000	6,900				
70,000	6,000	200,000	14,200	200,000	12,200				
80,000	6,700	300,000	20,300	300,000	17,200				
90,000	7,300	400,000	26,300	400,000	22,200				
100,000	8,000	500,000	32,400	500,000	27,100				
200,000	14,600	600,000	38,500	600,000	31,900				
300,000	21,000	700,000	44,600	700,000	36,800				
400,000	27,400	800,000	50,700	800,000	41,600				
500,000	33,800	900,000	56,900	900,000	46,500				
600,000	40,300	1,000,000	63,100	1,000,000	51,400				
700,000	46,900	2,000,000	127,200	2,000,000	100,700				
800,000	53,400	3,000,000	194,700	3,000,000	151,700				
900,000	60,100	4,000,000	265,200	4,000,000	204,200				
1,000,000	66,700	5,000,000	338,500	5,000,000	258,100				
2,000,000	136,300	6,000,000	414,200	6,000,000	313,400				
3,000,000	210,300	7,000,000	492,200	7,000,000	370,000				
4,000,000	288,100	8,000,000	572,400	8,000,000	427,800				
5,000,000	369,400	9,000,000	654,500	9,000,000	486,600				
6,000,000	453,800	10,000,000	738,600	10,000,000	546,600				
6,500,000	497,100	11,000,000	824,400	11,000,000	607,500				
7,000,000	541,000	12,000,000	912,000	12,000,000	669,400				
$*SE = e^{a+b(\ln X)^2}$, where	$*SE = e^{a+b(\ln X)^2}$,where	$*SE = e^{a+b(\ln a)}$	^X)², where				
a = 4.1685	580	a = 4.2404		a = 4.29	97920				
b = 0.0363	360	b = 0.0356	590	b = 0.03	34310				

2005 NASS GES ESTIMATES AND STANDARD ERRORS							
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***		
1,000	400	1,000	400	1,000	400		
5,000	1,000	5,000	1,000	5,000	900		
6,000	1,100	10,000	1,500	10,000	1,400		
7,000	1,200	20,000	2,400	20,000	2,300		
8,000	1,300	30,000	3,200	30,000	3,000		
9,000	1,400	40,000	4,000	40,000	3,700		
10,000	1,500	50,000	4,700	50,000	4,300		
20,000	2,400	60,000	5,400	60,000	5,000		
30,000	3,200	70,000	6,100	70,000	5,600		
40,000	4,000	80,000	6,800	80,000	6,200		
50,000	4,700	90,000	7,500	90,000	6,800		
60,000	5,400	100,000	8,200	100,000	7,400		
70,000	6,200	200,000	14,700	200,000	12,900		
80,000	6,900	300,000	21,000	300,000	18,200		
90,000	7,500	400,000	27,300	400,000	23,400		
100,000	8,200	500,000	33,600	500,000	28,500		
200,000	14,900	600,000	39,800	600,000	33,600		
300,000	21,300	700,000	46,200	700,000	38,700		
400,000	27,800	800,000	52,500	800,000	43,800		
500,000	34,200	900,000	58,900	900,000	48,900		
600,000	40,700	1,000,000	65,300	1,000,000	54,000		
700,000	47,200	2,000,000	131,600	2,000,000	105,700		
800,000	53,700	3,000,000	201,300	3,000,000	158,800		
900,000	60,300	4,000,000	274,200	4,000,000	213,600		
1,000,000	66,900	5,000,000	350,000	5,000,000	269,800		
2,000,000	135,400	6,000,000	428,200	6,000,000	327,300		
3,000,000	207,800	7,000,000	508,800	7,000,000	386,200		
4,000,000	283,700	8,000,000	591,600	8,000,000	446,200		
5,000,000	362,600	9,000,000	676,500	9,000,000	507,400		
6,000,000	444,400	10,000,000	763,300	10,000,000	596,600		
6,500,000	486,200	11,000,000	852,000	11,000,000	362,900		
7,000,000	528,700	12,000,000	942,500	12,000,000	697,100		
$*SE = e^{a+b(\ln X)}$	²,where	* $SE = e^{a+b(\ln X)^2}$, where		$*SE = e^{a+b(\ln X)^2}$, where			
a = 4.2547		a = 4.278620		a = 4.372960			
b = 0.0359	920	b = 0.0356	5/0	b = 0.03	34180		

	2006 NASS GES ESTIMATES AND STANDARD ERRORS							
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***			
1,000	400	1,000	400	1,000	400			
5,000	1,000	5,000	900	5,000	900			
6,000	1,100	10,000	1,500	10,000	1,400			
7,000	1,200	20,000	2,400	20,000	2,200			
8,000	1,300	30,000	3,200	30,000	3,000			
9,000	1,400	40,000	4,000	40,000	3,600			
10,000	1,500	50,000	4,800	50,000	4,300			
20,000	2,400	60,000	5,500	60,000	4,900			
30,000	3,200	70,000	6,200	70,000	5,500			
40,000	4,000	80,000	6,900	80,000	6,200			
50,000	4,800	90,000	7,600	90,000	6,700			
60,000	5,500	100,000	8,300	100,000	7,300			
70,000	6,300	200,000	15,200	200,000	13,000			
80,000	7,000	300,000	21,800	300,000	18,300			
90,000	7,700	400,000	28,500	400,000	23,700			
100,000	8,400	500,000	35,200	500,000	28,900			
200,000	15,300	600,000	41,900	600,000	34,200			
300,000	22,000	700,000	48,700	700,000	39,400			
400,000	28,700	800,000	55,500	800,000	44,600			
500,000	35,400	900,000	62,400	900,000	49,900			
600,000	42,200	1,000,000	69,300	1,000,000	55,200			
700,000	49,100	2,000,000	141,400	2,000,000	108,800			
800,000	55,900	3,000,000	218,000	3,000,000	164,300			
900,000	62,900	4,000,000	298,500	4,000,000	221,800			
1,000,000	69,800	5,000,000	382,600	5,000,000	280,900			
2,000,000	142,400	6,000,000	469,800	6,000,000	341,600			
3,000,000	219,700	7,000,000	559,900	7,000,000	403,800			
4,000,000	300,900	8,000,000	652,800	8,000,000	467,400			
5,000,000	385,600	9,000,000	748,200	9,000,000	532,300			
6,000,000	473,600	10,000,000	846,100	10,000,000	598,400			
6,500,000	518,700	11,000,000	946,200	11,000,000	665,700			
7,000,000	564,500	12,000,000	1,048,500	12,000,000	734,100			
$*SE = e^{a+b(\ln X)^2}$, where		* $SE = e^{a+b(\ln X)^2}$, where		$*SE = e^{a+b(\ln X)^2}$, where				
a = 4.2234		a = 4.217860		a = 4.315770				
b = 0.0363	310	b = 0.0363	300	b = 0.03	34590			

2007 NASS GES ESTIMATES AND STANDARD ERRORS							
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Person Error (SE)** Estimate (x)		Person Standard Error (SE)***		
1,000	400	1,000	400	1,000	400		
5,000	900	5,000	900	5,000	900		
6,000	1000	10,000	1,400	10,000	1,400		
7,000	1,100	20,000	2,300	20,000	2,200		
8,000	1,200	30,000	3,200	30,000	3,000		
9,000	1,400	40,000	3,900	40,000	3,700		
10,000	1,500	50,000	4,700	50,000	4,400		
20,000	2,400	60,000	5,500	60,000	5,000		
30,000	3,200	70,000	6,200	70,000	5,700		
40,000	4,000	80,000	6,900	80,000	6,300		
50,000	4,800	90,000	7,600	90,000	7,000		
60,000	5,600	100,000	8,300	100,000	7,600		
70,000	6,300	200,000	15,300	200,000	13,600		
80,000	7,100	300,000	22,200	300,000	19,500		
90,000	7,800	400,000	29,100	400,000	25,300		
100,000	8,500	500,000	36,100	500,000	31,100		
200,000	15,700	600,000	43,200	600,000	36,900		
300,000	22,800	700,000	50,300	700,000	42,700		
400,000	29,900	800,000	57,500	800,000	48,600		
500,000	37,100	900,000	64,700	900,000	54,500		
600,000	44,400	1,000,000	72,000	1,000,000	60,400		
700,000	51,700	2,000,000	148,800	2,000,000	121,400		
800,000	59,200	3,000,000	231,300	3,000,000	185,600		
900,000	66,700	4,000,000	318,700	4,000,000	252,700		
1,000,000	74,200	5,000,000	410,300	5,000,000	322,200		
2,000,000	153,800	6,000,000	505,800	6,000,000	394,000		
3,000,000	239,400	7,000,000	604,800	7,000,000	468,000		
4,000,000	330,200	8,000,000	707,000	8,000,000	544,000		
5,000,000	425,500	9,000,000	812,400	9,000,000	621,800		
6,000,000	524,800	10,000,000	920,800	10,000,000	701,400		
6,500,000	575,900	11,000,000	1,031,900	11,000,000	782,700		
7,000,000	628,000	12,000,000	1,145,600	12,000,000	865,600		
$*SE = e^{a+b(\ln X)}$		$*SE = e^{a+b(\ln X)^2}$, where		$*SE = e^{a+b(\ln X)^2}$, where			
a = 4.1337	760	a = 4.128400		a = 4.217410			
b = 0.037100		b = 0.0369	970 b = 0.035580		035580		

2008 NASS GES ESTIMATES AND STANDARD ERRORS							
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***		
1,000	400	1,000	400	1,000	400		
5,000	900	5,000	1,000	5,000	900		
6,000	1,000	10,000	1,500	10,000	1,400		
7,000	1,100	20,000	2,400	20,000	2,300		
8,000	1,300	30,000	3,300	30,000	3,000		
9,000	1,400	40,000	4,100	40,000	3,800		
10,000	1,500	50,000	4,800	50,000	4,400		
20,000	2,400	60,000	5,600	60,000	5,100		
30,000	3,200	70,000	6,300	70,000	5,800		
40,000	4,000	80,000	7,100	80,000	6,400		
50,000	4,800	90,000	7,800	90,000	7,000		
60,000	5,500	100,000	8,500	100,000	7,700		
70,000	6,300	200,000	15,400	200,000	13,700		
80,000	7,000	300,000	22,200	300,000	19,400		
90,000	7,700	400,000	29,000	400,000	25,200		
100,000	8,400	500,000	35,800	500,000	30,900		
200,000	15,500	600,000	42,600	600,000	36,600		
300,000	22,400	700,000	49,500	700,000	42,300		
400,000	29,400	800,000	56,500	800,000	48,000		
500,000	36,400	900,000	63,500	900,000	53,700		
600,000	43,500	1,000,000	70,500	1,000,000	59,500		
700,000	50,600	2,000,000	143,700	2,000,000	118,700		
800,000	57,800	3,000,000	221,600	3,000,000	180,500		
900,000	65,100	4,000,000	303,400	4,000,000	244,800		
1,000,000	72,400	5,000,000	388,800	5,000,000	311,300		
2,000,000	149,300	6,000,000	477,300	6,000,000	379,900		
3,000,000	231,700	7,000,000	568,900	7,000,000	450,300		
4,000,000	318,800	8,000,000	663,200	8,000,000	522,400		
5,000,000	410,000	9,000,000	760,000	9,000,000	596,200		
6,000,000	505,100	10,000,000	859,400	10,000,000	671,600		
6,500,000	553,900	11,000,000	961,000	11,000,000	748,400		
7,000,000	603,600	12,000,000	1,064,900	12,000,000	826,700		
$*SE = e^{a+b(\ln x)^2}$ a = 4.158710	, where	** $SE = e^{a+b \ln x}$ a = 4.238660	, where	*** $SE = e^{a+b \text{ (li)}}$ a = 4.283070	$\int_{0}^{\infty} \int_{0}^{\infty} \int_{0$		
b = 0.036840		b = 0.036280		b = 0.035160			

:	2009 NASS GES ESTIMATES AND STANDARD ERRORS						
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***		
1,000	400	1,000	400	1,000	400		
5,000	1,000	5,000	1,000	5,000	1,000		
6,000	1,100	10,000	1,500	6,000	1,100		
7,000	1,200	20,000	2,400	7,000	1,200		
8,000	1,300	30,000	3,200	8,000	1,300		
9,000	1,400	40,000	4,000	9,000	1,400		
10,000	1,500	50,000	4,800	10,000	1,500		
20,000	2,500	60,000	5,500	20,000	2,500		
30,000	3,300	70,000	6,200	30,000	3,300		
40,000	4,100	80,000	6,900	40,000	4,100		
50,000	4,900	90,000	7,600	50,000	4,900		
60,000	5,600	100,000	8,300	60,000	5,600		
70,000	6,300	200,000	15,000	70,000	6,300		
80,000	7,000	300,000	21,500	80,000	7,000		
90,000	7,700	400,000	28,000	90,000	7,700		
100,000	8,400	500,000	34,500	100,000	8,400		
200,000	15,200	600,000	41,000	200,000	15,200		
300,000	21,800	700,000	47,500	300,000	21,800		
400,000	28,300	800,000	54,100	400,000	28,300		
500,000	34,800	900,000	60,700	500,000	34,800		
600,000	41,300	1,000,000	67,300	600,000	41,300		
700,000	47,800	2,000,000	136,200	700,000	47,800		
800,000	54,400	3,000,000	208,900	800,000	54,400		
900,000	61,000	4,000,000	285,100	900,000	61,000		
1,000,000	67,700	5,000,000	364,400	1,000,000	67,700		
2,000,000	136,400	6,000,000	446,400	2,000,000	136,400		
3,000,000	208,900	7,000,000	530,900	3,000,000	208,900		
4,000,000	284,500	8,000,000	617,900	4,000,000	284,500		
5,000,000	363,100	9,000,000	707,100	5,000,000	363,100		
6,000,000	444,400	10,000,000	798,400	6,000,000	444,400		
6,500,000	486,000	11,000,000	891,700	6,500,000	486,000		
7,000,000	528,100	12,000,000	987,000	7,000,000	528,100		
$*SE = e^{a + b(\ln x)^2}$, where	** $SE = e^{a + b (\ln x)^2}$, where		*** $SE = e^{a + b (\ln x)^2}$, where			
a = 4.310	0860	a = 4.310860		a = 4.310860			
b = 0.033	5690	b = 0.03	35690	b = 0.03	35690		

:	2010 NASS GES ESTIMATES AND STANDARD ERRORS						
Crash Estimate (x)	Crash Standard Error (SE)*	Vehicle Estimate (x)	Vehicle Standard Error (SE)**	Person Estimate (x)	Person Standard Error (SE)***		
1,000	400	1,000	400	1,000	400		
5,000	900	5,000	1,100	5,000	900		
6,000	1,000	10,000	1,700	10,000	1,400		
7,000	1,100	20,000	2,800	20,000	2,200		
8,000	1,200	30,000	3,800	30,000	2,900		
9,000	1,300	40,000	4,700	40,000	3,500		
10,000	1,400	50,000	5,600	50,000	4,100		
20,000	2,300	60,000	6,400	60,000	4,700		
30,000	3,000	70,000	7,300	70,000	5,300		
40,000	3,700	80,000	8,100	80,000	5,900		
50,000	4,400	90,000	8,900	90,000	6,400		
60,000	5,100	100,000	9,700	100,000	7,000		
70,000	5,700	200,000	17,700	200,000	12,100		
80,000	6,300	300,000	25,500	300,000	16,900		
90,000	7,000	400,000	33,300	400,000	21,600		
100,000	7,600	500,000	41,100	500,000	26,200		
200,000	13,500	600,000	48,900	600,000	30,700		
300,000	19,200	700,000	56,800	700,000	35,300		
400,000	24,900	800,000	64,800	800,000	39,800		
500,000	30,500	900,000	72,800	900,000	44,300		
600,000	36,100	1,000,000	80,900	1,000,000	48,800		
700,000	41,800	2,000,000	164,900	2,000,000	94,000		
800,000	47,400	3,000,000	254,100	3,000,000	140,100		
900,000	53,100	4,000,000	348,000	4,000,000	187,100		
1,000,000	58,800	5,000,000	445,900	5,000,000	235,100		
2,000,000	117,300	6,000,000	547,500	6,000,000	284,000		
3,000,000	178,400	7,000,000	652,500	7,000,000	333,700		
4,000,000	242,000	8,000,000	760,700	8,000,000	384,300		
5,000,000	307,700	9,000,000	871,800	9,000,000			
6,000,000	375,400	10,000,000	985,700	10,000,000	487,900		
6,500,000	410,000	11,000,000	1,102,300	11,000,000	540,800		
7,000,000	445,000	12,000,000	1,221,500	12,000,000	594,400		
$*SE = e^{a + b (\ln x)^2}$	·	** $SE = e^{a + b (\ln x)^2}$, where		*** $SE = e^{a + b (\ln x)^2}$, where			
a = 4.271		a = 4.375840		a = 4.420770 $b = 0.033400$			
b = 0.033	0100	b = 0.03	00280	b = 0.03	0.3400		

Appendix E: Analytical Data Classification of Select NASS GES Data Elements

Several data elements in the NASS GES are classified or collapsed according to analytical needs. In various NCSA's published reports and analysis, select NASS GES data elements have been given a standard classification. This section will attempt to show how NASS GES data elements are classified, assisting users in understanding and duplicating statistics presented in NCSA's published reports.

Earlier publications using only NASS GES data included the fatal crash data from the NASS GES, but this method is no longer in practice. For analytical purposes, fatal crashes and fatalities are extracted from the Fatality Analysis Reporting System (FARS), not NASS GES. FARS contains data on a census of fatal traffic crashes within the 50 states, the District of Columbia, and Puerto Rico. To be included in FARS, a crash must involve a motor vehicle traveling on a trafficway customarily open to the public and result in the death of a person (occupant of a vehicle or nonmotorist) within 30 days of the crash. Since FARS contains records on all fatal crashes, it's a more accurate representation of fatal crashes and fatalities than the sample contained in NASS GES.

It is important to note that these are NCSA's classifications and are subject to modification. The following tables show the specific coding scheme of select NASS GES data elements that are used in NCSA's publications and analysis:

Univariate Maximum Injury Severity in Crash

	Data Year and Code		
NASS GES Description	1988 - Later	Crash Severity Class	
No Injury	0	Property-Damage-Only Crash	
Possible Injury	1	Injury Crash	
Nonincapacitating	2	Injury Crash	
Incapacitating	3	Injury Crash	
Fatal*	4	Fatal Crash	
Unknown Injury Severity	5	Injury Crash	
Died Prior	6	Property-Damage-Only Crash	
No Person Coded in the Crash	8	Property-Damage-Only Crash	

^{*} Fatal counts from the FARS are used in NCSA's publications and analysis.

Injury Severity

NASS GES Description	Data Year and Code 1988 - Later	Injury Severity Class
No Injury (O)	0	Not Injured
Possible Injury (C)	1	Injured
Nonincapacitating (B)	2	Injured
Incapacitating (A)	3	Injured
Fatal (K)*	4	Killed
Unknown Injury Severity (U)	5	Injured
Died Prior	6	Not Injured

^{*} Fatality counts from the FARS are used in NCSA's publications and analysis.

Vehicle Body Type

NACC OF C	Data Year and Code						
NASS GES Description	1988-1991	1992-1998	1999-2008	2009	2010-Later		
		(BDYTYP_	_H, BDYTYP_IM,	BODY_TYP)			
Passenger Cars			01-11, 17 ⁽¹⁾				
Light Trucks & Vans	14, 20-41, 47 ⁽⁸⁾ , 48	14,	15, 16, 19, 20, 21, 30, 31, 32, 33,	22 ⁽²⁾ , 24 ⁽³⁾ , 25 ⁽⁴⁾ , 28 39, 40, 41, 45, 48	3, 29,		
Large Trucks	60, 65, 68		60, 64, 66, 78		60-63, 64 ⁽⁹⁾ , 66, 67, 68, 71, 72, 78		
Motorcycles	70-79		80)-89			
Buses		(55 Van-based	50-59 Bus- GVWR > 10,0	00 lbs since 2011)			
Other/Unknown Vehicles	12, 13, 42, 63, 80-89	12	, 13, 23, 42, 65, 73	, 90-97, 98 (since 2	010)		
Passenger Vehicles		01-11, 14, 15, 28, 29, 30, 3	16, 17 ⁽¹⁾ , 19, 20, 21 31, 32, 33, 39, 40, 4	, 22 ⁽²⁾ , 24 ⁽³⁾ , 25 ⁽⁴⁾ , 1, 45, 47 ⁽⁸⁾ , 48			
Utility Vehicles (a.k.a. On/Off Road)	14		14-	16, 19			
Pickups			30-39				
Vans	20, 21, 22 ⁽²⁾ , 28, 29		20, 21, 22, 24	(⁽³⁾ , 25 ⁽⁴⁾ , 28, 29			
Medium Trucks	(60, 68) and (Trailer=0 or 9)	(60, 64, 78) and (Trailer=0 or 9)	(60, 64, 78) and (Trailer ⁽⁵⁾ =1 or 6)	(60, 64, 78) and (Tow_veh ⁽⁵⁾ in 0,5,6,9)	60-62, <mark>64⁽⁹⁾</mark> , 67, 68, 71		
Heavy Trucks	((60, 68) and (Trailer in 1-4)) or 65	((60, 64, 78) and (Trailer in 1-4)) or 66	((60, 64, 78) and (Trailer ⁽⁵⁾ in 2-5)) or 66	((60, 64, 78) and (Tow_veh ⁽⁵⁾ in 1-4)) or 66	63, 66, 72, 78		
Combination Trucks	((60, 68) and (Trailer in 1-4)) or 65	((60, 64, 78) and (Trailer in 1-4)) or 66	((60-63, 68, 71, 72, 78) and (Tow_veh ⁽⁵⁾ in 1-4)) or 66				
Single Unit Trucks	(60, 68) and (Trailer=0 or 9)	(60, 64, 78) and (Trailer=0 or 9)	(60,64,78) and (Trailer ⁽⁵⁾ =1 or 6)	(60,64,78) and (Tow_veh ⁽⁵⁾ in 0,5,6,9)	(60-63, 64 ⁽⁹⁾ , 67,68,71,72,78, 79) and (Tow_veh ⁽⁵⁾ in 0,5,6,9)		
Unknown (not in imputed Body Type)			99		98, 99		

Vehicle Body Type (continued)

- ⁽¹⁾Body type code 17 *(3-door coupe)* was added in 1999. There appears to be no occurrences of this vehicle on the 1999 data file.
- (2) Body type code 22 (step van or walk-in van) was added in 1990.
- ⁽³⁾Body type code 24 *(van-based school bus)* was added in 1993. When defining School Buses be sure to include body type code 24.
- ⁽⁴⁾Body type code 25 (*van-based transit bus*) was added in 1993. When defining Transit Buses be sure to include body type code 25.
- ⁽⁵⁾The attributes for the Vehicle Trailing (TRAILER) data element were modified in 1999. In 2009, the data element name changed to TOW_VEH and attributes were revised to match FARS for compatibility purposes.
- (6) "Light Trucks & Vans" is frequently referred to as just "Light Trucks."
- ⁽⁷⁾There is no distinction between heavy trucks and combination trucks in GES.
- ⁽⁸⁾Body type code 47 (other light conventional truck type (not a pickup)) only exists in 1988 and 1989. It was dropped in 1990.
- (9) Body type attribute 64 (single unit straight truck) was deleted in 2010 and re-issued in 2011 as 64 (Single-unit straight truck or Cab-Chassis (GVWR unknown).

Body type codes 49, 69, and 99 are imputed in the 1988 through 1992 data files. Body type codes 49, 79, 98, and 99 are imputed in the 1993 through 1999 data files. Therefore, these values do not exist within the BDYTYP_H (2009 and prior) or BDYTYP_IM (2010 and later).

Person Type

	Data Year		
NASS GES Description	1988-2008	2009-2011	Classification
	(PER_TYPE)	(PER_TYP)	
Occupants			
Driver of a motor vehicle intransport	1	01	Driver
Passenger of a motor vehicle intransport	2	02	Passenger
Unknown occupant type of a motor vehicle in-transport ⁽¹⁾	9	09	Passenger
Nonoccupants			
Occupant of a motor vehicle not in-transport (2)	3	03	Other nonoccupant
Occupant of a non-motor vehicle transport device (3)	4	04	Other nonoccupant
Pedestrian	5	05	Pedestrian
Cyclist	6	-	Pedalcyclist
Bicyclist	-	06	Pedalcyclist
Other Cyclist	-	07	Pedalcyclist
Person in or on working motor vehicle	7 (new in 2005) ⁽⁸⁾	-	Other nonoccupant
Persons on personal conveyances	-	08	Other nonoccupant
Persons in/on buildings	-	10	Other nonoccupant
Other or unknown nonoccupant	8	-	Other or unknown nonoccupant type
Unknown type of nonoccupant	-	19	Unknown nonoccupant type

Person Type (continued)

- ⁽¹⁾Customarily, "Unknown Occupant" is placed in the "Passenger" category, unless they need to be distinguished from "Passengers".
- (2) "Occupant of motor vehicle not in-transport" refers to occupants of parked motor vehicles (any motor vehicle stopped off the roadway). In 2005, this definition was expanded to include parked/stopped off roadway/working motor vehicles and occupants of motor vehicles in motion outside the trafficway boundaries. Prior to 2005, occupants of working motor vehicles (working highway maintenance vehicles, cherry pickers, etc.) were coded "08." At that time, code "08" was labeled "Other Pedestrians."
- (3) "Occupant of non-motor vehicle transport device" refers to persons riding in an animal-drawn conveyance, on an animal, or injured occupants of railway trains, etc.
- (4) The code for "other pedestrians (08)" was created in FARS in 1994. This code was the result of further detailing the previous coding of "other or unknown nonoccupant (8)" as 1) other pedestrians and 2) unknown nonoccupant. Since it is not possible to differentiate "other pedestrians" from "unknown nonoccupants" prior to 1994, we have kept them in the "other nonoccupant" category for consistency across data years. "Other pedestrians" is used for occupant of a transport device used as equipment (working highway maintenance trucks, cherry pickers, etc.), pedestrians using conveyances, and people in buildings. Examples of pedestrian conveyances are skateboard riders, people in wheelchairs, people on roller skates, and sled riders.
- (5) Prior to 2005, code "08" was labeled "Other Pedestrians" and also included occupants of motor vehicles used as equipment (working highway maintenance vehicles, cherry pickers, etc.). For occupants of working motor vehicles, see code "03."
- ⁽⁶⁾ Prior to 2007, code "08" included persons in buildings. For persons in buildings, see code "10 Persons In/On Buildings."
- (7) "Unknown person type" existed in data years 1995 and 1996 only. It was found that this attribute did not add any value to the data element.
- (8) A person in or on a working motor vehicle. Working motor vehicles are transport devices being used as equipment which would be classified under ANSI as motor vehicles, if not being used as equipment (e.g., a tow truck while using its winch, a pickup truck while being used to power a saw, a truck with cherry picker being used to repair or maintain a traffic signal or a concrete truck while discharging its load).

FARS and NASS GES "Person Type" and Entry System/Manual Differences

In FARS before 2005 only vehicle records for motor vehicles in-transport were collected. Any person involved in the crash that was not in a motor vehicle in-transport had records, but only needed to be classified using the general grouping of "NON-MOTORIST". A non-motorist by definition is any person who is not an occupant of a motor vehicle in-transport.

In 2005, FARS began to include records for motor vehicles not in-transport. At that point people had to be classified as OCCUPANTS or NON-OCCUPANTS. This was done so that persons in motor vehicles not in-transport could be coded with the vehicle they occupied even though they are "non-motorists" by definition.

When Ped-Bike Typing and additional data elements meant for non-occupants (e.g. Non-motorist Action at Time of Crash, Non-motorist Safety Equipment) were added to FARS for in 2010, separate Person Levels for people in motor vehicles and people not in motor vehicles were created. This is tied to the case organization and file structuring in MDE. FARS' split Person Type data element (P7 and NM7) reflects this separation of Person Types. The Person Type, 03- Occupant of a Motor Vehicle Not In-Transport, has a special quality of being both a NON-MOTORIST by definition and a person in a motor vehicle.

The 2010 GES entry system follows a scheme of breaking out persons as motorists or non-motorists. The "Long Names" of their data elements reflect this and the input system is structured around this. While the manual and entry systems reflect a difference in the organization of people in a case, FARS and GES both have the same Person Type attributes in total. It is because of the differences in the two entry systems and handling of persons in structuring of the case that the data elements are presented differently.

This principally affects the Person Type of "03 – Occupant of a Motor Vehicle Not In-transport". So while the Person Type attribute list is the same in total, P03 (Occupant) in GES does not match exactly with FARS P7 because FARS includes "03 – Occupant of a Motor Vehicle Not Intransport". It is the same situation but in reverse for GES P03 (Non-motorist) and FARS NM7. This difference ended in 2011because of the entry systems being the same.

This difference affects how persons are counted in a case by Person Number but not the selection of Person Type for the individuals. For example, if a motor vehicle in-transport with just one occupant departed the roadway and struck a pedestrian and then a parked motor vehicle with one occupant both FARS and GES would have Person Level information for all three people and would utilize the same Person Type attribute to identify them. However, FARS would count two MOTOR VEHICLE OCCUPANTS, one NON-OCCUPANT and GES would count two NON-MOTORISTS and one NON-MOTORIST.

Restraint System Use

NASS GES Description	1988-1989	1990-1991	1992-1994	1995-2009	2010	Classi- fication
	(SAF_EQMT)	(REST_SYS)				
Nonoccupant	00	-	-	-	-	Not Applicable
None used	10	-	-	-	-	
None available	11	-	-	7		
None used or Not applicable	-	0	0	0	-	Not Used
Not applicable	-	-	-	-	30	Not Osea
None used – motor vehicle occupant	-	-	-	-	31	
No helmet	-	-	-	-	41	
Manual shoulder and lap belt	04	-	-	-	-	
Lap/shoulder belt	-	1	1	1	-	
Manual lap belt	02	-	-	-	-	
Lap belt	-	2	2	2	-	
Manual shoulder belt only	03	-	-	-	-	Used
Shoulder belt	-	3	3	3	-	Oseu
Shoulder and lap belt used	-	-	-	-	21	
Shoulder belt only	-	-	-	-	23	
Lap belt only	-	-	-	-	22	
Automatic belt used	05	-	-	-	-	

Restraint System Use *(continued)*

NASS GES		Classi-				
Description	1988-1989	1990-1991	1992-1994	1995-2009	2010	fication
	(SAF_EQMT)		(REST_	SYS)		
Air bag deployed	06	4	-	-	-	
Air bag deployed and lap/shoulder belt	-	5	-	-	-	
Child safety seat	01	6	6	6	-	
Child restraint system – forward facing	-	-	-	-	37	
Child restraint system – rear facing	-	-	-	-	38	
Booster seat	-	-	-	-	39	
Child restraint – type unknown	-	-	-	-	40	
Motorcycle helmet	07	7	7	5	-	
DOT-compliant motorcycle helmet	-	-	-	-	42	
Other helmet	-	-	-	-	43	
Other restraint/ safety equipment used	08	-	-	-	98	
Restraint used – type unknown	09	-	-	-	28	
Restraint used – specifics unknown or other	-	8	8	8	-	
Not reported	-	-	-	-	97	Halos sura
Unknown if used	99	9	9	9	99	Unknown

Univariate Traffic Control Device

	Data Year and Code		
Control Device Class	1988 - 1989	1990 - Later	
None	00		
Traffic Signal	01, 02, 03, 04, 08, 09	01, 04, 08, 09	
Stop Sign	11	21	
Other	12-14, 18,19,21,31,32,97,98	22,23,28,29, 40-43,49,51,61,62,97,98	

Appendix F: Rules for Derived Data Elements

Injury Severity, Number Injured and Alcohol Involvement

Maximum Injury Severity in Crash

Accident.MAX_SEV

Attribute Labels	GES
No Injury	0
Possible Injury	1
Non-incapacitating	2
Incapacitating	3
Fatal	4
Injury, unknown injury severity	5
Died Prior	6
No person involved in the crash	8
Unknown if Injured/ Not Reported	9

Logic of Derivation:

Note that this translation will need to be modified for 2010 to account for "Not Reported". All GES.Person records linked to the person are used. If there are no records, then the value is assigned 8. If there is a single record, then the SAS code for Person.INJ_SEV is used. If multiple records, all SAS Codes are obtained and prioritized. The value earliest in the following list will be used: 4, 3, 2, 1, 5, 0, 6 and 9.

Number Known Injured in Crash

Accident.NUM_INJ

Attribute Labels	GES
No Person Injured/Property Damage Only Crash	0
Number of Known Injured	Х
No Person involved in the Crash	98
All Persons in Crash are Unknown If Injured	99

Logic of Derivation:

Note that this translation will need to be modified for 2010 to account for "Not Reported". All GES.Person records linked to the person are used. If there are no records, then the value is assigned 98. If the SAS code for Person.INJ_SEV is 9 for all persons in the crash, then the value is 99. If not, the value assigned is the number of GES.Person records where the SAS code for Person.INJ_SEV is between 1 and 5.

Alcohol Involved in Crash

Accident.ALCOHOL

Attribute Labels	1988- 2008	2009- Later
Alcohol Involved	1	1
No Alcohol involved	2	2
No applicable person	8	
Unknown	9	3

Alcohol Involvement is a derived data element based on police-reported alcohol involvement from the Person data file. This data element indicates alcohol use for drivers, pedestrians, cyclists and other type of non-motorists (except occupants of motor vehicles not in-transport) involved in the crash.

The police reported alcohol involvement (Person.DRINKING, Person.PER_ALCH PRIOR TO 2011) is as follows:

Attribute Codes

1988-1989	1990-1998	1999-2001	2002-2008	2009-Later	Label
0		1	1	0	No (Alcohol Not Involved)
	0				Alcohol Not Involved or N/A
		0	0		Not Applicable
1	1	2	2	1	Yes (Alcohol Involved)
			6		Not on PAR
			7		Not Coded
	7				Alcohol and/or Drugs Involved
8	8	8		8	Not Reported
9	9	9	9	9	Unknown (Police-Reported)

The following order of alcohol involvement is used from 1999 through 2001.

We have Oracle data for NASS GES cases starting with 1999. From 1999 through 2001, the data files were built from the Oracle cases using the 4 data file format of previous years (ACCIDENT, VEHICLE, PERSON and VINVEH, with EVENT added for 2002). Alcohol Involvement was a calculated field based on all persons coded in the crash. Note that persons that had a role other than driver would have an Oracle POLICE_ALCOHOLID value of 26720 ('Not Applicable', SAS value '0').

The SAS value for the case was determined by:

1. Alcohol Involved

If "Police Reported Alcohol Involvement" is 'Yes' for any of the involved active participants (drivers or nonmotorists [except occupants of motor vehicles not intransport]) in the crash then alcohol involvement in the crash should be "Yes".

2. No Alcohol Involved

If NOT #1 (Alcohol Involved) and "Police Reported Alcohol Involvement" is 'No' for any of the involved active participants in the crash, then alcohol involvement in the crash should be "No".

9. Unknown

If NOT #1 (Alcohol Involved) and NOT #2 (No Alcohol Involved) and "Police Reported Alcohol Involvement" is 'Unknown' or 'Not Reported' for ANY of the involved active participants then alcohol involvement in the crash should be "Unknown".

8. No Applicable Person
Default value if no active participants coded for this case.

From 2002 through 2008, the data files were expanded to a 14 file format, but the translation remained the same, with 'Not Reported' being replaced by 'Not On PAR' and 'Not Coded' in 2002:

1. Alcohol Involved

If "Police Reported Alcohol Involvement" is 'Yes' for any of the involved active participants (drivers or nonmotorists [except occupants of motor vehicles not intransport]) in the crash then alcohol involvement in the crash should be "Yes".

2. No Alcohol Involved

If NOT #1 (Alcohol Involved) and "Police Reported Alcohol Involvement" is 'No' for any of the involved active participants in the crash, then alcohol involvement in the crash should be "No".

9. Unknown

If NOT #1 (Alcohol Involved) and NOT #2 (No Alcohol Involved) and "Police Reported Alcohol Involvement" is 'Unknown' or 'Not Reported' for ANY of the involved active participants then alcohol involvement in the crash should be "Unknown".

8. No Applicable Person

Default value if no active participants coded for this case.

From 2009 and on, the priority is different; it follows the logic below:

1. Alcohol Involved

If "Police Reported Alcohol Involvement" is 'Yes' for any of the involved active participants (drivers or nonmotorists [except occupants of motor vehicles not intransport]) in the crash then alcohol involvement in the crash should be "Yes".

2. No Alcohol Involved

If "Police Reported Alcohol Involvement" is 'No' for ALL of the involved active participants in the crash then alcohol involvement in the crash should be "No".

9. Unknown

If NOT #1 (Yes) and "Police Reported Alcohol Involvement" is 'Unknown' or 'Not Reported' for ANY of the involved active participants then alcohol involvement in the crash should be "Unknown".

Examples:

Case 1: V1 Driver, alcohol is no, V2 Driver, alcohol is unknown, one nonmotorist, alcohol is no, V3, with the situation that three unknown occupants with none coded the role of driver, alcohol for occ1 is yes, alcohol for occ2 is no, occ3 for

alcohol is unknown.

Alcohol involvement for the crash is 'Unknown'.

Case 2: V1 driver, alcohol is unknown, one nonmotorist, alcohol is no,

Alcohol involvement for the crash is 'Unknown'.

Case 3: V1 driver, alcohol is no, one nonmotorist, alcohol is unknown, Alcohol involvement for the crash is 'Unknown'.

Note that for a single vehicle crash, if an in-transport vehicle is listed as having a driver present, but no occupant is coded with the role of driver, then alcohol involved in crash equals unknown code '9' unless all the occupants are coded 'no (alcohol not involved)' or all the occupants are coded 'yes (alcohol involved).' In the case where all occupants are coded 'no (alcohol not involved)' then alcohol involved in crash is 'no (alcohol not involved)'. In the case where all occupants are coded 'yes (alcohol involved)' then alcohol involved in crash is 'yes (alcohol involved)'. In the case where not all occupants are coded 'Yes' or 'No', then alcohol involved in crash equals 'Unknown', code '9'.

For the multi-vehicle crash or having nonmotorists involved in the crash, we will take the alcohol value for each vehicle in the case and each applicable nonmotorist and then takes the highest priority value among these values, as listed above.

Maximum Injury Severity in Vehicle

Vehicle.MAX_VSEV

Attribute Labels	GES
No Injury	0
Possible Injury	1
Non-incapacitating	2
Incapacitating	3
Fatal	4
Injury, unknown injury severity	5
Died Prior	6
No person involved in the Vehicle	8
Unknown if Injured/ Not Reported	9

Logic of Derivation:

Note that this translation will need to be modified for 2010 to account for "Not Reported". All GES.Person records linked to the vehicle are used. If there are no records, then the value is assigned 8. If there is a single record, then the SAS code for Person.INJ_SEV is used. If multiple records, all SAS Codes are obtained and prioritized. The value earliest in the following list will be used: 4, 3, 2, 1, 5, 0, 6 and 9.

Number Injured in Vehicle

Vehicle.NUM_INJV

Attribute Labels	GES
No Person Injured in Vehicle	0
Number of Known Injured	1-97
No Person involved in the Vehicle	98
All Persons in Vehicle are Unknown If Injured	99

Logic of Derivation:

Note that this translation will need to be modified for 2010 to account for "Not Reported". All GES.Person records linked to the vehicle are used. If there are no records, then the value is assigned 98. If the SAS code for Person.INJ_SEV is 9 for all persons in the crash, then the value is 99. If not, the value assigned is the number of GES.Person records where the SAS code for Person.INJ_SEV is between 1 and 5.

Driver Drinking in Vehicle

Vehicle.VEH_ALCH

Attribute Labels	GES
Alcohol Involved	1
No Alcohol involved	2
No Driver Present/Unknown if Driver Present	8
Unknown	9

Logic of Derivation:

- If Driver Presence equals 0 (No Driver Present/Not Applicable) or 9 (Unknown), Then Driver Drinking in Vehicle is set to 8 (No Driver Present/Unknown if Driver Present).
- If Driver Presence equals 1 (Yes) and there is a person in the vehicle where Person Type equals 1 (Driver of a Motor Vehicle In Transport), Then Police-Reported Alcohol Involvement for the driver is used for the derivation of Driver Drinking in Vehicle as follows:

	<u>P</u>	olice-Reported Alcohol Involvement		<u>Dr</u>	river Drinking in Vehicle
•	0	No (Alcohol Not Involved)	\rightarrow	2	No Alcohol Involved
•	1	Yes (Alcohol Involved)	\rightarrow	1	Alcohol Involved
•	8	Not Reported	\rightarrow	9	Unknown
•	9	Unknown (Police-Reported)	\rightarrow	9	Unknown

- If Driver Presence equals 1 (Yes) and there is *not* a person in the vehicle where Person Type equals 1 (Driver of a Motor Vehicle In-Transport), Then
 - If Police Reported Alcohol Involvement is the same for the occupants of the vehicle where Person Type equals 9 (Unknown Occupant Type in a Motor Vehicle In Transport),
 - Then Driver Drinking in Vehicle is derived from Police Reported Alcohol Involvement as shown above,
 - Else Driver Drinking in Vehicle is set to 9 (Unknown).

The derivation is also provided in table format on the next page.

IF		THEN	
Vehicle.DR_PRES = 0 or 9	\rightarrow	Vehicle.VEH_ALCH = 8	
Vehicle.DR_PRES = 1 and Person.PER_TYP = 1			
Person.PER_ALCH = 1	\rightarrow	Vehicle.VEH_ALCH = 1	
Person.PER_ALCH = 0	\rightarrow	Vehicle.VEH_ALCH = 2	
Person.PER_ALCH = 8 or 9	\rightarrow	Vehicle.VEH_ALCH = 9	
Vehicle.DR_PRES = 1 and Person.PER_TYP = 9 and Person.PER_ALCH = [Same value for all]			
Person.PER_ALCH = 1	\rightarrow	Vehicle.VEH_ALCH = 1	
Person.PER_ALCH = 0	\rightarrow	Vehicle.VEH_ALCH = 2	
Person.PER_ALCH = 8 or 9	\rightarrow	Vehicle.VEH_ALCH = 9	
Vehicle.DR_PRES = 1 and Person.PER_TYP = 9 and Person.PER_ALCH = [NOT same value for all]	→	Vehicle.VEH_ALCH = 9	
Other combinations are not valid			

Example:

V1 Driver, alcohol is no, V2 Driver, alcohol is unknown, one nonmotorist, alcohol is no, V3 (driver present), with the situation that three unknown occupants with none coded the role of driver, alcohol for occ1 is yes, alcohol for occ2 is no, occ3 for alcohol is unknown.

Alcohol involvement for V1 is 'No'; for V2 is 'Unknown' for V3 is 'Unknown'. If an in-transport vehicle is listed as having a driver present, but no occupant is coded with the role of driver, then driver drinking in vehicle equals unknown code '9' unless all the unknown occupant types are coded 'no (alcohol not involved)' or all the unknown occupant types are coded 'yes (alcohol involved).' In the case where all the unknown occupant types are coded 'no (alcohol not involved)' then driver drinking in vehicle is 'no (alcohol not involved)'. In the case where all the unknown occupant types are coded 'yes (alcohol involved)' then driver drinking in vehicle is 'yes (alcohol involved)'. For example, if there is a vehicle where there is a driver present and there are two unknown occupant types, both coded 'yes (alcohol involved)' but neither is coded as the driver; then driver drinking in vehicle equals 'yes (alcohol involved)', code '1'). Another example: if there is a vehicle where there is a driver present and there are two unknown occupant types (neither coded as the driver--that is, the police report indicates it is unknown who was actually driving), and one is coded 'yes (alcohol involved)' and the other is coded 'no (alcohol not involved)'; then driver drinking in vehicle equals 'unknown', code '9').

Atmospheric Conditions

Accident.WEATHER

Attribute Labels	2009 GES	2010- Later GES
No Additional Atmospheric Conditions	1	0
Clear		1
Cloudy		10
Rain	2	2
Sleet, Hail (Freezing Rain or Drizzle)	3	3
Snow	4	4
Blowing Snow	5	11
Rain and Fog	6	
Sleet and Fog	7	
Fog, Smog, Smoke		5
Severe Crosswinds		6
Blowing Sand, Soil, Dirt		7
Other	8	8
Not Reported		98
Unknown	9	99

Logic of Derivation:

- Snow
- Blowing Snow
- Sleet, Hail (Freezing Rain or Drizzle)
- Rain
- Fog, Smog, Smoke
- Severe Crosswinds
- Blowing Sand, Soil, Dirt
- Other
- Cloudy
- Clear
- Not Reported
- Unknown
- No Additional Atmospheric Conditions

Trafficway Description

Accident.TRAF_WAY (deleted in 2011 Accident data file)

Attribute Labels	2009 GES	2010 GES
Non-Trafficway Area		0
Not Physically Divided (Center 2-way Left Turn Lane)	0	
Not Physically Divided (Two Way Trafficway)	1	
Divided Highway (Median Strip, Barrier)	2	
Two-Way, Not Divided		1
Two-Way, Not Divided with a continuous left turn lane		5
Two-Way, Divided, Unprotected (painted >4feet) Median		2
Two-Way, Divided, Positive Median Barrier		3
One Way Trafficway	3	4
Entrance/Exit ramp		6
Not Reported		8
Unknown	9	9

This information is coded on the vehicle level. The ACCIDENT level data element is derived by selecting one vehicle and using the coded values for that vehicle. The vehicle is chosen by the following process:

If there is only one vehicle, use that vehicle. If there is only one vehicle involved in the first event, then that vehicle is selected. If there are two vehicles in the first event, and the second vehicle has a larger number of travel lanes, and if that value is not 8, then the second vehicle is selected.

In 2010, with the change to allow non-harmful events as the first event, the above derivation rule changed to use the first coded *harmful* event.

Logic of Derivation:

- Two-Way, Divided, Positive Median Barrier
- Two-Way, Divided, Unprotected (Painted > 4 Feet) Median
- Two-Way, Not Divided With a Continuous Left-Turn Lane
- Two-Way, Not Divided
- One-Way Trafficway
- Entrance/Exit Ramp
- Non-Trafficway Area
- Not Reported
- Unknown

Total Lanes in Roadway

Accident.NO_LANES (deleted in 2011 Accident data file)

Attribute Labels	2009 GES	2010 GES
Non-Trafficway Area		0
One Lane	1	1
Two Lanes	2	2
Three Lanes	3	3
Four Lanes	4	4
Five Lanes	5	5
Six Lanes	6	6
Seven or More Lanes	7	7
Not Reported		8
Unknown	9	9

This information is coded on the vehicle level. The ACCIDENT level data element is derived by selecting one vehicle and using the coded values for that vehicle. The vehicle is chosen by the following process:

If there is only one vehicle, use that vehicle. If there is only one vehicle involved in the first event, then that vehicle is selected. If there are two vehicles in the first event, and the second vehicle has a larger number of travel lanes, and if that value is not 8, then the second vehicle is selected.

In 2010, with the change to allow non-harmful events as the first event, the above derivation rule changed to use the first coded *harmful* event.

Logic of Derivation:

- Seven or More Lanes
- Six Lanes
- Five Lanes
- Four Lanes
- Three Lanes
- Two Lanes
- One Lane
- Non-Trafficway Area
- Not Reported
- Unknown

Roadway Alignment

Accident.ALIGNMNT (deleted in 2011 Accident data file)

Attribute Labels	2009 GES	2010 GES	2010 GES Accident
Non-Trafficway Area		0	
Straight	1	1	1
Curve	2		2
Curve Right		2	
Curve Left		3	
Curve -Unknown Direction		4	
Not Reported		8	8
Unknown	9	9	9

This information is coded on the vehicle level. The ACCIDENT level data element is derived by selecting one vehicle and using the coded values for that vehicle. The vehicle is chosen by the following process:

If there is only one vehicle, use that vehicle. If there is only one vehicle involved in the first event, then that vehicle is selected. If there are two vehicles in the first event, and the second vehicle has a larger number of travel lanes, and if that value is not 8, then the second vehicle is selected.

In 2010, with the change to allow non-harmful events as the first event, the above derivation rule changed to use the first coded *harmful* event.

Logic of Derivation:

At crash level, combine the codes curve right, curve left and curve-unknown direction into one code, 'curve'. Then follow the priority ranking of 1, 'straight', 2 'curve', 8 'not reported', 9 'unknown'.

- Curve
- Straight
- Non-Trafficway Area
- Not Reported
- Unknown

Roadway Grade

Accident.PROFILE (deleted in 2011 Accident data file)

Attribute Labels	2009 GES	2010 GES	2010 GES Accident
Non-Trafficway Area		0	0
Level	1	1	1
Grade	2		2
Grade, Unknown slope		2	
Hillcrest	3	3	3
Uphill		5	
Downhill		6	
Sag	8		
Sag (Bottom)		4	4
Not reported		8	8
Unknown	9	9	9

This information is coded on the vehicle level. The ACCIDENT level data element is derived by selecting one vehicle and using the coded values for that vehicle. The vehicle is chosen by the following process:

If there is only one vehicle, use that vehicle. If there is only one vehicle involved in the first event, then that vehicle is selected. If there are two vehicles in the first event, and the second vehicle has a larger number of travel lanes, and if that value is not 8, then the second vehicle is selected.

In 2010, with the change to allow non-harmful events as the first event, the above derivation rule changed to use the first coded *harmful* event.

Logic of Derivation:

At the crash level the codes uphill, downhill, grade, unknown slope are combined into one code, 'grade'. Follow the priority ranking of Grade, Hillcrest, Sag (bottom), level, non-trafficway area, not reported, unknown.

- Grade
- Hillcrest
- Sag (Bottom)
- Level
- Non-Trafficway Area
- Not Reported
- Unknown

Roadway Surface Condition

Accident.SUR_COND (deleted in 2011 Accident data file)

Attribute Labels	2009 GES	2010 GES
Non-Trafficway Area		0
Dry	1	1
Wet	2	2
Snow or Slush	3	
Snow		3
Slush		10
Ice	4	
Ice/Frost		4
Water (Standing, Moving)		6
Sand, Dirt, Oil	5	
Sand		5
Mud, dirt, gravel		11
Oil		7
Other	8	8
Not Reported		98
Unknown	9	99

This information is coded on the vehicle level. The ACCIDENT level data element is derived by selecting one vehicle and using the coded values for that vehicle. The vehicle is chosen by the following process:

If there is only one vehicle, use that vehicle. If there is only one vehicle involved in the first event, then that vehicle is selected. If there are two vehicles in the first event, and the second vehicle has a larger number of travel lanes, and if that value is not 8, then the second vehicle is selected.

In 2010, with the change to allow non-harmful events as the first event, the above derivation rule changed to use the first coded *harmful* event.

Logic of Derivation:

- Snow
- Slush
- Ice/Frost
- Water (Standing, Moving)
- Wet
- Sand
- Mud, Dirt, Gravel
- Oil

- Other
- Dry
- Non-Trafficway Area
- Not Reported
- Unknown

Traffic Control Device

Accident.TRAF_CON (deleted in 2011 Accident data file)

Attribute Labels	2009 GES	2010 GES
Officer, Crossing Guard, Flagman, Etc.	51	
Person		51
Traffic Control Signal (On Colors)	1	
Traffic control signal (on colors) without pedestrian signal		1
Traffic control signal (on colors) with pedestrian signal		2
Traffic control signal (on colors) not known if ped signal		3
Flashing Traffic Control Signal Or Flashing Beacon	4	
Flashing Traffic Control Signal		4
Lane Use Control Signal		5
Other highway traffic signal	8	8
Unknown Highway Traffic Signal	9	9
Stop Sign	21	21
Yield Sign	22	22
School Zone sign/ Device	23	23
Other Regulatory Sign	28	28
Unknown Regulatory Sign	29	29
Advisory Speed Sign	40	
Warning Sign For Road Conditions (Hill, Steep Grade, etc.)	41	
Warning Sign For Road Construction	42	
Warning Sign For Environment/Traffic (Fog Ahead, Wind)	43	
Unknown Type Warning Sign	49	
Warning Sign		44
Active Device At RR Crossing (e.g., Gates, Flashing Lights)	61	
Passive Device At RR Crossing (e.g., Stop Sign, Cross Bucks)	62	
Railway Crossing Device		63
Other Traffic Control (Whether Or Not At RR Grade Crossing)	98	
Other Traffic Control		98
Traffic Control Present - No Details	97	
Not Reported		97
Unknown	99	99
No Controls	0	0

Logic of Derivation:

In 2009 and before, all GES.Vehicle.VTRAFCON SAS code values for vehicles linked to the case, as well as all GES.Biketraf.BTRAFCON values are used. If there are no values, then 00 is assigned. If there is a single record, then that SAS code is assigned. If there are multiple records, then the minimum SAS code is assigned, with the following exceptions. If there is a record with a 0 SAS code, and any other record with a value other than 0, then the record with the 0 SAS code record is ignored (all other values take precedence over 0). If there is a record with SAS code value of 51, then 51 is assigned (51 takes precedence over all other values). SAS code 98 takes precedence over SAS code 97.

If the crash involves vehicles and cyclists subject to different traffic control devices, the device coded is based on the following priority:

- 51 Officer, Crossing Guard, Flagman, etc
- The lowest numbered device shown below
- No traffic control device.

In 2010, a single traffic control which best described the vehicle's environment just prior to this vehicle's critical precrash event was chosen. The roadway used for coding this data element is the one this vehicle departed if it is off the roadway just prior to its critical precrash event. If this vehicle is in a junction just prior to its critical precrash event, this data element is coded based on the roadway this vehicle was on before entering the junction. The value indicated in the case materials is coded if it directly matches.

If more than one device is present, the highest device (lowest number on list) most related to the crash is coded. There are two exceptions:

- 1. One exception is Person which includes a law enforcement officer, crossing guard, flagman, etc. Person takes precedence over the entire list.
- 2. The other exception is an Other Regulatory Sign which includes a Regulatory Speed Limit Sign.

Speed Limit

Accident.SP_LIMIT (deleted in 2011 Accident data file)

Attribute Labels	2009 GES	2010 GES
No Statutory Limit	0	
No Statutory Limit/Non-Trafficway Area		0
Actual speed Limit		05-75
Actual speed Limit (mph increments of 5)	05-75	
Not Reported		97
Unknown	99	99

Logic of Derivation:

Speed Limit is coded on the vehicle level. The derivation takes the largest non-unknown value for all the coded vehicles. If all the values are unknown, then the value is assigned 999.

- Largest non-unknown values
- Not Reported
- Unknown
- No Limit

Contributing Circumstances

Vehicle.FACTOR (deleted in 2010 Vehicle data file)

Attribute Labels	GES
None	0
Tires	1
Brake System	2
Steering	3
Suspension	4
Power Train	5
Exhaust System	6
Head lights	7
Signal lights	8
Other lights	9
Wipers	10
Wheels	11
Mirrors	12
Driver seating and control	13
Windows/Windshield	
Body, doors	14
Trailer Hitch	15
Truck Coupling/Trailer hitch/Safety chains	
Safety Systems	
Hit and Run Vehicle	50
Vehicle Contributing Factors – No Details	97
Other	98
Not Reported	
Unknown	99

Logic of Derivation:

All records from GES.Factor are used. If there are no records, then the value 00 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned.

Violations Charged

Vehicle.VIOLATN (deleted in 2010 Vehicle data file)

Attribute Labels	GES
None	0
Reckless/Careless/Hit-and-Run Type Offenses	
Manslaughter or homicide	1
Willful reckless driving; driving to endanger; negligent driving	2
Unsafe reckless (not willful, wanton reckless) driving	3
Inattentive, careless, improper driving	4
Fleeing or eluding police	5
Fail to obey police, fireman, authorized person directing traffic	6
Hit-and-run, fail to stop after crash	7
Fail to give aid, information, wait for police after crash	8
Serious violation resulting in death	9
Impairment Offenses	
Driving while intoxicated (alcohol or drugs) or BAC above limit (any detectable BAC for CDLs)	11
Driving while impaired	12
Driving under influence of substance not intended to intoxicate	13
Drinking while operating	14
Illegal possession of alcohol or drugs	15
Driving with detectable alcohol	16
Refusal to submit to chemical test	18
Alcohol, drug or impairment violations generally	19
Speed-Related Offenses	
Racing	21
Speeding (above the speed limit)	22
Speed greater than reasonable & prudent (not necessarily over the limit)	23
Exceeding special limit (e.g.: for trucks, buses, cycles, or on bridge, in school zone, etc.)	24
Energy speed (exceeding 55 mph, non-pointable)	25
Driving too slowly	26
Speed related violations, generally	29

Attribute Labels	GES
Rules of the Road – Traffic Sign & Signals	
Fail to stop for red signal	31
Fail to stop for flashing red	32
Violation of turn on red (fail to stop & yield, yield to pedestrians before turning)	33
Fail to obey flashing signal (yellow or red)	34
Fail to obey signal, generally	35
Violate RR grade crossing device/regulations	36
Fail to obey stop sign	37
Fail to obey yield sign	38
Fail to obey traffic control device	39
Rules of the Road – Turning, Yielding, Signaling	
Turn in violation of traffic control (disobey signs, turn arrow or pavement marking; not a right-on-red violation)	41
Improper method & position of turn (too wide, wrong lane)	42
Fail to signal for turn or stop	43
Fail to yield to emergency vehicle	45
Fail to yield, generally	46
Enter intersection when space insufficient	48
Turn, yield, signaling violations, generally	49
Rules of the Road - Wrong Side, Passing & Following	
Driving wrong way on one-way road	51
Driving on left, wrong side of road, generally	52
Improper, unsafe passing	53
Pass on right (drive off pavement to pass)	54
Pass stopped school bus	55
Fail to give way when overtaken	56
Following too closely	58
Wrong side, passing, following violations, generally	59
Rules of the Road – Lane Usage	
Unsafe or prohibited lane change	61
Improper use of lane (enter of 3-lane road, HOV designated lane)	62
Certain traffic to use right lane (trucks, slow-moving, etc.)	63
Motorcycle lane violations (more than two per lane, riding between lanes, etc.)	66
Motorcyclist attached to another vehicle	67
Lane violations, generally	69

Attribute Labels	GES
Non-Moving – License and Registration Violations	
Driving while license withdrawn (including violation of provisions of work permit)	71
Other driver license violations	72
Commercial driver violations (log book, hours, permits carried)	73
Vehicle registration violations	74
Fail to carry insurance card	75
Driving uninsured vehicle	76
Non-moving violations, generally	79
Equipment	
Lamp violations	81
Brake violations	82
Failure to require restraint use (by self or passengers)	83
Motorcycle equipment violations (helmet, special equipment)	84
Violation of hazardous cargo regulations	85
Size, weight, load violations	86
Equipment violations, generally	89
License, Registration & Violations	
Parking	91
Theft, unauthorized use of motor vehicle	92
Driving where prohibited (sidewalk, limited access, off truck route)	93
Not Reported	97
Other moving violation (coasting, backing, opening door)	98
Unknown Violation	99

Logic of Derivation:

All GES. Violatn records linked to the vehicle are used. If there are no records, then 00 is assigned. If there is a single record, then the SAS code for that record is used. If there are multiple records, then for 2009 and later, the minimum SAS code is used. Prior to 2009, the value that appeared earliest in the following list was used: ('01','02','03','04','05','06','07','97','98','50','96','99','00')

Driver's Vision Obscured By

Vehicle.VIS_OBSC (deleted in 2010 Vehicle data file)

Attribute Labels	GES
No Obstruction Noted	0
Rain, Snow, Fog, Smoke, Sand, Dust	1
Reflected Glare, Bright Sunlight, Headlights	2
Curve, Hill or Other Roadway Design Feature	3
Building, Billboard, Other Structure	4
Trees, Crops, Vegetation	5
In-Transport Motor Vehicle (including load)	6
Not In-Transport Motor Vehicle (parked, working)	7
Splash or Spray of Passing Vehicle	8
Inadequate Defrost or Defog System	9
Inadequate Vehicle Lighting System	10
Obstruction Interior to the Vehicle	11
External Mirrors	12
Broken or Improperly Cleaned Windshield	13
Obstructing Angles on Vehicle	14
No Driver Present	95
Vision Obscured – No Details	97
Other Visual Obstruction	98
Unknown	99

Logic of Derivation:

All records from GES. Vision are used. If there are no records, then the value 00 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned.

Driver Maneuvered To Avoid

Vehicle.DRMAN_AV (deleted in 2010 Vehicle data file)

Attribute Labels	GES
Driver Did Not Maneuver To Avoid	0
Object	1
Poor Road Conditions (Puddle, Ice, Pothole, etc.)	2
Live Animal	3
Motor Vehicle	4
Pedestrian, Pedalcyclist or Other Non-Motorist	5
Phantom/Non-Contact Motor Vehicle	92
No Driver Present	95
Hit and Run and no information	50
Avoidance maneuverno details	97
Not on PAR	93
Not Coded	94
Not Reported	
Unknown	99

Logic of Derivation:

All records from GES.Maneuver are used. If there are no records, then the value 00 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned.

Driver Distracted By

Vehicle.DR_DSTRD (deleted in 2010 Vehicle data file)

Attribute Labels	GES
Not Distracted	0
Looked But Did Not See	1
By Other Occupant(s)	3
By Moving Object in Vehicle	4
While Talking or Listening to Cellular Phone	5
While Dialing Cellular Phone	6
Adjusting Audio And/or Climate Controls	
While adjusting climate controls	7
While adjusting radio, cassette, CD	8
While Using Other Device/Controls Integral to vehicle	9
While Using or Reaching For Device/Object Brought into Vehicle	10
Sleepy or fell asleep	11
Distracted by Outside Person, Object or Event	12
Eating or Drinking	13
Smoking Related	14
Other Cellular Phone Related	15
Not on PAR	93
Not coded	94
Hit and Run and no information	50
Inattentive or Lost in Thought	97
Other Distraction	98
Distraction/Inattention, Details Unknown	92
No Driver Present	95
Not Reported	
Unknown if Distracted	99

Logic of Derivation:

All records from GES.Distract are used. If there are no records, then the value 0 is assigned. If there is a single record, then the SAS code for that record is assigned. If there are multiple records, then the minimum SAS code of all the records is assigned, with the exceptions that SAS code 98--other distraction has priority over SAS code 92--distraction/inattention, details unknown, 92 has priority over 95, 95 has priority over 96, 96 has priority over 99, and all other values have priority over SAS code 0.

Condition (Impairment) At Time Of Crash

Person.MIMPAIR (deleted in 2010 Person data file)

Attribute Labels	GES
None	0
None/Apparently Normal	
III, Blackout	1
Drowsy, Sleepy, Fell Asleep, Fatigued	2
Asleep or Fatigued	
Requires Cane Or Crutches	3
Walking with a Cane or Crutches	
Paraplegic Or Restricted To Wheelchair	4
Impaired Due To Previous Injury	5
Deaf	6
Blind	7
Emotional (Depressed, Angry, Disturbed, etc)	
Under the Influence of Alcohol, Drugs or Medication	
Physical Impairment – No Details	97
Other Physical Impairment	98
Other	
Not Reported	
Not on PAR	93
Not Coded	94
Hit and Run (and no information)	50
Unknown If Physically Impaired	99
Unknown	

Logic of Derivation:

All records linked to person in GES.Impair data file are used. If there are no records, then value 0 is assigned. If there is a single record, then the SAS Codes are used. If there are multiple records, then the minimum SAS code for all records is used.

Non-Motorist Safety Equipment

Person.SAF_EQMT (deleted in 2010 Person data file)

Attribute Labels	GES
Not Applicable*	0
None Used	1
Bicycle Helmet	2
Helmet	
Protective Pads Used (elbows, knees, shins, etc.)	
Bicycle Helmet and Reflective Equipment	4
Reflective Equipment/Clothing (jacket, backpack, etc.)	3
Lighting	
Other Safety Equipment	8
Not Reported	
Unknown if Used	9

Logic of Derivation:

The translation uses the records in GES.Safetyeq. If no records, then the value is 0. If a single record, then the SAS code for that record is used. If there are multiple records, and there are prioritized by the following SAS code order: 2, 3, 4, 5, 7, 8, 9, 0, and 1. Not Applicable is used when Person Type = 1, 2, 3, 9 or 77.

Non-Motorist Action

Person.ACTION (deleted in 2010 Person data file)

Logic of Derivation:

It is retired and replaced by P25.Nmprior.MPR_ACT and P26.Nmcrash.MTM_CRSH in 2010.

In 2009 and before, all records linked to person in GES.Nmaction data file used. If no records, then value is 0. If there is single record, then that SAS code used. If multiple records, then the minimum SAS code for all the records, with the exception that if SAS code 0 is one of the values, it is excluded from the calculation (all other values take precedence over 0).

The GES.Nmaction is replaced by GES.Nmprior and GES.Nmcrash. They are not derived to the Person data file in 2010.

Appendix G: Summary of the 2010 NASS GES Changes

2010 FARS/NASS GES Standardization

The purpose of this document is to inform users of NHTSA's Fatality Analysis Reporting System (FARS) and National Automotive Sampling System General Estimates System (NASS GES) data about some of the more significant changes to the 2010 data as a result of the standardization of the data elements between the two systems. In addition to the changes outlined below, a listing of all specific data element changes can be found in the following table:

2010 Variables with Changes in Definitions, Attributes or SAS Codes

The FARS/NASS GES Standardization began in 2006, with the second phase being implemented in the 2010 data collection year. The definition and element attribute changes introduced in 2010 are the most substantive and most numerous changes in one year in the reconciliation of the FARS and NASS GES data systems. In the 2011 data collection year – the third and final planned phase of the FARS/NASS GES Standardization – nearly all remaining data element attribute and file structure differences will be addressed. As a single, unified data entry system, FARS/NASS GES will be compatible with the Model Minimum Uniform Crash Criteria (MMUCC), the guideline used by nearly all States to develop and revise their crash forms and databases. Once complete, the FARS/NASS GES Standardization will simplify crash data coding and analysis as well as reduce costs and errors.

Probably the most notable changes were the introduction of precrash information in FARS (already collected in NASS GES) and a change to case structure or how the groups of related data elements are organized. For example, in 2009 a FARS case consisted of Crash, Vehicle, Driver and Person coding forms. In 2010, the Person level form was split into Motor Vehicle Occupant and Non-Motor Vehicle Occupant forms, and the Precrash form was added (new to FARS, though not to NASS GES).

These structure changes also include changes to how the data are now stored and made available. For example, for FARS, there are now 16 data tables rather than 4. This results from the changes in the number of coding forms and from changes in specific data elements. Several data elements that used to allow only a specified number of responses now have a "select-all-that-apply" format. There is a separate data table for each of these data elements.

At the Crash level, a Crash Events Table was added to FARS (and modified in NASS GES). In NASS GES, Non-Harmful Events were added to the Crash Events Table.

The precrash information represents not only a new coding form, but more importantly, largely a new concept for FARS, attempting to collect data about the conditions, events and driver actions that preceded and may have contributed to the crash. Precrash data is intended to improve crash avoidance research and has been included in NASS GES since 1992.

The new FARS Precrash form information consists of 23 data elements, 9 of which were previously coded at the Crash level, 3 each at the Vehicle and Driver levels, and 8 new elements. Nine trafficway descriptor data elements were moved from the crash level to the new precrash level. These elements provide details about the characteristics of the trafficway selected for each vehicle.

A Pedestrian/Bicycle crash typing software application was added to the Non-Motor Vehicle Occupant form for both systems to help identify the precrash actions for parties involved in certain non-motorist-related crashes.

Type of Intersection was added to both systems. Bus Use and Vehicle Configuration were two Vehicle level elements that are new to NASS GES in 2010 and modified for FARS (element attributes were consolidated and redefined). Condition at Time of Crash was added at the Driver and the Non-Motor Vehicle Occupant levels for both systems. For motor vehicle occupants, there is now an Indication of Misuse of Restraint System or Helmet Use in both systems.

Some of the information that had been collected under FARS Related Factors was redistributed to new data elements. For example, some Person Related Factors have been removed and are now captured in two new Non-Motor Vehicle Occupant elements; Non-Motorist Action/Circumstances Prior to Crash and Non-Motorist Action/Circumstances at Time of Crash. Some Vehicle Related Factors are now captured under the new Precrash elements, Contributing Circumstances, Motor Vehicle and Driver Distracted By. The Driver Level element, Violations Charged, is now a "Select-all-That-Apply" element.

Multiple data elements that are part of the Model Minimum Uniform Crash Criteria (MMUCC) had the attribute "Not Reported" added in 2010 to account for information missing from the case source materials.

To ensure that data quality was not compromised as a result of the standardization, NHTSA refined and enhanced its quality control processes. These enhancements enable the identification of coding discrepancies and development of training tailored to eliminate or reduce these discrepancies.

The final phase of the FARS/NASS GES standardization will occur during the 2011 data collection year, at which point FARS and NASS GES, while remaining separate data systems, will share a single data entry system and uniform set of data elements.

New in 2010 NASS GES

There were many changes to the 2010 NASS GES, most of which were the result of NHTSA's efforts to standardize data elements in the NASS GES and the Fatality Analysis Reporting System (FARS). Additions, deletions, and changes are listed below.

More detailed information on each data element can be found in the NASS GES Coding and Editing Manuals, which NHTSA publishes for each year of data collection. While the 2010 changes are addressed in this Analytical User's Manual, data users should compare the 2009 and 2010 Coding and Editing Manuals for a more thorough understanding. Manuals for 1995 to the present can be found at:

http://www-nrd.nhtsa.dot.gov/cats/listpublications.aspx?Id=k&ShowBy=DocType.

General changes to 2010 NASS GES were:

- Non-harmful events were added to the Cevent (formerly the Event) data file.
- A new data file (Vevent) was added which lists the harmful and non-harmful events for each in-transport motor vehicle.
- Pedestrian/bicyclist typing was updated to use the coding procedures in the document "Pedestrian and Bicycle Crash Analysis Tool Version 2.0" (March 2006). The pedestrian/bicyclist typing information is collected for all pedestrians, bicyclists and people on personal conveyances and is in a data file which was new in 2010, Pbtype. In 2009 and before, the pedestrian/bicyclist information is available for the first qualifying person in the crash and is in the Accident data file.
- The Nmprior and Nmcrash data files were added in 2010; they replaced the Nmaction data file and contain information about what people (who are not occupants of motor vehicles) are doing prior to the crash (Nmprior) and any improper actions or contributing circumstances noted on the PAR (Nmcrash).
- The Trafcon data file was retired in 2010. In prior years (2002-2009) the Trafcon data file could contain multiple traffic controls for each in-transport motor vehicle. In 2010, one traffic control is coded per in-transport motor vehicle eliminating the need for the Trafcon data file. The traffic control coded in 2010 is the one which best describes the traffic controls in the vehicle's environment just prior to its critical precrash event.

2010 Data Elements with Changes in Definitions, Attributes or SAS Codes

Accident:

A06 A07 A09 A10 A11/V_A11 A12/V_A12 A13/V A13	First Harmful Event EVENT1 Manner of Collision MAN_COL Relation to Junction REL_JCT1/REL_JCT2 Relation to Trafficway REL_ROAD Trafficway Description VTRAFWAY (V41 in 2010) Total Lanes of Roadway VNUM_LAN Roadway Alignment VALIGN
A14/V_A14	Roadway Grade VPROFILE
A15/V_A15 A16/V_A16	Roadway Surface Conditions VSURCOND Traffic Control Device VTRAFCON
A18/V_A18	Speed Limit VSPD_LIM
A19	Light Condition LGT_COND
A20	Atmospheric Conditions WEATHER/WEATHER1/WEATHER2
A21	School Bus Related SCH_BUS
A25	Work Zone WRK_ZONE

Cevent/Vevent (only Event in 2009 and prior, modified in 2010):

E03/V24	Areas of Impact (This Vehicle)/ Areas of Impact – Initial GAD/IMPACT1
E03/V38	Areas of Impact (This Vehicle)/ Areas of Impact – Most Damaged GAD/IMPACT2
E04	Non-Collision Category or Object Contacted (Sequence of Events) OBJCONT
E05/V24	Areas of Impact (Other Vehicle) OBJGAD/IMPACT1
F06/VF06	Action F ACTION

Vehicle:

V02	Hit and Run HIT RUN
V03	Vehicle Make MAKE
V04	Vehicle Model MODEL
V05	Body Type BODY_TYP
V06	Vehicle Model Year MODEL YR
V07	Vehicle Identification Number VIN
V08	Special Use SPEC_USE
V09	Emergency Use EMER_USE
V10B	Number of Occupants NUMOCCS
V18	Extent of Damage DEFORMED
V19	Vehicle Removal TOWED
V20	Most Harmful Event V_EVENT
V31	Vehicle Motor Carrier Identification Number MCARR_ID
V33	Cargo Body Type CARGO_BT
V41	Trafficway Description VTRAFWAY (it was V_A11 in 2009)

Parked:

PV05	Parked/Working Body Type PBODYTYP
PV06	Parked/Working Vehicle Model Year PMODELYR
PV07	Parked/Working Vehicle Identification Number PVIN
PV08	Parked/Working Special Use PSP_USE

PV10	Parked/Working Number of Occupants Coded POCCINVL
PV10B	Parked/Working Number of Occupants PNUMOCCS
PV18	Parked/Working Extent of Damage PVEH_SEV
PV19	Parked/Working Vehicle Removal PTOWED
PV31	Parked/Working Vehicle Motor Carriers Identification Number PCARIDNO
PV33	Parked/Working Cargo Body Type PCARGTYP
PV34	Parked/Working Hazardous Materials Placard PHAZPLAC
PV37	Parked/Working Vehicle Location PREL_RWY
PV38	Parked/Working Vehicle Areas of Impact – Most Damaged PIMPACT2

Person:

P03	Person Type PER_TYP
P04	Seating Position SEAT_POS
P06	Ejection EJECTION
P07	Age AGE
P08	Sex SEX
P09	Injury Severity INJ_SEV
P10	Transported to Medical Facility By HOSPITAL
P11A	Alcohol Test Status ALCHTEST
P11B	Alcohol Test Type ALTSTYPE
P11C	Alcohol Test Result ALTRSULT
P13	Non-Motorist Location at Time of Crash LOCATN
P15	Restraint System/Helmet Use REST_SYS
P17A	Drug Test Status DRUGTEST
P17B	Drug Test Type DRTSTYPE
P17C	Drug Test Result DRTRSULT

Safetyeq:

P21

M_P20 Non-Motorist Safety Equipment Use MSAFEQMT

Air Bag Deployed AIR_BAG

New Data Elements:

Accident:

A28 Type of Intersection TYP_INT

<u>Vehicle:</u>

V_A17 Device Functioning VTCONT_F

V39 Bus Use BUS_USE

V40 Vehicle Configuration V_CONFIG

Person:

P24 Any Indication of Mis-use of Restraint System/Helmet Use REST_MIS

Parked:

PV38 Parked/Working Vehicle Areas of Impact – Most Damaged PIMPACT2

PV40 Parked/Working Vehicle Configuration PV_CONFIG

Pbtype (new in 2010):

Marked Crosswalk PBCWALK
Sidewalk Present PBSWALK
School Zone PBSZONE
Crash Type (Pedestrian) PEDCTYPE
Crash Type (Bicyclist) BIKECTYPE
Crash Type Location (Pedestrian) PEDLOC
Crash Type Location (Bicyclist) BIKELOC
Pedestrian Position PEDPOS
Bicyclist Position BIKEPOS
Pedestrian Initial Direction of Travel PEDDIR
Bicyclist Direction BIKEDIR
Motorist Direction MOTDIR
Motorist Maneuver MOTMAN
Intersection Leg PEDLEG
Pedestrian Scenario PEDSNR
Crash Group (Pedestrian) PEDCGP
Crash Group (Bicyclist) BIKECGP

The following were new SAS tables in 2010:

- Vevent
- Nmprior
- Nmcrash

Deleted Data Elements:

Accident:

A11	Trafficway Description TRAF_WAY
A12	Total Lanes of Roadway NO_LANES
A13	Roadway Alignment ALIGNMNT
A14	Roadway Grade PROFILE
A15	Roadway Surface Conditions SUR_COND
A16	Traffic Control Device TRAF_CON
A18	Speed Limit SP_LIMIT
A24	Pedestrian/Cyclist Crash Type PED_ACC

Vehicle:

V22	Vehicle Role VEH_ROLE
V25	Damaged Areas DAM_AREA
D02	Violations Charged VIOLATN
D04	Driver's Vision Obscured By VIS_OBSC
D06	Driver Maneuvered to Avoid DR_MANAV
D07	Driver Distracted By DR DSTRD

Person:

P18 (Condition ((Impairment)	at the Time of	Crash IMPAIRMT

P19 Non-Motorist Action ACTION

P20 Non-Motorist Safety Equipment Use SAF_EQMT

Nmaction (this data file replaced by Nmprior and Nmcrash):

M_P19 Non-Motorist Action MACTION

Trafcon (this data file is not available in 2010):

M A16 Traffic Control Device MTRAFCON

Other Changes in the 2010 Coding and Editing Manual:

The following data elements had changes to the remarks and/or attribute definitions in 2010.

Cevent/Vevent (only Event in 2009 and prior, modified in 2010):

E06/VE06 Action E ACTION

Vehicle:

V21 Movement Prior to Critical Event P_CRASH1

Person:

1 03 1 613011 1 1 1 6 1 6 1 1 1 1 1	P03	Person Type Pf	ER TYP
-------------------------------------	-----	----------------	--------

P13 Non-Motorist Location at Time of Crash LOCATN

P15 Restraint System/Helmet Use REST_SYS

Parked:

Parked/Working Body Type PBODYTYP
Parked/Working Vehicle Model Year PMODELYR
Parked/Working Vehicle Identification Number PVIN
Parked/Working Special Use PSP_USE
Parked/Working Number of Occupants Coded POCCINVL
Parked/Working Number of Occupants PNUMOCCS
Parked/Working Extent of Damage PVEH_SEV
Parked/Working Vehicle Removal PTOWED
Parked/Working Vehicle Motor Carriers Identification Number PCARIDNO
Parked/Working Cargo Body Type PCARGTYP
Parked/Working Hazardous Materials Placard PHAZPLAC
Parked/Working Vehicle Location PREL_RWY
Parked/Working Vehicle Areas of Impact – Most Damaged PIMPACT2
Parked/Working Vehicle Configuration PV_CONFIG

Biketraf:

MB A16 Traffic Control Device-Cyclist BTRAFCON

Summary of the SAS Naming Changes in 2010

Locator Code	2009 SAS Name	New 2010 SAS Name	Data Element Name
A05	N/A	LAND_USE	Land Use
A09A	REL_JCT	RELJCT1	Relation To Junction -Within Interchange Area?
A09B	REL_JCT	RELJCT2	Relation To Junction -Junction
A11	TRAF_WAY	Deleted this derived data element	Trafficway Description
A12	NO_LANES	Deleted this derived data element	Total Lanes in Roadway
A13	ALIGNMNT	Deleted this derived data element	Roadway Alignment
A14	PROFILE	Deleted this derived data element	Roadway Grade
A15	SUR_COND	Deleted this derived data element	Roadway Surface Condition
A16	TRAF_CON	Deleted this derived data element	Traffic Control Device
A17	N/A	N/A	Traffic Control Device Functioning
A18	SP_LIMIT	Deleted this derived data element	Speed Limit
A24	PED_ACC	Deleted (check new data file, PBTYPE)	Ped/Cycle Accident Type
A27	N/A	TYP_INT	Type of Intersection
V12	FACTOR	Deleted in Vehicle data file	Vehicle Contributing Factors (MFACTOR) stored in Factor data file
V22	VEH_ROLE	Deleted in Vehicle data file	Vehicle Role
V24	IMPACT	IMPACT1	Areas of Impact – Initial Damage Area
V31	CARINDUM	MCARR_ID	Carrier's Identification Number
V39	N/A	BUS_USE	Bus Use
V40	N/A	V_CONFIG	Vehicle Configuration
D02	VIOLATN	Deleted in Vehicle data file	Violations Charged (MVIOLATN) stored in Violatn data file
D04	VIS_OBSC	Deleted in Vehicle data file	Violations Charged (MVISOBSC) stored in Vision data file
D06	DRMAN_AV	Deleted in Vehicle data file	Driver Maneuvered to Avoid (MDRMANAV) stored in Maneuver data file
D07	DR_DSTRD	Deleted in Vehicle data file	Driver Distracted By (MDRSTRD) stored in Distract data file

Locator Code	2009 SAS Name	New 2010 SAS Name	Data Element Name
P18	IMPAIRMT	Deleted in Person data file	Condition at Time of Crash (MIMPAIR) stored in Impair data file
P19	ACTION	Deleted in Person data file	Non-Motorist Action (changed in 2010)
P20	SAF_EQMT	Deleted in Person data file	Non-Motorist Safety Equipment Use (MSAFEQMT) stored in Safetyeq data file
P24	N/A	REST_MIS	Indication of Restraints/Helmet Mis-Use
P25	N/A	MPR_ACT	Non-Motorist Actions/Circumstances At Time of Crash (MPR_ACT) stored in Nmcrash data file
P26	N/A	MTM_CRSH	Non-Motorist Actions/Circumstances Prior to Crash (MTM_CRSH) stored in Nmprior data file

The data elements in RED are new to 2010 NASS GES. The data elements in BLUE are changed in 2010 NASS GES.

Appendix H: 2011 Changes to Locator Codes

As part of NHTSA's efforts to standardize NASS GES and FARS, both systems began using the same data entry system in 2011 with a common set of data elements. Locator Codes are used to find data elements on the FARS coding forms, on the display of the data entry system and in the FARS-NASS GES Coding Manual. The NASS GES locator codes changed to conform to the shared system. The conversion of these locator codes is shown in the table below:

2010 GES Locator	2011 FARS/GES Locator	Data Element Name
Accident:		
A01	C8	Crash Date
A02	C9	Crash Time
A03 & A03D*	C4	Number of Vehicle Forms Submitted
A04*	C3	Number of Forms Submitted for Persons Not in MV
A05	C105	Land Use
A06	C18	First Harmful Event
A07	C19	Manner of Collision
A08	C32	Interstate Highway
A09	C20	Relation to Junction
A10	C22	Relation to Trafficway
A19	C24	Light Condition
A20	C25	Atmospheric Conditions
A21	C26	School Bus Related
A22	C34	Police Jurisdiction
A23	C33	Stratum
A25	C23	Workzone
A28	C21	Type of Intersection
A90	C90	Maximum Injury Severity in Crash
A91	C91	Number Known Injured in Crash
A92	C92	Alcohol Involved in Crash

2010 GES Locator	2011 FARS/GES Locator	Data Element Name	
Vehicle, Parked → Parkwork:			
V01, PV01*	V3/D3/PC3/P3	Vehicle Number	
V02	V6	Hit and Run	
PV02*	V5	Unit Type [formerly Parked/Working Vehicle Type]	
V03, PV03	V9	Vehicle Make	
V04, PV04	V10	Vehicle Model	
V05, PV05	V11	Body Type	
V06, PV06	V12	Model Year	
V07, PV07	V13	Vehicle Identification Number	
V08, PV08	V22	Special Use	
V09, PV09	V23	Emergency Use	
V10, PV10*	C5, C5A	Number of Persons in Motor Vehicles, Number of Persons in Motor Vehicles in Transport (MVIT), [formerly Number of Occupants Coded]	
V10B, PV10B	V4	Number of Occupants	
V11	V24	Travel Speed	
V13, PV13	V14	Vehicle Trailing	
V14	V15	Jackknife	
V16, PV16	V34	Fire Occurrence	
V18, PV18	V29	Extent of Damage	
V19, PV19	V30	Vehicle Removal	
V20	V32	Most Harmful Event	
V21	PC17	Pre-Event Movement (Prior to Critical Event) [Movement Prior to Critical Event]	
V23	PC23	Crash Type [formerly Accident Type]	
V24, PV24	V28A	Area of Impact - Initial Point of Impact	
V26	PC19	Critical Event – Pre-crash	
V27	PC20	Attempted Avoidance Maneuver [formerly Corrective Action Attempted]	
V28	PC21	Pre-Impact Stability [formerly Precrash Vehicle Control]	

2010 GES Locator	2011 FARS/GES Locator	Data Element Name
V29	PC22	Pre-Impact Location [formerly Precrash Location]
V30, PV30	V26	Rollover
V30A, PV30A	V27	Location of Rollover
V31, PV31	V16	Motor Carrier Identification Number
V33, PV33	V19	Cargo Body Type
V33A, PV33A	V20	Hazardous Material Involvement - HM1
V34, PV34	V20	Hazardous Material Placard - HM2
V35, PV35	V20	Hazardous Material Identification Number - HM3
V35A, PV35A	V20	Hazardous Material Class Number - HM4
V36, PV36	V20	Release of Hazardous Material from the Cargo Compartment - HM5
V38, PV38	V28B	Area of Impact – Most Damaged Area
V39	V21	Bus Use
V40, PV40	V18	Vehicle Configuration
V41, V_A11	PC5	Trafficway Description
V90	V90	Maximum Injury Severity in Vehicle
V91	V91	Number Injured in Vehicle
V92	V92	Driver Drinking in Vehicle
D01	D4	Driver Presence
D08	D6	Driver's Zip Code
D09	D22	Speed Related
V_A12	PC6	Total Lanes in Roadway
V_A13	PC8	Roadway Alignment
V_A14	PC9	Roadway Grade [formerly Roadway Profile]
V_A15	PC11	Roadway Surface Condition
V_A16	PC12	Traffic Control Device
V_A17	PC13	Traffic Control Device Functioning

2010 GES Locator	2011 FARS/GES Locator	Data Element Name			
V_A18	PC7	Speed Limit			
Person:	Person:				
P02/PB02*	P4/NM3	Person Number			
P03	P7/NM7	Person Type			
P04	P9	Seating Position			
P06	P13	Ejection			
P07	P5/NM5	Age			
P08	P6/NM6	Sex			
P09	P8/NM8	Injury Severity			
P10	P22/NM21	Transported to Medical Facility By [formerly Taken to Hospital or Treatment Facility]			
P11	P16/NM15	Police-Reported Alcohol Involvement			
P11A	P18/NM17	Alcohol Test Status			
P11B	P18/NM17	Alcohol Test Type			
P11C	P18/NM17	Alcohol Test Result			
P13	NM10	Non-Motorist Location			
P15	P10	Restraint System / Helmet Use [formerly Restraint System Use]			
P17	P19/NM18	Police Reported Drug Involvement			
P17A	P21/NM20	Drug Test Status			
P17B	P21/NM20	Drug Test Type			
P17C	P21/NM20	Drug Test Result			
P21	P12	Air Bag Deployed			
P22	NM4	Non-Motorist Striking Vehicle Number			
P24	P11	Indications of Misuse of Restraint System/Helmet			
Cevent, Vevent:					
E01, VE1	C17	Event Number, Vehicle Event Number			
E02, VE2	C17	Vehicle Number (This Vehicle)			

2010 GES Locator	2011 FARS/GES Locator	Data Element Name		
E03, VE3	C17	Area of Impact (This Vehicle)		
E04, VE4	C17	Sequence of Events [formerly Non-Collision Category or Object Contacted]		
E05, VE5	C17	Area of Impact (Other Vehicle)		
E06, VE6	C17	Vehicle's Action		
VE7	N/A	Vehicle Number (Parked/Working Vehicle)		
VE8	N/A	Area of Impact (Parked/Working Vehicle)		
Factor:				
M_V12	PC4	Vehicle Contributing Factors		
Violatn:	Violatn:			
M_D02	D21	Violations Charged		
Vision:	Vision:			
M_D04	PC14	Driver's Vision Obscured By		
Maneuver:	Maneuver:			
M_D06	PC15	Driver Maneuvered to Avoid		
Distract:	Distract:			
M_D07	PC16	Driver Distracted By		
Impair → Drim	Impair → Drimpair & Nmimpair:			
M_P18	D23 NM14	Condition at Time of Crash- Driver Condition at Time of Crash- Non-Motorist [formerly Condition at Time of Crash]		
Nmcrash:				
P26	NM12	Non-Motorist Action/Circumstances at Time of Crash		
Nmprior:				
P25	NM11	Non-Motorist Action/Circumstances Prior to Crash		
Safetyeq:	Safetyeq:			
M_P20	NM13	Non-Motorist Safety Equipment Use		
Pbtype:				
PB27/PB27B	NM9	Marked Crosswalk Present – Pedestrian/Bicyclist		

2010 GES Locator	2011 FARS/GES Locator	Data Element Name
PB28/PB28B	NM9	Side Walk Present – Pedestrian/Bicyclist
PB29/PB29B	NM9	School Zone – Pedestrian/Bicyclist
PB30	NM9	Crash Type – Pedestrian
PB30B	NM9	Crash Type – Bicyclist
PB31	NM9	Crash Type Location – Pedestrian
PB31B	NM9	Crash Type Location – Bicyclist
PB32	NM9	Pedestrian Position
PB32B	NM9	Bicyclist Position
PB33	NM9	Pedestrians Initial Direction
PB33B	NM9	Bicyclist Direction
PB34	NM9	Motorist Initial Direction
PB35	NM9	Motorist Maneuver
PB36	NM9	Intersection Leg
PB37	NM9	Pedestrians Scenario
PB38	NM9	Pedestrian – Crash Group
PB38B	NM9	Bicycle – Crash Group

^{*}Not an exact translation