

PROPOSED DEWATER HOLE LOCATION

Estimated MMU-029-0
LOB = 13,000 CFM
9,000 CFM Minimum

Left LOB: 12,110 CFM
Right LOB: 11,130 CFM

SURVEYED AIRSHAFT HOLE LOCATION

Estimated 9,000 CFM Minimum for shaft raising operation.

SURVEYED COMM. HOLE LOCATION

Stoppings will be kept intact. Both splits will be traveled in their entirety each week.

20" Dia. Borehole
JARRELLS BRANCH
460 VOLTS-600 HP
3500 GPM
SURFACE ELEV. 1245.9'
BOTTOM ELEV. 788.0

MSHA MOUNT HOPE, WV
JUL 14 2009
RECEIVED VENTILATION

AREA GRADED TO EL. 796

Collections made by Eric Lilly on 7/14/09.

Eric Lilly

INTAKE AIR	BOX CHECK	FAN	ROADS
SECONDARY INTAKE AIR	MAN DOOR	CHECK CURTAIN	TRAILS
RETURN AIR	ACTIVE OR INACTIVE GAS WELL	PROPOSED BELT HEAD	GAS LINES
PROPOSED INTAKE AIR	PLUGGED GAS WELL	BELT HEAD	CORE HOLE
PROPOSED SECONDARY INTAKE AIR	PERMANENT STOPPINGS	OVERCAST	PROPOSED PRIMARY ESCAPEWAY
PROPOSED RETURN AIR	PROPOSED STOPPINGS	PROPOSED OVERCAST	PROPOSED ALTERNATE ESCAPEWAY
PRIMARY ESCAPEWAY	CONTROL TO BE REMOVED	AIRLOCK DOOR	PERMITTED PUNCHOUT
ALTERNATE ESCAPEWAY	AUGER WORKS	R REGULATOR	PUNCHOUT (NOT PERMITTED)
PROPOSED BELT	AUGER AREA	R PROPOSED REGULATOR	ADJACENT MINING
EXISTING BELT	WET SEALS	STREAM	COAL CONTOURS
APPROVED MINE LIMIT LINE	PROPOSED WET SEALS	INTERMITTENT STREAM	WATER
TRACK	RAILROAD	POWER LINES	
HELICOPTER PAD	PERMANENT CONTROL MONUMENTS		

PERFORMANCE COAL COMPANY
P.O. BOX 69, NAOMA, WV 25140

UPPER BIG BRANCH MINE

M.S.H.A. ID No. 48-08438 WV ID No. U-3042-82

DATE: 7/13/09 SCALE: 1"=200' DWG No. 2 of 2

DRAWN BY: RL 3 SML CHECKED BY:

VENTILATION REVISION

SPLIT AIR TO SWEEP AIR

Bandytown

FOR

Cem

Cem

Tailgate

Headgate

26,800 CFM

18,412 CFM

9,870 CFM

3,000 CFM

Est. 3,000 CFM

31,200 CFM

19,110 CFM

NO CHANGES OUTBY

NO CHANGES OUTBY

A P

DD

DD

DD

DD