

Radiation Safety Program

Specific Application for X-ray Producing Equipment

| Applicant | | | | | |
|---------------------------|--|--|-----------------------------------|-----------------------------------|--|
| Name (First, MI, Last): | | | Permit Number: | Date of Application: | |
| | | | | | |
| X-ray Unit Information | An X-ray Producing Equipment Inventory Record (Form RSS-29) must be submitted for each device to be possessed. For a new application where the x-ray system has not yet been purchased or delivered, complete as much of the form as possible. | | | | |
| Purpose of Use | In the space below, indicate the primary purpose or program activity for which the x-ray units will be used. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Location | In the space below, list the rooms where the x-ray units will be used or stored. Include the building number or module, if applicable. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Accessints Hanna | A : - t - 1 | | tidal cala code a codil come also | and a the companion of the Densit | |
| Associate Users | Associate Users are those individuals who will work under the supervision of the Permit Holder and who will be operating the x-ray unit. | | | | |
| | Associate Users are not required for enclosed, cabinet or baggage x-ray systems. | | | | |
| | A Radiation Worker Information Form (RSS-10) must be submitted for each Associate User. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Form RSS-25, Aug-2001 Page 1 of 2

| Name of Permit Holder | | | | | | |
|-----------------------|----------------|-------|--|--|--|--|
| Name: | Use Permit No: | Date: | | | | |

Program Requirements

The individual applying for authorization to possess x-ray producing equipment must check the following statements. This signifies that the individual has read the statement and agrees to comply with the requirements.

| Requirements | |
|---|--|
| All users will be instructed in proper operating procedures. | |
| If required, personnel dosimeters will be worn by all operators, or area radiation monitors will be used. | |
| Surveys for radiation levels will be performed at least annually (if required), and records will be maintained for review. | |
| Portable radiation survey instruments will be calibrated annually or after repair. | |
| X-ray producing equipment will not be disposed, transferred to another individual, or returned to the manufacturer without the prior written approval of the USDA Radiation Safety Staff. | |

Note: Surveys for equipment performance and for compliance with applicable State regulations may be required.

Transmit the completed form to the USDA Radiation Safety Staff using one of the following methods:

Mail to: USDA Radiation Safety Staff 5601 Sunnyside Avenue Room 2-L206, MS-5510 Beltsville, MD 20705-5510 **E-mail to:** RSSPO@rss.usda.gov

Fax to: 301.504.2450

Form RSS-25, Aug-2001 Page 2 of 2