U.S. Fish & Wildlife Service

Alligator River
National Wildlife Refuge
Bird List





Alligator River National Wildlife Refuge



This blue goose, designed by J. N. "Ding" Darling, has become a symbol of the National Wildlife Refuge System.



Pileated Woodpecker



Northern Parula

Birds of Alligator River National Wildlife Refuge

Alligator River National Wildlife Refuge provides a variety of habitat for over 250 species of birds. The diversity of refuge habitat includes high and low pocosin (pond pine bogs), fresh and brackish water marshes, hardwood swamps, Atlantic white cedar swamps, and managed farming areas. The Refuge is of importance as a major breeding area for many species of songbirds. Truly impressive are the breeding populations of Prairie Warblers, Prothonotary Warblers, and Common Yellowthroats. The Refuge is of special significance as the last major stronghold of the Southeastern Coastal Plain population of Black-throated Green Warblers. Observant birders will notice that several species of "common" songbirds are relatively scarce (completely absent in some cases) as breeders in this coastal location—species like Wood Thrush, Red-eyed Vireo, American Redstart, and Summer Tanager. This biologically fascinating area may still hold ornithological secrets—it was recently discovered that Blackbilled Cuckoos over-summer (and presumably breed) in the Refuge some years, and that Northern Sawwhet Owls sometimes overwinter in numbers. The Refuge has several colonies of the endangered Redcockaded Woodpeckers, although these are rather inaccessible.

This bird list covers birds found within the Refuge's 152,000 acres, as well as the 45,000+ acre Dare County Range found within the Refuge's borders and waters immediately adjacent. Although much of the Refuge can be difficult to access, especially during wet weather, accessible areas are an unexplored adventure for the enthusiastic birder. At any season, The Refuge can be an excellent complement to a birding excursion on the nearby Outer Banks (Cape Hatteras National Seashore, Pea



ProthonotaryWarbler



Northern Flicker



 $Eastern\ Screech \overline{-Owl}$ 

Island National Wildlife Refuge). During late fall and winter, the 5,100-acre farming area attracts an impressive variety of waterfowl and raptors, and several rarities—such as Swainson's Hawk and Ash-throated Flycatcher—have been found here. At any season, you might see Northern Bobwhites, and maybe a King Rail. Please pay attention to refuge regulations and signs marking closed areas.

## When and Where

In addition to walking trails, there are 15 miles of paddling trails which offer access to Refuge habitats. Creef Cut Wildlife Trail includes an observation platform which overlooks a moist soil management unit and a boardwalk over a freshwater marsh. Waterfowl (during the winter months), raptors, and woodpeckers are common at this location. Sandy Ridge Wildlife Trail offers access to Milltail Creek wetland areas and wanders through Atlantic white cedar stands, areas with wood duck boxes, and Prothonotary Warbler nesting areas. Swainson's Warblers have also been heard here.

**Sp** - Spring March-May S - Summer June-August F - Fall September-November W - Winter December-February

C Common (easily seen in suitable habitat)

Fairly common (seen most of the time in suitable habitat)

U uncommon (usually present but not certain to be seen)

O occasional (seen only a few times during a season)

**R** rare (seen at intervals of 2 to 5 years)

A Accidental (extremely rare; birds that are completely outside of normal range)

breeds or has bred on the Refuge

	SP	S	F	W	
Greater White-fronted Goo		~	-	A	
Snow Goose	0		O	0	
Canada Goose	Ü	0	Ü	Ü	
Brant	U	O	U	R	
Tundra Swan	U		U	C	
Wood Duck*	F	F	F	F	
		Г			
Gadwall	U		U	U	
American Wigeon	0		U	U	
American Black Duck*	U	0	U	U	
Mallard	F	O	$\mathbf{F}$	C	
Blue-winged Teal	U		$\mathbf{F}$	0	
Northern Shoveler	$\mathbf{F}$		$\mathbf{F}$	F	
Northern Pintail	O		С	$\mathbf{C}$	
Green-winged Teal	U		$\mathbf{F}$	$\mathbf{C}$	
Canvasback	O			O	
Redhead	O			0	
Ring-necked Duck	U		U	F	
Greater Scaup	O		O	0	
Lesser Scaup	U		U	U	
Common Eider				A	
Surf Scoter	O		O	O	
Black Scoter	Ŏ		Ŏ	Ŭ	
Bufflehead	$\overset{\circ}{\mathrm{F}}$		$\ddot{\mathrm{F}}$	F	
Common Goldeneye	-		-	0	
Hooded Merganser	U		U	F	
Red-breasted Merganser	Ü		Ö	U	
	Ö		Ü	F	
Ruddy Duck	Ü	U	Ü	U	
Wild Turkey* Northern Bobwhite*	C	C	C	C	
		C			
Red-throated Loon	O F	ъ	0	U	
Common Loon		R	U	F	
Pied-billed Grebe	U	R	U	F	
Horned Grebe	O			U	
Wilson's Storm Petrel	~	A	A	~	
Brown Pelican	$\stackrel{ ext{C}}{\sim}$	С	$\stackrel{ ext{C}}{\sim}$	C	
Double-crested Cormorant		U	C	С	
Anhinga*	O	O	O		
American Bittern	U	$\mathbf{R}$	U	U	
Great Blue Heron*	$\mathbf{C}$	F	С	С	
Great Egret	U	F	$\mathbf{F}$	U	
Snowy Egret	U	U	$\mathbf{U}$	O	
Little Blue Heron	O	U	U	0	
Tricolored Heron	U	U	U	O	
Cattle Egret	U	U	O		
Green Heron*	$\mathbf{F}$	F	U		
Black-crowned					
Night-Heron	O	O	O	O	
Yellow-crowned					
Night-Heron	${ m R}$	R	${ m R}$		
White Ibis	F	F	F	U	
Glossy Ibis	0	Ō	Ō		
Black Vulture	Ö	0	ŏ	0	
Turkey Vulture*	Č	Č	Č	C	
IMINOJ TUIDUIC	J	J	O	O	

	SP	S	F	W
Osprey*	$\mathbf{F}$	$\mathbf{F}$	U	R
Swallow-tailed Kite	${ m R}$			
Mississippi Kite	${ m R}$	R	${ m R}$	
Bald Eagle*	U	U	U	$\mathbf{F}$
Northern Harrier	C	R	$\mathbf{C}$	$\mathbf{C}$
Sharp-shinned Hawk	Ū		$\dot{\mathrm{F}}$	$\mathbf{F}$
Cooper's Hawk	Ū	R	U	U
Northern Goshawk	_		_	Ā
Red-shouldered Hawk*	$\mathbf{F}$	$\mathbf{F}$	$\mathbf{F}$	$\mathbf{F}$
Broad-winged Hawk	$\mathbf{R}$			
Swainson's Hawk	A			A
Red-tailed Hawk*	$\mathbf{C}$	$\mathbf{F}$	$\mathbf{F}$	$\mathbf{C}$
Rough-legged Hawk				O
Golden Eagle				R
American Kestrel	$\mathbf{F}$		$\mathbf{C}$	$\overline{\mathbf{C}}$
Merlin	O		Ū	O
Peregrine Falcon	Ŏ		Ü	Ŏ
Yellow Rail			m R	R
Black Rail*	0	0	O	R
Clapper Rail*	$ {F}$	F	$\dot{ ext{F}}$	F
King Rail*	U	U	U	U
Virginia Rail*	Ū	0	Ū	Ū
Sora	Ö	Ū	Ŭ	Ö
Purple Gallinule	Ă			
Common Moorhen	$\overline{R}$	R	${ m R}$	R
American Coot	Ō		Ü	Ü
Black-bellied Plover	Ř	$\mathbf{R}$	m R	Ö
Semipalmated Plover	0	0	O	R
Killdeer*	C	C	Ċ	C
Black-necked Stilt				A
Greater Yellowlegs	U	0	U	U
Lesser Yellowlegs	O	0	O	O
Solitary Sandpiper	O		O	
Spotted Sandpiper	U	U	O	
Semipalmated Sandpiper	$\mathbf{R}$	R	${ m R}$	
Western Sandpiper	$\mathbf{R}$	R	O	O
Least Sandpiper	O	0	O	R
Dunlin	$\mathbf{F}$		$\mathbf{F}$	$\mathbf{F}$
Short-billed Dowitcher	$\mathbf{R}$	R	${ m R}$	R
Long-billed Dowitcher	$\mathbf{R}$		O	U
Common Snipe	$\mathbf{F}$		$\mathbf{F}$	$\mathbf{F}$
American Woodcock*	U	R	U	$\mathbf{F}$
Long-tailed Jaeger			A	
Laughing Gull	$\mathbf{C}$	C	$\mathbf{C}$	O
Franklin's Gull				A
Bonaparte's Gull	U			U
Ring-billed Gull	$\mathbf{F}$	O	$\mathbf{F}$	C
Herring Gull	$\mathbf{F}$	$\mathbf{F}$	$\mathbf{F}$	$\mathbf{F}$
Great Black-backed Gull	$\mathbf{F}$	U	$\mathbf{F}$	$\mathbf{F}$
Gull-billed Tern	${ m R}$	O	${ m R}$	
Caspian Tern	O	O	U	
Royal Tern	$\mathbf{F}$	$\mathbf{F}$	$\mathbf{F}$	O

	SP	S	F	W	
Sandwich Tern	O	U	U		
Common Tern	Ŭ	Ŭ	Ö		
Forster's Tern	$\dot{ m F}$	F	$\dot{\mathrm{F}}$	$\mathbf{F}$	
Least Tern	Ō	Ō	Ō	_	
Bridled Tern		Ū	Ă		
Sooty Tern			A		
Black Tern		O	O		
Black Skimmer	O	0	O		
Rock Pigeon*	O	0	O	O	
Mourning Dove*	$\mathbf{C}$	C	$^{\rm C}$	C	
Black-billed Cuckoo*	${ m R}$	R	${ m R}$		
Yellow-billed Cuckoo*	$\mathbf{C}$	C	$\mathbf{F}$		
Barn Owl		_	${ m R}$	R	
Eastern Screech-Owl*	$\mathbf{C}$	C	C	C	
Great Horned Owl*	$\dot{\mathbf{F}}$	F	$\dot{\mathrm{F}}$	$\dot{\mathrm{F}}$	
Barred Owl*	F	F	F	F	
Long-eared Owl	-	•	-	Ā	
Short-eared Owl	0	R	O	Ü	
Northern Saw-whet Owl	O	10	$\overset{\circ}{\mathrm{R}}$	$\overset{\circ}{\mathrm{R}}$	
Common Nighthawk	R	R	O	10	
Chuck-will's-widow*	Ü	U	Ŭ		
Whip-poor-will*	Ü	Ü	Ü		
Chimney Swift*	Ü	Ü	Ü		
Ruby-throated	U	U	U		
Hummingbird*	$\mathbf{C}$	С	С	R	
Belted Kingfisher*	$\overset{ ext{C}}{ ext{F}}$	U	F	F	
Red-headed Woodpecker	O	0	0	T.	
	C	C	C	$\mathbf{C}$	
Red-bellied Woodpecker*	Ö	C	U	U	
Yellow-bellied Sapsucker	C	С	C	$^{\rm C}$	
Downy Woodpecker*	$^{\mathrm{C}}_{\mathrm{F}}$	F	F	$\mathbf{F}$	
Hairy Woodpecker*		U	U	U	
Red-cockaded Woodpecker* Northern Flicker*	C	C	C	$^{\rm C}$	
	C	C	C	C	
Pileated Woodpecker*	F	F	F	C	
Eastern Wood-Pewee*					
Acadian Flycatcher*	U F	U	U C	177	
Eastern Phoebe	Г		C	F R	
Ash-throated Flycatcher	C	С	C	ĸ	
Great Crested Flycatcher*	$\mathbf{C}$	C	С	ъ	
Western Kingbird	177	177	R	R	
Eastern Kingbird*	$\mathbf{F}$	F	F		
Scissor-tailed Flycatcher	C	a	$_{ m F}^{ m A}$	0	
White-eyed Vireo*	С	С		O	
Yellow-throated Vireo	0		R	17	
Blue-headed Vireo	$\mathbf{F}$		F	F	
Philadelphia Vireo	173	0	R		
Red-eyed Vireo*	F	0	F	12	
Blue Jay*	F	F	F	F	
American Crow*	C	C	C	C	
Fish Crow*	$\mathbf{C}$	С	С	F	
Horned Lark	C	C	R	R	
Purple Martin*	$\mathbf{C}$	С	U		

	SP	S	F	W	
Tree Swallow	U	0	F	F	
Northern Rough-winged	U	U	Г	T,	
Swallow	0	0			
Bank Swallow	R	0			
Cave Swallow	10	U		A	
Barn Swallow*	C	С	$\mathbf{C}$	А	
Carolina Chickadee*	C	C	C	С	
Tufted Titmouse*	Ü	U	Ü	U	
Red-breasted Nuthatch	Ö	U	Ü	0	
White-breasted Nuthatch*		0	Ö	0	
Brown-headed Nuthatch*	Č	C	Č	C	
Brown Creeper	O	O	U	U	
Carolina Wren*	С	С	C	C	
House Wren*	Ü	0	$\overset{\circ}{\mathrm{C}}$	C	
Winter Wren	Ü	O	U	U	
Sedge Wren	F		$\overset{ m C}{ m F}$	F	
Marsh Wren*	F	F	$\overset{\mathbf{r}}{\mathbf{F}}$	F	
Golden-crowned Kinglet	Ü	T.	C	C	
Ruby-crowned Kinglet	Č		$\overset{\circ}{\mathrm{C}}$	C	
Blue-gray Gnatcatcher*	C	С	Č	R	
Eastern Bluebird*	U	U	U	U	
Veery	R	U	$\overset{\mathrm{O}}{\mathrm{R}}$	U	
Gray-cheeked Thrush	R		R		
Swainson's Thrush	R		R		
Hermit Thrush	F		F	F	
Wood Thrush*	0	0	O	1.	
American Robin*	Č	F	$\overset{ m O}{ m C}$	С	
American Room Gray Catbird*	C	C	$\overset{\circ}{\mathrm{C}}$	$\overset{\circ}{\mathrm{C}}$	
Northern Mockingbird*	Ü	Ü	Ü	Ü	
Brown Thrasher*	Ü	Ü	Ü	U	
European Starling*	Č	C	$\overset{\circ}{\mathrm{C}}$	C	
American Pipit	O	O	Ü	Ü	
Cedar Waxwing*	С	0	$\overset{\circ}{\mathrm{F}}$	F	
Blue-winged Warbler	$\overset{ ext{C}}{ ext{R}}$	O	R	1	
Orange-crowned Warbler	Ü		Ü	U	
Nashville Warbler	O		$^{ m C}_{ m R}$	O	
Northern Parula*	$\mathbf{F}$	F	F		
Yellow Warbler	Ū	Ū	Ù		
Chestnut-sided Warbler	O	O	$\overset{\circ}{\mathrm{R}}$		
Magnolia Warbler	$\mathbf{R}$		Ö		
Cape May Warbler	10		ŏ		
Black-throated Blue					
Warbler	O		U		
Yellow-rumped Warbler	$\check{\mathrm{C}}$		$\ddot{\mathrm{C}}$	С	
Black-throated Green	Ü		Ü	Ü	
Warbler*	$\mathbf{C}$	$\mathbf{F}$	U		
Blackburnian Warbler	$\ddot{ m R}$	-	$\ddot{ m R}$		
Yellow-throated Warbler*	F	$\mathbf{F}$	Ü		
Pine Warbler*	$\overline{\mathrm{C}}$	$\overline{\mathbf{C}}$	$\ddot{\mathrm{C}}$	C	
Prairie Warbler*	$\ddot{\mathrm{C}}$	Č	$\ddot{\mathrm{C}}$	Ř	
Palm Warbler	Ŭ		$\ddot{\mathrm{C}}$	Ü	
Bay-breasted Warbler	_		$\ddot{ m R}$		
Blackpoll Warbler	U		Ü		
	-		_		

	SP	S	F	W	
Black-and-white Warbler*	F	F	F	R	
American Redstart	Ü	R	F	10	
Prothonotary Warbler*	Č	C	U		
Worm-eating Warbler*	Č	C	F		
Swainson's Warbler*	Ü	U	O		
Ovenbird*	C	C	U	R	
Northern Waterthrush	$^{ m C}_{ m R}$	C	0	11	
Kentucky Warbler	R		R		
	11		A		
Mourning Warbler Common Yellowthroat*	$\mathbf{C}$	С	C	F	
Hooded Warbler*	F	C	Ü	T.	
Wilson's Warbler	T.	C	R		
Canada Warbler			R		
Yellow-breasted Chat*	0	0	0	R	
	U	0	U	11	
Summer Tanager	Ü	U	Ü		
Scarlet Tanager	C	С	C	C	
Eastern Towhee*	C	C		$\mathbf{C}$	
American Tree Sparrow	TT	0	A	A	
Chipping Sparrow	U	0	U	U	
Clay-colored Sparrow	0	0	R	0	
Field Sparrow*	O	0	U	0	
Vesper Sparrow			R	R	
Lark Sparrow	0		$\mathbf{R}$	a	
Savannah Sparrow	C		C	C	
Grasshopper Sparrow	0		0	0	
Henslow's Sparrow	R		$\mathbf{R}$	R	
Nelson's Sharp-tailed	0			D	
Sparrow	O		U	R	
Saltmarsh Sharp-tailed	0			D	
Sparrow	0	0	U	R	
Seaside Sparrow*	O	0	0	R	
Fox Sparrow	0		U	U	
Song Sparrow	С		С	С	
Lincoln's Sparrow	R		$\mathbf{R}$	R	
Swamp Sparrow	$\mathbf{C}$		$\stackrel{ ext{C}}{\sim}$	C	
White-throated Sparrow	С		C	C	
White-crowned Sparrow	R		0	0	
Dark-eyed Junco	0		U	U	
Snow Bunting	0	~	$\mathbf{R}$	R	
Northern Cardinal*	$\mathbf{C}$	С	С	С	
Rose-breasted Grosbeak	0	_	U		
Blue Grosbeak*	F	F	$\overset{\mathbf{F}}{\sim}$		
Indigo Bunting*	С	С	С	ъ	
Painted Bunting	R	-	$\mathbf{R}$	R	
Dickcissel*	R	R	0		
Bobolink	0	C	U	C	
Red-winged Blackbird*	$\mathbf{C}$	C	С	C	
Eastern Meadowlark*	$\mathbf{C}$	С	С	С	
Yellow-headed Blackbird	0		R	R	
Rusty Blackbird	0		О	0	
Brewer's Blackbird	~	~	~	A	
Common Grackle*	С	С	С	С	

	SP	S	F	W
Boat-tailed Grackle	U	U	U	U
Shiny Cowbird		A		
Brown-headed Cowbird*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	C
Orchard Oriole*	U	U	R	
Baltimore Oriole	O		$\mathbf{F}$	R
Purple Finch	${ m R}$		$\mathbf{R}$	$\mathbf{R}$
House Finch*	U	U	U	U
Common Redpoll			A	A
Pine Siskin	O		O	0
American Goldfinch*	U	0	U	U
Evening Grosbeak	A			A
House Sparrow*	U	U	U	U
<del></del>				



 $\overline{Great\ Egret}$ 

Please assist the Refuge by reporting sightings of new species to alligatorriver@fws.gov or by calling 252/473 1131.



Yellow-billed Cuckoo

Alligator River National Wildlife Refuge P.O. Box 1969 Manteo, North Carolina 27954

http://www.fws.gov/alligatorriver U.S. Fish & Wildlife Service 1 800/344 WILD

Join us for Wings Over Water http://www.wingsoverwater.org





