



United States
Department of
Agriculture

Forest Service

Northeastern
Research Station

General Technical
Report NE-291



Vascular Flora and Macroscopic Fauna on the Fernow Experimental Forest

Darlene M. Madarish
Jane L. Rodrigue
Mary Beth Adams

Abstract

This report is the first comprehensive inventory of the vascular flora and macroscopic fauna known to occur within the Fernow Experimental Forest in north-central West Virginia. The compendium is based on information obtained from previous surveys, current research, and the personal observations of USDA Forest Service personnel and independent scientists. More than 750 documents on Fernow-related research have been published. The earliest report on the vegetation on what is now the experimental forest dates back to 1856.

The Authors

DARLENE M. MADARISH is a biological science technician, JANE L. RODRIGUE is a forestry and wildlife technician, and MARY BETH ADAMS is Project Leader and supervisory soil scientist with the Northeastern Research Station's Timber and Watershed Laboratory at Parsons, West Virginia.

Manuscript received for publication 27 November 2000.

Published by:
USDA FOREST SERVICE
11 CAMPUS BLVD SUITE 200
NEWTOWN SQUARE PA 19073-3294
April 2002

For additional copies:
USDA Forest Service
Publications Distribution
359 Main Road
Delaware, OH 43015-8640
Fax: (740)368-0152

Contents

Introduction	1
The Fernow Experimental Forest.....	1
Vascular Flora of the Fernow Experimental Forest.....	3
Macroscopic Fauna of the Fernow Experimental Forest	16
Invertebrates	16
Vertebrates	27
Fish	27
Amphibians	28
Reptiles	28
Birds	29
Mammals	33
Literature Cited	35

Introduction

In 1915, the U.S. Forest Service purchased 1,473 hectares (ha) of land near Parsons, West Virginia. Timber on this tract had been harvested heavily during the horse and railroad logging era (1903-11) (Trimble 1977). A forest inventory was initiated in 1922, and forest and watershed research began in 1933. In the following year, this land was designated as the Fernow Experimental Forest, after Bernhard E. Fernow, a German forester and pioneer of modern forestry methods in America. The Forest was expanded to 1,902 ha in 1974.

Initial research on the Fernow that began in 1949 examined the long-term effects of different timber-harvesting practices on forest stand quality and diversity. This silvicultural research continues today. In 1951, scientists began to monitor the effects of harvesting practices and other treatments on water quality and quantity in streams draining Fernow watersheds. More recently researchers have adopted a multidisciplinary approach as current research on the Fernow encompasses numerous cooperative studies conducted by scientists with the Northeastern Research Station and other governmental agencies, universities, and private organizations. This report is the first comprehensive inventory of the vascular flora and macroscopic fauna known to occur within the Fernow Experimental Forest in north-central West Virginia. The compendium is based on information obtained from previous surveys, current research, and the personal observations of USDA Forest Service personnel and independent researchers. More than 750 documents on Fernow-related material have been published. The earliest report on the vegetation on what is now the experimental forest dates back to 1856 (Schuler and Gillespie 2000). This inventory is not an inclusive list of all the organisms present on the Fernow Experimental Forest. Succession of organisms is a natural phenomenon, and new species are introduced to an area through wind and/or animal vectors or habitat expansion.

The Fernow Experimental Forest

The Fernow Experimental Forest is located in Tucker County in north-central West Virginia ($39^{\circ}03'N$, $79^{\circ}41'W$). This region falls within the unglaciated Allegheny Plateau Province of the Central Appalachians, Allegheny Front Sideslopes subsection (Ba10) (DeMeo and Wright 1995). The Forest includes the entire Elklick Run watershed as well as portions of the Stonelick Run, Sugarcamp Run and Canoe Run watersheds. Elevations range from 533 to 1,112 m above sea level. Slopes range from 10 to 60 percent with most at 20 to 30 percent (Adams et al. 1994). Site aspects cover the full range including flat land but are dominated by north- through west- and southeast-facing slopes.

Bedrock geology consists of sandstone, siltstone, shale, and limestone, with thinly bedded coal found within a single formation (Reger et al. 1923; Taylor 1999). The oldest rocks are of the Foreknobs Formation of the Chemung Group (Devonian), exposed on the crest of Fork Mountain on the western boundary of the forest. The Allegheny Group (Pennsylvanian) comprises the youngest rock formation, and is seen on the crest of McGowan Mountain on the eastern boundary. The Pottsville Group and the Price Formation contain massive sandstones responsible for outcrops and boulder piles at higher elevations. The Hampshire Group, consisting of more thinly bedded sandstones, produces outcrops nearer the valley floor. The Greenbrier Limestone, on the east slope of Elklick Run, contains several small and one large cave formations.

Soils on the Fernow are predominantly of the Belmont and Calvin soil series (USDA Soil Conserv. Serv. 1967). The Belmont soils are derived from Greenbrier Limestone along with some nearby sandstones and shales. The limestone component buffers the soil against acidity and provides a moderately high natural fertility. The Calvin soil series is derived from sandstone and shale, and is more highly acidic and less fertile due to the lack of a limestone parent. This series occurs both above and below the Belmont soils, and is responsible for greater coverage than any other soil series on the Forest. Other soil types found in lesser amounts within the Fernow are the Brinkerton, Dekalb, Ernest, and Gilpin (all acidic with low fertility) and the Meckesville (acidic with moderate fertility). Nearly all soils are well-drained, medium-textured loams and silt loams, with an average depth of about 1m. A high proportion of stone fragments is characteristic of these soils.

Mean precipitation is approximately 145 cm (Adams et al. 1994) and is distributed evenly throughout the year (Pan et al. 1997). Rainfall extremes during the first 100 years of data range from a low of 77 cm in 1930 to 179 cm in 1996. The mean temperature is approximately 9°C with reported extremes of -29.4° and 37.2°C (Adams et al. 1994). The growing season extends from May through October; the average frost-free period is 145 days.

The range of aspects, elevations, moisture levels, soils, and geology on the Fernow Experimental Forest give rise to numerous localized habitats. Deciduous, coniferous, and mixed forests are present. Understory types range from open understories to nearly impenetrable rhododendron and laurel thickets. Different silvicultural management techniques maintain varied forest structures and ages throughout the Fernow. Natural aquatic habitats include an elderberry (*Sambucus canadensis* L.), sedge (*Carex* spp.), and fern marsh adjacent to Elklick Run and first-through fourth-order coldwater streams. Manmade water features include a 250-m-long, 1-ha reservoir on Elklick Run created by a 5.5-m-high dam built by the Civilian Conservation Corps, and a small pond on Fork Mountain. Sandstone outcrops can be found at nearly every knob and stream valley, and boulder fields are common on sideslopes. Big Springs Cave as well as several smaller openings are within the Greenbrier Limestone Formation and provide a unique habitat for wildlife.

The experimental forest falls within the area classified as Allegheny Mountain Section of the Central Appalachian Broadleaf Forest (M221B) (McNab and Avers 1994), or mixed mesophytic forest (Braun 1950). The Fernow is primarily a hardwood forest, with a canopy of northern red oak (*Quercus rubra* L.), tulip-poplar (*Liriodendron tulipifera* L.), black cherry (*Prunus serotina* Ehrh.), sugar maple (*Acer saccharum* Marsh.), American beech (*Fagus grandifolia* Ehrh.), black birch (*Betula lenta* L.), red maple (*A. rubrum* L.), basswood (*Tilia americana* L.), white ash (*Fraxinus americana* L.), chestnut oak (*Q. prinus* L.), sassafras (*Sassafras albidum* [Nutt.] Nees), blackgum (*Nyssa sylvatica* Marsh.), and bitternut hickory (*Carya cordiformis* [Wangenh.] K. Koch). American chestnut (*Castanea dentata* [Marsh.] Borkh.) was a major component of the Forest prior to the chestnut blight (*Cryphonectria parasitica* [Murr.] Barr) in the 1920s. Eastern hemlock (*Tsuga canadensis* [L.] Carr.) and scattered red spruce (*Picea rubens* Sarg.) provide a natural conifer component. One area (Compartment 6) has been converted from a hardwood forest to a Norway spruce (*Picea abies* [L.] Karst.) stand to study the effects of forest-cover type on streamflow.

The Fernow contains a variety of invertebrate and vertebrate wildlife species that are endemic to the central Appalachians. Watersheds provide habitat for many aquatic species. Several bat and invertebrate species use Big Springs Cave. The diverse forest stand types and ages attract numerous species of songbirds throughout the year, and are home to many mammals, reptiles, and amphibians. Rock outcrops and boulder fields also are habitat for certain species. Healthy populations of game species provide excellent opportunities for the avid sportsperson as hunting, trapping, and fishing are permitted on the Fernow in accordance with state and federal laws.

This document does not list all of the organisms within the Fernow Experimental Forest. Succession of organisms is a natural phenomenon; additional species may be identified as research projects continue, and the introduction of new species through wind and/or animal vectors or habitat expansion is possible.

Vascular Flora of the Fernow Experimental Forest

Observations and collections by Robert Coxe, Steven L. Stephenson, Martin Schnittler (unpublished), Aulick (1993), Turrill (1993), Muzika et al. (1999), and Fernow personnel have been used to compile the list of flora. Plants are listed in alphabetical order by genus and species within the major taxonomic groups. Nomenclature follows the *Manual of Vascular Plants of Northeastern United States and Adjacent Canada* (Gleason and Cronquist 1991) or *Checklist of United States Trees (Native and Naturalized)* (Little 1979). Species followed by an asterisk are represented by voucher specimens.

The Fernow Experimental Forest staff does not inventory nonvascular plants on a regular basis. Inventories of these species have been published by Stephenson et al. (1990, 1991, 1994a,b), Dubey et al. (1991a,b, 1994, 1995), Landolt and Stephenson (1995), and Iskra et al. (1995).

DIVISION LYCOPODIOPHYTA

Class Lycopodiopsida

Family Lycopodiaceae

Stiff clubmoss	<i>Lycopodium annotinum</i> L.
Running pine	<i>Lycopodium clavatum</i> L.*
Northern ground cedar	<i>Lycopodium complanatum</i> L.*
Southern ground cedar	<i>Lycopodium digitatum</i> Dillen.*
Shining clubmoss	<i>Lycopodium lucidulum</i> Michx.*
Ground pine	<i>Lycopodium obscurum</i> L.*

Class Isoetopsida

Order Selaginellales

Family Selaginellaceae

Meadow spikemoss	<i>Selaginella apoda</i> (L.) Spring
------------------	--------------------------------------

DIVISION EQUISETOPHYTA

Family Equisetaceae

Common horsetail	<i>Equisetum arvense</i> L.*
------------------	------------------------------

DIVISION POLYPODIOPHYTA

Order Ophioglossales

Family Ophioglossaceae

Lace-frond grape-fern	<i>Botrychium dissectum</i> Spreng.*
Rattlesnake-fern	<i>Botrychium virginianum</i> (L.) Swartz*
Adder's-tongue	<i>Ophioglossum vulgatum</i> L.*

Order Polypodiales

Family Osmundaceae

Cinnamon-fern	<i>Osmunda cinnamomea</i> L.*
Interrupted fern	<i>Osmunda claytoniana</i> L.*

Family Polypodiaceae

Common polypody	<i>Polypodium virginianum</i> L.*
-----------------	-----------------------------------

Family Dennstaedtiaceae

Hay-scented fern
Bracken fern

Dennstaedtia punctiloba (Michx.) Moore*
Pteridium aquilinum (L.) Kuhn*

Family Adiantaceae

Northern maidenhair fern

Adiantum pedatum L.*

Family Aspleniaceae

Mountain spleenwort
Ebony spleenwort
Walking fern
Lady fern
Glade-fern
Silvery glade-fern
Mountain wood-fern
Toothed wood-fern
Goldie's wood-fern
Fancy wood-fern
Marginal wood-fern
Oak-fern
Christmas fern
Broad beech-fern
New York fern
Marsh fern
Massachusetts fern

Asplenium montanum Willd.
Asplenium platyneuron (L.) Oakes*
Asplenium rhizophyllum L.*
Athyrium felix-femina (L.) Roth*
Athyrium pycnocarpon (Sprengel) Tidestrom*
Athyrium thelypteroides (Michx.) Desv.*
Dryopteris campyloptera Clarkson*
Dryopteris carthusiana (Villars) H. P. Fuchs*
Dryopteris goldiana (Hook.) A. Gray*
Dryopteris intermedia (Muhl.) A. Gray*
Dryopteris marginalis (L.) A. Gray*
Gymnocarpium dryopteris (L.) Newman
Polystichum acrostichoides (Michx.) Schott*
Thelypteris hexagonoptera (Michx.) Weatherby*
Thelypteris noveboracensis (L.) Nieuwl.*
Thelypteris palustris Schott*
Thelypteris simulata (Davenp.) Nieuwl.

Family Onocleaceae

Sensitive fern

Onoclea sensibilis L.*

DIVISION PINOPHYTA

Class Pinopsida

Order Pinales

Family Pinaceae

Norway spruce
Red spruce
White pine
Eastern hemlock

Picea abies (L.) Karst.
Picea rubens Sarg.*
Pinus strobus L.*
Tsuga canadensis (L.) Carr.*

DIVISION MAGNOLIOPHYTA

Class Magnoliopsida

Family Magnoliaceae

Tulip-poplar
Cucumbertree
Umbrella-tree

Liriodendron tulipifera L.*
Magnolia acuminata (L.) L*.
Magnolia fraseri Walt.*

Family Lauraceae

Spicebush
Sassafras

Lindera benzoin (L.) Blume*
Sassafras albidum (Nutt.) Nees*

Family Aristolochiaceae

Dutchman's pipe
Wild ginger
Heart-leaf

Aristolochia macrophylla Lam.*
Asarum canadense L.*
Hexastylis shuttleworthii (Britten & Baker) Small

Family Ranunculaceae

White monkshood
Doll's eyes
Lance-leaved anemone
Wood anemone
Thimbleweed
Anemone (unidentified)
Canada columbine
Black cohosh
Virgin's bower
Sharp-lobed hepatica
Goldenseal
Small-flowered buttercup
Hispid buttercup
Hooked buttercup
Cursed buttercup
Buttercup (unidentified)
Purple meadow-rue
Early meadow-rue

Aconitum reclinatum A. Gray
Actaea alba (L.) Mill.*
Anemone lancifolia Pursh*
Anemone quinquefolia L.*
Anemone virginiana L.*
Anemone sp.
Aquilegia canadensis L.*
Cimicifuga racemosa (L.) Nutt.*
Clematis virginiana L.
Hepatica acutiloba DC.*
Hydrastis canadensis L.*
Ranunculus abortivus L.*
Ranunculus hispidus Michx.*
Ranunculus recurvatus Poir.*
Ranunculus scleratus L.*
Ranunculus sp.
Thalictrum dasycarpum Fischer & Ave-Lall
Thalictrum dioicum L.*

Family Berberidaceae

Japanese barberry
Blue cohosh
May-apple

Berberis thunbergii DC.*
Caulophyllum thalictroides (L.) Michx.*
Podophyllum peltatum L.*

Family Papaveraceae

Bloodroot

Sanguinaria canadensis L.*

Family Fumariaceae

Short-spurred corydalis
Squirrel-corn
Dutchman's breeches

Corydalis flavula (Raf.) DC.*
Dicentra canadensis (Goldie) Walp.*
Dicentra cucullaria (L.) Bernh.*

Family Platanaceae

Sycamore

Platanus occidentalis L.

Family Hamamelidaceae

Witch-hazel

Hamamelis virginiana L.*

Family Ulmaceae

American elm
Slippery elm

Ulmus americana L.*
Ulmus rubra Muhl.*

Family Urticaceae

Wood nettle
False nettle
Clearweed

Boehmeria cylindrica (L.) Swartz*
Laportea canadensis (L.) Webb*
Pilea pumila (L.) A. Gray*

Family Juglandaceae

Bitternut hickory	<i>Carya cordiformis</i> (Wangenh.) K. Koch*
Pignut hickory	<i>Carya glabra</i> (Mill.) Sweet*
Shellbark hickory	<i>Carya laciniosa</i> (Michx. f.) Loud.*
Shagbark hickory	<i>Carya ovata</i> (Mill.) K. Koch*
Mockernut hickory	<i>Carya tomentosa</i> (Poir.) Nutt.*
Butternut	<i>Juglans cinerea</i> L.
Black walnut	<i>Juglans nigra</i> L.

Family Fagaceae

American chestnut	<i>Castanea dentata</i> (Marsh.) Borkh.*
American beech	<i>Fagus grandifolia</i> Ehrh.*
White oak	<i>Quercus alba</i> L.*
Scarlet oak	<i>Quercus coccinea</i> Muenchh.*
Chestnut oak	<i>Quercus prinus</i> L.*
Northern red oak	<i>Quercus rubra</i> L.*
Black oak	<i>Quercus velutina</i> Lam.*

Family Betulaceae

Smooth alder	<i>Alnus serrulata</i> (Ait.) Willd.*
Yellow birch	<i>Betula alleghaniensis</i> Britton*
Black birch	<i>Betula lenta</i> L.*
American hornbeam	<i>Carpinus caroliniana</i> Walt.*
Eastern hop hornbeam	<i>Ostrya virginiana</i> (Mill.) K. Koch*

Family Phytolaccaceae

Pokeweed	<i>Phytolacca americana</i> L.*
----------	---------------------------------

Family Amaranthaceae

Smooth pigweed	<i>Amaranthus hybridus</i> L.*
----------------	--------------------------------

Family Portulacaceae

Spring beauty	<i>Claytonia virginica</i> L.*
---------------	--------------------------------

Family Caryophyllaceae

Clammy chickweed	<i>Cerastium viscosum</i> L.*
Mouse-ear chickweed	<i>Cerastium vulgatum</i> L.
Fire-pink	<i>Silene virginica</i> L.*
Campion (unidentified)	<i>Silene</i> sp.
Common chickweed	<i>Stellaria media</i> (L.) Villars*
Star chickweed	<i>Stellaria pubera</i> Michx.*

Family Polygonaceae

Buckwheat	<i>Fagopyrum esculentum</i> Moench*
Water-pepper	<i>Polygonum hydropiper</i> L.*
False water-pepper	<i>Polygonum hydropiperoides</i> Michx.*
Lady's thumb	<i>Polygonum persicaria</i> L.*
Arrow-leaved tearthumb	<i>Polygonum sagittatum</i> L.
False buckwheat	<i>Polygonum scandens</i> L.*
Jumpseed	<i>Polygonum virginianum</i> L.*
Smartweed (unidentified)	<i>Polygonum</i> sp.
Red sorrel	<i>Rumex acetosella</i> L.*
Curly dock	<i>Rumex crispus</i> L.

Dock (unidentified)	<i>Rumex</i> sp.
Family Clusiaceae	
St. John's-wort	<i>Hypericum densiflorum</i> Pursh *
St. John's-wort	<i>Hypericum mutilum</i> L.*
Spotted St. John's-wort	<i>Hypericum punctatum</i> Lam.*
Marsh St. John's-wort	<i>Triadenum virginicum</i> (L.) Raf.*
Family Tiliaceae	
American basswood	<i>Tilia americana</i> L.*
Family Malvaceae	
Hibiscus (unidentified)	<i>Hibiscus</i> sp.*
Family Violaceae	
Sweet white violet	<i>Viola blanda</i> Willd.*
Tall white violet	<i>Viola canadensis</i> L.*
Blue marsh-violet	<i>Viola cucullata</i> Aiton
Spear-leaved violet	<i>Viola hastata</i> Michx.*
Wild white violet	<i>Viola macloskeyi</i> F. Lloyd*
Wood-violet	<i>Viola palmata</i> L.*
Yellow forest-violet	<i>Viola pubescens</i> Ait.*
Round-leaved yellow violet	<i>Viola rotundifolia</i> Michx.*
Dooryard-violet	<i>Viola sororia</i> Willd.*
Creamy violet	<i>Viola striata</i> Ait.*
Violet (unidentified)	<i>Viola</i> sp.
Family Salicaceae	
Bigtooth aspen	<i>Populus grandidentata</i> Michx.
Balm-of-Gilead	<i>Populus x jackii</i> Sarg.
Quaking aspen	<i>Populus tremuloides</i> Michx.*
Black willow	<i>Salix nigra</i> Marsh.*
Family Brassicaceae	
Garlic-mustard	<i>Alliaria petiolata</i> (Bieb.) Cavara & Grande*
Yellow rocket	<i>Barbarea vulgaris</i> R. Br.
Appalachian toothwort	<i>Cardamine angustata</i> O. E. Schultz*
Five-parted toothwort	<i>Cardamine concatenata</i> (Michx.) O. Schwartz*
Broad-leaved toothwort	<i>Cardamine diphylla</i> (Michx.) A. Wood*
Hoary bitter-cress	<i>Cardamine hirsuta</i> L.*
Spring-cress	<i>Cardamine rhomboidea</i> (Pers.) DC.*
Family Ericaceae	
Trailing arbutus	<i>Epigaea repens</i> L.*
Teaberry	<i>Gaultheria procumbens</i> L.*
Black huckleberry	<i>Gaylussacia baccata</i> (Wangenh.) K. Koch
Mountain-laurel	<i>Kalmia latifolia</i> L.*
Minnie-bush	<i>Menziesia pilosa</i> (Michx.) Juss.
Sourwood	<i>Oxydendrum arboreum</i> (L.) DC.*
Flame-azalea	<i>Rhododendron calendulaceum</i> (Michx.) Torr.*
Great rhododendron	<i>Rhododendron maximum</i> L.*
Pinkster-flower	<i>Rhododendron periclymenoides</i> (Michx.) Shinn.*
Common lowbush-blueberry	<i>Vaccinium angustifolium</i> Ait.
Hillside-blueberry	<i>Vaccinium pallidum</i> Ait.*

Deerberry	<i>Vaccinium stamineum</i> L.*
Southern blueberry	<i>Vaccinium tenellum</i> Ait.*
Family Pyrolaceae	
Spotted wintergreen	<i>Chimaphila maculata</i> (L.) Pursh *
Shinleaf	<i>Pyrola</i> sp.*
Family Monotropaceae	
Indian pipe	<i>Monotropa uniflora</i> L.*
Family Primulaceae	
Fringed loosestrife	<i>Lysimachia ciliata</i> L.*
Moneywort	<i>Lysimachia nummularia</i> L.*
Smooth loosestrife	<i>Lysimachia quadrifolia</i> Sims*
Starflower	<i>Trientalis borealis</i> Raf.*
Family Hydrangeaceae	
American hydrangea	<i>Hydrangea arborescens</i> L.*
Family Grossulariaceae	
Dogberry	<i>Ribes cynosbati</i> L.*
Gooseberry	<i>Ribes hirtellum</i> Michx.*
Gooseberry (unidentified)	<i>Ribes</i> sp.
Family Crassulaceae	
Stonecrop	<i>Sedum ternatum</i> Michx.*
Family Saxifragaceae	
Common arrow-root	<i>Heuchera americana</i> L.*
Maple-leaved alum-root	<i>Heuchera villosa</i> Michx.*
Bishop's cap	<i>Mitella diphylla</i> L.*
Lettuce-saxifrage	<i>Saxifraga micranthidifolia</i> (Haw.) Steudel*
Foam-flower	<i>Tiarella cordifolia</i> L.*
Family Rosaceae	
Common agrimony	<i>Agrimonia gryposepala</i> Wallr.*
Southern agrimony	<i>Agrimonia parviflora</i> Ait.*
Downy serviceberry	<i>Amelanchier arborea</i> (Michx. f.) Fern.*
Smooth serviceberry	<i>Amelanchier laevis</i> Wieg.*
Goat's beard	<i>Aruncus dioicus</i> (Walter) Fern.*
Cockspur-thorn	<i>Crataegus crus-galli</i> L.*
Washington-thorn	<i>Crataegus phaenopyrum</i> (L. f.) Medikus*
Hawthorn (unidentified)	<i>Crataegus</i> sp.
Thick-leaved wild strawberry	<i>Fragaria virginiana</i> Duchesne*
Rough avens	<i>Geum laciniatum</i> Murray*
Cream-colored avens	<i>Geum virginianum</i> L.*
Mountain Indian-physic	<i>Porteranthus trifoliatus</i> (L.) Britton*
Running cinquefoil	<i>Potentilla canadensis</i> L.*
Old-field cinquefoil	<i>Potentilla simplex</i> Michx.*
Cinquefoil (unidentified)	<i>Potentilla</i> sp.
Pin cherry	<i>Prunus pensylvanica</i> L. f.*
Wild black cherry	<i>Prunus serotina</i> Ehrh.*
Multiflora rose	<i>Rosa multiflora</i> Thunb.*

Common blackberry	<i>Rubus allegheniensis</i> T. C. Porter*
Purple-flowering raspberry	<i>Rubus odoratus</i> L.*
Wineberry	<i>Rubus phoenicolasius</i> Maxim.
Blackberry (unidentified)	<i>Rubus</i> sp.
Raspberry (unidentified)	<i>Rubus</i> sp.
American mountain-ash	<i>Sorbus americana</i> Marsh.*

Family Fabaceae

Hog-peanut	<i>Amphicarpaea bracteata</i> (L.) Fern.
Common ground-nut	<i>Apium americana</i> Medikus*
Naked tick-trefoil	<i>Desmodium nudiflorum</i> (L.) DC.*
Bush-clover	<i>Lespedeza</i> sp.
Yellow sweet clover	<i>Melilotus</i> sp.
Black locust	<i>Robinia pseudoacacia</i> L.*
Pinnate hop-clover	<i>Trifolium campestre</i> Schreber
Alsike clover	<i>Trifolium hybridum</i> L.
Crimson clover	<i>Trifolium incarnatum</i> L.*
Red clover	<i>Trifolium pratense</i> L.*
White clover	<i>Trifolium repens</i> L.
Running buffalo-clover	<i>Trifolium stoloniferum</i> Muhl.*

Family Elaeagnaceae

Autumn olive	<i>Elaeagnus umbellata</i> Thunb.*
--------------	------------------------------------

Family Thymelaeaceae

Leatherwood	<i>Dirca palustris</i> L.
-------------	---------------------------

Family Onagraceae

Alpine enchanter's nightshade	<i>Circaeaa alpina</i> L.*
Common enchanter's nightshade	<i>Circaeaa lutetiana</i> *L.
Eastern willow-herb	<i>Epilobium coloratum</i> Biehler*
Small-flowered evening-primrose	<i>Oenothera parviflora</i> L.*

Family Cornaceae

Alternate-leaf dogwood	<i>Cornus alternifolia</i> L. f.*
Silky dogwood	<i>Cornus amomum</i> Miller*
Flowering dogwood	<i>Cornus florida</i> L.*
Blackgum	<i>Nyssa sylvatica</i> Marsh.*

Family Celastraceae

American bittersweet	<i>Celastrus scandens</i> L.*
Strawberry-bush	<i>Euonymus americanus</i> L.*

Family Aquifoliaceae

Bigleaf holly	<i>Ilex montana</i> (T.&G.) A. Gray*
American holly	<i>Ilex opaca</i> Ait.*

Family Vitaceae

Virginia creeper	<i>Parthenocissus quinquefolia</i> (L.) Plachon*
Summer grape	<i>Vitis aestivalis</i> Michx.*
Muscadine grape	<i>Vitis rotundifolia</i> Michx.*
Grape (unidentified)	<i>Vitis</i> sp.

Family Staphyleaceae

American bladdernut

Staphylea trifolia L.*

Family Aceraceae

Striped maple

Acer pensylvanicum L.*

Red maple

Acer rubrum L.*

Sugar maple

Acer saccharum Marsh.*

Mountain maple

Acer spicatum Lam.*

Family Anacardiaceae

Smooth sumac

Rhus glabra L.*

Staghorn sumac

Rhus typhina L.*

Poison-ivy

Toxicodendron radicans (L.) Kuntze*

Family Simaroubaceae

Tree-of-heaven

Ailanthus altissima (Mill.) Swingle*

Family Oxalidaceae

Northern wood-sorrel

Oxalis acetosella L.*

Big yellow wood-sorrel

Oxalis grandis Small*

Common yellow wood-sorrel

Oxalis stricta L.*

Wood-sorrel (unidentified)

Oxalis sp.

Family Geraniaceae

Wild geranium

Geranium maculatum L.*

Family Balsaminaceae

Orange touch-me-not

Impatiens capensis Meerb.*

Yellow touch-me-not

Impatiens pallida Nutt.*

Family Araliaceae

Wild sarsaparilla

Aralia nudicaulis L.

Hercules' club

Aralia spinosa L.*

American ginseng

Panax quinquefolium L.*

Dwarf ginseng

Panax trifolium L.

Family Apiaceae

Honewort

Cryptotaenia canadensis (L.) DC*

Wild carrot

Daucus carota L.*

Cow-parsnip

Heracleum lanatum Michx.*

Bland sweet cicely

Osmorrhiza claytonii (Michx.) DC.*

Long-styled sweet cicely

Osmorrhiza longistylis (Torr.) DC.*

Canada snakeroot

Sanicula canadensis L.*

Cluster sanicle

Sanicula gregaria E. Bickn.*

Black snakeroot

Sanicula marylandica L.*

Beaked snakeroot

Sanicula trifoliata E. Bickn.*

Yellow pimpernel

Taenidia montana (Mackenzie) Cronq.*

Bearded meadow-parsnip

Thaspium barbinode (Michx.) Nutt.*

Smooth meadow-parsnip

Thaspium trifoliatum (L.) A. Gray

Heart-leaved golden alexanders

Zizia aptera (A. Gray) Fern.*

Common golden alexanders

Zizia aurea (L.) Koch*

Mountain golden alexanders

Zizia trifoliata (Michx.) Fern.*

Family Apocynaceae	
Dogbane (unidentified)	<i>Apocynum</i> sp.
Family Asclepiadaceae	
Milkweed (unidentified)	<i>Asclepias</i> sp.
Family Convolvulaceae	
Morning-glory (unidentified)	<i>Ipomoea</i> sp.
Family Cuscutaceae	
Common dodder	<i>Cuscuta gronovii</i> Willd.*
Family Polemoniaceae	
Forest phlox	<i>Phlox divaricata</i> L.*
Crawling phlox	<i>Phlox stolonifera</i> Sims*
Family Hydrophyllaceae	
Maple-leaved waterleaf	<i>Hydrophyllum canadense</i> L.*
Eastern waterleaf	<i>Hydrophyllum virginianum</i> L.*
Phacelia (unidentified)	<i>Phacelia</i> sp.*
Family Boraginaceae	
Eastern bluebell	<i>Mertensia virginica</i> (L.) Pers.*
Family Verbenaceae	
White vervain	<i>Verbena urticifolia</i> L.
Family Lamiaceae	
Hairy wood-mint	<i>Blephilia hirsuta</i> (Pursh) Benth.*
Northern horse-balm	<i>Collinsonia canadensis</i> L.*
Hemp-nettle	<i>Galeopsis tetrahit</i> var. <i>tetrahit</i> (L.) L.*
Hemp-nettle	<i>G. tetrahit</i> var. <i>bifida</i> (Boenn.) Lej & Courtois
Gill-over-the-ground	<i>Glechoma hederacea</i> L.*
Red dead-nettle	<i>Lamium purpureum</i> L.*
Virginia water-horehound	<i>Lycopus virginicus</i> L.
Peppermint	<i>Mentha x piperata</i> L.
Basil bee-balm	<i>Monarda clinopodia</i> L.*
Oswego-tea	<i>Monarda didyma</i> L.*
Horse-mint	<i>Monarda punctata</i> L.
Catnip	<i>Nepeta cataria</i> L.
Self-heal	<i>Prunella vulgaris</i> L.*
Mountain mint (unidentified)	<i>Pycnanthemum</i> sp.
Lyre-leaved sage	<i>Salvia lyrata</i> L.
Forest skullcap	<i>Scutellaria ovata</i> Hill*
Family Plantaginaceae	
English plantain	<i>Plantago lanceolata</i> L.*
Common plantain	<i>Plantago major</i> L.*
American plantain	<i>Plantago rugelii</i> Decne.*

Family Oleaceae

White ash
Green ash

Fraxinus americana L.*
Fraxinus pennsylvanica Marsh.*

Family Scrophulariaceae

Downy false foxglove
White turtlehead
Wood-betony
Common mullein
Corn speedwell

Aureolaria virginica (L.) Pennell*
Chelone glabra L.*
Pedicularis canadensis L.*
Verbascum thapsus L.
Veronica arvensis L.*

Family Orobanchaceae

Squaw-root
Beech-drops

Conopholis americana (L.) Wallr.*
Epifagus virginiana (L.) Barton*

Family Campanulaceae

Tall bellflower
Indian tobacco
Great-flowered lobelia

Campanula americana L.*
Lobelia inflata L.*
Lobelia siphilitica L.

Family Rubiaceae

Cleavers
Rough bedstraw
Northern bedstraw
Forest bedstraw
Wide-leaved bedstraw
Bedstraw
Sweet-scented bedstraw
Bluets
Partridge-berry

Galium aparine L.*
Galium asprellum Michx.*
Galium boreale L.*
Galium circaezans Michx.*
Galium latifolium Michx.*
Galium pilosum Ait.*
Galium triflorum Michx.*
Hedyotis caerulea (L.) Hook.*
Mitchella repens L.*

Family Caprifoliaceae

Bush honeysuckle
Common elderberry
Red-berried elderberry
Maple-leaf viburnum
Hobble-bush

Lonicera morrowii A. Gray*
Sambucus canadensis L.*
Sambucus racemosa L.*
Viburnum acerifolium L.*
Viburnum alnifolium Marsh.*

Family Asteraceae

Common yarrow
Common ragweed
Field pussytoes
Great burdock
Common burdock
Common white heart-leaved aster
Long-stalked aster
Clasping aster
Zigzag aster
Tall flat-topped white aster
Aster (unidentified)
Devil's beggar-ticks
Ox-eye daisy
Bull-thistle
Forest tickseed

Achillea millefolium L.*
Ambrosia artemisiifolia L.*
Antennaria neglecta Greene*
Arctium lappa L.
Arctium minus Schk.*
Aster divaricatus L.*
Aster dumosus L.
Aster patens Ait.
Aster prenanthoides Muhl.*
Aster umbellatus Mill.*
Aster sp.
Bidens frondosa L.*
Chrysanthemum leucanthemum L.*
Cirsium vulgare (Savi) Tenore*
Coreopsis major Walter*

Hawk's beard	<i>Crepis capillaris</i> (L.) Wallr.*
Fireweed	<i>Erichites hieracifolia</i> (L.) Raf.*
Annual fleabane	<i>Erigeron annuus</i> (L.) Pers.*
Philadelphia daisy	<i>Erigeron philadelphicus</i> L.*
Robin's plantain	<i>Erigeron pulchellus</i> Michx.*
Hollow-stemmed joe-pye weed	<i>Eupatorium fistulosum</i> Barratt*
Purple-node joe-pye weed	<i>Eupatorium purpureum</i> L.*
White snakeroot	<i>Eupatorium rugosum</i> Houttuyn*
Joe-pye weed (unidentified)	<i>Eupatorium</i> sp.
Common flat-topped goldenrod	<i>Euthamia graminifolia</i> (L.) Nutt.*
Common quickweed	<i>Galinsoga quadriradiata</i> Ruiz & Pavon*
Forest sunflower	<i>Helianthus decapetalus</i> L.*
Sunflower	<i>Helianthus x laetiflorus</i> Pers.*
Yellow king-devil	<i>Hieracium caespitosum</i> Dumort*
Panicled hawkweed	<i>Hieracium paniculatum</i> L.*
Veiny hawkweed	<i>Hieracium venosum</i> L.*
Lettuce (unidentified)	<i>Lactuca</i> sp.
Orange dwarf dandelion	<i>Krigia biflora</i> (Walter) S. F. Blake*
Rattlesnake-root	<i>Prenanthes alba</i> L.*
Tall white lettuce	<i>Prenanthes altissima</i> L.*
Black-eyed Susan	<i>Rudbeckia hirta</i> L.*
Heart-leaved groundsel	<i>Senecio aureus</i> L.*
Northern meadow-groundsel	<i>Senecio pauperulus</i> Michx.*
Axillary goldenrod	<i>Solidago caesia</i> L.*
Wrinkle-leaved goldenrod	<i>Solidago rugosa</i> Mill.*
Elm-leaved goldenrod	<i>Solidago ulmifolia</i> Muhl.*
Goldenrod (unidentified)	<i>Solidago</i> sp.
Prickly sow-thistle	<i>Sonchus asper</i> (L.) Hill*
Common dandelion	<i>Taraxacum officinale</i> Weber*
Coltsfoot	<i>Tussilago farfara</i> L.*
Wingstem	<i>Verbesina alternifolia</i> (L.) Britton*

Class Liliopsida

Family Araceae

Jack-in-the-pulpit	<i>Arisaema triphyllum</i> (L.) Schott*
Skunk cabbage	<i>Symplocarpus foetidus</i> (L.) Nutt.*

Family Commelinaceae

Virginia spiderwort	<i>Tradescantia virginiana</i> L.*
---------------------	------------------------------------

Family Juncaceae

Soft rush	<i>Juncus effusus</i> L.*
Path-rush	<i>Juncus tenuis</i> Willd.*
Wood-rush	<i>Luzula multiflora</i> (Retz.) Lej.*

Family Cyperaceae

Sedge	<i>Carex aestivalis</i> M. A. Curtis*
Sedge	<i>Carex albursina</i> Sheldon*
Sedge	<i>Carex appalachica</i> J. M. Webber & P. Ball*
Sedge	<i>Carex blanda</i> Dewey*
Sedge	<i>Carex crinita</i> Lam.*
Sedge	<i>Carex debilis</i> Michx.*
Sedge	<i>Carex digitalis</i> Willd.*
Sedge	<i>Carex gracillima</i> Schwein.*
Sedge	<i>Carex grayi</i> Carey*

Sedge	<i>Carex intumescens</i> Rudge*
Sedge	<i>Carex laxiculmis</i> Schwein.*
Sedge	<i>Carex laxiflora</i> Lam.*
Sedge	<i>Carex leptonervia</i> (Fern.) Fern.*
Sedge	<i>Carex lupulina</i> Muhl.*
Sedge	<i>Carex pensylvanica</i> Lam.*
Sedge	<i>Carex plantaginea</i> Lam.*
Sedge	<i>Carex platyphylla</i> Carey*
Sedge	<i>Carex prasina</i> Wahlenb.*
Sedge	<i>Carex rosea</i> Schk.*
Sedge	<i>Carex scabrata</i> Schwein*
Sedge	<i>Carex sparganioides</i> Muhl.*
Sedge	<i>Carex stipata</i> Muhl.*
Sedge	<i>Carex stricta</i> Lam.*
Sedge	<i>Carex swanii</i> (Fern.) Mackenzie*
Sedge	<i>Carex trisperma</i> Dewey.*
Sedge	<i>Carex vulpinoidea</i> Michx.*
Sedge (unidentified)	<i>Carex</i> sp.
Flat nutsedge	<i>Cyperus strigosus</i> L. *
Black bulrush	<i>Scirpus atrovirens</i> Willd.*
Wool-grass	<i>Scirpus cyperinus</i> (L.) Kunth*

Family Poaceae

Autumn bent-grass	<i>Agrostis perennans</i> (Walter) Tuckerman*
Creeping bent-grass	<i>Agrostis stolonifera</i> L.*
Sweet vernal grass	<i>Anthoxanthum aristatum</i> Boiss.*
Oats (unidentified)	<i>Avena</i> sp.*
Grass	<i>Brachelytrum erectum</i> (Schreber) P. Beauv.*
Orchard-grass	<i>Dactylis glomerata</i> L.*
Wild oatgrass	<i>Danthonia compressa</i> Austin*
Smooth crab-grass	<i>Digitaria ischaemum</i> (Schreber) Muhl.*
Barnyard grass	<i>Echinochloa crusgalli</i> (L.) P. Beauv.*
Bottle brush-grass	<i>Elymus hystrix</i> L.*
Northern mannagrass	<i>Glyceria striata</i> (Lam.) A. Hitchc.*
Ryegrass	<i>Lolium perenne</i> L.*
Forest muhly	<i>Muhlenbergia sylvatica</i> (Torr.) Torr.*
Panic-grass	<i>Panicum boscii</i> Poir.*
Panic-grass	<i>Panicum clandestinum</i> L.*
Panic-grass	<i>Panicum commutatum</i> Schultes*
Panic-grass	<i>Panicum dichotomum</i> L.*
Panic-grass	<i>Panicum latifolium</i> L.*
Panic-grass	<i>Panicum lanuginosum</i> Elliot*
Panic-grass (unidentified)	<i>Panicum</i> sp. L.
Feathertop	<i>Pennisetum villosum</i> R. Br.*
Canada bluegrass	<i>Poa compressa</i> L.*
Forest bluegrass	<i>Poa sylvestris</i> A. Gray*
Bluegrass (unidentified)	<i>Poa</i> sp. L.
Green foxtail-grass	<i>Setaria viridis</i> (L.) P. Beauv.*

Family Typhaceae

Common cat-tail	<i>Typha latifolia</i> L.
-----------------	---------------------------

Family Liliaceae

Nodding onion	<i>Allium cernuum</i> Roth*
Ramps	<i>Allium tricoccum</i> Ait.*
Field-garlic	<i>Allium vineale</i> L.
Bead lily	<i>Clintonia borealis</i> (Ait.) Raf.*

Bead lily	<i>Clintonia umbellulata</i> (Michx.) Morong.*
Fairy-bells	<i>Disporum lanuginosum</i> (Mich.) Nicholson*
Trout-lily	<i>Erythronium americanum</i> Ker Gawler*
Wild yellow lily	<i>Lilium canadense</i> L.*
Turk's-cap lily	<i>Lilium superbum</i> L.*
Canada mayflower	<i>Maianthemum canadense</i> Desf.*
Indian cucumber-root	<i>Medeola virginiana</i> L.*
Solomon's seal	<i>Polygonatum biflorum</i> (Walter) Elliot*
Solomon's seal	<i>Polygonatum pubescens</i> (Willd.) Pursh*
False Solomon's seal	<i>Smilacina racemosa</i> (L.) Desf.*
Twisted stalk	<i>Streptopus roseus</i> Michx.
Purple trillium	<i>Trillium erectum</i> L.*
Bent trillium	<i>Trillium flexipes</i> Raf.*
Big white trillium	<i>Trillium grandiflorum</i> (Michx.) Salisb.*
Painted trillium	<i>Trillium undulatum</i> Willd.*
Bellwort	<i>Uvularia grandiflora</i> J. E. Smith*
Bellwort	<i>Uvularia perfoliata</i> L.*
Bellwort	<i>Uvularia puberula</i> Michx.*
Bellwort	<i>Uvularia sessifolia</i> L.*
False hellebore	<i>Veratrum viride</i> Ait.*

Family Smilacaceae

Greenbrier	<i>Smilax ecirrhata</i> (Engelm.) S. Wats.*
Greenbrier	<i>Smilax glauca</i> Walter*
Greenbrier	<i>Smilax herbacea</i> L.*
Greenbrier	<i>Smilax hispida</i> Muhl.*
Greenbrier	<i>Smilax rotundifolia</i> L.*

Family Dioscoreaceae

Wild yam	<i>Dioscorea quaternata</i> (Walter) J. F. Gmelin*
Colic-root	<i>Dioscorea villosa</i> L.*

Family Iridaceae

Blue-eyed grass	<i>Sisyrinchium angustifolium</i> Mill.*
-----------------	--

Family Orchidaceae

Moccasin-flower	<i>Cypripedium acaule</i> Ait.*
Downy rattlesnake-plantain	<i>Goodyera pubescens</i> (Willd.) R. Br.*
Purple fringed orchid	<i>Habenaria psycodes</i> (L.) Sprengel*
Showy orchis	<i>Orchis spectabilis</i> L.
Crane-fly orchid	<i>Tipularia discolor</i> (Pursh) Nutt.*

Macroscopic Fauna of the Fennow Experimental Forest

Invertebrates

Aquatic invertebrates on the Fennow have been the focus of far more research than terrestrial species. Observations and collections of these aquatic organisms have been made by Angradi (1996, 1997, 1999), Hood (1997), Griffith and Perry (1991, 1992a,b, 1993a,b), Griffith et al. (1993, 1994, 1995, 1996), Hurd et al. (1996), and Yokum et al. (1994, 1995). Lists of terrestrial invertebrates have been compiled by Butler and Chrislip (1997), Butler et al. (1997), Rexrode and Smith (1990), Stephenson et al. (1994b), and personal observations of the Fennow staff. Invertebrates are listed in alphabetical order by genus and species within the major taxonomic groups.

PHYLUM PLATYHELMINTHES

Class Turbellaria

Family Planariidae

Planaria

Turbellaria sp.

PHYLUM NEMATODA

Roundworms (unidentified)

PHYLUM ANELIDA

Class Oligochaeta

Earthworms (unidentified)
Aquatic earthworms (unidentified)

PHYLUM MOLLUSCA

Class Pelecypoda

Bivalves (unidentified)

Class Gastropoda

Slugs (unidentified)
Snails (unidentified)

PHYLUM ARTHROPODA

Class Crustacea

Order Podocopa

Ostracods (unidentified)

Order Eucopepoda

Copepods (unidentified)

Order Decapoda

Family Cambaridae

Crayfish

Cambarus bartonii Fabricius

Order Amphipoda

Family Gammaridae

Freshwater shrimp

Gammarus minus Say

Order Isopoda

Family Asellidae

Aquatic sowbug

Asellus racovitzai

Class Diplopoda

Millipedes (unidentified)

Class Chilopoda

Centipedes (unidentified)

Class Insecta

Order Collembola

Family Entomobryidae

Collembola (unidentified)

Order Ephemeroptera

Family Baetidae

Mayfly

Baetis sp.

Mayfly

Diphetor sp.

Mayfly

Procleon sp.

Family Ephemerellidae

Mayfly

Drunella sp.

Mayfly

Ephemerella dorothaea

Mayfly

Euryophella funeralis McDunnough

Family Ephemeridae

Mayfly

Ephemerina sp.

Mayfly

Litobrancha sp.

Family Heptageniidae

Mayfly

Cinygmulia sp.

Mayfly

Epeorus latifolium

Mayfly

Heptagenia sp.

Mayfly

Leucrocuta sp.

Mayfly

Stenonema meririvulanum

Mayfly

Stenacron carolina

Family Leptophlebiidae

Mayfly

Habrophlebia sp.

Mayfly

Habrophleboides sp.

Mayfly

Paraleptophlebia sp.

Family Siphlonuridae

Mayfly

Ameletus sp.

Order Odonata

Family Calyopterygidae

Black-winged Damselfly

Calopteryx maculata Beauvais

Family Coenagrionidae

Damselfly (unidentified)

Family Cordulegastridae

Dragonfly

Cordulegaster sp.

Family Gomphidae

Dragonfly

Lanthus parvulus

Order Orthoptera

Family Acrididae

Grasshopper (unidentified)

Family Gryllacrididae

Cricket (unidentified)

Family Tettigoniidae

Katydid

Microcentrum sp.

Order Isoptera

Family Rhinotermitidae

Termite (unidentified)

Order Plecoptera

Family Capniidae

Stonefly

Allocapnia frisoni Ross and Ricker

Stonefly

Paracapnia angulata Hanson

Family Chloroperlidae

Stonefly

Alloperla aracoma Harper and Kirchner

Stonefly

Alloperla usa Ricker

Stonefly

Haploperla sp.

Stonefly

Suwalia marginata Banks

Stonefly

Sweltza lateralis Banks

Stonefly

Sweltza onkos Ricker

Family Leuctridae

Stonefly

Leuctra alexanderi Hanson

Stonefly	<i>Leuctra grandis</i> Banks
Stonefly	<i>Leuctra ferruginea</i> Walker
Stonefly	<i>Leuctra sibleyi</i> Claassen
Stonefly	<i>Leuctra tenella</i> Provancher
Stonefly	<i>Leuctra truncata</i> Claassen
Stonefly	<i>Leuctra</i> sp.
Stonefly	<i>Paraleuctra sara</i> Claassen

Family Nemouridae

Stonefly	<i>Amphinemura nigritta</i> Provancher
Stonefly	<i>Amphinemura wui</i> Claassen
Stonefly	<i>Ostrocerca complexa</i> Claassen
Stonefly	<i>Ostrocerca truncata</i> Classen
Stonefly	<i>Prostoia</i> sp.
Stonefly	<i>Soyedina washingtoni</i> Claassen

Family Peltoperlidae

Stonefly	<i>Peltoperla arcuata</i> Needham
Stonefly	<i>Tallaperla maria</i> Needham and Smith

Family Perlodidae

Stonefly	<i>Isoperla slossonae</i> Banks
Stonefly	<i>Isoperla</i> sp.
Stonefly	<i>Malirekus hastatus</i> Banks
Stonefly	<i>Remennus bilobatus</i> Needham and Claassen
Stonefly	<i>Yugus bulbosus</i> Frison

Family Perlidae

Stonefly	<i>Acroneuria carolinensis</i> Banks
----------	--------------------------------------

Family Pteronarcidae

Giant stonefly	<i>Pteronarcys proteus</i> Newman
Giant stonefly	<i>Pteronarcys biloba</i> Newman

Family Taeniopterygidae

Stonefly	<i>Strophopteryx appalachia</i> Ricker and Ross
----------	---

Order Psocoptera

Family Psocidae

Barklice (unidentified)

Family Polypsocidae

Polypsocid (unidentified)

Order Thysanoptera

Family Phloeothripidae

Tube-tailed thrip (unidentified)

Order Hemiptera

Family Corixidae	
Water boatman	<i>Hesperocorixa</i> sp.
Family Gerridae	
Water strider	<i>Metrobates</i> sp.
Family Miridae	
Leaf bug (unidentified)	
Family Phymatidae	
Ambush Bug	<i>Phymata</i> sp.
Family Tingidae	
Lace bug (unidentified)	
Family Veliidae	
Riffle bug	<i>Microvelia</i> sp.
Riffle bug	<i>Rhagovelia</i> sp.
Order Homoptera	
Family Aphididae	
Aphid (unidentified)	
Family Cicadidae	
Periodical cicada	<i>Magicicada septendecim</i> L.
Family Eriosomatidae	
Wooly aphid (unidentified)	
Family Membracidae	
Treehopper (unidentified)	
Family Psyllidae	
Psyllid (unidentified)	
Order Neuroptera (Megaloptera)	
Family Corydalidae	
Hellgrammite (dobsonfly)	<i>Nigronia</i> sp.
Family Sialidae	
Alderfly	<i>Sialis</i> sp.
Order Coleoptera	
Family Cantharidae	

Soldier Beetle	<i>Chauliognathus pennsylvanicus</i> De Geer
Family Carabidae	
Ground beetle (unidentified)	
Family Chrysomelidae	
Leaf beetle (unidentified)	
Family Coccinellidae	
Two-spotted ladybird beetle	<i>Adalia bipunctata</i> L.
Family Curculionidae	
Snout beetle (unidentified)	
Family Dryopidae	
Long-toed water beetle	<i>Helichus</i> sp.
Family Elmidae	
Riffle beetle	<i>Optioservus</i> sp.
Riffle beetle	<i>Oulimnus latiusculus</i>
Family Gyrinidae	
Whirligig Beetle	<i>Dineutus</i> sp.
Family Helodidae	
Marsh beetle	<i>Prionocypphon</i> sp.
Family Hydraenidae	
Minute moss beetle (unidentified)	
Family Hydrophilidae	
Water scavenger beetle	<i>Enochrus</i> sp.
Water scavenger beetle	<i>Helophorus</i> sp.
Water scavenger beetle	<i>Hydrochus</i> sp.
Water scavenger beetle	<i>Laccobius</i> sp.
Family Lampyridae	
Firefly (unidentified)	
Family Leiodidae	
Round Fungus Beetle	<i>Anisotoma horni</i> Wheeler
Family Lycidae	
Net-winged beetle	<i>Calopteron</i> sp.
Family Meloidae	
Blister beetle	<i>Meloe</i> sp.

Family Psephenidae

Water-penny beetle
Water-penny beetle

Ectopria nervosa
Psephenus sp.

Family Scarabaeidae

Japanese beetle

Popilla japonica Newm.

Family Scolytidae

Peach Bark Beetle

Phloeotribus limnaris Harris

Family Staphlinidae

Rove beetle

Pontamalota sp.

Order Mecoptera

Family Panorpidae

Scorpionfly (unidentified)

Order Trichoptera

Family Brachycentridae

Caddisfly
Caddisfly

Adicropheps hitchcocki Flint
Micrasema rusticum Hagen

Family Glossosomatidae

Caddisfly
Caddisfly

Agapetus sp.
Glossoma nigrior Banks

Family Hydropsychidae

Caddisfly
Caddisfly
Caddisfly
Caddisfly
Caddisfly
Caddisfly
Caddisfly

Diplectrona modesta Banks
Hydropsyche morose Hagen
Hydropsyche orientalis
Hydropsyche sparna Ross
Hydropsyche ventura Ross
Homoplecta monticola Flint
Parapsyche apicalis Banks

Family Hydroptilidae

Caddisfly
Caddisfly

Palaeagapetus celsus Ross
Stactobiella delira Ross

Family Lepidostomatidae

Caddisfly
Caddisfly
Caddisfly

Lepidostoma griseum Banks
Lepidostoma togatum Hagen
Lepidostoma vernale Banks

Family Leptocercidae

Caddisfly
Caddisfly

Oecetis cinerascens Hagen
Triaenodes sp.

Family Limnophilidae

Caddisfly	<i>Goera stylata</i> Ross
Caddisfly	<i>Hydatophylax</i> sp.
Caddisfly	<i>Nemotaulius hostilis</i> Hagen
Caddisfly	<i>Pseudostenophylax uniformis</i> Betten
Caddisfly	<i>Pycnopsyche gentilis</i> McLachlan
Caddisfly	<i>Pycnopsyche scabripennis</i> Rambur

Family Molannidae

Caddisfly	<i>Molanna ulmerina</i> Navas
-----------	-------------------------------

Family Philopotamidae

Caddisfly	<i>Dolophiloides distinctus</i> Walker
Caddisfly	<i>Wormaldia moesta</i> Banks

Family Phryganeidae

Caddisfly	<i>Ptilostomis ocellifera</i> Walker
-----------	--------------------------------------

Family Psychomyiidae

Caddisfly	<i>Lype diversa</i> Banks
-----------	---------------------------

Family Polycentropodidae

Caddisfly	<i>Phylocentropus lucidus</i> Hagen
Caddisfly	<i>Polycentropus cinereus</i> Hagen
Caddisfly	<i>Polycentropus maculatus</i> Banks

Family Rhyacophilidae

Caddisfly	<i>Rhyacophila banksi</i> Ross
Caddisfly	<i>Rhyacophila carolina</i> Banks
Caddisfly	<i>Rhyacophila carpenteri</i> Milne
Caddisfly	<i>Rhyacophila fuscula</i> Walker
Caddisfly	<i>Rhyacophila glaberrima</i> Ulmer
Caddisfly	<i>Rhyacophila nigrita</i> Banks
Caddisfly	<i>Rhyacophila vibox</i> Milne

Family Uenoidae

Caddisfly	<i>Neophylax aniqua</i> Ross
Caddisfly	<i>Neophylax wigginsi</i> Sykora and Weaver

Order Lepidoptera

Family Arctiidae

Delicate cycnia	<i>Cycnia tenerea</i> Hbn.
Fall webworm	<i>Hyphantria cunea</i> Drury

Family Gelechiidae

Gelechiid moth (unidentified)

Family Geometridae

Fall cankerworm	<i>Alsophila pometaria</i> Harris
-----------------	-----------------------------------

Linden looper	<i>Erannis tiliara</i> Harris
Lesser maple spanworm	<i>Itame pustularia</i> Gueneé
Gray spring moth	<i>Lomographa glomeraria</i> Grote
White spring moth	<i>Lomographa vestaliata</i> Gueneé
Canadian melanolophia	<i>Melanolophia canadaria</i> Gueneé
Family Hesperiidae	
Skipper (unidentified)	
Family Lasiocampidae	
Eastern tent caterpillar	<i>Malacosoma americanum</i> Fabricus
Family Liparidae	
Gypsy moth	<i>Lymantria dispar</i> L.
Family Lycaenidae	
Common blue	
Family Noctuidae	
Greater red dart	<i>Abagrotis alternata</i> Grote
Hemina pinion moth	<i>Lithophane hemina</i> Grote
Confused woodgrain moth	<i>Morrisonia confusa</i> Hubner
Speckled green fruitworm moth	<i>Orthosia hibisci</i> Gueneé
Ruby quaker	<i>Orthosia rubescens</i> Walker
Fluid arches moth	<i>Polia latex</i> Gueneé
Family Nymphalidae	
Question mark	<i>Polygonia</i> sp.
Great spangled fritillary	<i>Speyeria cybele</i> Fabricus
Red admiral	<i>Vanessa atalanta</i> L.
Family Papilionidae	
Tiger swallowtail	<i>Papilio glaucus</i> L.
Pipewine swallowtail	<i>Battus philenor</i>
Family Pieridae	
Cabbage butterfly	<i>Pieris rapae</i> L.
Sulphur butterfly	<i>Pieris</i> sp.
Family Saturnidae	
Luna moth	<i>Actias luna</i> L.
Family Sesiidae	
Peach tree borer	<i>Synanthedon exitiosa</i> Say
Lesser peach tree borer	<i>Synanthedon pictipes</i> Grote and Robinson
Family Tortiidae	
Webworm	<i>Archips</i> sp.
Family Tortricidae	

Spruce budworm moth	<i>Choristoneura fumiferana</i> Clemens
Order Diptera	
Family Agromyzidae	
Cherry cambium miner	<i>Phytobia pruni</i> Gross
Family Athericidae	
Snipe fly	<i>Atherix</i> sp.
Family Ceratopogonidae	
Biting midge	<i>Atrichopogon</i> sp.
Biting midge	<i>Bezzia</i> sp.
Biting midge	<i>Ceratopogon</i> sp.
Biting midge	<i>Culicoides</i> sp.
Biting midge	<i>Probezzia</i> sp.
Family Chironomidae	
Subfamily Chironominae	
Midge	
Subfamily Orthocladiinae	
Midge	
Subfamily Tanypodinae	
Midge	
Family Dixidae	
Dixid midge	<i>Dixa</i> sp.
Family Empididae	
Dance fly	<i>Chelifera</i> sp.
Dance fly	<i>Clinocerca</i> sp.
Dance fly	<i>Clinocerca</i> sp.
Dance fly	<i>Hemerodromia</i> sp.
Family Muscidae	
Muscid fly (unidentified)	
Family Mycetophilidae	
Fungus gnat (unidentified)	
Family Psychodidae	
Moth fly	<i>Pericoma</i> sp.
Family Ptychopteridae	
Phantom crane fly	<i>Bittacomorpha</i> sp.

Family Simuliidae

Black fly *Prosimulium* sp.
Black fly *Simulium* sp.

Family Stratiomyidae

Soldier fly *Nemotelus* sp.

Family Syrphidae

Syrphid fly (unidentified)

Family Tabanidae

Deer fly *Chrysops* sp.
Deer fly *Merycomyia* sp.

Family Tipulidae

Crane fly *Antocha* sp.
Crane fly *Dicronota* sp.
Crane fly *Erioptera* sp.
Crane fly *Hexatoma* sp.
Crane fly *Leptotarsus* sp.
Crane fly *Limnophila* sp.
Crane fly *Limonia* sp.
Crane fly *Molophilus* sp.
Crane fly *Ormosia* sp.
Crane fly *Pedicia* sp.
Crane fly *Pseudolimnophila* sp.
Crane fly *Tipula abdominalis* Say

Order Hymenoptera

Family Apiidae

Bumblebee *Megabombus pennsylvanicus* DeGeer

Family Formicidae

Ant (unidentified)

Family Ichneumonidae

Ichneumon wasp *Ophion* sp.

Family Sphecidae

Cicada killer *Sphecius speciosus* Drury

Family Tenthredinidae

Common sawfly *Tenthredo fennowi* Goulet and Smith

Class Arachnidia

Order Phalangida

Harvestmen (unidentified)

Order Hydrachnidia

Watermite (unidentified)

Order Acarina

Mite (unidentified)

Order Araneida

Family Agelenidae

Funnel-web spider (unidentified)

Family Dictynidae

Dictynid spider (unidentified)

Family Theridiidae

Comb-foot spider (unidentified)

Vertebrates

Fish

Fish inhabit the Fernow's free-flowing forested streams and the 1-ha impoundment created by the Elklick Run dam. Only stream species have been studied (Angradi 1996). At one time, the portion of Elklick Run below the dam to the confluence with the Black Fork River was stocked, however, this practice no longer occurs. Reservoir fish are reported from personal observation by the authors. The reservoir was constructed as a supplemental water source for the town of Parsons and, therefore, was drained and dredged periodically. During these events, Forest Service personnel have observed "bluegill," "catfish," "brown trout," and "creek chub" from the reservoir, although the accuracy of these sightings could not be verified. Other Forest Service personnel recall residents moving rainbow trout to the reservoir as well as attempted stockings with largemouth bass. However, none of these species was observed during recent attempts to document species present in the reservoir.

CHORDATA

Class Osteichthyes

Family Salmonidae

Brook trout *Salvelinus fontinalis* (Mitchell) stream and reservoir

Family Cyprinidae

Blacknose dace *Rhinichthys atratulus* (Hermann) stream

Family Catostomidae

White sucker *Catostomus commersoni* (Lacepede) reservoir

Family Centrarchidae

Green sunfish *Lepomis cyanellus* Rafinesque reservoir

Family Cottidae

Mottled sculpin *Cottus bairdi* Girard stream and reservoir

Amphibians

Pauley et al.(1990), Marcum (1994), and Barrett (1996) have studied the natural history and other various aspects of amphibians on the Fennow. Nomenclature follows Green and Pauley (1987).

Order Caudata

Family Ambystomatidae

Spotted salamander

Ambystoma maculatum (Shaw)

Family Salamandridae

Red-spotted newt

Notophthalmus viridescens viridescens (Rafinesque)

Family Plethodontidae

Northern dusky salamander
Mountain dusky salamander
Appalachian seal salamander
Redback salamander
Slimy salamander
Wehrle's salamander
Northern spring salamander
Northern red salamander
Northern two-lined salamander
Longtail salamander

Desmognathus fuscus fuscus (Green)
Desmognathus ochrophaeus Cope
Desmognathus monticola monticola Dunn
Plethodon cinereus (Green)
Plethodon glutinosus glutinosus (Green)
Plethodon wehrlei Fowler and Dunn
Gyrinophilus porphyriticus porphyriticus (Green)
Pseudotriton ruber ruber (Latreille)
Eurycea bislineata bislineata (Green)
Eurycea longicauda longicauda (Green)

Order Salientia

Family Bufonidae

Eastern American toad

Bufo americanus americanus Holbrook

Family Hylidae

Northern spring peeper
Gray treefrog

Hyla crucifer crucifer Wied
Hyla chrysoscelis Cope

Family Ranidae

Green frog
Pickerel frog
Wood frog

Rana clamitans melanota (Rafinesque)
Rana palustris LeConte
Rana sylvatica LeConte

Reptiles

There has been little research on reptiles on the Fennow apart from a study by Barrett (1996). Most reptile have been sightings by Forest Service personnel. Nomenclature follows Green and Pauley (1987).

Order Testudines

Family Terrapene

Eastern box turtle

Terrapene carolina carolina (Linnaeus)

Order Squamata

Suborder Serpentes

Family Colubridae

Northern redbelly snake
Eastern garter snake
Northern ringneck snake
Black rat snake
Eastern milk snake

Storeria occipitomaculata occipitomaculata (Storer)
Thamnophis sirtalis sirtalis (Linnaeus)
Diadophis punctatus edwardsii (Merrem)
Elaphe obsoleta obsoleta (Say)
Lampropeltis triangulum triangulum (Lacépède)

Family Viperidae

Northern Copperhead
Timber rattlesnake

Agkistrodon contortrix mokasen (Daudin)
Crotalus horridus (Linnaeus)

Birds

The Fernow Experimental Forest has been the site of several research projects (DeMeo 1999; Dougherty 1982; Maurer and Whitmore 1980) concerning forest management and its effects on songbirds. The species lists compiled during these studies has been supplemented by observations by Forest Service personnel. Nomenclature follows the Check-List of North American Birds (Am. Ornithol. Union 2000). The season of residency for each species follows the scientific name.

Order Ciconiiformes

Family Cathartidae

Turkey vulture

Cathartes aura (Linnaeus)

year round

Order Anseriformes

Family Anatidae

Subfamily Anatiniae

Wood duck

Aix sponsa (Linnaeus)

breeding

Order Falconiformes

Family Accipitridae

Subfamily Accipitrinae

Sharp-shinned hawk
Cooper's hawk
Red-tailed hawk
Red-shouldered hawk
Broad-winged hawk

Accipiter striatus Vieillot
Accipiter cooperii (Bonaparte)
Buteo jamaicensis (Gmelin)
Buteo lineatus (Gmelin)
Buteo platypterus (Vieillot)

year round
year round
year round
year round
breeding

Order Galliformes

Subfamily Tetraoninae

Family Tetraonidae

Ruffed grouse

Bonasa umbellus (Linnaeus)

year round

Subfamily Meleagridinae

Family Meleagrididae

Wild turkey

Meleagris gallopavo (Linnaeus)

year round

Order Columbiformes		
Family Columbidae		
Mourning dove	<i>Zenaida macroura</i> (Linnaeus)	year round
Order Cuculiformes		
Family Cuculidae		
Subfamily Coccyzinae		
Black-billed cuckoo	<i>Coccyzus erythrophthalmus</i> (Wilson)	breeding
Yellow-billed cuckoo	<i>Coccyzus americanus</i> (Linnaeus)	breeding
Order Strigiformes		
Family Strigidae		
Eastern screech owl	<i>Otus asio</i> (Linnaeus)	year round
Great horned owl	<i>Bubo virginianus</i> (Gmelin)	year round
Barred owl	<i>Strix varia</i> Barton	year round
Order Apodiformes		
Family Apodidae		
Subfamily Chaeturinae		
Chimney Swift	<i>Chaetura pelgica</i> (Linnaeus)	breeding
Family Trochilidae		
Subfamily Trochilinae		
Ruby-throated hummingbird	<i>Archilochus colubris</i> (Linnaeus)	breeding
Order Coraciiformes		
Family Alcedinidae		
Subfamily Cerylinae		
Belted kingfisher	<i>Ceryle alcyon</i> (Linnaeus)	year round
Order Piciformes		
Family Picidae		
Subfamily Picinae		
Pileated woodpecker	<i>Dryocopus pileatus</i> (Linnaeus)	year round
Red-bellied woodpecker	<i>Melanerpes carolinus</i> (Linnaeus)	year round
Yellow-bellied sapsucker	<i>Sphyrapicus varius</i> (Linnaeus)	winter
Downy woodpecker	<i>Picoides pubescens</i> (Linnaeus)	year round
Hairy woodpecker	<i>Picoides villosus</i> (Linnaeus)	year round
Order Passeriformes		
Family Tyrannidae		

Subfamily Fluvicolinae		
Eastern wood pewee	<i>Contopus virens</i> (Linnaeus)	breeding
Acadian flycatcher	<i>Empidonax virescens</i> (Vieillot)	breeding
Least flycatcher	<i>Empidonax minimus</i> (Baird and Baird)	breeding
Subfamily Tyranninae		
Great crested flycatcher	<i>Myiarchus crinitus</i> (Linnaeus)	breeding
Family Vireonidae		
Red-eyed vireo	<i>Vireo olivaceus</i> (Linnaeus)	breeding
Warbling vireo	<i>Vireo gilvus</i> (Vieillot)	breeding
Yellow-throated vireo	<i>Vireo flavifrons</i> Vieillot	breeding
Blue-headed vireo	<i>Vireo solitarius</i> (Wilson)	breeding
Family Corvidae		
Common crow	<i>Corvus brachyrhynchos</i> Brehm	year round
Northern raven	<i>Corvus corax</i> Linnaeus	year round
Blue jay	<i>Cyanocitta cristata</i> (Linnaeus)	year round
Family Paridae		
Black-capped chickadee	<i>Parus striatus</i> Linnaeus	year round
Tufted titmouse	<i>Parus bicolor</i> Linnaeus	year round
Family Sittidae		
Subfamily Sittinae		
White-breasted nuthatch	<i>Sitta carolinensis</i> Latham	year round
Red-breasted nuthatch	<i>Sitta canadensis</i> Linnaeus	winter
Family Certhiidae		
Subfamily Certhiinae		
Brown creeper	<i>Certhia americana</i> Bonaparte	year round
Family Troglodytidae		
Carolina wren	<i>Thryothorus ludovicianus</i> (Latham)	year round
Winter wren	<i>Troglodytes troglodytes</i> (Linnaeus)	year round
Family Regulidae		
Golden-crowned kinglet	<i>Regulus satrapa</i> Lichtenstein	winter
Family Sylviidae		
Subfamily Sylviinae		
Blue-gray gnatcatcher	<i>Polioptila caerulea</i> (Linnaeus)	breeding
Family Turdidae		
American robin	<i>Turdus migratorius</i> Linnaeus	year round
Hermit thrush	<i>Catharus guttatus</i> (Pallas)	breeding
Veery	<i>Catharus fuscescens</i> (Stephens)	breeding

Wood thrush	<i>Hylocichla mustelina</i> (Gmelin)	breeding
Family Mimidae		
Brown thrasher	<i>Toxostoma rufum</i> (Linnaeus)	breeding
Gray catbird	<i>Dumetella carolinensis</i> (Linnaeus)	breeding
Family Bombycillidae		
Cedar waxwing	<i>Bombycilla cedrorum</i> Vieillot	year round
Family Parulidae		
Northern Parula	<i>Parula americana</i> (Linnaeus)	breeding
Black-throated green warbler	<i>Dendroica virens</i> (Gmelin)	breeding
Black-and-white warbler	<i>Mniotilla varia</i> (Linnaeus)	breeding
Black-throated blue warbler	<i>Dendroica caerulescens</i> (Gmelin)	breeding
Cerulean warbler	<i>Dendroica cerulea</i> (Wilson)	breeding
Magnolia warbler	<i>Dendroica magnolia</i> (Wilson)	breeding
Canada warbler	<i>Wilsonia canadensis</i> (Linnaeus)	breeding
Chestnut-sided warbler	<i>Dendroica pensylvanica</i> (Linnaeus)	breeding
Blackburnian warbler	<i>Dendroica fusca</i> (Müller)	breeding
American redstart	<i>Setophaga ruticilla</i> (Linnaeus)	breeding
Hooded warbler	<i>Wilsonia citrina</i> (Boddaert)	breeding
Worm-eating warbler	<i>Helminthorus vermivorus</i> (Gmelin)	breeding
Golden-winged warbler	<i>Vermivora chrysoptera</i> (Linnaeus)	breeding
Mourning warbler	<i>Oporornis philadelphus</i> (Wilson)	breeding
Kentucky warbler	<i>Oporornis formosus</i> (Wilson)	breeding
Common yellowthroat	<i>Geothlypis trichas</i> (Linnaeus)	breeding
Louisiana waterthrush	<i>Seiurus motacilla</i> (Vieillot)	breeding
Ovenbird	<i>Seiurus aurocapillus</i> (Linnaeus)	breeding
Family Thraupidae		
Scarlet tanager	<i>Piranga olivacea</i> (Gmelin)	breeding
Family Emberizidae		
Dark-eyed junco	<i>Junco hyemalis</i> (Linnaeus)	year round
Eastern towhee	<i>Pipilo erythrorththalmus</i> (Linnaeus)	breeding
Chipping sparrow	<i>Spizella passerina</i> (Bechstein)	breeding
White-throated sparrow	<i>Zonotrichia albicollis</i> (Gmelin)	winter
American tree sparrow	<i>Spizella arborea</i> (Wilson)	winter
Fox sparrow	<i>Passerella iliaca</i> (Merrem)	winter
Family Cardinalidae		
Indigo bunting	<i>Passerina cyanea</i> (Linnaeus)	breeding
Northern cardinal	<i>Cardinalis cardinalis</i> (Linnaeus)	year round
Rose-breasted grosbeak	<i>Pheucticus ludovicianus</i> (Linnaeus)	breeding
Family Icteridae		
Brown-headed cowbird	<i>Molothrus ater</i> (Boddaert)	year round
Family Fringillidae		
Subfamily Carduelinae		
Purple finch	<i>Carpodacus purpureus</i> (Gmelin)	year round
American goldfinch	<i>Carduelis tristis</i> (Linnaeus)	year round
Pine siskin	<i>Carduelis pinus</i> (Wilson)	winter

Mammals

Mammals on the Fernow have been studied by Cromer and Smith (1968) and Gordon Kirkland, Linda Thomasma, William M. Ford, and Craig Stihler (unpublished). Additional occurrence records are based on personal observations by Forest Service personnel. Nomenclature follows Mammals of the Eastern United States (Whitaker and Hamilton 1998).

Order Didelphimorphia

Family Didelphidae

Virginia opossum

Didelphis virginiana virginiana Kerr

Order Insectivora

Family Soricidae

Long-tail shrew
Masked shrew
Smokey shrew
Southern water shrew
Northern short-tailed shrew

Sorex dispar blitchii Schwartz
Sorex cinereus fontinalis Kerr
Sorex fumeus fumeus Miller
Sorex palustris punctulatus Hooper
Blarina brevicauda kirtlandi (Say)

Family Talpidae

Hairy-tailed mole
Star-nosed mole

Parascalops breweri (Bachman)
Condylura cristata cristata (Linnaeus)

Order Chiroptera

Family Vespertilionidae

Eastern small-footed myotis
Little brown myotis
Northern myotis
Indiana myotis
Silver-haired bat
Eastern pipistrelle
Big brown bat
Eastern red bat
Hoary bat
Townsend's big-eared bat

Myotis leibii (Audubon and Bachman)
Myotis lucifugus lucifugus (LeConte)
Myotis septentrionalis (Trouessart)
Myotis sodalis Miller and Allen
Lasionycteris noctivagans (LeConte)
Pipistrellus subflavus (F. Cuvier)
Eptesicus fuscus fuscus (Beauvois)
Lasiurus borealis borealis Müller
Lasiurus cinereus cinereus (Palisot de Beauvois)
Corynorhinus townsendii virginianus Handley

Order Lagomorpha

Family Leporidae

Eastern cottontail
Allegheny cottontail
Snowshoe hare

Sylvilagus floridanus floridanus (Allen)
Sylvilagus obscurus Chapman et al.
Lepus americanus virginianus Harlan

Order Rodentia

Family Sciuridae

Eastern chipmunk
Woodchuck
Eastern gray squirrel
Fox squirrel
Red squirrel
Southern flying squirrel

Tamias striatus lysteri (Linnaeus)
Marmota monax (Linnaeus)
Sciurus carolinensis pennsylvanicus Ord
Sciurus niger vulpinus Gmelin
Tamiasciurus hudsonicus abieticola (Howell)
Glaucomys volans volans (Linnaeus)

Family Castoridae

American beaver

Castor canadensis (Kuhl)

Family Dipodidae

Woodland jumping mouse

Napaeozapus insignis (Miller)

Family Muridae

White-footed mouse

Peromyscus leucopus noveboracensis (Rafinesque)

Deer mouse

Peromyscus maniculatus Wagner

Red-backed vole

Clethrionomys gapperi carolinensis (Merriam)

Southern Appalachian rock vole

Microtus chrotorrhinus carolinensis Komarek

Meadow vole

Microtus pennsylvanicus pennsylvanicus Ord

Common muskrat

Ondatra zibethicus zibethicus (Linnaeus)

Southern bog lemming

Synaptomys cooperi stonei Rhoads

Order Carnivora

Family Canidae

Coyote

Canis latrans latrans Say

Red fox

Vulpes vulpes fulva (Desmarest)

Common gray fox

Urocyon cinereoargenteus cinereoargenteus (Schreber)

Family Ursidae

American black bear

Ursus americanus americanus (Pallas)

Family Procyonidae

Common raccoon

Procyon lotor lotor (Linnaeus)

Family Mustelidae

Fisher

Martes pennanti pennanti (Erxleben)

Long-tail weasel

Mustela frenata noveboracensis [author?]

Least weasel

Mustela nivalis Linnaeus

Mink

Mustela vison vison Schreber

Family Mephitidae

Striped skunk

Mephitis mephitis (Schreber)

Family Felidae

Bobcat

Lynx rufus (Schreber)

Order Artiodactyla

Family Cervidae

White-tailed deer

Odocoileus virginianus virginianus (Zimmerman)

Literature Cited

- Adams, Mary Beth; Kochenderfer, James N.; Wood, Frederica; Angradi, Ted R.; Edwards, Pamela J. 1994. **Forty years of hydrometeorological data from the Fernow Experimental Forest, West Virginia.** Gen. Tech. Rep. NE-184. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.
- American Ornithologists' Union. 2000. **Check-list of North American birds, 7th ed.** [http://pica.wru.umt.edu/AOU/birdlist.html.]
- Angradi, Ted R. 1999. **Fine sediment and macroinvertebrate assemblages in Appalachian streams: a field experiment with biomonitoring applications.** Journal of North American Benthological Society. 18(1): 49-66.
- Angradi, Ted R. 1997. **Hydrologic context and macroinvertebrate community response to floods in an Appalachian headwater stream.** American Midland Naturalist. 138: 371-386.
- Angradi, Ted R. 1996. **Inter-habitat variation in benthic community structure, function, and organic matter storage in 3 Appalachian headwater streams.** Journal of North American Benthological Society. 15(1): 42-63.
- Aulick, Staci D. S. 1993. **Vascular flora of three watersheds in the Fernow Experimental Forest and factors influencing species composition of the herbaceous layer.** Huntington, WV: Marshall University. M.S. thesis.
- Barrett, Barbara A. 1996. **Herpetofaunal diversity and forest succession in the Monongahela National Forest.** Washington, DC: Howard University. M.S. thesis.
- Braun, E. Lucy. 1950. **Deciduous forests of eastern North America.** Philadelphia: Blakiston Co.
- Butler, Linda; Chrislip, Gregory A. 1997. **Canopy arthropods of an experimentally acidified watershed.** Bull. 716-1997. Morgantown WV: West Virginia University, Agricultural and Forestry Experiment Station.
- Butler, Linda; Chrislip, Gregory A.; Kondo, Vicki A.; Townsend, Edwin C. 1997. **Effect of diflubenzuron on nontarget canopy arthropods in closed, deciduous watersheds in a central Appalachian forest.** Journal of Economic Entomology. 90(3): 784-794.
- Cromer, Jack I.; Smith, H. Clay. 1968. **Sufficient deer browse produced by a wide range of cutting practices.** In: Transactions of the northeastern fish and wildlife conference; 1968 January 14-17; Bedford, NH. [Place of publication unknown]: [Publisher name unknown]: 25-33.
- DeMeo, Thomas E. 1999. **Forest songbird abundance and viability at multiple scales on the Monongahela National Forest, West Virginia.** Morgantown, WV: West Virginia University. Ph.D. dissertation.
- DeMeo, Thomas E.; Wright, L. 1995. **Landtype associations of the Monongahela National Forest.** 1:250,000; UTM map projection. [Place of publication unknown]: U. S. Department of Agriculture, Forest Service, Monongahela National Forest.
- Dougherty, Robert L. 1982. **Effects of herbicide application on a passerine bird community.** Morgantown, WV: West Virginia University. MS thesis.
- Dubey, Tara; Stephenson, Steven L.; Edwards, Pamela J. 1991a. **A preliminary study of the mycoflora of West Virginia mountain streams.** Mycological Society of America Newsletter. 42: 12.
- Dubey, Tara; Stephenson, Steven L.; Edwards, Pamela J. 1991b. **A preliminary study of the possible effects of acidification on the mycoflora of West Virginia mountain streams.** In: Keller, E. C., Jr., ed. Proceedings of the West Virginia Academy of Science; 1991 April 6; Montgomery, WV. Montgomery, WV: West Virginia Institute of Technology. 63(1): 21. Abstract.
- Dubey, Tara; Stephenson, Steven L.; Edwards, Pamela J. 1994. **Effect of pH on the distribution and occurrence of aquatic fungi in six West Virginia mountain streams.** Journal of Environmental Quality. 23: 1271-1279.
- Dubey, Tara; Stephenson, Steven L.; Edwards, Pamela J. 1995. **Dimilin effects on leaf-decomposing aquatic fungi on the Fernow Experimental Forest, West Virginia.** In: Gottschalk, Kurt W.; Fosbroke, Sandra L. C. eds. Proceedings, 10th central hardwood forest conference; 1995 March 5-8; Morgantown, WV. Gen. Tech. Rep. NE-197. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 421-429.
- Gleason, Henry A.; Cronquist, Arthur. 1991. **Manual of vascular plants of northeastern United States and adjacent Canada.** 2nd ed. Bronx, NY: New York Botanical Garden.
- Green, N. Bayard; Pauley, Thomas K. 1987. **Amphibians and reptiles in West Virginia.** Pittsburgh, PA: University of Pittsburgh Press.

- Griffith, Michael B.; Barrows, Edward M.; Perry, Sue A. 1996. Effects of aerial application of diflubenzuron on emergence and flight of adult aquatic insects. *Forest Entomology*. 89(2): 442-446.
- Griffith, Michael B.; Perry, Sue A.; Perry, William B. 1995. Macroinvertebrate communities in headwater streams affected by acidic precipitation in the central Appalachians. *Journal of Environmental Quality*. 24(2): 233-238.
- Griffith, Michael B.; Perry, Sue A.; Perry, William B. 1994. Secondary production of macroinvertebrate shredders in headwater streams with different baseflow alkalinity. *Journal of North American Benthological Society*. 13(3): 345-356.
- Griffith, Michael B.; Perry, Sue A. 1993a. Colonization and processing of leaf litter by macroinvertebrate shredders in streams of contrasting pH. *Freshwater Biology*. 30: 93-103.
- Griffith, Michael B.; Perry, Sue A. 1993b. The distribution of macroinvertebrates in the hyporheic zone of two small Appalachian headwater streams. *Archives of Hydrobiology*. 126(3): 373-384.
- Griffith, Michael B.; Perry, Sue A.; Perry, William B. 1993. Growth and secondary production of *Paracapnia angulata* Hanson (Plecoptera; Capniidae) in Appalachian streams affected by acid precipitation. *Canadian Journal of Zoology*. 71: 735-743.
- Griffith, Michael B.; Perry, Sue A. 1992a. Plecoptera of headwater catchments in the Fernow Experimental Forest, Monongahela National Forest, West Virginia. *Proceedings of the Entomological Society of Washington*. 94(2): 282-287.
- Griffith, Michael B.; Perry, Sue A. 1992b. Trichoptera of headwater streams in the Fernow Experimental Forest, Monongahela National Forest, West Virginia. *Entomology Newsletter*. 103(4): 110-116.
- Griffith, Michael B.; Perry, Sue A. 1991. Leaf pack processing in two Appalachian mountain streams draining catchments with different management histories. *Hydrobiologia*. 220: 247-254.
- Hood, Robert W. 1997. Vertical, longitudinal, and seasonal variation in the benthic fauna at the Fernow Experimental Forest, Parsons, West Virginia. Huntington, WV: Marshall University. M.S. thesis.
- Hurd, Martin K.; Perry, Sue A.; Perry, William B. 1996. Nontarget effects of a test application of diflubenzuron to the forest canopy on stream macroinvertebrates. *Environmental Toxicology and Chemistry*. 15(8): 1344-1351.
- Iskra, A.; Binion, P.; Gundrum, P.; Stephenson, S. L. 1995. Decomposer and ectomycorrhizal fungi. In: Reardon, R. C., ed. Effects of Diflubenzuron on non-target organisms in broadleaf forested watersheds in the Northeast. FHM-NC-05-95. Morgantown, WV: U.S. Department of Agriculture, Forest Service, Center of Forest Health Management: 106-120.
- Landolt, J. C.; Stephenson, S. L. 1995. Soil bacteria and fungi. In: Reardon, R. C., ed. Effects of Diflubenzuron on non-target organisms in broadleaf forested watersheds in the Northeast. FHM-NC-05-95. Morgantown, WV: U.S. Department of Agriculture, Forest Service, Center of Forest Health Management: 93-105.
- Little, Elbert L., Jr. 1979. *Checklist of United States trees (native and naturalized)*. Agric. Handb. 541. Washington, DC: U.S. Department of Agriculture.
- Marcum, Conley, Jr. 1994. Ecology and natural history of four plethodontid species in the Fernow Experimental Forest, Tucker County, West Virginia. Huntington, WV: Marshall University. M.S. thesis.
- Maurer, Brian A.; Whitmore, Robert. 1980. Foraging changes by canopy birds in a clearcut forest. *West Virginia Forestry Notes*. (8): 7-12.
- McNab, W. H.; Avers, P. E. 1994. Ecological subregions of the United States: section descriptions. Publ. WO-WSA5. Washington, DC: U.S. Department of Agriculture, Forest Service.
- Muzika, R. M.; Stephenson, S. L.; Adams, H. S.; Lawrence, D. M.; Miller, G. W. 1999. Patterns of composition in the tree stratum of the Fernow Experimental Forest and adjacent portions of the Otter Creek Wilderness Area. In: Eckerlin, R. P., ed. Proceedings of the Appalachian biogeography symposium, Spec. Publ. 7. Blacksburg, VA: Virginia Museum of Natural History: 35-44.
- Pan, C.; Tajchman, S. J.; Kochenderfer, J. N. 1997. Dendroclimatological analysis of major forest species of the central Appalachians. *Forest Ecology and Management*. 98: 77-87.
- Pauley, Thomas; Little, Michael; Edwards, Pamela J.; Kochenderfer, James. 1990. The effects of the 1988 drought on surface abundance of terrestrial salamanders. In: Proceedings, West Virginia Academy of Science, 65th annual session; 1990 April 7; Shepherdstown, WV. Montgomery, WV: West Virginia Institute of Technology: 62(1): 19. Abstract.
- Reger, David B.; Price, W. Armstrong; Tucker, R. C. 1923. *West Virginia geological survey: Tucker County*. [Place of publication unknown]: West Virginia Geological Survey Commission.

- Rexrode, C. O.; Smith, H. C. 1990. **Occurrence of gum spots in black cherry after partial harvest cutting.** Res. Pap. NE-634. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.
- Schuler, Thomas M.; Gillespie, Andrew R. 2000. **Temporal patterns of woody species in a central Appalachian forest from 1856 to 1997.** Journal of the Torrey Botanical Society. 127(2): 149-161.
- Stephenson, Steven L.; Kumar, Ashok; Bhatt, Rajendra; Dubey, Tara; Landolt, John C.; Adams, Mary Beth. 1994a. **Preliminary checklist of fungi of the Fernow Experimental Forest.** Gen. Tech. Rep. NE-182. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.
- Stephenson, Steven L.; Studlar, Susan Moyle; Edwards, Pamela J.; Ruggles, Kimberly K. 1991. **The possible effects of acidification on stream bryophyte communities.** In: Keller, E. C., Jr., ed. Proceedings of the West Virginia Academy of Science; 1991 April 6; Montgomery, WV. Montgomery, WV: West Virginia Institute of Technology. 63(1): 21. Abstract.
- Stephenson, Steven L.; Studlar, Susan Moyle; Edwards, Pamela J. 1990. **Composition and structure of the communities of bryophytes associated with West Virginia mountain streams.** In: Proceedings, West Virginia Academy of Science, 65th annual session; 1990 April 7; Shepherdstown, WV. Montgomery, WV: West Virginia Institute of Technology. 62(1): 21. Abstract.
- Stephenson, S. L.; Wheeler, Q. D; McHugh, J. V; Fraissinet, P. R. 1994b. **New North American associations of Coleoptera with Myxomycetes.** Journal of Natural History. 28: 921-936.
- Taylor, Stephen B. 1999. **Geomorphic controls on sediment-transport efficiency in the central Appalachians: a comparative analysis of three watersheds underlain by the Acadian clastic wedge.** Morgantown, WV: West Virginia University. Ph.D. dissertation.
- Trimble, George R. 1977. **A history of the Fernow Experimental Forest and the Parsons Timber and Watershed Laboratory.** Gen. Tech. Rep. NE-28. Upper Darby, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station.
- Turrill, Nicole L. 1993. **Factors influencing herbaceous layer vegetation of a central Appalachian hardwood forest ecosystem.** Huntington, WV: Marshall University. M.S. thesis.
- U.S. Department of Agriculture, Soil Conservation Service. 1967. **Soil survey of Tucker County, part of northern Randolph County, West Virginia.** [Place of publication unknown]: [Publisher name unknown].
- Whitaker, John O., Jr.; Hamilton, William J., Jr. 1998. **Mammals of the eastern United States.** Ithaca, NY: Cornell University Press.
- Yokum, Kevin A.; Angradi, Ted R; Tarter, Donald C. 1995. **Ecology of *Peltoperla arcuata* and *Tallaperla maria* (Plecoptera: Peltoperlidae) at the Fernow Experimental Forest, Tucker County, West Virginia.** Psyche. 102(3-4): 151-168.
- Yokum, K. A.; Johnson, B. R.; Tipton, R. C.; Angradi, T. R. 1994. **Leaf species selection by the shredding stoneflies *Peltoperla arcuata* and *Tallaperla maria* (Plecoptera: Peltoperlidae).** In: Taylor, R. W., ed. Proceedings of the West Virginia Academy of Science: 1994 papers of the 69th annual session. 1994 April 23, Fairmont, WV. Huntington, WV: Marshall University: 66(2-4): 34-42.


Madarish, Darlene M.; Rodrigue, Jane L.; Adams, Mary Beth. 2002. **Vascular flora and macroscopic fauna on the Fernow Experimental Forest**. Gen. Tech. Rep. NE-291. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 37 p.

This report is the first comprehensive inventory of the vascular flora and macroscopic fauna known to occur within the Fernow Experimental Forest in north-central West Virginia. The compendium is based on information obtained from previous surveys, current research, and the personal observations of USDA Forest Service personnel and independent scientists. More than 750 documents on Fernow-related research have been published. The earliest report on the vegetation on what is now the experimental forest dates back to 1856.

Keywords: amphibians, reptiles, macroinvertebrates, birds, mammals, Appalachian vegetation



Printed on Recycled Paper



Headquarters of the Northeastern Research Station is in Newtown Square, Pennsylvania. Field laboratories are maintained at:

Amherst, Massachusetts, in cooperation with the University of Massachusetts

Burlington, Vermont, in cooperation with the University of Vermont

Delaware, Ohio

Durham, New Hampshire, in cooperation with the University of New Hampshire

Hamden, Connecticut, in cooperation with Yale University

Morgantown, West Virginia, in cooperation with West Virginia University

Parsons, West Virginia

Princeton, West Virginia

Syracuse, New York, in cooperation with the State University of New York, College of Environmental Sciences and Forestry at Syracuse University

Warren, Pennsylvania

The U. S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at (202)720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue SW, Washington, DC 20250-9410, or call (202)720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.