American Time Use Survey (ATUS) Data Dictionary:

2010 ATUS-CPS File

Variables collected in the Current Population Survey (CPS)

June 2011

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the U.S. Census Bureau.

Important Information about the ATUS Data Dictionary (ATUS-CPS)

Introduction

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the U.S. Census Bureau. The purpose of this document is to provide information about the variables available on one of the 2010 ATUS data files, the ATUS-CPS file. Variables that also appear on the Activity Summary file are identified.

The ATUS-CPS file contains information collected in the Current Population Survey (CPS) interviews about persons selected to participate in ATUS and members of their households. The file has one record for each household member. The CPS interviews were conducted two to five months prior to the ATUS interview. For this reason, some of the information on the ATUS-CPS file was out of date at the time of the ATUS interview. When possible, it is best to use variables collected in ATUS rather than their CPS counterparts.

This data dictionary lists all the variables available on the ATUS-CPS file and their valid values. It also provides directions on how to read the data dictionary.

Three additional data dictionaries describe other 2010 ATUS files:

- ATUS Interview Data Dictionary: Describes the variables that were collected and assigned in the ATUS interview. The variables described are available on the Roster file, Activity file, Activity Summary file, Who file and Respondent file.
- Survey Methodology Data Dictionary: Describes the variables available on the Case History file and the Call History file.
- Trips Data Dictionary: Describes the variables available on the Trips file.

These additional data dictionaries are available on the ATUS Web site at www.bls.gov/tus/dictionaries.

Naming Conventions and Definitions

Variables on the ATUS-CPS file are named according to ATUS and CPS rules (the only two exceptions to these rules are the variables OCCURNUM and QSTNUM):

- The first character of the variable name identifies the level of the variable (whether it refers to a person, a household, a household location, or an ATUS variable)
- The second character of the variable name identifies the variable type (whether it is unedited, edited, a recode, an allocation flag, or topcoded)
- The remaining characters consist of a descriptive name

The table below lists the meaning of the first character in more detail.

First	Level of	Definition
Character	Variable	
G	CPS Geography variable	Geography variables are collected in CPS and identify a household location. For example, GESTFIPS gives the FIPS state code for the location of the household.
		Geography variables have separate values for each household in the ATUS-CPS file. Thus, they are the same for each member of the household. They are only found in the ATUS-CPS file and not in any of the other ATUS files (except GTMETSTA, which is also found on the Activity Summary file).
Н	CPS Household variable	Household variables are collected in CPS and describe a household characteristic. For example, HRNUMHOU gives the total number of persons living in the household.
		Household variables have separate values for each household in the ATUS-CPS file. Thus, they are the same for each member of the household. They are only found in the ATUS-CPS file and not in any of the other ATUS files.
Р	CPS Person variable	Person variables are collected in CPS and describe a characteristic of a person. For example, PRTAGE gives the age of an individual.
		Person variables have separate values for each person in the ATUS-CPS file. They are only found in the ATUS-CPS file and not in any of the other ATUS files (except PEEDUCA, PTDTRACE, and PEHSPNON, which are also found on the Activity Summary file).
Т	ATUS variable	ATUS variables ("T" for time use) are collected through ATUS interviews.
		There are only three ATUS variables in the ATUS-CPS file. Two of these are the ATUS case ID (TUCASEID) and ATUS person line number (TULINENO); these variables are used for linking the ATUS-CPS file to other ATUS files. The third variable is TRATUSR, which identifies those persons who responded to the ATUS interview.

The following table gives more information regarding the second character of the variable name (note that the variables on the Activity Summary file that start with a lowercase "t" do not follow these rules).

Second character	Variable	Definition						
U U	Type Unedited Variable	An unedited variable generally is produced by the Computer Assisted Telephone Interview (CATI) or Computer Assisted Personal Interview (CAPI) instrument and is either collected or assigned during the interview.						
		"U" variables on ATUS-CPS file are either person ("P"), household ("H"), or ATUS ("T") variables.						
E	Edited Variable	An edited variable is one that has gone through an editing process (a process checking for consistency). Values of edited variables are almost always equal to values of the corresponding unedited variables. Data differ when a value is allocated or imputed by the processing system based on CPS allocation rules. Allocations are typically performed when the unedited variable contains a missing value or a value of "don't know" or "refused." An edited version of a variable exists only if that variable goes through an editing process.						
		If there are no edits for a variable, then only an unedited version of the variable exists. "E" variables on the ATUS-CPS file can be either person ("P"), household ("H"), or geography ("G") variables.						
R	Recode	A recode is a variable calculated by the processing system from a combination of other items on the file. For example, PRMJOCC1 is the major occupation code for the respondent's main job; this is not a response to a question but rather a variable that summarizes (or "groups") the more finely detailed occupation variable PEIO1OCD. Recodes on the ATUS-CPS file are either person ("P"), household ("H"), or ATUS ("T") variables.						
X	Allocation Flag	 Each edited person or household variable has a corresponding allocation flag indicating the nature of the allocation. For example, if PUSEX is blank, PESEX would be allocated and have the corresponding allocation flag of PXSEX = 41 (blank to allocated value). See the section on allocation flags for the complete list of values. There are three "X" variables that do not have corresponding "E" variables but rather correspond to "R" or "T" variables (PXAGE, PXRACE1, and PXINUSYR). "X" variables on the ATUS-CPS file can be either person ("P") or household ("H") variables. 						
Т	Topcode Indicator	These variables indicate topcoding, or the assigning of maximum values. Three topcode variables on the ATUS-CPS file are indicator flags that relate to earnings, and the others are variables that have been topcoded. Topcode Indicator variables on the ATUS-CPS file can be either person ("P") variables or geography variables ("G").						

Using these rules, variables can be more readily understood based on their names. For example, the variable PESEX can be broken down as follows:

- The first character "P" indicates that this is a person-level variable that was collected or created through the CPS interviews
- The second character "E" indicates that this variable went through an editing process; it also means that there will be a corresponding allocation flag, PXSEX, to indicate the nature of the allocation
- The final part of the variable name, "SEX," is descriptive

Some questions asked in the CPS interviews allow for more than one response. For such multiple entry questions, there is a separate variable for each possible response. Each variable has the same descriptive name but a different (sequential) number. For example, respondents can provide up to six answers to the question "You said you have been trying to find work – how did you go about looking?" The variable names are PULKDK1, PULKDK2, PULKDK3, etc.

Not all CPS variables are on the ATUS-CPS file. When there is an edited variable, the corresponding unedited variable is usually omitted from the files. This is typically done to protect the confidentiality of CPS or ATUS respondents as required by law. If an unedited variable is included on the files, it generally means that an edited version does not exist and that the unedited version cannot be used to identify individual respondents.

ATUS Data Files

1) ATUS-CPS File

This file contains most of the variables on the CPS files for households selected to participate in ATUS, whether or not there was a completed ATUS interview.

There is a record for each person in the households from which an individual was selected to participate in ATUS. However, the ATUS-CPS file represents households as they were at the time of the CPS interview (also referred to as CPS Month-In-Sample 8 data or CPS MIS-8 data). The information on the ATUS-CPS file was collected two to five months before the ATUS interview and in some cases was out of date at the time of the ATUS survey. Because household composition can change, the ATUS Roster file may contain more individuals for the same household. If an individual moved into the household after the CPS interview, CPS information will not be available for that person. Those persons who are no longer living in the household at the time of the ATUS interview are not included on the ATUS-CPS file.

In addition to updating the household roster, many of the CPS questions related to employment, earnings, and school enrollment are re-asked in the ATUS interview. When possible, it is better to use a more up-to-date variable from the ATUS interview than a variable from the ATUS-CPS file. However, some information is not re-asked in the ATUS interview, such as race and educational attainment, and is available only on the ATUS-CPS file.

A simplified example is shown below (the actual ATUS-CPS file contains many more variables). The TUCASEID identifies each ATUS case, and the TULINENO identifies each individual in the household. In the example below, TUCASEID 20100100234567 has three persons residing in the household, while TUCASEID 20100100234570 and TUCASEID 20100100234585 have one person. Each household member has the same TUCASEID and a different TULINENO.

The example includes a household variable (HEFAMINC), a geography variable (GEREG), and two person variables (PEMARITL and PRTAGE). All members of the same household have the same value for HEFAMINC (family income) and GEREG (region) because the variables describe a given household. Each household member has an individual value for PEMARITL (marital status) and PRTAGE (age). Some household members do not have information for all person variables. For example, TULINENO 3 of TUCASEID 20100100234567 is missing (value = -1) marital status (PEMARITL). This is because PRMARITL is not defined for individuals younger than 15.

TUCASEID	TULINENO	HEFAMINC	GEREG	PEMARITL	PRTAGE
TUCASEID	TULINEINU	HEFAMING	GEREG	FEIMARTIL	FRIAGE
20100100234567	1	12	1	1	45
20100100234567	2	12	1	1	44
20100100234567	3	12	1	-1	12
20100100234570	1	7	3	3	70
20100100234585	1	13	2	4	57

2.) ATUS Activity Summary File

The ATUS Activity Summary file contains information about the total number of minutes each respondent spent doing each activity. The file also includes selected variables from the ATUS Respondent, ATUS Roster, and ATUS-CPS files. The Activity Summary file contains variables not described in this data dictionary. Variables beginning with a lower-case "t" correspond to specific activity codes; definitions for each activity code can be found in the 2010 Activity Lexicon (www.bls.gov/tus/lexiconwex2010.pdf).

There is one record for each ATUS respondent.

A simplified example of the ATUS Activity Summary file appears below. The variable TUCASEID is the unique identifier for each respondent and the variable TEAGE, which also appears on the ATUS Roster file, shows each respondent's age. The variable t010101 contains the total number of minutes each respondent spent doing activity 010101, "sleeping"; the variable t010102 contains the total number of minutes each respondent spent doing activity 010102, "sleeplessness."

The ATUS Activity Summary file contains more variables describing each activity as well as many more lines than the example below.

TUCASEID	TEAGE	t010101	t010102
20100101020210	26	480	0
20100101020211	53	430	30
20100101020212	76	457	0
20100101020213	16	600	0

Differences between ATUS-CPS File and CPS File

Most of the variables available on the CPS file also are available on the ATUS-CPS file, but there are some variables that appear on one file and not on the other. Some of these variables do not exist on one of the files, and others correspond to variables with different names.

The table below lists the variables that are missing from either the 2010 ATUS-CPS file or the August 2009 to October 2010 CPS files and shows whether there is a corresponding variable.

CPS Variable	Definition of Variable	ATUS Variable				
Variables on CPS Files that have no corresponding variable on the 2010 ATUS-CPS File						
GTCBSA	CBSA FIPS code					
GTCSA	Consolidated Statistical Area					
GTCO	County code					
GTCBSAST	Principle City/Balance Status					
GTINDVPC	Individual Principle City					
GTCBSASZ	Metropolitan Area (CBSA) Size					
HWHHWGT	Household weight	No corresponding variable				
PWCMPWGT	Composite weight					
PWFMWGT	Family weight					
PWLGWGT	Longitudinal weight					
PWORWGT	Outgoing rotation weight					
PWSSWGT	Second stage weight					
PWVETWGT	Veteran weight					
PRCHLD	Presence of own children by selected age group					
Variables on CPS Files that	have corresponding variables on the 2010 ATUS-CP	S File				
PEAGE	Person's age as of survey week	PRTAGE				
PRINUSYR	Immigrant's year of entry	PRINUYER				
Variables on the 2010 ATUS	S-CPS File that have no corresponding variable on CF	PS Files				
	ATUS case ID	TUCASEID				
No corresponding veriable	ATUS person line number	TULINENO				
No corresponding variable	Scrambled pseudo PSU cluster	GEPSEUCL				
	Scrambled pseudo PSU collapsed stratum	GEPSEUST				
	ATUS respondent	TRATUSR				

CPS variable information found in this document is based on the CPS data dictionaries and data files found at <u>www.bls.census.gov/cps/datamain.htm</u>. It is important to note that CPS data from other sources can have different names, different formats, or different default values for the same variables.

Valid Values

Each variable has a number of valid values or a range of valid values. For example, the variable PESEX has two valid values: 1 for male and 2 for female. The variable PRTAGE, on the other hand, has a range of valid values—any entry between 0 and 85 (except 81 through 84) is considered valid. Individual valid values or a range of valid values are listed under each variable in the data dictionary. A few variables have so many valid values that they are not included in the data dictionary; instead, they are provided in an appendix or a separate document. (References to these are included as a "Note" under the relevant variables in the data dictionary.) One example of such a variable is PEIO1ICD, which identifies the industry code of the respondent's main job.

Many variables have the following possible valid values:

Value	Description
-1	Blank
-2	Don't know
-3	Refused

Since so many variables have these possible values, they are not shown as valid entries for each item.

Two variables on the ATUS-CPS file do not list either valid values or a range of valid values. These are identifying variables: the primary identifier for ATUS cases (TUCASEID) and the primary identifier for CPS cases (HRHHID).

Allocation Flags

For every person-level or household-level edited item (or all "PE" and "HE" variables), there is a corresponding allocation flag whose second character is "X." All remaining characters of the two variables' names are the same. For example, PXSEX is the allocation flag for PESEX.

All allocation flags have the following list of possible values:

- 0 Value no change
- 1 Blank no change
- 2 Don't know no change
- 3 Refused no change
- 10 Value to value
- 11 Blank to value
- 12 Don't know to value
- 13 Refused to value
- 20 Value to longitudinal value
- 21 Blank to longitudinal value
- 22 Don't know to longitudinal value
- 23 Refused to longitudinal value
- 30 Value to allocated longitudinal value (unused)
- 31 Blank to allocated longitudinal value (unused)
- 32 Don't know to allocated longitudinal value (unused)
- 33 Refused to allocated longitudinal value (unused)
- 40 Value to allocated value
- 41 Blank to allocated value
- 42 Don't know to allocated value
- 43 Refused to allocated value
- 50 Value to blank
- 52 Don't know to blank
- 53 Refused to blank

Each digit of these valid values identifies how and why edited variables were allocated.

The first digit indicates how the allocation was made to the "E" (or edited) variable.

First Digit						
0 or Blank	No change between "U" variable and "E" variable					
1	"E" variable changed to a value					
	"E" variable changed to a longitudinal value (the corresponding value from					
2	a prior CPS interview)					
	"E" variable changed to an allocated longitudinal value (the corresponding					
3	allocated value from a prior CPS interview) - unused					
4	"E" variable changed to allocated value					
5	"E" variable changed to a blank					

The second digit indicates why the "U" variable was allocated, whether the value was changed, missing, don't know, or refused.

Second Digit						
0	"U" variable was equal to some value					
1	"U" variable was blank (or -1)					
2	"U" variable was don't know (or -2)					
3	"U" variable was refused (or -3)					

All "X" variables follow this standard format. One ATUS-CPS variable (PRCITFLG) is an allocation flag with the standard list of 53 variables and yet does not follow the standard naming convention. PRCITFLG is an allocation flag for PRCITSHP (citizenship status).

Two other variables (PRERNWAL and PRHERNAL) indicate allocation and do not follow the "X" variable values; these variables have values of either 0 or 1, with 1 indicating that other variables (PRERNWA and PRERNHLY respectively) have been allocated.

All "PE" and "HE" variables have a corresponding "X" variable. However, there are three "X" variables that correspond to an "R" variable rather than an "E" variable. These are:

PXRACE1	PRDTRACE: allocation flag
PXAGE	PRTAGE: allocation flag
PXINUSYR	PRINUYER: allocation flag

Edited Universe

Edited variables and recodes are defined for certain universes, and these are listed in the data dictionary. For example, PEMJNUM (number of jobs) is only defined for those who have indicated that they have more than one job. Therefore, the universe for PEMJNUM is PEMJOT = 1 (PEMJOT is the multiple job status of the individual, and a value of 1 indicates that the individual has more than one job).

Certain variables might initially appear to be the same because their descriptions are very similar. These variables are different in that they were asked of different groups of survey respondents. For example, the variables PEERNH1O and PEERNH2 both have the same question text of "Excluding overtime pay, tips, and commissions, what is your hourly rate of pay on your main job?" The difference between these two variables has to do with which group of respondents was asked each question, and this can be determined by looking at the edited universe. PEERNH1O was asked of respondents with PEERNPER = 1, or those who said it was easiest to report their earnings hourly. PEERNH2, on the other hand, was asked of respondents who said it was easiest to report their earnings some other way than hourly even though they were paid hourly.


CPS Design and Methodology

More information on CPS design and methodology can be found in CPS Technical Paper 66 at <u>www.census.gov/prod/2006pubs/tp-66.pdf</u>.

Organization of the Data Dictionary

Variables are listed in the data dictionary in alphabetical order.

Below is a sample entry from the ATUS-CPS data dictionary:



Frequently Used Variables

The ATUS files have many variables and users may sometimes have difficulty determining which ones to use. A list of the most commonly used ATUS variables is available at www.bls.gov/tus/freqvariables.pdf.

Linking ATUS Files

Each of the ATUS files contains useful information, but in order to produce most estimates, the files need to be linked. All of the files contain the variable TUCASEID, which is the ATUS identification number. Two other variables that can be used for linking in conjunction with TUCASEID are TULINENO (person line number) and TUACTIVITY_N (activity line number). For more information on linking ATUS files, please see www.bls.gov/tus/howto.htm#linking.

Linking ATUS Files to the Final CPS Interview

The ATUS files can also be linked to the CPS files using information on the ATUS-CPS file. Cases on the ATUS-CPS file can be linked to their final CPS interview. Because the last CPS interview occurs two to five months before the ATUS interview, CPS files from August 2008 to October 2009 link to the 2010 ATUS-CPS file. More detailed information about linking ATUS files to CPS files is available in Appendix K of the ATUS User's Guide (/www.bls.gov/tus/atususersguide.pdf).

CPS files can be downloaded from the CPS Web site at <u>www.bls.census.gov/cps/datamain.htm</u>. CPS variable information found in this document is based on the CPS microdata files found on this Web site. It is important to note that CPS data from other sources can have different names, different formats, or different default values for the same variables.

Changes between ATUS 2003 to 2010 Data Files

Those wishing to use multiple years of ATUS data should be aware of changes to ATUS survey methods between years. From 2003 to 2010, there are a number of new, discontinued, and changed variables. For a list of these changes, see the ATUS changes document (<u>www.bls.gov/tus/changes.pdf</u>). Additionally, there are some differences from the 2003 to 2010 Activity Coding Lexicons. A document detailing these differences can found at <u>www.bls.gov/tus/lexiconchanges.pdf</u>.

	2010 ATUS I		mary: Publi	CATUS-CPS Dala	
Name	Description				File
GEPSEUCL	Scrambled pseud	o primary sam	pling unit (PSU) cluster	ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	20 16000		Min Value Max Value	
GEPSEUST	Scrambled pseud	o primary sam	pling unit (PSU) collapsed stratum	ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	100 6000		Min Value Max Value	
GEREG	Region				ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries: * Note: Region	1 2 3 4	Northeast Midwest (forn South West listed in Appen	nerly North Central)	
GESTCEN	Census state code				ATUS-CPS File
alorolly	Edited Universe:		lds in sample		
	Luited Oniverse.	Air nouseno			
	Valid Entries:	11		Min Value	
	* Note: Census	95 state codes a	re listed in Appe	Max Value	
GESTFIPS	Federal Processir				ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	01 56		Min Value Max Value	
			listed in Append	A xib	
GTMETSTA	Metropolitan statu	is (2000 definit	tions)		ATUS-CPS File, Activity Summary File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	1 2 3	Metropolitan Non-metropol Not identified		
				ons from the 2000 Dece on 2003 and 2004 ATU	
HEFAMINC	Edited: Family Inc				ATUS-CPS File
	Valid Entries:	1 2 3 4 5 6	Less than \$5, \$5,000 to \$7, \$7,500 to \$9, \$10,000 to \$1 \$12,500 to \$1 \$15,000 to \$1	499 999 2,499 4,999	

2010 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description				File
Name	* Note: TI [F So ye	his varia HRYEA he com om jobs ecurity ears of	R4 = 2009] w bined income s; net income payments; ar age or older.	\$20,000 to \$24,999 \$25,000 to \$29,999 \$30,000 to \$34,999 \$35,000 to \$39,999 \$40,000 to \$49,999 \$50,000 to \$59,999 \$60,000 to \$74,999 \$75,000 to \$99,999 \$150,000 and over I HUFAMINC in 2010 January CPS. There ill have missing values for HEFAMINC. e of all family members during the last 12 n from business, farm or rent; pensions; divi- ind any other money income received by far	efore, cases with nonths. Includes money idends; interest; Social mily members who are 15
		aution : ercent.	should be use	ed when using this variable since it has an	allocation rate up to 20
HEHOUSUT	Edited: type	e of hou	sing unit		ATUS-CPS File
	Edited Universe:		All househo	lds in sample	
	Valid Entrie	9S:	1 2 3 4 5 6 7 8 9 10 11 12	House, apartment, flat Housing unit in nontransient hotel, motel Housing unit permanent in transient hote Housing unit in rooming house Mobile home or trailer with no permanen Mobile home or trailer with 1 or more roo Housing unit not specified above Quarters not housing unit in rooming/boa Unit not permanent in transient hotel/mo Unoccupied tent site or trailer site Student quarters in college dorm Other unit not specified above	el, motel It room added oms added arding house
HEPHONEO	Edited: is a	telepho	one interview	acceptable?	ATUS-CPS File
	Edited Univ		HETELHHD 0 1	9 = 1 or HETELAVL = 1 Unknown Yes	
			2	No	
HETELAVL	Edited: is th can be cont		elephone else	where on which people in this household	ATUS-CPS File
	Edited Univ	erse:	HETELHHD) = 2	
	Valid Entrie	es:	1 2	Yes No	
HETELHHD	Edited: is th	nere a te		nis house/apartment?	ATUS-CPS File
	Edited Univ		HRINTSTA		
	Valid Entrie		1	= I Yes	

Name	Description			File		
	Edited Universe:	HRINTSTA =	= 1			
	Valid Entries:	2	No			
HETENURE	without payment of	ng quarters o cash rent?	wned, rented for cash, or occupied	ATUS-CPS File		
	Edited Universe:	HRINTSTA =	= 1			
	Valid Entries:	1	Owned or being bought by a household r	nember		
		2	Rented for cash			
HRHHID	Household ID (15-c	3 digit identifier)	Occupied without payment of cash rent	ATUS-CPS File		
חחחחט		- /		ATUS-CF3 File		
	Edited Universe:	All househol	ds in sample			
HRHHID2	Household ID part	2 (5-digit iden	tifier)	ATUS-CPS File		
	Edited Universe:	All househol	ds in sample			
	Valid Entries:	1	Min Value			
		99999	Max Value			
HRHTYPE	Household type			ATUS-CPS File		
	Edited Universe:	All househol	ds in sample			
	Valid Entries:	1	Husband/wife primary family (neither Armed Forces)			
		2	Husband/wife primary family (either/both Armed Forces)			
		3	Unmarried civilian male - primary family h			
		4	Unmarried civilian female - primary family			
		5	Primary family householder - respondent unmarried	In Armed Forces,		
		6	Civilian male primary individual			
		7	Civilian female primary individual			
		8	Primary individual householder - respond	lent in Armed Forces		
		9	Group quarters with family			
HRINTSTA	later deve statue	10	Group quarters without family			
IRIN151A	Interview status			ATUS-CPS File		
	Edited Universe:	All househol	ds in sample			
	Valid Entries:	1	Interview			
HRLONGLK	Longitudinal link ind	dicator		ATUS-CPS File		
	Edited Universe:	All househol	ds in sample			
	Valid Entries:	0	Replacement household - no link to prior	month		
		2	Link to previous month			
HRMIS	Month in sample			ATUS-CPS File		
	Edited Universe:	All househol	ds in sample			
	Valid Entries:	8	Month in sample 8 (MIS-8)			
HRMONTH	Month of interview		· · · ·	ATUS-CPS File		
	Edited Universe:	All househol	ds in sample			

Name		4		File
	Valid Entries:	1 12	Min Value Max Value	
HRNUMHOU	Total number of p		nousehold (household members)	ATUS-CPS File
	Edited Universe:	All househo	lds in sample	
	Valid Entries:	0 16	Min Value Max Value	
	the final each TL	nber reflects t CPS interview JCASEID on th	he number of people who were liv	
HRYEAR4	Year of interview			ATUS-CPS File
	Edited Universe:	All househo	lds in sample	
	Valid Entries:	2009	Min Value	
		2010	Max Value	
HUBUS	Does anyone in th	is household l	nave a business or a farm?	ATUS-CPS File
	Valid Entries:	1	Yes	
HUBUSL1	PLILINENO of far	2 n or business	No owner (first owner)	ATUS-CPS File
HODOOLI	Valid Entries:	1	Min Value	
		99	Max Value	
HUBUSL2	PULINENO of farr		owner (second owner)	ATUS-CPS File
	Valid Entries:	1	Min Value	
		99	Max Value	
HUBUSL3			owner (third owner)	ATUS-CPS File
	Valid Entries:	1 99	Min Value	
HUBUSL4	PULINENO of farr		Max Value owner (fourth owner)	ATUS-CPS File
	Valid Entries:	1	Min Value	
		99	Max Value	
HUFAMINC	Family income			ATUS-CPS File
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Less than \$5,000 \$5,000 to \$7,499 \$7,500 to \$9,999 \$10,000 to \$12,499 \$12,500 to \$14,999 \$15,000 to \$19,999 \$20,000 to \$24,999 \$25,000 to \$29,999 \$30,000 to \$34,999 \$35,000 to \$39,999 \$40,000 to \$49,999 \$50,000 to \$59,999 \$60,000 to \$74,999 \$75,000 to \$99,999 \$100,000 to \$149,999 \$150,000 and over	

Name	Description			File
	* Note: This v [HRY	variable was rej EAR4 = 2010] v	placed by HEFAMINC in 2010 January C will have missing values of HUFAMINC.	PS. Therefore, cases with
	from j Secu	obs; net incom	ne of all family members during the last 1 e from business, farm or rent; pensions; and any other money income received by 7.	dividends; interest; Social
HUFINAL	Final outcome of	code		ATUS-CPS File
	Valid Entries:	001 002 004 005 006	Fully complete CATI Partially complete CATI Partial CATI - not complete at closeou Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close	complete, CATI with supplement complete,
	* Note: CATI	201 203 204 205 = computer ass	Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc sisted telephone interview, CAPI = comp	
			= CPS Annual Social and Economic Su	
HUINTTYP	Type of intervie		Demonst	ATUS-CPS File
	Valid Entries:	1 2	Personal Telephone	
HUPRSCNT	Number of actu		ed personal contacts	ATUS-CPS File
	Valid Entries:	0 9	Min Value Max Value	
HURESPLI	PULINENO of t	he current resp	ondent	ATUS-CPS File
	Valid Entries:	0	Min Value Max Value	
HUTYPB	Type B non-inte	99 erview categorie		ATUS-CPS File
	Valid Entries:	1 2	Vacant regular Temporarily occupied by persons with	n usual residence elsewhere
		3 4 9	Vacant storage of household furniture Unfit or to be demolished Other type B	•
HUTYPC	Type C non-inte	erview categorie	es	ATUS-CPS File
	Valid Entries:	1 9	Min Value Max Value	
		-	for all ATUS cases	
HUTYPEA	Type A non-inte	erview categorie		ATUS-CPS File
	Valid Entries:	1 4	Min Value Max Value	
	* Note: HUT)	-	g for all ATUS cases	
HXFAMINC	HEFAMINC: far	-		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Nata 0 - 1	53	Max Value	
	* Note: See li	ntroduction for	allocation flag values	

Name	Description	Description			
HXHOUSUT	HEHOUSUT: alloc	ation flag		ATUS-CPS File	
	Valid Entries:	0 53	Min Value Max Value		
			llocation flag values		
HXPHONEO	HEPHONEO: alloc	-		ATUS-CPS File	
	Valid Entries:	0 53	Min Value Max Value		
	* Note: See Intro		llocation flag values		
HXTELAVL	HETELAVL: alloca	tion flag		ATUS-CPS File	
	Valid Entries:	0 53	Min Value Max Value		
	* Note: See Intro	oduction for a	llocation flag values		
HXTELHHD	HETELHHD: alloca	ation flag		ATUS-CPS File	
	Valid Entries:	0 53	Min Value Max Value		
			llocation flag values		
HXTENURE	HETENURE: alloc	ation flag		ATUS-CPS File	
	Valid Entries:	0 53	Min Value Max Value		
	* Note: See Intro	oduction for a	llocation flag values		
OCCURNUM	Unique person ide	ntifier		ATUS-CPS File	
	Valid Entries:	1 16	Min Value Max Value		
			specific month		
PEABSPDO	Edited: are you be week?		our employer for any of the time off last	ATUS-CPS File	
	Edited Universe:	PEABSRSN	N = 4-12 or 14		
	Valid Entries:	1	Yes		
PEABSRSN	Edited: what was t	2 he main reas	No on you were absent from work last week?	ATUS-CPS File	
LADONON	Luicu. what was t		Shi you were absent nom work last week!		
	Edited Universe:	PEMLR = 2			
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12 13	On layoff Slack work/business conditions Waiting for a new job to begin Vacation/personal days Own illness/injury/medical problems Childcare problems Other family/personal obligation Maternity/paternity leave Labor dispute Weather affected job School/training Civic/military duty Does not work in the business		

Name	Description			File
	Valid Entries:	14	Other	
PEAFEVER			tive duty in the U.S. Armed Forces?	ATUS-CPS File
	Edited Universe:	PRTAGE >=	•	
	Valid Entries:	1 2	Yes No	
PEAFNOW	Edited: are you no			ATUS-CPS File
	Edited Universe:	PRPERTYP	e = 2 or 3	
	Valid Entries:	1 2	Yes No	
PEAFWHN1	Edited: when did y		e Armed Forces? (first period)	ATUS-CPS File
	Edited Universe:	PEAFEVER	= 1	
	Valid Entries:	1	September 2001 or later	
		2	August 1990 to August 2001	
		3	May 1975 to July 1990	
		4	Vietnam Era (August 1964 to April 1975)	
		5	February 1955 to July 1964	
		6	Korean War (July 1950 to January 1955)	
		7	January 1947 to June 1950	
		8	World War II (December 1941 to Deceml	ber 1946)
		9	November 1941 or earlier	
PEAFWHN2	Edited: when did y	ou serve in th	e Armed Forces? (second period)	ATUS-CPS File
	Edited Universe:	PEAFEVER	= 1	
	Valid Entries:	1	September 2001 or later	
		2	August 1990 to August 2001	
		3	May 1975 to July 1990	
		4	Vietnam Era (August 1964 to April 1975)	
		5	February 1955 to July 1964	
		6	Korean War (July 1950 to January 1955)	
		7	January 1947 to June 1950	
		8	World War II (December 1941 to Deceml	ber 1946)
		9	November 1941 or earlier	
PEAFWHN3			e Armed Forces? (third period)	ATUS-CPS File
	Edited Universe:	PEAFEVER	= 1	
	Valid Entries:	1	September 2001 or later	
		2	August 1990 to August 2001	
		3	May 1975 to July 1990	
		4	Vietnam Era (August 1964 to April 1975)	
		5	February 1955 to July 1964	
		6	Korean War (July 1950 to January 1955)	
		7	January 1947 to June 1950	
		8	World War II (December 1941 to Deceml	ber 1946)
		9	November 1941 or earlier	
PEAFWHN4	-		e Armed Forces? (fourth period)	ATUS-CPS File
	Edited Universe:	PEAFEVER	. = 1	

Name	Description			File
	Valid Entries:	1	September 2001 or later	
		2	August 1990 to August 2001	
		3	May 1975 to July 1990	
		4 5	Vietnam Era (August 1964 to April 1975) February 1955 to July 1964)
		6	Korean War (July 1950 to January 1955)
		8 7	January 1947 to June 1950)
		8	World War II (December 1941 to Decem	ber 1946)
		9	November 1941 or earlier	,
PECOHAB	Edited: PULINENC	D of cohabiting	g partner	ATUS-CPS File
	Edited Universe:	All responde	ents	
	Valid Entries:	1	Min Value	
		16	Max Value	
PECYC	Edited: how many		ge credit have you completed?	ATUS-CPS File
	Edited Universe:	PEEDUCA	= 40 - 42	
	Valid Entries:	1	Less than 1 year (includes 0 years comp	oleted)
		2	The first or freshman year	
		3	The second or sophomore year	
		4	The third or junior year	
PEDADTYP	Edited: Is househo	5 Id child a biol	Four or more years ogical, step or adopted child?	ATUS-CPS File
FLUADIIF	Edited Universe:	PERRP=4		
	Eulleu Oniverse.			
	Valid Entries:	1	Biological	
		2	Step	
		3	Adopted	
PEDIPGED			h school diploma?	ATUS-CPS File
	Edited Universe:	PEEDUCA	= 39	
	Valid Entries:	1	Graduation from high school	
		2	GED or other equivalent	
PEDISDRS			difficulty dressing or bathing?	ATUS-CPS File
	Edited Universe:	PRPERTYP	2=2	
	Valid Entries:	1	Yes	
		2	No	
PEDISEAR	Edited: Is this pers hearing?	son deaf or do	bes this person have serious difficulty	ATUS-CPS File
	Edited Universe:	PRPERTYF	P=2	
	Valid Entries:	1	Yes	
		2	No	
PEDISEYE	Edited: Is this pers seeing even when		bes this person have serious difficulty see?	ATUS-CPS File
	Edited Universe:	PRPERTYP		
	Volid Entrice:	1	Vac	
	Valid Entries:	1 2	Yes No	
		4		

Name	Description			File
PEDISOUT			ental, or emotional condition does this nds alone such as visiting a doctor's office	ATUS-CPS File
	Edited Universe:	Edited: PRP	ERTYP=2	
	Valid Entries:	1 2	Yes No	
PEDISPHY	Edited: Do you hav	e serious diffi	culty walking or climbing stairs?	ATUS-CPS File
	Edited Universe:	Edited: PRP	ERTYP=2	
	Valid Entries:	1	Yes	
	* Note:	2	No	
PEDISREM			ental, or emotional condition, does this ncentrating, remembering, or making	ATUS-CPS File
	Edited Universe:	PRPERTYP	=2	
	Valid Entries:	1 2	Yes No	
PEDW4WK	Edited: did you do	any of this wo	rk during the last 4 weeks?	ATUS-CPS File
	Edited Universe:	PEDWWK =	1	
	Valid Entries:	1 2	Yes No	
PEDWAVL	Edited: last week, o	could you hav	e started a job if one had been offered?	ATUS-CPS File
	Edited Universe:	PEDWWK =	2 or PEDWLKWK = 1	
	Valid Entries:	1 2	Yes No	
PEDWAVR	Edited: why could y week?	you not have s	started a job if one had been offered last	ATUS-CPS File
	Edited Universe:	PEDWAVL =	= 2	
	Valid Entries:	1 2 3	Own temporary illness Going to school Other	
PEDWLKO	Edited: did you loo	k for work any	time in the last 12 months?	ATUS-CPS File
	Edited Universe:	PUDWCK4 :	= 1 - 3 or PEDWRSN = 1 - 11	
	Valid Entries:	1 2	Yes No	
PEDWLKWK	Edited: and since y		o or business have you looked for work?	ATUS-CPS File
	Edited Universe:	PEDW4WK	= 2	
	Valid Entries:	1 2	Yes No	
PEDWRSN	Edited: what is the last 4 weeks?		you were not looking for work during the	ATUS-CPS File

Name	Description Edited Universe:	PUDWCK4	= 4 or -1	File
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11	Believes no work available in area of ex Couldn't find any work Lacks necessary schooling/training Employers think too young or too old Other types of discrimination Can't arrange childcare Family responsibilities In school or other training Ill-health, physical disability Transportation problems Other	pertise
PEDWWK	Edited: did you act months?	tually work at	a job or business during the last 12	ATUS-CPS File
	Edited Universe:	PEDWLKO	= 1	
	Valid Entries:	1 2	Yes No	
PEDWWNTO	Edited: do you cur	rently want a j	ob, either full or part time?	ATUS-CPS File
	Edited Universe:	PUDWCK1	= 3, 4, or -1	
	Valid Entries:	1 2 3 4 5	Yes, or maybe/it depends No Retired Disabled Unable to work	
PEEDUCA	Edited: what is the highest degree you		of school you have completed or the ed?	ATUS-CPS File, Activity Summary File
	Edited Universe:	PRPERTYP	e = 2 or 3	
	Valid Entries:	31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	Less than 1st grade 1st, 2nd, 3rd, or 4th grade 5th or 6th grade 7th or 8th grade 9th grade 10th grade 10th grade 12th grade - no diploma High school graduate - diploma or equiv Some college but no degree Associate degree - occupational/vocatio Associate degree - academic program Bachelor's degree (BA, AB, BS, etc.) Master's degree (MA, MS, MEng, MEd, Professional school degree (MD, DDS, I Doctoral degree (PhD, EdD, etc.)	nal MSW, etc.)
PEERN	Edited: total week	y overtime ea	rnings (2 implied decimals)	ATUS-CPS File
	Edited Universe:	PEERNUOT	$\Gamma = 1$ and PEERNPER = 1	

Name	Description				File
	Valid Entries:	0		Min Value	
		288461		Max Value	
PEERNCOV	Edited: on this job, contract?	are you cover	red by a union c	or employee association	ATUS-CPS File
	Edited Universe:	PEIO1COW	= 1 - 5 and PE	MLR = 1 - 2	
	Valid Entries:	1 2	Yes No		
PEERNH10	rate of pay on your	main job? (2	implied decima	issions, what is your hourly ls)	ATUS-CPS File
	Edited Universe:	PEERNPER	. = 1		
	Valid Entries:	0 9999		Min Value Max Value	
PEERNH2	Edited: excluding on rate of pay on your	overtime pay, t main job? (2	tips, and commi implied decima	issions, what is your hourly ls)	ATUS-CPS File
	Edited Universe:	PEERNRT =	: 1		
	Valid Entries:	0 9999		Min Value Max Value	
	* Note: Subject t	to topcoding si	uch that PEER	NHRO x PEERNH2 < or = 2	2884.61
PEERNHRO	Edited: how many	hours do you	usually work pe	r week at this rate?	ATUS-CPS File
	Edited Universe:	PEERNH10	>= 0		
	Valid Entries:	0 99		Min Value Max Value	
PEERNHRY	Edited: hourly/non-	-hourly status			ATUS-CPS File
	Edited Universe:	PRERELG =	: 1		
	Valid Entries:	1 2	Hourly worker Non-hourly wo		
PEERNLAB	Edited: on this job, association similar		mber of a labor	union or of an employee	ATUS-CPS File
	Edited Universe:	PEIO1COW	= 1 - 5 and PE	MLR = 1 - 2	
	Valid Entries:	1 2	Yes No		
PEERNPER		re taxes or oth		y for you to report your hourly, weekly, annually,	ATUS-CPS File
	Edited Universe:	PRERELG =	: 1		
	Valid Entries:	1 2 3 4 5 6 7	Hourly Weekly Bi-weekly Twice monthly Monthly Annually Other	/	
PEERNRT	Edited: even thoug another way, are y	h you told me	it is easier to re	eport your earnings our main job?	ATUS-CPS File

Name	Description Edited Universe:	PEERNPEF	R = 2 - 7		File
	Valid Entries:	1 2	Yes No		
PEERNUOT	Edited: do you usu job?	ally receive o	overtime pay, tips, o	r commissions at your	ATUS-CPS File
	Edited Universe:	PRERELG :	= 1		
	Valid Entries:	1 2	Yes No		
PEERNWKP	Edited: how many	weeks a year	do you get paid?		ATUS-CPS File
	Edited Universe:	PEERNPEF	R = 6		
	Valid Entries:	1 52		in Value ax Value	
PEFNTVTY	Edited: in what cou	untry was you	r father born?		ATUS-CPS File
	Edited Universe:	PRPERTYF	P = 1 - 3		
	Valid Entries: * Note: Nativity	57 66 73 78 96 100-554 555 country codes	United States Guam Puerto Rico U.S. Virgin Island U.S. Outlying Are Foreign country o Abroad, country n s are listed in Apper	ea or at sea not known	
PEGR6COR	Edited: did you con courses?	mplete six or r	more graduate or pr	rofessional school	ATUS-CPS File
	Edited Universe:	PEGRPRO	F = 1		
	Valid Entries:	1	Yes		
		2	No		
PEGRPROF			achelor's degree, ha courses for credit?		ATUS-CPS File
	Edited Universe:	PEEDUCA			
	Valid Entries:	1 2	Yes No		
PEHGCOMP	before receiving yo		ade of regular schoo	ol you completed	ATUS-CPS File
	Edited Universe:	PEDIPGED	= 2		
	Valid Entries:	1 2 3 4 5 6 7 8	Less than 1st gra 1st, 2nd, 3rd, or 4 5th or 6th grade 7th or 8th grade 9th grade 10th grade 11th grade 12th grade - no di	Ith grade	

Name	Description			File
PEHRACT1	Edited: last week, job?	how many hou	urs did you actually work at your main	ATUS-CPS File
	Edited Universe:	PEMLR = 1		
	Valid Entries:	0 99	Min Value Max Value	
PEHRACT2	Edited: last week, job(s)?		urs did you actually work at your other	ATUS-CPS File
	Edited Universe:	PEMLR = 1	and PEMJOT = 1	
	Valid Entries:	0 99	Min Value Max Value	
PEHRACTT	Edited: total hours PEHRACT2)	actually worke	ed last week (sum of PEHRACT1 and	ATUS-CPS File
	Edited Universe:	PEMLR = 1		
	Valid Entries:	0 198	Min Value Max Value	
PEHRAVL	Edited: last week, available?	could you hav	e worked full time if the hours had been	ATUS-CPS File
	Edited Universe:	PEHRACTT = 1 - 3	= 1 - 34 and PEMLR = 1 and PEHRUSLT	< 35 and PEHRRSN1
	Valid Entries:	1 2	Yes No	
PEHRFTPT	Edited: do you usu job(s)/family busin		e than 35 hours per week at your	ATUS-CPS File
	Edited Universe:	PEHRUSL1	= -4 or PEHRUSL2 = -4	
	Valid Entries:	1 2	Full time Part time	
		3	Hours vary	
PEHRRSN1	•		for working part time?	ATUS-CPS File
	Edited Universe:	PEHRWAN	ī = 1	
	Valid Entries:	1	Slack work/business conditions	
		2 3	Could only find part time work Seasonal work	
		4	Childcare problems	
		5	Other family/personal obligations	
		6	Health/medical limitations	
		7	School/training	
		8 9	Retired/Social Security limit on earnings Full time work week is less than 35 hours	
		9 10	Other)
PEHRRSN2	Edited: what is the		you do not want to work full time?	ATUS-CPS File
	Edited Universe:	PEHRWANT	T = 2	
	Valid Entries:	1	Childcare problems	
		2	Other family/personal obligations	
		3	Health/medical limitations	
		4	School/training	

Name	Description Edited Universe:	PEHRWAN	T = 2	File
	Valid Entries:	5 6 7	Retired/Social Security limit on earnings Full time work week is less than 35 hours Other	3
PEHRRSN3	Edited: what is the	main reason	you worked less than 35 hours last week?	ATUS-CPS File
	Edited Universe:		= 1 - 34 and PUHRCK7 <> 1 or 2 and PEI >= 35 or PEHRUSLT = -4)	MLR = 1 and
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12	Slack work/business conditions Seasonal work Job started or ended during week Vacation/personal day Own illness/injury/medical appointment Holiday (legal or religious) Childcare problems Other family/personal obligations Labor dispute Weather affected job School/training Civic/military duty	
PEHRUSL1	Edited: how many	13 hours per wee	Other reason k do you usually work at your main job?	ATUS-CPS File
	Edited Universe:	PEMLR = 1	or 2	
	Valid Entries: * Note: -4 (Hours	0 99 s vary) is also	Min Value Max Value valid for PEHRUSL1	
PEHRUSL2	Edited: how many job(s)?	hours per wee	ek do you usually work at your other	ATUS-CPS File
	Edited Universe:	PEMJOT = ⁻	I and PEMLR = 1 or 2	
	Valid Entries: * Note: -4 (Hours	0 99 s vary) is also	Min Value Max Value valid for PEHRUSL2	
PEHRUSLT	Edited: total hours PEHRUSL2)	usually worke	d per week (sum of PEHRUSL1 and	ATUS-CPS File
	Edited Universe:	PEMLR = 1	or 2	
	Valid Entries: * Note: -4 (Hours	0 198 s vary) is also	Min Value Max Value valid for PEHRUSLT	
PEHRWANT	Edited: do you war week?	nt to work a ful	I time work week of 35 hours or more per	ATUS-CPS File
	Edited Universe:	PEMLR = 1	and (PEHRUSLT = 0 - 34 or PEHRFTPT =	= 2)
	Valid Entries:	1 2 3	Yes No Regular hours are full time	

Name	Description			File
PEHSPNON	Edited: are you Sp	anish, Hispan	ic, or Latino?	ATUS-CPS File, Activity Summary File
	Edited Universe:	PRPERTYP	= 1 - 3	
	Valid Entries:	1 2	Hispanic Non-Hispanic	
PEIO1COW	Edited: individual of	class of worke	r (main job)	ATUS-CPS File
	Edited Universe:	(PENLFJH =	-3) or (PEMLR = 4 and PELKLWO = 1 or PEJHWKO = 1)) or (PEMLR = 2 and (PEJHWKO = 1 or PENLFJH	= 6 and PENLFJH = 1) or
	Valid Entries: * Note: A PEIO1	1 2 3 4 5 6 7 8 ICOW code ca	Government, federal Government, state Government, local Private, for profit Private, nonprofit Self-employed, incorporated Self-employed, unincorporated Without pay an be assigned even if the individua	al is not currently employed
PEIO1ICD	Edited: industry co	de (main job)		ATUS-CPS File
	Edited Universe:	(PENLFJH =	-3) or (PEMLR = 4 and PELKLWO = 1 or PEJHWKO = 1)) or (PEMLR = ¹ and (PEJHWKO=1 or PENLFJH= ⁻¹	= 6 and PENLFJH = 1) or
	Valid Entries: * Note: Beginnir	0 9999 ng in the Janua	Min Value Max Value ary 2009 CPS, industry data were c	lassified using the 2007 Census
	Industry classifica	classification ation system.	system. This system replaced the Refer to Appendix A for a list of ind ification system.	2002 Census Industry
PEIO10CD	Edited: occupation	i code (main jo	bb)	ATUS-CPS File
	Edited Universe:	(PENLFJH =	-3) or (PEMLR = 4 and PELKLWO = 1 or PEJHWKO = 1)) or (PEMLR = 4 and (PEJHWKO = 1 or PENLFJH	= 6 and PÈNLFJH = 1) or
	Valid Entries:	0 9999	Min Value Max Value	
	* Note: Refer to	Appendix A fo	or a list of occupation codes	
PEIO2COW	Edited: individual of	class of worke	r (second job)	ATUS-CPS File
	Edited Universe:	PEMJOT =	1	
	Valid Entries:	1 2 3 4 5 6 7 8	Government, federal Government, state Government, local Private, for profit Private, nonprofit Self-employed, incorporated Self-employed, unincorporated Without pay	
PEIO2ICD	Edited: industry co	ode (second jo		ATUS-CPS File

Name	Description			File
	Edited Universe:	PEMJOT = 1		
	Valid Entries:	0 9999	Min Value Max Value	
	Industry classific	v classification s	ry 2009 CPS, industry data were class ystem. This system replaced the 200 Refer to Appendix A for a list of indust ication system.	2 Census Industry
PEIO2OCD	Edited: occupatio	n code (second	job)	ATUS-CPS File
	Edited Universe:	PEMJOT = 1		
	Valid Entries:	0 9999	Min Value Max Value	
		••	a list of occupation codes	
PEJHRSN			ou left your last job?	ATUS-CPS File
	Edited Universe:	PEJHWKO =	1	
	Valid Entries:	1 2 3 4 5 6 7	Personal/family (including pregnancy Return to school Health Retirement or old age Temporary, seasonal, or intermittent Slack work/business conditions Unsatisfactory work arrangements (h	job completed
PEJHWANT	Edited: do you int	8 end to look for v	Other vork during the next 12 months?	ATUS-CPS File
	Edited Universe:	PEJHWKO =	2 or PEJHRSN = 1 - 8	
	Valid Entries:	1 2	Yes, or it depends No	
PEJHWKO	Edited: have you months?	worked at a job	or business at any time in the last 12	ATUS-CPS File
	Edited Universe:	PEMLR = 5 c	r 7	
	Valid Entries:	1 2	Yes No	
PELAYAVL	Edited: could you had been recalled	have returned t	o work during the last seven days if ye	ou ATUS-CPS File
	Edited Universe:	PEMLR = 3		
	Valid Entries:	1 2	Yes No	
PELAYDUR	Edited: duration of			ATUS-CPS File
	Edited Universe:	PELAYLK = ⁻	1 or 2	
	Valid Entries:	1 260	Min Value Max Value	
PELAYFTO	Edited: is the job more per week?	from which you	are on layoff a full time job of 35 hours	s or ATUS-CPS File

Name	Description				File
Namo	Edited Universe:	PELAYDUR	- 1 120		1 110
	Eulleu Universe.	PELATUUR	- 1 - 120		
	Valid Entries:	1	Yes		
		2	No		
PELAYLK	Edited: even thoug looking for work du		e called back to work, ha weeks?	ve you been	ATUS-CPS File
	Edited Universe:	PELAYAVL =	= 1 or 2		
	Valid Entries:	1 2	Yes No		
PELKAVL	Edited: could you h offered?	ave started a	job in the last seven days	s if one had been	ATUS-CPS File
	Edited Universe:	PELKM1 = 1	- 13		
	Valid Entries:	1	Yes		
		2	No		
PELKDUR	Edited: duration of	job seeking (n	umber of weeks)		ATUS-CPS File
	Edited Universe:	PELKLWO =	1 - 3		
	Valid Entries:	0	Min Valu	e	
		999	Max Valu	le	
PELKFTO	Edited: are you see	king a full tim	e or part time job?		ATUS-CPS File
	Edited Universe:	PELKDUR =	0 - 120		
	Valid Entries:	1	Yes		
		2	No		
		3	Doesn't matter		
PELKLL10	going to school, or		ງ for work, what were you ໑?	a doing: working,	ATUS-CPS File
	Edited Universe:	PELKAVL =			
	Luiter Oniverse.		1012		
	Valid Entries:	1	Working		
		2	School		
		3	Left military service		
		4	Something else		
PELKLL2O	Edited: did you lose	e or quit that jo	b, or was it a temporary	job that ended?	ATUS-CPS File
	Edited Universe:	PELKLL1O =	1 or 3		
	Valid Entries:	1	Lost job		
		2	Quit job		
		3	Temporary job ended		
PELKLWO	Edited: when did yo	ou last work?			ATUS-CPS File
	Edited Universe:	PELKLL1O =	: 1 - 4		
	Valid Entries:	1	Within the last 12 month	IS	
		2	More than 12 months ag		
		3	Never worked	-	
PELKM1	Edited: what are al last 4 weeks? (first		you have done to find wo	ork during the	ATUS-CPS File

Name	Description Edited Universe:	PEMLR = 4		File
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12 13	Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/courses Nothing Other passive	center
			b search methods, users must combine all - PULKDK6, and PULKPS1 - PULKPS6	l fields PELKM1, PULKM2
PELNDAD	Edited: PULINENC) of father		ATUS-CPS File
	Edited Universe:	PERRP=4		
	Valid Entries:	1 16	Min Value Max Value	
PELNMOM	Edited: PULINENC) of mother		ATUS-CPS File
	Edited Universe:	PERRP=4		
	Valid Entries:	1 16	Min Value Max Value	
PEMARITL	Edited: are you now married?	w married, wic	lowed, divorced, separated, or never	ATUS-CPS File
	Edited Universe:	PRTAGE >=	- 15	
	Valid Entries:	1 2 3 4 5 6	Married - spouse present Married - spouse absent Widowed Divorced Separated Never married	
PEMJNUM	Edited: altogether,	how many job	os did you have?	ATUS-CPS File
	Edited Universe:	PEMJOT = 1	1	
	Valid Entries:	2 3 4	Two jobs Three jobs Four or more jobs	
PEMJOT	Edited: in the last s	even days, di	d you have more than one job?	ATUS-CPS File
	Edited Universe:	PEMLR = 1	or 2	
	Valid Entries:	1	Yes	
PEMLR	Edited: monthly lat	2 or force recor	No	ATUS-CPS File
	Euleu. monuny lat			

Name	Description			File
	Edited Universe:	PRPERTYF	P = 2	
	Valid Entries:	1 2	Employed - at work Employed - absent	
		3	Unemployed - on layoff	
		4	Unemployed - looking	
		5	Not in labor force - retired	
		6 7	Not in labor force - disabled	
PEMNTVTY	Edited: in what cou	•	Not in labor force - other r mother born?	ATUS-CPS File
	Edited Universe:	PRPERTYF		
	Eulleu Oniverse.		- 1 - 3	
	Valid Entries:	57	United States	
		66	Guam	
		73	Puerto Rico	
		78	U.S. Virgin Islands	
		96	U.S. Outlying Area	
		100-554	Foreign country or at sea	
		555	Abroad, country not known	
	* Note: Nativity	country codes	s are listed in Appendix A.	
PEMOMTYP			ogical, step, or adopted child?	ATUS-CPS File
	Edited Universe:	PERRP=4		
	Valid Entries:	1	Biological	
		2	Step	
		3	Adopted	
PEMS123	Edited: was your n three-year program		ee program a one-year, two-year, or	ATUS-CPS File
	Edited Universe:	PEEDUCA	= 44	
	Valid Entries:	1	One-year program	
		2	Two-year program	
		3	Three-year program (or longer)	
PENATVTY	Edited: in what cou	untry were yo	u born?	ATUS-CPS File
	Edited Universe:	PRPERTYF	P = 1 - 3	
	Valid Entries:	57	United States	
		66	Guam	
		73	Puerto Rico	
		78	U.S. Virgin Islands	
		96	U.S. Outlying Area	
		100-554	Foreign country or at sea	
		555	Abroad, country not known	
		•	s are listed in Appendix A.	
PENLFACT			r situation at this time? For example, are g care of house or family, or something	ATUS-CPS File
	Edited Universe:	PRTAGE =	14 - 49 or PENLFRET = 2	
	Valid Entries:	1	Disabled	

Name	Description			File
	Edited Universe:	PRTAGE =	14 - 49 or PENLFRET = 2	
	Valid Entries:	2 3 4 5 6	III In school Taking care of house or family In retirement Something else/other	
PENLFJH	Edited: when did y	-	at a job or business?	ATUS-CPS File
	Edited Universe:	PEMLR = 3	- 7	
	Valid Entries:	1 2 3	Within the last 12 months More than 12 months ago Never worked	
PENLFRET	Edited: are you ret	-		ATUS-CPS File
	Edited Universe:	PRTAGE >=	= 50 and PEMLR = 3 - 7	
	Valid Entries:	1 2	Yes No	
PEPARENT	Edited: PULINENC	O of parent		ATUS-CPS File
	Edited Universe:	Every perso	n	
	Valid Entries:	0 99	Min Value Max Value	
PERET1	Edited: do you cur	rently want a j	ob, either full or part time?	ATUS-CPS File
	Edited Universe:		or 7 and (PURETOT = 1 or (PUWK = 3 ar = 3 and PRTAGE >= 50) or (PULAY = 3 a	
	Valid Entries:	1 2	Yes No	
PERRP	Edited: how is this	3	Has a job	ATUS-CPS File
PERKP	Edited: how is this	•	•	ATUS-CPS File
	Edited Universe:	PRPERTYP	y = 1 - 3	
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 12 13 14 15 16 17 18	Reference person living with relatives Reference person living without relatives Spouse Own child Grandchild Parent Brother/sister Other relative of reference person Foster child Nonrelative of reference person living with Nonrelative of reference person living with Unmarried partner living with relatives Unmarried partner living with relatives Housemate/roommate living with relatives Roomer/boarder living without relatives	ith relatives ithout relatives s es

Name	Description			File	
PESCHENR	Edited: last week, university?	Edited: last week, were you enrolled in a high school, college, or university?			
	Edited Universe:	PRPERTYP	e = 2 and PRTAGE = 16 - 24		
	Valid Entries:	1 2	Yes No		
PESCHFT	Edited: are you en	rolled in scho	ol as a full-time or part-time student?	ATUS-CPS File	
	Edited Universe:	PESCHLVL	= 1 or 2		
	Valid Entries:	1 2	Full time Part time		
PESCHLVL	Edited: would that	be high schoo	ol, college, or university?	ATUS-CPS File	
	Edited Universe:	PESCHENF	R = 1		
	Valid Entries:	1 2	High school College or university		
PESEX	Edited: sex		, , , , , , , , , , , , , , , , , , ,	ATUS-CPS File	
	Edited Universe:	PRPERTYP	9 = 1 - 3		
	Valid Entries:	1 2	Male Female		
PESPOUSE	Edited: PULINENC) of spouse		ATUS-CPS File	
	Edited Universe:	PEMARITL	= 1		
	Valid Entries:	1 99	Min Value Max Value		
PRABSREA	Reason not at wor	k by pay statu	S	ATUS-CPS File	
	Edited Universe:	PEMLR = 2			
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	Full time paid - vacation Full time paid - own illness Full time paid - childcare problems Full time paid - other family/personal obl Full time paid - maternity/paternity leave Full time paid - labor dispute Full time paid - labor dispute Full time paid - weather affected job Full time paid - school/training Full time paid - civic/military duty Full time paid - other Full time unpaid - vacation Full time unpaid - own illness Full time unpaid - childcare problems Full time unpaid - other family/personal of Full time unpaid - other family/personal of Full time unpaid - labor dispute Full time unpaid - labor dispute Full time unpaid - school/training Full time unpaid - civic/military duty Full time unpaid - other Part time paid - vacation	obligation	

Name	Description		File
	Edited Universe:	PEMLR = 2	
	Valid Entries:	22	Part time paid - own illness
		23	Part time paid - childcare problems
		24	Part time paid - other family/personal obligation
		25	Part time paid - maternity/paternity leave
		26	Part time paid - labor dispute
		27	Part time paid - weather affected job
		28	Part time paid - school/training
		29	Part time paid - civic/military duty
		30	Part time paid - other
		31	Part time unpaid - vacation
		32	Part time unpaid - own illness
		33	Part time unpaid - childcare problems
		34	Part time unpaid - other family/personal obligation
		35	Part time unpaid - maternity/paternity leave
		36	Part time unpaid - labor dispute
		37	Part time unpaid - weather affected job
		38	Part time unpaid - school/training
		39	Part time unpaid - civic/military duty
		40	Part time unpaid - other
PRAGNA	Agricultural/non-ag	gricultural indu	stry ATUS-CPS File
	Edited Universe:	PRIOELG =	1
	Valid Entries:	1	Agricultural
		2	Non-agricultural
PRCITFLG	PRCITSHP: alloca	tion flag	ATUS-CPS File
	Edited Universe:	PRPERTYP	= 1 - 3
	Valid Entries:	00	Min Value
		53	Max Value
		oduction for al	location flag values
PRCITSHP	Citizenship status		ATUS-CPS File
	Edited Universe:	PRPERTYP	= 1 - 3
	Valid Entries:	1	Native, born in United States
		2	Native, born in Puerto Rico or U.S. Outlying Area
		3	Native, born abroad of American parent or parents
		4	Foreign born, U.S. citizen by naturalization
		5	Foreign born, not a U.S. citizen
	* Note: PRCITFI	LG is the alloc	ation flag for PRCITSHP
PRCIVLF	Civilian labor force	!	ATUS-CPS File
	Edited Universe:	PEMLR = 1	- 7
	Valid Entries:	1	In civilian labor force
		2	Not in civilian labor force
PRCOW1	Class of worker red	code (main job	b) ATUS-CPS File
	Edited Universe:	PRIOELG =	1
	Valid Entries:	1	Federal government

Name	Description Edited Universe:	PRIOELG =	= 1	File
	Valid Entries:	2 3 4 5 6	State government Local government Private (including incorporated self-emp Self-employed, unincorporated Without pay	
PRCOW2	Class of worker re			ATUS-CPS File
	Edited Universe:	PRIOELG =	= 1 and PEMJOT = 1	
	Valid Entries:	1 2 3 4 5 6	Federal government State government Local government Private (including incorporated self-emp Self-employed, unincorporated Without pay	loyed)
PRCOWPG	Class of worker - p	private or gove		ATUS-CPS File
	Edited Universe: Valid Entries:	PEIO1COW	/ = 1 - 5 Private	
	D : 1	2	Government	
PRDISC	Discouraged work			ATUS-CPS File
	Edited Universe:	PRJOBSEA	A = 1 - 4	
	Valid Entries:	1 2 3	Discouraged worker Conditionally interested Not available	
PRDISFLG	Does this person h	nave any of th	ese disability conditions?	ATUS-CPS File
	Edited Universe:		erse: PEDISEAR or PEDISEYE or PEDISF or PEDISDRS or PEDISOUT=1.	REM=1; or
	Valid Entries:	1	Yes	
PRDTCOW1	Detailed class of w	2 vorker recode	No (main iob)	ATUS-CPS File
THEFOONT	Edited Universe:	PRIOELG =		
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11	Agricultural, wage/salary, private Agricultural, wage/salary, government Agricultural, self-employed Agricultural, unpaid Non-agricultural, wage/salary, private ho Non-agricultural, wage/salary, other priv Non-agricultural, wage/salary, federal gov Non-agricultural, wage/salary, state gov Non-agricultural, wage/salary, local gove Non-agricultural, self-employed Non-agricultural, unpaid	ate overnment ernment ernment
PRDTCOW2	Detailed class of w	vorker recode	(second job)	ATUS-CPS File
	Edited Universe:	PRIOELG =	= 1 and PEMJOT = 1	
	Valid Entries:	1	Agricultural, wage/salary, private	

Name	Descript Edited U		PRIOELG =	1 and PEMJOT = 1	File
	Valid En	tries:	2 3 4 5 6 7 8 9 10 11	Agricultural, wage/salary, government Agricultural, self-employed Agricultural, unpaid Non-agricultural, wage/salary, private k Non-agricultural, wage/salary, other pr Non-agricultural, wage/salary, federal g Non-agricultural, wage/salary, state go Non-agricultural, wage/salary, local go Non-agricultural, self-employed Non-agricultural, unpaid	ivate government vernment
PRDTHSP	Detailed	Hispanic	origin group		ATUS-CPS File
	Edited U	niverse:	PEHSPNON	J = 1	
	Valid En	tries:	1 2 3 4 5	Mexican Puerto Rican Cuban Central/South American Other Spanish	
PRDTIND1	Detailed	industry r	ecode (main j	ob)	ATUS-CPS File
	Edited U	niverse:	PRIOELG =	1	
	Valid En * Note:	Beginnir Industry	Classification	Min Value Max Value ary 2009 CPS, industry data were classif system. This system replaced the 2002 Detailed industry recode definitions are	Census Industry
			-	·	
PRDTIND2		•	ecode (secon	• /	ATUS-CPS File
	Edited U	niverse:	PRIOELG =	1 and PEMJOT = 1	
	Valid En	tries:	1 52	Min Value Max Value	
	* Note:	Industry	Classification	ary 2009 CPS, industry data were classif system. This system replaced the 2002 . Detailed industry recode definitions are	Census Industry
PRDTOCC1	Detailed	occupatio	n recode (ma	in job)	ATUS-CPS File
	Edited U	niverse:	PRIOELG =	1	
	Valid En	tries:	1 2 3 4 5 6 7 8 9	Management occupations Business and financial operations occu Computer and mathematical science o Architecture and engineering occupation Life, physical, and social science occup Community and social service occupate Legal occupations Education, training, and library occupate Arts, design, entertainment, sports, and	ccupations ons pations ions tions

Name	Description Edited Universe:	PRIOELG =	1	File
	Luiteu Oniverse.	TRIOEEG -	1	
	Valid Entries:	10	Healthcare practitioner and technical occ	cupations
		11	Healthcare support occupations	
		12	Protective service occupations	
		13	Food preparation and serving related oc	
		14	Building and grounds cleaning and main	tenance occupations
		15	Personal care and service occupations	
		16	Sales and related occupations	
		17	Office and administrative support occupa	
		18	Farming, fishing, and forestry occupation	
		19	Construction and extraction occupations	
		20	Installation, maintenance, and repair occ	cupations
		21	Production occupations	motione
		22 23	Transportation and material moving occu Armed Forces	ipations
	* Note: Detailed		ecode definitions are listed in Appendix A	
55570000				
PRDTOCC2	Detailed occupatio	n recode (sec	cond Job)	ATUS-CPS File
	Edited Universe:	PRIOELG =	1 and PEMJOT = 1	
	Valid Entries:	1	Management occupations	
		2	Business and financial operations occup	
		3	Computer and mathematical science occ	-
		4	Architecture and engineering occupation	
		5	Life, physical, and social science occupa	
		6	Community and social service occupatio	ns
		7	Legal occupations	
		8 9	Education, training, and library occupation Arts, design, entertainment, sports, and r	
		9 10	Healthcare practitioner and technical occ	
		11	Healthcare support occupations	Jupations
		12	Protective service occupations	
		13	Food preparation and serving related oc	cupations
		14	Building and grounds cleaning and main	
		15	Personal care and service occupations	
		16	Sales and related occupations	
		17	Office and administrative support occupa	ations
		18	Farming, fishing, and forestry occupation	IS
		19	Construction and extraction occupations	
		20	Installation, maintenance, and repair occ	cupations
		21	Production occupations	
		22	Transportation and material moving occu	upations
	• • • • • • • • • • •	23	Armed Forces	
	* Note: Detailed	occupation re	ecode definitions are listed in Appendix A	
PREMP	Employed persons	recode		ATUS-CPS File
	Edited Universe:	PEMLR = 1	or 2 and PEIO1OCD <> 403-407, 473-484	l.
	Valid Entries:	1	Employed persons (excluding agriculture	e and private households)
PREMPHRS	Reason not at wor	k or hours at v	work	ATUS-CPS File

Name	Description			File
	Edited Universe:	PEMLR = 1 -	- 7	
	Valid Entries:	0 1	Unemployed and not in the labor force With job, not at work - illness	
		2	With job, not at work - vacation	
		3	With job, not at work - weather affected jo	b
		4	With job, not at work - labor dispute	
		5	With job, not at work - childcare problems	
		6	With job, not at work - family/personal obl	-
		7	With job, not at work - maternity/paternity	
		8 9	With job, not at work - school/training With job, not at work - civic/military duty	
		9 10	With job, not at work - does not work in bu	usiness
		11	With job, not at work - other	usiness
		12	At work, 1-4 hours	
		13	At work, 5-14 hours	
		14	At work, 15-21 hours	
		15	At work, 22-29 hours	
		16	At work, 30-34 hours	
		17	At work, 35-39 hours	
		18	At work, 40 hours	
		19 20	At work, 41-47 hours At work, 48 hours	
		20	At work, 49-59 hours	
		22	At work, 60 hours or more	
PREMPNOT	Employed, unempl			ATUS-CPS File
	Edited Universe:	PEMLR = 1 -	. 7	
			,	
	Valid Entries:			
	Valid Entries:	1	Employed	
	Valid Entries:			
	Valid Entries:	1 2	Employed Unemployed	
PRERELG	Valid Entries: Earnings edit eligib	1 2 3 4	Employed Unemployed Not in labor force - discouraged	ATUS-CPS File
PRERELG		1 2 3 4	Employed Unemployed Not in labor force - discouraged Not in labor force - other	ATUS-CPS File
PRERELG	Earnings edit eligib	1 2 3 4 ility flag	Employed Unemployed Not in labor force - discouraged Not in labor force - other	ATUS-CPS File
	Earnings edit eligib Edited Universe: Valid Entries:	1 2 3 4 vility flag PEMLR = 1 - 0 1	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit	
PRERELG PRERNHLY	Earnings edit eligib Edited Universe:	1 2 3 4 vility flag PEMLR = 1 - 0 1	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit	ATUS-CPS File
	Earnings edit eligib Edited Universe: Valid Entries:	1 2 3 4 iility flag PEMLR = 1 - 0 1 implied decim	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit	
	Earnings edit eligib Edited Universe: Valid Entries: Hourly earnings (2	1 2 3 4 iility flag PEMLR = 1 - 0 1 implied decim	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit als)	
	Earnings edit eligib Edited Universe: Valid Entries: Hourly earnings (2 Edited Universe:	1 2 3 4 vility flag PEMLR = 1 - 0 1 implied decim PEERNPER	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit mals) = 1 or PEERNRT = 1	
	Earnings edit eligib Edited Universe: Valid Entries: Hourly earnings (2 Edited Universe: Valid Entries: * Note: The alloc entry in F	1 2 3 4 illity flag PEMLR = 1 - 0 1 implied decim PEERNPER 0 9999 cation flag for t	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit als) = 1 or PEERNRT = 1 Min Value	ATUS-CPS File
	Earnings edit eligib Edited Universe: Valid Entries: Hourly earnings (2 Edited Universe: Valid Entries: * Note: The alloc entry in F	1 2 3 4 iility flag PEMLR = 1 - 0 1 implied decim PEERNPER 0 9999 cation flag for t PEERNHRO s I in PTHR.	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit tals) = 1 or PEERNRT = 1 Min Value Max Value this variable is PRHERNAL. Subject to top uch that PEERNHRO x PEERNHLY < or =	ATUS-CPS File
PRERNHLY	Earnings edit eligib Edited Universe: Valid Entries: Hourly earnings (2 Edited Universe: Valid Entries: * Note: The alloc entry in F indicated	1 2 3 4 iility flag PEMLR = 1 - 0 1 implied decim PEERNPER 0 9999 cation flag for t PEERNHRO s I in PTHR.	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit mals) = 1 or PEERNRT = 1 Min Value Max Value this variable is PRHERNAL. Subject to top uch that PEERNHRO x PEERNHLY < or =	ATUS-CPS File coding based on the 2884.61. Topcoding is
PRERNHLY	Earnings edit eligib Edited Universe: Valid Entries: Hourly earnings (2 Edited Universe: Valid Entries: Valid Entries: * Note: The alloc entry in F indicated Weekly earnings (2	1 2 3 4 illity flag PEMLR = 1 - 0 1 implied decim PEERNPER 0 9999 cation flag for t PEERNHRO s in PTHR. 2 implied decir	Employed Unemployed Not in labor force - discouraged Not in labor force - other - 2 Not eligible for edit Eligible for edit mals) = 1 or PEERNRT = 1 Min Value Max Value this variable is PRHERNAL. Subject to top uch that PEERNHRO x PEERNHLY < or =	ATUS-CPS File coding based on the 2884.61. Topcoding is

Name	Description			File
	•	ocation flag for	this variable is PRWERNAL. Subject to	topcoding (the maximum
	value c PTHR.	annot be great	ter than 2884.61); topcoding is indicated	in PTOT, PTWK, and
PREXPLF	Experienced labo	ATUS-CPS File		
	Edited Universe:			
	Valid Entries:	1	Employed	
PRFAMNUM	Family number re	2 code	Unemployed	ATUS-CPS File
	Edited Universe:	PRPERTYF	P = 1 - 3	
	Valid Entries:	0	Not a family member	
		1	Primary family member only	
		2	Subfamily no. 2 member	
		3	Subfamily no. 3 member	
		4	Subfamily no. 4 member	
		5	Subfamily no. 5 member	
		6	Subfamily no. 6 member	
		7	Subfamily no. 7 member	
		8	Subfamily no. 8 member	
		9	Subfamily no. 9 member	
		10	Subfamily no. 10 member	
		11	Subfamily no. 11 member	
		12	Subfamily no. 12 member	
		13	Subfamily no. 13 member	
		14	Subfamily no. 14 member	
		15	Subfamily no. 15 member	
		16	Subfamily no. 16 member	
		10	Subfamily no. 17 member	
		18	Subfamily no. 18 member	
		19	Subfamily no. 19 member	
PRFAMREL	Family relationshi	-	Sublamily no. 19 member	ATUS-CPS File
	Edited Universe:	PRPERTYF	D = 1 _ 3	
	Luited Oniverse.		- 1 - 5	
	Valid Entries:	0	Not a family member	
		1	Reference person	
		2	Spouse	
		3	Child	
		4	Other relative (primary family only)	
PRFAMTYP	Family type recor			ATUS-CPS File
	Edited Universe:	PRPERTYF	P = 1 - 3	
	Valid Entries:	1	Primary family	
		2	Primary individual	
		2	Related subfamily	
		3 4	Unrelated subfamily	
		4 5	Secondary individual	
PRFTLF	Full time labor for	-		ATUS-CPS File
	Edited Universe:	PEMLR = 1	- 4	
			•	

Name	Description			File
	Valid Entries:	1	Full time labor force	
		2	Part time labor force	
PRHERNAL	PRERNHLY: alloc	ation flag		ATUS-CPS File
	Edited Universe:	PEERNHR	Y = 1	
	Valid Entries:	0	PRERNHLY does not contain allocated	
PPUPUO		1	PRERNHLY contains allocated informat	
PRHRUSL	Usual hours worke			ATUS-CPS File
	Edited Universe:	PEMLR = 1	- 2	
	Valid Entries:	1	0-20 hours	
		2	21-34 hours	
		3	35-39 hours	
		4	40 hours	
		5	41-49 hours	
		6	50 or more hours	
		7	Varies - full time	
		8	Varies - part time	
PRIMIND1	Intermediate indus		-	ATUS-CPS File
	Edited Universe:	PRIOELG =		
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting	a
		2	Mining	5
		3	Construction	
		4	Manufacturing - durable goods	
		5	Manufacturing - non-durable goods	
		6	Wholesale trade	
		7	Retail trade	
		8	Transportation and warehousing	
		9	Utilities	
		10	Information	
		11	Finance and insurance	
		12	Real estate and rental and leasing	
		13	Professional and technical services	
		14	Management, administrative and waste	management services
		15	Educational services	management services
		16	Health care and social services	
		17	Arts, entertainment, and recreation	
		18	Accommodation and food services	
		19	Private households	
		20	Other services, except private househol	ds
		21	Public administration	
		22	Armed Forces	
PRIMIND2	Intermediate indus			ATUS-CPS File
	Edited Universe:		1 and PEMJOT = 1	
		4	Apping the forester fishing and here's	_
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting]
		2	Mining	
		3	Construction	
		4	Manufacturing - durable goods	

	Description Edited Universe:	PRIOELG =	File 1 and PEMJOT = 1	
	Valid Entries:	5	Manufacturing - non-durable goods	
		6	Wholesale trade	
		7	Retail trade	
		8	Transportation and warehousing	
		9	Utilities	
		10	Information	
		11	Finance and insurance	
		12	Real estate and rental and leasing	
		13	Professional and technical services	
		14	Management, administrative and waste management ser	vices
		15	Educational services	
		16	Health care and social services	
		17	Arts, entertainment, and recreation	
		18	Accommodation and food services	
		19	Private households	
		20	Other services, except private households	
		21	Public administration	
PRINUYER	Immigrant's year o	22	Armed Forces e U.S. ATUS-CPS Fil	•
PRINUTER	Immigrant's year o			e
	Edited Universe:	PRCITSHP	= 1 - 5	
	Valid Entries:	0	Not foreign here	
	valiu Entines.	0 1	Not foreign born Before 1950	
		2	1950-1959	
		2	1950-1959	
		3 4	1965-1969	
		5	1070_107/	
		5 6	1970-1974 1975-1979	
		6	1975-1979	
		6 7	1975-1979 1980-1981	
		6 7 8	1975-1979 1980-1981 1982-1983	
		6 7 8 9	1975-1979 1980-1981 1982-1983 1984-1985	
		6 7 8 9 10	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987	
		6 7 8 9 10 11	1975-1979 1980-1981 1982-1983 1984-1985	
		6 7 8 9 10	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991	
		6 7 8 9 10 11 12	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989	
		6 7 8 9 10 11 12 13	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993	
		6 7 8 9 10 11 12 13 14	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995	
		6 7 8 9 10 11 12 13 14 15	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997	
		6 7 8 9 10 11 12 13 14 15 16	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997 1998-1999	
		6 7 8 9 10 11 12 13 14 15 16 17	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997 1998-1999 2000-2001	
		6 7 8 9 10 11 12 13 14 15 16 17 18	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997 1998-1999 2000-2001 2002-2003	
		6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997 1998-1999 2000-2001 2002-2003 2004-2005 2006-2007 or 2006-2009 (see note) 2008-2010	
	* Note: PXINUS	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997 1998-1999 2000-2001 2002-2003 2004-2005 2006-2007 or 2006-2009 (see note)	
	A new v HRYEAI	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 SYR is the allow	1975-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997 1998-1999 2000-2001 2002-2003 2004-2005 2006-2007 or 2006-2009 (see note) 2008-2010 cation flag for PRINUYER. as introduced in the January 2010 CPS. Therefore, for case value of 20 is 2006-2009. For cases with HRYEAR4=2010	

Name	Description			File
Name	Edited Universe:		3 or (PEMLR = 4 and PELKLWO = 1 or 2)	
	Edited Universe.		= 1 or PENLFJH= 1) or (PEMLR = 6 and F	
			and (PEJHWKO = 1 or PENLFJH = 1))	,
	Valid Entries:	0	Not eligible for edit	
		1	Eligible for edit	
PRJOBSEA	Job search recode			ATUS-CPS File
	Edited Universe:	PRWNTJOE	3 = 1	
	Valid Entries:	1	Looked last 4 weeks - not worked	
	Valia Entrico.	2	Looked last 4 weeks - worked	
		3	Looked last 4 weeks - layoff	
		4	Unavailable job seekers	
		5	No recent job search	
PRMARSTA	Marital status base	d on Armed F		ATUS-CPS File
	Edited Universe:	PRPERTYP	= 2 or 3	
	Valid Entries:	1	Married, civilian spouse present	
		2	Married, Armed Forces spouse present	
		3	Married, spouse absent (except separate	ed)
		4	Widowed	
		5	Divorced	
		6	Separated	
		7	Never married	
PRMJIND1	Major industry reco	de (main job)		ATUS-CPS File
	Edited Universe:	PRDTIND1	= 1 - 52	
	Edited Universe: Valid Entries:	PRDTIND1	= 1 - 52 Agriculture, forestry, fishing, and hunting	
		1	Agriculture, forestry, fishing, and hunting	
		1 2	Agriculture, forestry, fishing, and hunting Mining	
		1 2 3	Agriculture, forestry, fishing, and hunting Mining Construction	
		1 2 3 4	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities	
		1 2 3 4 5	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade	
		1 2 3 4 5 6 7 8	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities	
		1 2 3 4 5 6 7 8 9	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services	
		1 2 3 4 5 6 7 8 9 10	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services	
		1 2 3 4 5 6 7 8 9 10 11	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality	
		1 2 3 4 5 6 7 8 9 10 11 12	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services	
		1 2 3 4 5 6 7 8 9 10 11 12 13	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration	
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12 13 14	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces	
PRMJIND2	Valid Entries: Major industry reco	1 2 3 4 5 6 7 8 9 10 11 12 13 14 de (second jo	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces	ATUS-CPS File
PRMJIND2	Valid Entries: Major industry reco Edited Universe:	1 2 3 4 5 6 7 8 9 10 11 12 13 14	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces	ATUS-CPS File
PRMJIND2	Valid Entries: Major industry reco	1 2 3 4 5 6 7 8 9 10 11 12 13 14 de (second jo	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces	ATUS-CPS File
PRMJIND2	Valid Entries: Major industry reco Edited Universe:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 vde (second jo PRDTIND2	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces	ATUS-CPS File
PRMJIND2	Valid Entries: Major industry reco Edited Universe:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 vde (second jo PRDTIND2 =	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces bb) = 1 - 52 Agriculture, forestry, fishing, and hunting Mining Construction	ATUS-CPS File
PRMJIND2	Valid Entries: Major industry reco Edited Universe:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 de (second jo PRDTIND2 1 2	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces bb) = 1 - 52 Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing	ATUS-CPS File
PRMJIND2	Valid Entries: Major industry reco Edited Universe:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 0de (second jo PRDTIND2 1 2 3 4 5	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces bb) = 1 - 52 Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade	ATUS-CPS File
PRMJIND2	Valid Entries: Major industry reco Edited Universe:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 14 ode (second jo PRDTIND2 = 1 2 3 4	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces bb) = 1 - 52 Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing	ATUS-CPS File

Name	Description Edited Universe:	PRDTIND2	= 1 - 52	File
	Valid Entries:	8 9 10 11	Financial activities Professional and business services Educational and health services Leisure and hospitality	
		12 13	Other services Public administration	
		14	Armed Forces	
PRMJOCC1	Major occupation r	•		ATUS-CPS File
	Edited Universe:	PRDTOCC ⁻	1 = 1 - 23	
	Valid Entries:	1 2 3 4 5 6 7 8 9	Management, business, and financial or Professional and related occupations Service occupations Sales and related occupations Office and administrative support occupation Farming, fishing, and forestry occupations Construction and extraction occupations Installation, maintenance, and repair occupations	ations
		10	Transportation and material moving occ	upations
	Maior accuration	11 11	Armed Forces	
PRMJOCC2	Major occupation	•		ATUS-CPS File
	Edited Universe: Valid Entries:	PRDTOCC2 1 2 3 4 5 6 7 8 9 10 11	Management, business, and financial oc Professional and related occupations Service occupations Sales and related occupations Office and administrative support occupa Farming, fishing, and forestry occupations Construction and extraction occupations Installation, maintenance, and repair occ Production occupations Transportation and material moving occu	ations ns cupations upations
PRMJOCGR	Major occupation of	categories (m	ain job)	ATUS-CPS File
	Edited Universe:	PRMJOCC	1 = 1 - 11	
	Valid Entries:	1 2 3 4 5 6 7	Management, professional, and related Service occupations Sales and office occupations Farming, fishing, and forestry occupation Construction and maintenance occupation Production, transportation, and material Armed Forces	ns ons
PRNAGPWS	Non-agricultural pr	rivate wage a	nd salary workers recode	ATUS-CPS File
	Edited Universe:	PRCOW1 =	4 and PEIO1ICD <> 0170 - 0890	
	Valid Entries:	1	Non-agricultural private wage and salary	1

Name	Description			File
PRNAGWS	Non-agricultural wa	age and salar	y workers recode	ATUS-CPS File
	Edited Universe:	PEMLR = 1	- 4 and PRCOW1 = 1 - 4 and PEIO1ICD <	
	Valid Entries:	1	Non-agricultural wage and salary worker	
PRNLFSCH			nool or not in school	ATUS-CPS File
	Edited Universe:	(PENLFACT	Γ = 1 - 6 or PENLFACT = -1) and PRTAGE	E = 16 - 24
	Valid Entries:	1 2	In school Not in school	
PRNMCHLD	Number of own ch	ildren < 18 ye	ars of age	ATUS-CPS File
	Edited Universe:	PRFAMREL	_ = 1 or 2	
	Valid Entries:	0	Min Value	
	Tune of person rec	99	Max Value	
PRPERTYP	Type of person rec			ATUS-CPS File
	Edited Universe:	All househo	ld members	
	Valid Entries:	1	Child household member	
		2	Adult civilian household member (15+ ye	ears old)
DDDTUDO		3	Adult Armed Forces household member	
PRPTHRS		4 hours by hours at work ATUS-CPS		
	Edited Universe:	PEMLR = 1	and PEHRACTT = 1 - 34	
	Valid Entries:	0 1	Usually full time, part time for non-econo Usually full time, part time for economic	
		2	Usually full time, part time for economic	
		3	Usually full time, part time for economic	
		4	Usually full time, part time for economic	
		5	Usually part time for economic reasons,	
		6 7	Usually part time for economic reasons, Usually part time for economic reasons,	
		8	Usually part time for economic reasons,	
		9	Usually part time for non-economic reasons,	
		10	Usually part time for non-economic reas	
		11	Usually part time for non-economic reas	
		12	Usually part time for non-economic reas	
PRPTREA	Detailed reason fo	r part time wo	rk	ATUS-CPS File
	Edited Universe:	PEMLR = 1	and (PEHRUSLT = 0 - 34 or PEHRACTT	= 1 - 34)
	Valid Entries:	1	Usually full time - slack work/business co	onditions
		2	Usually full time - seasonal work	
		3	Usually full time - job started/ended durin	•
		4 5	Usually full time - vacation/personal day Usually full time - own illness/injury/med	
		6	Usually full time - holiday (religious or le	
		7	Usually full time - childcare problems	J,
		8	Usually full time - other family/personal of	obligation
		9	Usually full time - labor dispute	
		10	Usually full time - weather affected job	

Name	Description			File
	Valid Entries:	11	Usually full time - school/training	
		12	Usually full time - civic/military duty	
		13	Usually full time - other reason	
		14	Usually part time - slack work/business	conditions
		15	Usually part time - could only find part	time work
		16	Usually part time - seasonal work	
		17	Usually part time - childcare problems	
		18	Usually part time - other family/persona	al obligation
		19	Usually part time - health/medical limitation	ations
		20	Usually part time - school/training	
		21	Usually part time - retired/Social Secur	ity limit on earnings
		22	Usually part time - work week less than	n 35 hours
		23	Usually part time - other reason	
PRSJMJ	Single/multiple job	oholder		ATUS-CPS File
	Edited Universe:	PEMLR = 1	or 2	
	Valid Entries:	1	Single jobholder	
		2	Multiple jobholder	
PRTAGE	Age	-		ATUS-CPS File
	Edited Universe:	Every perso	n	
	Valid Entries:	0	Min Value	
DDTEACE	Tanaada fanana (85	Max Value	
PRTFAGE	Topcode for age (PRIAGE)		ATUS-CPS File
	Edited Universe:	Every perso	n	
	Valid Entries:	0	Age not topcoded	
		1	Age topcoded	
PRUNEDUR	Duration of unemp	ployment (num	iber of weeks)	ATUS-CPS File
	Edited Universe:	PEMLR = 3	or 4	
	Valid Entries:	0	Min Value	
		999	Max Value	
PRUNTYPE	Reason for unemp	oloyment		ATUS-CPS File
	Edited Universe:	PEMLR = 3	or 4	
	Valid Entries:	1	Job loser/on layoff	
		2	Other job loser	
		3	Temporary job ended	
		4	Job leaver	
		5	Re-entrant	
		6	New entrant	
PRWERNAL	PRERNWA: alloc	ation flag		ATUS-CPS File
	Edited Universe:	PRERELG	= 1	
	Valid Entries:	0	PRERNWA does not contain allocated	information
		1	PRERNWA contains allocated information	
PRWKSCH	Labor force by tim	•		ATUS-CPS File
	Labor force by tim			

Name	Description			File
	Edited Universe:	PEMLR = 1	- 7	
	Valid Entries:	0	Not in labor force	
		1	At work	
		2	With job, not at work	
		3	Unemployed, seeks full time	
		4	Unemployed, seeks part time	
PRWKSTAT	Full time or part tim			ATUS-CPS File
	Edited Universe:	PEMLR = 1	- 7	
	Valid Entries:	1	Not in labor force	
		2	Full time hours (35+), usually full time	
		3	Part time for economic reasons, usually f	
		4	Part time for non-economic reasons, usu	ally full time
		5	Not at work, usually full time	
		6	Part time hours, usually part time for eco	
		7	Part time hours, usually part time for non-	
		8 9	Full time hours, usually part time for ecor	
		9 10	Full time hours, usually part time for non- Not at work, usually part time	
		11	Unemployed full time	
		12	Unemployed part time	
PRWNTJOB	Not in labor force r		a job or other not in labor force	ATUS-CPS File
	Edited Universe:	PEMLR = 5	- 7	
	Valid Entries:	1	Want a job	
		2	Other not in labor force	
PTDTRACE	Race (topcoded)	_		ATUS-CPS File, Activity Summary File
	Valid Entries:	1	White only	
		2	Black only	
		3	American Indian, Alaskan Native only	
		4	Asian only	
		5	Hawaiian/Pacific Islander only	
		6	White-Black	
		7	White-American Indian	
		8 9	White-Asian White-Hawaiian	
		5 10	Black-American Indian	
		11	Black-Asian	
		12	Black-Hawaiian	
		13	American Indian-Asian	
		14	Asian-Hawaiian	
		15	White-Black-American Indian	
		16	White-Black-Asian	
		17	White-American Indian-Asian	
		18	White-Asian-Hawaiian	
		19	White-Black-American Indian-Asian	
		20	2 or 3 races	
		21	4 or 5 races	

Name	Description			File
	•	E1 is the alloc	ation flag for PTDTRACE	
PTHR	Hourly pay topcod	de flag		ATUS-CPS File
	Valid Entries: * Note: Indicate	0 1 es topcoding o	Not topcoded Topcoded f bourly pay in earnings variables	
PTOT	* Note: Indicates topcoding of hourly pay in earnings variables Weekly overtime amount topcode flag			ATUS-CPS File
	Veekly overtime			
	valiu Entries:	0 1	Not topcoded Topcoded	
	* Note: Indicate	es topcoding o	f overtime pay in earnings variables	
PTWK	Weekly earnings	topcode flag		ATUS-CPS File
	Valid Entries:	0 1	Not topcoded Topcoded	
	* Note: Indicate	es topcoding o	f weekly pay in earnings variables	
PUABSOT	In the last seven of	days, did you ł	nave a job either full or part time?	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
		3 4	Retired Disabled	
		5	Unable to work	
PUBUS1	Last week, did yo	u do any unpa	id work in the family business or farm?	ATUS-CPS File
	Valid Entries:	1 2	Yes No	
PUBUS2OT	Do you receive ar	ny payments o	r profits from the business?	ATUS-CPS File
	Valid Entries:	1 2	Yes No	
PUBUSCK1	Business check it		questions on unpaid work	ATUS-CPS File
	Valid Entries:	1	Go to PUBUS1	
		2	Go to PURETCK1	
PUBUSCK2	Business check it last week	em 2: skips ov	vners of family business who did not work	ATUS-CPS File
	Valid Entries:	1	Go to PUHRUSL1	
PUBUSCK3	Business check it	2 em 3: filter for	Go to PUBUS2	ATUS-CPS File
	Valid Entries:		Go to PUABSRSN	
	valiu Entries:	1 2	Go to PULAY	
PUBUSCK4	Business check it			ATUS-CPS File
	Valid Entries:	1	Go to PUHRUSL1	
PUCHINHH	Change in housel	2 Pold compositi	Go to PUABSPD	
	Ū.			ATUS-CPS File
	Valid Entries:	1 2	Person added Person added - usually resides elsewher	20
		2 3	Person added - usually resides elsewhere	C
		3	Person died	
		5	Deleted for reason other than death	
		6	Person joined Armed Forces	
		7	Person no longer in Armed Forces	
		9	Change in demographic information	

Name	Description			File		
PUDIS	have a disability.	Last time we spoke to someone in this household, you were reported to have a disability. Does your disability continue to prevent you from accepting any kind of work during the next six months?				
	Valid Entries:	1	Yes			
		2	No			
	Dese veur dischil	3	Did not have disability last month			
PUDIS1	the next six month		u from accepting any kind of work during	ATUS-CPS File		
	Valid Entries:	1	Yes			
BUDIO2		2	No			
PUDIS2	during the next size		events you from accepting any kind of work	ATUS-CPS File		
	Valid Entries:	1	Yes			
		2	No			
PUDWCK1	Discouraged work	ker check item	1: filter for discouraged worker	ATUS-CPS File		
	Valid Entries:	1	Go to PUSCHCK			
		2	Go to PUNLFCK1			
		3	Go to PUDWCK4			
		4	Go to PUDWWANT			
PUDWCK2	Discouraged work	ker check item	2: filter for disabled	ATUS-CPS File		
	Valid Entries:	1	Go to PUJHCK1			
		2	Go to PUDIS1			
		3	Go to PUDIS2			
		4	Go to PUDWCK4			
PUDWCK3	Discouraged work	ker check item	3: filter for retired	ATUS-CPS File		
	Valid Entries:	1	Go to PUDWCK4			
		2	Go to PUNLFCK2			
PUDWCK4	Discouraged work	ker check item	4: filter for passive job seekers	ATUS-CPS File		
	Valid Entries:	1	Go to PUDWCK5			
		2	Go to PUDWCK5			
		3	Go to PUDWCK5			
		4	Go to PUDWRSN			
PUDWCK5	Discouraged work	ker check item	5: filter for passive job seekers	ATUS-CPS File		
	Valid Entries:	1	Go to PUDWWK			
		2	Go to PUDWLK			
PUERN2	Weekly overtime	earnings (2 im	plied decimals)	ATUS-CPS File		
	Valid Entries:	0	Min Value			
		288461	Max Value			
PUERNH1C	What is your hour commissions? (2		on this job, excluding overtime pay, tips, or als)	ATUS-CPS File		
	Valid Entries:	0	Min Value			
		9999	Max Value			
PUHRCK1	Hours responden hours series	t check item 1	: labor force - remove groups from actual	ATUS-CPS File		
	Valid Entries:	1	Go to PUHRUSL2			
		2	Go to PUHRUSLT			
PUHRCK12	Hours responden series	t check item 1	2: filter for < 15 hours to go to looking	ATUS-CPS File		
	Valid Entries:	1	Go to PULK			
		2	Go to PUIOCK1			

Name	Description			File
PUHRCK2	Hours respondent yes to PUHRFTP		em 2: labor force - skips persons responding T series	ATUS-CPS File
	Valid Entries:	1 2 3 4	Go to PUHRFTPT Go to PUHRFTPT Go to PUHRFTPT Go to PUHRFTPT	
PUHRCK3	Hours respondent through industry a		Go to PUHRCK3 em 3: labor force - filter for persons going pation series	ATUS-CPS File
	Valid Entries:	1 2 3 4 5 6	Go to PUHRCK8 Go to PUHRCK8 Go to PUHRACT1 Go to PUHRCK4 Go to PUHROFF1 Go to PUHRCK4	
PUHRCK4	Hours respondent	-	em 4: labor force - skips persons	ATUS-CPS File
	Valid Entries:	1 2 3 4 5	Go to PUHRACT1 Go to PUHROFF1 Go to PUHRWANT Go to PUHRWANT Go to PUHRACT1	
PUHRCK5	Hours respondent for second job hou		em 5: labor force - filter for multiple jobholders	ATUS-CPS File
	Valid Entries:	1 2	Go to PUHRACT2 Go to PUHRCK6	
PUHRCK6	Hours respondent jobs 1 and 2	check ite	em 6: labor force - filter for actual job hours,	ATUS-CPS File
	Valid Entries:	1 2 3	Go to PULK Go to PUABSRSN Go to PUHRACTT	
PUHRCK7	Hours respondent		em 7: labor force - filter for hours worked paths	ATUS-CPS File
	Valid Entries:	1 2 3 4 5	If PUBUS2=2,D,R and PUHRACT1<15 If PUBUS2=2,D,R and PUHRACT1>=1 If PUHRUSLT>=35 and PUHRACT1 <3 D,R go to PUHRRSN3 If PUHRWANT=1 and PUHRACTT <35 to PUHRAVL Go to PUHRCK8	5 go to PUHRCK8 > D,R and PUHRACT2 <>
PUHROFF1			take off any hours from your job for any reason, vacation, or holiday?	n ATUS-CPS File
	Valid Entries:	1 2	Yes No	
PUHROFF2	How many hours			ATUS-CPS File
	Valid Entries:	0 99	Min Value Max Value	
PUHROT1			y overtime or extra hours? (main job)	ATUS-CPS File
	Valid Entries:	1 2	Yes No	
PUHROT2	How many additio	nal hours	s did you work?	ATUS-CPS File

Name	Description				File
	Valid Entries:	0		Min Value	
		99		Max Value	
PUIO1MFG	Is this business or wholesale trade, or	organization r		turing, retail trade,	ATUS-CPS File
	Valid Entries:	1	Manufacturing]	
		2	Retail trade		
		3	Wholesale trac	de	
		4	Something els	se	
PUIO2MFG	Is this business or wholesale trade, or				ATUS-CPS File
	Valid Entries:	1	Manufacturing]	
		2	Retail trade		
		3	Wholesale trac	de	
		4	Something els	se	
PUIOCK1	Industry and occup occupation	ation check it	em 1: filter for d	lependent industry and	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1IN	NT	
		2	Go to PUIO1I	NT	
		3	Go to PUIO1I	NT	
		4	Go to PUIODF		
		5	Go to PUIO1I	NT	
PUIOCK2	Industry and occup and occupation cas		em 2: filter for p	previous month's industry	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1I		
		2	Go to PUIO1C		
		3	Go to PUIODF		
PUIOCK3	Industry and occup occupation	ation check it	em 3: filter for p	previous month's unknown	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1C		
		2	Go to PUIO1C		
		3	Go to PUIODF		
PUIODP1	Last month you we work for (employer	re reported to 's name)?	work for (emplo	oyer's name). Do you still	ATUS-CPS File
	Valid Entries:	1	Yes		
		2	No		
PUIODP2		ivities and dut	ies of your job o	changed since last month?	ATUS-CPS File
	Valid Entries:	1	Yes		
		2	No		
PUIODP3	(activities). Is this a		escription of you	d your usual duties were ur current job?	ATUS-CPS File
	Valid Entries:	1	Yes		
		2	No	· · · ·	
PUJHCK1	Job history check in				ATUS-CPS File
	Valid Entries:	1	Go to PUNLF		
		2	Go to PUJHC		
		3	Go to PUNLFO		
PUJHCK2	occupation series			through industry and	ATUS-CPS File
	Valid Entries:	1	Go to PUJHRS		
		2	Go to PUJHW		
		3	Go to PUJHW	ΥK	

Name	Description			File
PUJHCK3	Job history check	titem 3: f	ilter for unemployed job history	ATUS-CPS File
	Valid Entries:	1	Go to PUJHDP1	
	Laberta Cara and San and	2	Go to PUJHRSN	
PUJHCK4		titem 4: f	ilter for dependent not in the labor force	ATUS-CPS File
	Valid Entries:	1	Go to PUJHCK5	
		2	Go to PUIO1INT	
		3 4	Go to PUJHCK5 Go to PUIO1INT	
		4 5	Go to PUNLFCK1	
PUJHCK5	Job history check force	-	ilter/carryover for dependent not in the labor	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1INT	
		2	Go to PUIOCK5	
PUJHDP10	Did you do any o	f this wor	k in the last 4 weeks?	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
PULAY	-	even days	s, were you on layoff from a job?	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4 5	Disabled Unable to work	
PULAY6M	Have you been a		indication that you will be recalled to work within	ATUS-CPS File
	the next 6 month			
	Valid Entries:	1	Yes	
		2	No	
PULAYAVR			tarted a job in the last week?	ATUS-CPS File
	Valid Entries:	1	Own temporary illness	
		2	Going to school	
	Loveff shoold item	3	Other	ATUS-CPS File
PULAYCK1			or previous month layoff status	ATUS-CPS File
	Valid Entries:	1	Go to PULAYCK3	
		2 3	Go to PULAYFT Go to PULAYDR	
PULAYCK2	Lavoff check itor		for dependent layoff	ATUS-CPS File
	Valid Entries:	1 2	Go to PULAYDR3 Go to PULAYFT	
PULAYCK3	Lavoff check item		ndent industry and occupation filter/carryover	ATUS-CPS File
	Valid Entries:		Go to PUIO1INT	
	valid Entries:	1 2	Go to PUIOTINT Go to PUIOTINT	
		2 3	Go to PUSCHCK	
PULAYDT	Has your employ		you a date to return to work? (to layoff job)	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
PULINENO	Person line numb			ATUS-CPS File
	Valid Entries:	1	Min Value	
		99	Max Value	
PULK	Have you been d	oing anyt	hing to find work during the last 4 weeks?	ATUS-CPS File

Name	Descriptio	on			File
	Valid Ent	ries:	1	Yes	
			2	No	
			3	Retired	
			4	Disabled	
			5	Unable to work	
PULKAVR	Why coul	d you not	have started	a job last week?	ATUS-CPS File
	Valid Ent	ries:	1	Waiting for new job to begin	
			2	Own temporary illness	
			3	Going to school	
			4	Other	
PULKDK1	You said looking? (o find work. How did you go about	ATUS-CPS File
	Valid Ent	ries:	1	Contacted employer directly/interview	
			2	Contacted public employment agency	
			3	Contacted private employment agenc	
			4	Contacted friends or relatives	
			5	Contacted school/university employm	ent center
			6	Sent out resumes/filled out application	าร
			7	Checked union/professional registers	
			8	Placed or answered ads	
			9	Other active	
			10	Looked at ads	
			11	Attended job training programs/course	es
			12	Nothing	
			13	Other passive	
	* Note:	In order t	a raaarah ial	a a a a wala waatha da u a awa waxat a a wahina	
	Note.	- PULKM	16, PULKDK1	b search methods, users must combine - PULKDK6, and PULKPS1 - PULKPS	6
PULKDK2		- PULKM	io research joi 16, PULKDK1 cond method)	- PULKDK6, and PULKPS1 - PULKPS	ATUS-CPS File
PULKDK2		- PULKM 1 text: (se	16, PULKDK1	- PULKDK6, and PULKPS1 - PULKPS	6 ATUS-CPS File
PULKDK2	PULKDK	- PULKM 1 text: (se	I6, PULKDK1 cond method) 1 2	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency	6 ATUS-CPS File
PULKDK2	PULKDK	- PULKM 1 text: (se	I6, PULKDK1 cond method) 1	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc	6 ATUS-CPS File
PULKDK2	PULKDK	- PULKM 1 text: (se	I6, PULKDK1 cond method) 1 2 3 4	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives	6 ATUS-CPS File
PULKDK2	PULKDK	- PULKM 1 text: (se	I6, PULKDK1 cond method) 1 2 3 4 5	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm	6 ATUS-CPS File y ent center
PULKDK2	PULKDK	- PULKM 1 text: (se	I6, PULKDK1 cond method) 1 2 3 4 5 6	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application	6 ATUS-CPS File y ent center
PULKDK2	PULKDK	- PULKM 1 text: (se	16, PULKDK1 cond method) 1 2 3 4 5 6 7	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out applicatior Checked union/professional registers	6 ATUS-CPS File y ent center
PULKDK2	PULKDK	- PULKM 1 text: (se	16, PULKDK1 2 3 4 5 6 7 8	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads	6 ATUS-CPS File y ent center
PULKDK2	PULKDK	- PULKM 1 text: (se	16, PULKDK1 cond method) 2 3 4 5 6 7 8 9	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out applicatior Checked union/professional registers Placed or answered ads Other active	6 ATUS-CPS File y ent center
PULKDK2	PULKDK	- PULKM 1 text: (se	16, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out applicatior Checked union/professional registers Placed or answered ads Other active Looked at ads	6 ATUS-CPS File y ent center ns
PULKDK2	PULKDK	- PULKM 1 text: (se	16, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 10 11	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course	6 ATUS-CPS File y ent center ns
PULKDK2	PULKDK Valid Ent	- PULKM 1 text: (se ries:	16, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course Other passive	6 ATUS-CPS File y ent center ns
	PULKDK Valid Ent	- PULKM 1 text: (se ries: In order t - PULKM	16, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13 co research jol 16, PULKDK1	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course	6 ATUS-CPS File y ent center hs es eall fields PELKM1, PULKM2 6
PULKDK2 PULKDK3	PULKDK Valid Ent	- PULKM 1 text: (se ries: In order t - PULKM	I6, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13 to research jol	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course Other passive b search methods, users must combine	6 ATUS-CPS File y ent center ns es e all fields PELKM1, PULKM2
	PULKDK Valid Ent	- PULKM 1 text: (se ries: norder t - PULKM 1 text: (thi	I6, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13 to research jol 16, PULKDK1 ird method) 1	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course Other passive b search methods, users must combine - PULKDK6, and PULKPS1 - PULKPS	6 ATUS-CPS File y ent center hs es eall fields PELKM1, PULKM2 6
	PULKDK Valid Entr * Note: PULKDK Valid Entr	- PULKM 1 text: (se ries: In order t - PULKM 1 text: (thi ries:	16, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13 to research jol 16, PULKDK1 ird method) 1 13	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course Other passive b search methods, users must combine - PULKDK6, and PULKPS1 - PULKPS Min Value Max Value	6 ATUS-CPS File y ent center hs es eall fields PELKM1, PULKM2 6
PULKDK3	PULKDK Valid Entr * Note: PULKDK Valid Entr * Note:	- PULKM 1 text: (se ries: In order t - PULKM 1 text: (thi ries: See valio	I6, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13 to research jol 16, PULKDK1 ird method) 1 13 d for values fo	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course Other passive b search methods, users must combine - PULKDK6, and PULKPS1 - PULKPS Min Value Max Value	6 ATUS-CPS File y ent center ns es all fields PELKM1, PULKM2 6 ATUS-CPS File
	PULKDK Valid Entr Note: PULKDK Valid Entr Note: PULKDK	- PULKM 1 text: (se ries: ries: - PULKM 1 text: (thi ries: See valio 1 text: (fou	16, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13 to research jol 16, PULKDK1 ird method) 1 13	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course Other passive b search methods, users must combine - PULKDK6, and PULKPS1 - PULKPS Min Value Max Value r PULKDK2	6 ATUS-CPS File y ent center hs es es all fields PELKM1, PULKM2 6
PULKDK3	PULKDK Valid Entr * Note: PULKDK Valid Entr * Note:	- PULKM 1 text: (se ries: ries: - PULKM 1 text: (thi ries: See valio 1 text: (fou	I6, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13 to research jol 16, PULKDK1 ird method) 1 13 d for values fo urth method) 1	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course Other passive b search methods, users must combine - PULKDK6, and PULKPS1 - PULKPS Min Value Max Value r PULKDK2	6 ATUS-CPS File y ent center ns es eall fields PELKM1, PULKM2 6 ATUS-CPS File
PULKDK3	PULKDK Valid Entr Note: PULKDK Valid Entr Note: PULKDK	- PULKM 1 text: (se ries: ries: In order t - PULKM 1 text: (thi ries: See valic 1 text: (for ries:	I6, PULKDK1 cond method) 1 2 3 4 5 6 7 8 9 10 11 13 to research jol 16, PULKDK1 ird method) 1 13 d for values fo urth method)	- PULKDK6, and PULKPS1 - PULKPS Contacted employer directly/interview Contacted public employment agency Contacted private employment agenc Contacted friends or relatives Contacted school/university employm Sent out resumes/filled out application Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/course Other passive b search methods, users must combine - PULKDK6, and PULKPS1 - PULKPS Min Value Max Value r PULKDK2	6 ATUS-CPS File y ent center ns es eall fields PELKM1, PULKM2 6 ATUS-CPS File

PULKDK5 PULKDK1 text: (fifth method) ATUS-CP3 Valid Entries: 1 Min Value 13 Max Value * Note: See valid for values for PULKDK2 PULKDK6 PULKDK1 text: (sixth method) ATUS-CP3 Valid Entries: 1 Min Value 13 Max Value ATUS-CP3 Valid Entries: 1 Min Value 13 Max Value ATUS-CP3 Valid Entries: 1 Min Value 13 Max Value ATUS-CP3 PULKM2 What are all of the things you have been doing to find work during the last ATUS-CP3 PULKM2 What are all of the things you have been doing to find work during the last ATUS-CP3 Valid Entries: 1 Contacted employer directly/interview 2 Contacted public employment agency 3 3 Contacted private employment agency 4 4 Contacted friends or relatives 5 5 Contacted school/university employment center 6 6 Sent out resumes/filled out applications 7 7 Checked union/professional registers	PS File
* Note: 3 Max Value PULKDK6 PULKDK1 text: (sixth method) ATUS-CP3 Valid Entries: 1 Min Value 13 Max Value * Note: See valid for values for PULKDK2 PULKM2 What are all of the things you have been doing to find work during the last 4 weeks? (second method) ATUS-CP3 PULKM2 What are all of the things you have been doing to find work during the last 4 weeks? (second method) ATUS-CP3 Valid Entries: 1 Contacted employer directly/interview ATUS-CP3 2 Contacted public employment agency 3 Contacted public employment agency 4 4 Contacted private employment agency 3 Contacted private employment agency 5 5 Contacted school/university employment center 6 Sent out resumes/filled out applications 7 6 Sent out resumes/filled out applications 7 Checked union/professional registers 8 9 Other active 10 Looked at ads 10 Looked at ads	
* Note: See valid for values for PULKDK2 PULKDK6 PULKDK1 text: (sixth method) Valid Entries: 1 Min Value 13 Max Value * Note: See valid for values for PULKDK2 PULKM2 What are all of the things you have been doing to find work during the last 4 weeks? (second method) Valid Entries: 1 Contacted employer directly/interview 2 Contacted public employment agency 3 Contacted private employment agency 4 Contacted friends or relatives 5 Contacted school/university employment center 6 Sent out resumes/filled out applications 7 Checked union/professional registers 8 Placed or answered ads 9 Other active 10 Looked at ads	
Valid Entries: 1 Min Value 13 * Note: See valid for values for PULKDK2 PULKM2 What are all of the things you have been doing to find work during the last ATUS-CPS 4 weeks? (second method) Valid Entries: 1 Contacted employer directly/interview 2 Contacted public employment agency 3 Contacted private employment agency 4 Contacted friends or relatives 5 Contacted friends or relatives 5 Contacted school/university employment center 6 Sent out resumes/filled out applications 7 Checked union/professional registers 8 Placed or answered ads 9 Other active 10 Looked at ads	
13 Max Value * Note: See valid for values for PULKDK2 PULKM2 What are all of the things you have been doing to find work during the last ATUS-CPS 4 weeks? (second method) Valid Entries: 1 Contacted employer directly/interview 2 Contacted public employment agency 3 Contacted private employment agency 4 Contacted friends or relatives 5 Contacted school/university employment center 6 Sent out resumes/filled out applications 7 Checked union/professional registers 8 Placed or answered ads 9 Other active 10 Looked at ads	'S File
* Note: See valid for values for PULKDK2 PULKM2 What are all of the things you have been doing to find work during the last ATUS-CPS 4 weeks? (second method) Valid Entries: 1 Contacted employer directly/interview 2 Contacted public employment agency 3 Contacted private employment agency 4 Contacted friends or relatives 5 Contacted school/university employment center 6 Sent out resumes/filled out applications 7 Checked union/professional registers 8 Placed or answered ads 9 Other active 10 Looked at ads	'S File
PULKM2 What are all of the things you have been doing to find work during the last ATUS-CP3 4 weeks? (second method) Valid Entries: 1 Contacted employer directly/interview 2 Contacted public employment agency 3 Contacted private employment agency 4 Contacted friends or relatives 5 Contacted school/university employment center 6 Sent out resumes/filled out applications 7 Checked union/professional registers 8 Placed or answered ads 9 Other active 10 Looked at ads	PS File
4 weeks? (second method) Valid Entries: 1 Contacted employer directly/interview 2 Contacted public employment agency 3 Contacted private employment agency 4 Contacted friends or relatives 5 Contacted school/university employment center 6 Sent out resumes/filled out applications 7 Checked union/professional registers 8 Placed or answered ads 9 Other active 10 Looked at ads	
2Contacted public employment agency3Contacted private employment agency4Contacted friends or relatives5Contacted school/university employment center6Sent out resumes/filled out applications7Checked union/professional registers8Placed or answered ads9Other active10Looked at ads	
3Contacted private employment agency4Contacted friends or relatives5Contacted school/university employment center6Sent out resumes/filled out applications7Checked union/professional registers8Placed or answered ads9Other active10Looked at ads	
4Contacted friends or relatives5Contacted school/university employment center6Sent out resumes/filled out applications7Checked union/professional registers8Placed or answered ads9Other active10Looked at ads	
5Contacted school/university employment center6Sent out resumes/filled out applications7Checked union/professional registers8Placed or answered ads9Other active10Looked at ads	
6Sent out resumes/filled out applications7Checked union/professional registers8Placed or answered ads9Other active10Looked at ads	
7Checked union/professional registers8Placed or answered ads9Other active10Looked at ads	
8Placed or answered ads9Other active10Looked at ads	
9Other active10Looked at ads	
10 Looked at ads	
11 Attended job training programs/courses	
13 Other passive	
 * Note: In order to research job search methods, users must combine all fields PELK - PULKM6, PULKDK1 - PULKDK6, and PULKPS1 - PULKPS6 	KM1, PULKM2
PULKM3 PULKM2 text: (third method) ATUS-CPS	S File
Valid Entries: 1 Min Value	
13 Max Value	
* Note: See valid for values for PULKM2	
PULKM4 PULKM2 text: (fourth method) ATUS-CPS	'S File
Valid Entries: 1 Min Value	
13 Max Value	
* Note: See valid for values for PULKM2	
PULKM5 PULKM2 text: (fifth method) ATUS-CPS	SFIIe
Valid Entries:1Min Value13Max Value	
13 Max Value * Note: See valid for values for PULKM2	
PULKM6 PULKM2 text: (sixth method) ATUS-CPS	'S File
Valid Entries: 1 Min Value	
13 Max Value	
* Note: See valid for values for PULKM2	
PULKPS1 Can you tell me more about what you did to search for work? (first ATUS-CPS method)	'S File
Valid Entries: 1 Contacted employer directly/interview	
2 Contacted public employment agency	
3 Contacted private employment agency	
4 Contacted friends or relatives	
5 Contacted school/university employment center	
6 Sent out resumes/filled out applications	

Name	Description				File
	Valid Entries:	7	Checked unio	n/professional registers	
		8	Placed or ans	wered ads	
		9	Other active		
		10	Looked at ads		
		11	•	training programs/courses	5
		12	Nothing		
		13	Other passive		
				ods, users must combine a nd PULKPS1 - PULKPS6	all fields PELKM1, PULKM2
PULKPS2	PULKPS1 text:	(second method	J)		ATUS-CPS File
	Valid Entries:	1		ployer directly/interview	
		2		blic employment agency	
		3		vate employment agency	
		4		ends or relatives	
		5		nool/university employme	
		6		mes/filled out applications	3
		7	Placed or ans	n/professional registers	
		8 9	Other active	wereu aus	
		9 10	Looked at ads		
		11		raining programs/courses	
		13	Other passive		5
	* Note: In ord - PUL	er to research jo	b search metho		all fields PELKM1, PULKM2
PULKPS3	PULKPS1 text:				ATUS-CPS File
	Valid Entries:	·		Min Value	
		13		Max Value	
	* Note: See v	alid for values for	or PULKPS2	max value	
PULKPS4	PULKPS1 text:	(fourth method)			ATUS-CPS File
	Valid Entries:	1		Min Value	
		13		Max Value	
		alid for values for	or PULKPS2		
PULKPS5	PULKPS1 text:	(fifth method)			ATUS-CPS File
	Valid Entries:	1		Min Value	
	* Note: See v	13 alid for values fo		Max Value	
PULKPS6	PULKPS1 text:		JI FULKF32		ATUS-CPS File
	Valid Entries:	1		Min Value	
		13		Max Value	
	* Note: See v	alid for values for	or PULKPS2		
PUNLFCK1	Not in labor for	e check item 1:	age filter for reti	rement question	ATUS-CPS File
	Valid Entries:	1 2	Go to PUNLF. Go to PUNLF		
PUNLFCK2	Not in labor for		outgoing rotatio		ATUS-CPS File
	Valid Entries:	1	Go to PUNLF	JH	
		2	End questions		
PUPELIG	Interview status	of each person	in the household	d	ATUS-CPS File
	Valid Entries:	1	Eligible for int	erview	

Name	Description			File
	Valid Entries	: 2	Labor force fully complete	
		3	Missing labor force data for person	
		4	(Not used)	
		5	Assigned if PUAGERNG = 0	
		6	Armed Forces member	
		7	Under 15 years old	
		8	Not a household member	
		9	Deleted	
		10	Deceased	
		11	End of list	
DUDETOT		12	After end of list	
PURETOT			be retired. Are you still retired?	ATUS-CPS File
	Valid Entries		Yes	
		2 3	No	
PUSLFPRX	Labor forco i	-	Was not retired last month d by self or proxy response	ATUS-CPS File
FUSLFFRA				ATUS-CFS FILE
	Valid Entries		Self	
		2 3	Proxy Both self and proxy	
PUWK	Last wook di		for either pay or profit?	ATUS-CPS File
FUVIN			· · ·	ATUS-CFSTIle
	Valid Entries	-	Yes	
		2	No	
		3	Retired	
		4 5	Disabled Unable to work	
PXABSPDO		allocation flag		ATUS-CPS File
FARDSFDO		-		ATUS-CFSTILE
	Valid Entries		Min Value	
	* Note: Se	53 a Introduction for al	Max Value location flag values	
PXABSRSN		allocation flag	location hag values	ATUS-CPS File
FADONON		-		ATUS-CESTILE
	Valid Entries		Min Value	
	* Note: Se	53 a Introduction for al	Max Value location flag values	
			location hay values	
PXAFEVER		allocation flag		ATUS-CPS File
	Valid Entries		Min Value	
	* Note: Se	53 e Introduction for al	Max Value location flag values	
DVA ENOVA			location hag values	
PXAFNOW		allocation flag		ATUS-CPS File
	Valid Entries	: 0 53	Min Value	
	* Note: Se		Max Value location flag values	
			location hay values	
PXAFWHN1		allocation flag		ATUS-CPS File
	Valid Entries		Min Value	
	+ • • •	53	Max Value	
			location flag values	
PXAGE	PRTAGE: all	ocation flag		ATUS-CPS File

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value values	
РХСОНАВ	PECOHAB: alloc	ation flag		ATUS-CPS File
	Valid Entries:	01 53	Min Value Max Value	
	* Note: See Int	roduction for list of allocation		
PXCYC	PECYC: allocation	n flag	-	ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value	
PXDADTYP	PEDADTYP: allo	-	values	ATUS-CPS File
	Valid Entries:	01	Min Value	
		53	Max Value	
	* Note: See Int	roduction for allocation flag	values	
PXDIPGED	PEDIPGED: alloc	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Noto: Soo Int	53	Max Value	
PXDISDRS	PEDISDRS: alloc	roduction for allocation flag	values	ATUS-CPS File
	Valid Entries:	0	Min Value	
	valiu Enules.	53	Max Value	
	* Note: See Int	roduction for allocation flag	values	
PXDISEAR	PEDISEAR: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value	
PXDISEYE	PEDISEYE: alloc	-		ATUS-CPS File
	Valid Entries:	0	Min Value	
	Valia Entrico.	53	Max Value	
	* Note: See Int	roduction for allocation flag	values	
PXDISOUT	PEDISOUT: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value	
PXDISPHY	PEDISPHY: alloc			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
		roduction for allocation flag	values	
PXDISREM	PEDISREM: allo	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value values	
PXDW4WK	PEDW4WK: alloc	•		ATUS-CPS File

Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWAVL PEDWAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXDWAVR PEDWAVR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag v	Name	Description			File
* Note: See Introduction for allocation flag values PXDWAVL PEDWAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values PXDWLKO PEDWUKV: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWLKO PEDWUKV: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWRK PEDWLKV: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWRK PEDWLKV: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWRSN PEDWRSN: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values * Note: See Introduction for allocation flag value * Note: See Introduction for allocation flag values * Note: See Intro		Valid Entries:			
Valid Entries: 0 Min Value S3 Max Value *Note: See Introduction frag values PXDWAVR PEDWAVR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXDWLKO PEDWLKO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value S3 *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introducti		* Note: See Intro			
PXDWAVR PEDWAVR: allocation flag values ATUS-CPS File PXDWAVR Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXDWLKO PEDWLKVK: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXDWLKWK PEDWLKWK: allocation flag Max Value *Note: See Introduction flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction flag values ATUS-CPS File PZDWWK PEDWWK: allocation flag values <td< th=""><th>PXDWAVL</th><th>PEDWAVL: allocati</th><th>ion flag</th><th>-</th><th>ATUS-CPS File</th></td<>	PXDWAVL	PEDWAVL: allocati	ion flag	-	ATUS-CPS File
 *Note: See Introduction for allocation flag values PXDWAVR PEDWAVR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXDWLKO PEDWLKO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXDWLKWK PEDWLKWK: allocation flag values PXDWLKWK PEDWLKWK: allocation flag values PXDWLKWK PEDWLKWK: allocation flag values PXDWRSN PEDWRSN: allocation flag values PXDWKK PEDWRSN: allocation flag values PXDWKK PEDWWK: allocation flag values Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values *Note: See Intr		Valid Entries:	-		
Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values PXDWLKO PEDWLKO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXDWLKWK PEDWLKWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXDWRSN PEDWRSN: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note:		* Note: See Intro			
53 Max Value * Note: See Introduction for allocation flag values PZDWLKO PEDWLKO: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PZDWLKWK PEDWLKWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File * Note: See Introduction for allocation flag values ATUS-CPS File * Note: See Introduction for allocation flag values ATUS-CPS File * Note: See Introduction for allocation flag values ATUS-CPS File * Note: See Introduction for allocation flag values ATUS-CPS File * Note: See Introduction for allocation flag values ATUS-CPS File * Note: See Introduction for allocation flag values Min Value * Note: See Introduction for allocation flag values Min Value * Note: See Introduction for allocation flag values Min Value * Note: See Introduction for allocation flag values Min Value * Note: See I	PXDWAVR	PEDWAVR: allocat	ion flag		ATUS-CPS File
* Note: See Introduction for allocation flag values PXDWLKO PEDWLKO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Values * Note: See Introduction for allocation flag values PXDWLKWK PEDWLKWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWRSN PEDWRSN: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXEDUCA PEEDWCA: allocation flag ATU		Valid Entries:			
PXDWLKO PEDWLKO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXDWLKWK PEDWLKWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Si * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Si * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction fo		* Note: See Intro			
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWLKWK PEDWLKWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXDWRSN PEDWRSN: allocation flag Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction for allocation flag values Max Value PXEDUCA PEEDUCA: allocation flag values Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERN PEEDUCA: allocation flag values Max Value	PXDWLKO				ATUS-CPS File
*Note: See Introduction for allocation flag values PXDWLKWK PEDWLKWK: allocation flag values PXDWLKWK O Min Value 53 Max Value 53 *Note: See Introduction for allocation flag values PXDWRSN PEDWRSN: allocation flag values PXDWWRSN PEDWRSN: allocation flag values *Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag values *Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag values PXDWWK Sa Max Value ATUS-CPS File Valid Entries: 0 Min Value Sa Max Value *Note: See Introduction for allocation flag values PXEDUCA PEEDUCA: allocation flag values PXEDUCA PEEDUCA: allocation flag values PXERN PEERN: allocation flag values PXERN PEERN: allocation f			-	Min Value	
PXDWLKWK PEDWLKWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXDWRSN PEDWRSN: allocation flag Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: <td></td> <td>Valia Elitiloo.</td> <td>-</td> <td></td> <td></td>		Valia Elitiloo.	-		
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWRSN PEDWRSN: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File		* Note: See Intro	duction for allocation	on flag values	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	PXDWLKWK	PEDWLKWK: alloc	ation flag		ATUS-CPS File
* Note: See Introduction for allocation flag values PXDWRSN PEDWRSN: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXDWWNTO PEDWWNTO: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Sa * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Sa * Note: See Introduction flag values Max Value * Note: See Introduction for allocation flag values Max Value PXERN PEERN: allocation flag Max Va		Valid Entries:	-		
PXDWRSN PEDWRSN: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction flag values Max Value PXDWWNTO PEDWWNTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values Max Value PXERN PEERN: allocation flag Max Value		* Note: See Intro			
* Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWWNTO PEDWWNTO: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction for allocation flag values	PXDWRSN				ATUS-CPS File
* Note: See Introduction for allocation flag values PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * * Note: See Introduction for allocation flag values ATUS-CPS File PXDWWNTO PEDWWNTO: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERN PEERN: allocation flag Min Value ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERNCOV PEERNCOV: allocation flag Min Value * Note: See Introduction for allocation flag values ATUS-CPS File		Valid Entries:	0	Min Value	
PXDWWK PEDWWK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXDWWNTO PEDWWNTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * * Note: See Introduction for allocation flag values ATUS-CPS File PXEDUCA PEEDUCA: allocation flag Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERN PEERN: allocation flag Max Value ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERNCOV PEERN: allocation flag Max Value ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File <					
Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERN PEERN: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERNCOV PEERNCOV: allocation flag Min Value Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value				on flag values	
FXDWWNTO PEDWWNTO: allocation flag value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value 60 Min Value 7000000000000000000000000000000000000	PXDWWK		-		ATUS-CPS File
* Note: See Introduction for allocation flag values PXDWWNTO PEDWWNTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * * Note: See Introduction for allocation flag values ATUS-CPS File PXEDUCA PEEDUCA: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERN PEERN: allocation flag Min Value S3 Max Value * * Note: See Introduction for allocation flag values ATUS-CPS File PXERNCOV PEERN: allocation flag Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERNCOV PEERNCOV: allocation flag Min Value * Note: See Introduction flag Max Value * Note: See Introduction flag ATUS-CPS File		Valid Entries:			
PXDWWNTO PEDWWNTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXEDUCA PEEDUCA: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERN PEERN: allocation flag Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERNCOV PEERNCOV: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERNCOV PEERNCOV: allocation flag Max Value * Note: See Introduction flag Min Value		* Note: See Intro			
53 Max Value * Note: See Introduction for allocation flag values PXEDUCA PEEDUCA: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERN PEERN: allocation for allocation flag values Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERN PEERN: allocation for allocation flag values Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERNCOV PEERNCOV: allocation flag PXERNCOV PEERNCOV: allocation flag PXERNCOV 0 Min Value 53 Max Value 53 Max Value	PXDWWNTO			5	ATUS-CPS File
* Note: See Introduction for allocation flag values PXEDUCA PEEDUCA: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERN PEERN: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERN PEERN: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERNCOV PEERNCOV: allocation flag Min Value Yalid Entries: 0 Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value ATUS-CPS File			-	Min Value	
PXEDUCA PEEDUCA: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERN PEERN: allocation flag ATUS-CPS File Valid Entries: 0 Min Value ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXERNCOV PEERNCOV: allocation flag Min Value FXERNCOV PEERNCOV: allocation flag Min Value S3 Max Value ATUS-CPS File					
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERN PEERN: allocation Valid Entries: 0 53 Max Value 53 Max Value Valid Entries: 0 53 Max Value * Note: See Introduction for allocation flag values PXERNCOV PEERNCOV: allocation flag values PXERNCOV PEERNCOV: allocation flag Valid Entries: 0 Sa Min Value 53 Max Value				on flag values	
See Introduction for allocation flag value PXERN PEERN: allocation Valid Entries: 0 53 Max Value 53 Max Value * Note: See Introduction for allocation flag value * Note: See Introduction for allocation flag value PXERNCOV PEERNCOV: allocation flag PXERNCOV PEERNCOV: allocation flag Valid Entries: 0 S3 Min Value 53 Max Value	PXEDUCA		ion flag		ATUS-CPS File
* Note: See Introduction for allocation flag values PXERN PEERN: allocation flag Valid Entries: 0 53 Max Value * Note: See Introduction for allocation flag values PXERNCOV PEERNCOV: allocation flag Valid Entries: 0 53 Min Value 53 Max Value Valid Entries: 0 53 Min Value 53 Max Value		Valid Entries:	-		
PXERN PEERN: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXERNCOV PEERNCOV: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Min Value Valid Entries: 0 Min Value 53 Max Value Max Value		* Note: See Intro			
See Max Value * Note: See Introduction for allocation flag values PXERNCOV PEERNCOV: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value	PXERN				ATUS-CPS File
* Note: See Introduction for allocation flag values PXERNCOV PEERNCOV: allocation flag Valid Entries: 0 53 Max Value		Valid Entries:	0	Min Value	
PXERNCOV PEERNCOV: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value					
Valid Entries: 0 Min Value 53 Max Value				on tiag values	
53 Max Value	PXERNCOV		-		ATUS-CPS File
		Valid Entries:	-		
		* Note: See Intro			
PXERNH1O PEERNH1O: allocation flag ATUS-CPS File	PXERNH10			·	ATUS-CPS File

Name	Description			File
	Valid Entries: (Min Value	
		3 uction for allocation flag val	Max Value ues	
PXERNH2	PEERNH2: allocation	n flag		ATUS-CPS File
	Valid Entries: 0	3	Min Value Max Value	
		uction for allocation flag val		
PXERNHRO	PEERNHRO: allocat	on flag		ATUS-CPS File
	Valid Entries: (Min Value	
		3 uction for allocation flag val	Max Value	
PXERNHRY	PEERNHRY: allocati			ATUS-CPS File
	Valid Entries: (-	Min Value	
		3	Max Value	
	* Note: See Introdu	uction for allocation flag val	ues	
PXERNLAB	PEERNLAB: allocation	on flag		ATUS-CPS File
	Valid Entries: (Min Value	
		3 uction for allocation flag val	Max Value	
PXERNPER	PEERNPER: allocati	-		ATUS-CPS File
	Valid Entries: 0	-	Min Value	
	Ę	3	Max Value	
		uction for allocation flag val	ues	
PXERNRT	PEERNRT: allocation	n flag		ATUS-CPS File
	Valid Entries: 0) 3	Min Value Max Value	
		uction for allocation flag val		
PXERNUOT	PEERNUOT: allocati	•		ATUS-CPS File
	Valid Entries: (Min Value	
		3	Max Value	
		uction for allocation flag val	ues	
PXERNWKP	PEERNWKP: allocat	-		ATUS-CPS File
	Valid Entries: () ;3	Min Value Max Value	
		uction for allocation flag val		
PXFNTVTY	PEFNTVTY: allocation	-		ATUS-CPS File
	Valid Entries: ()	Min Value	
		3	Max Value	
DVODCOCT		uction for allocation flag val	ues	
PXGR6COR	PEGR6COR: allocati			ATUS-CPS File
	Valid Entries: 0) ;3	Min Value Max Value	
		uction for allocation flag val		
PXGRPROF	PEGRPROF: allocati	•		ATUS-CPS File

Name	Description	File
		n Value
	53 Ma * Note: See Introduction for allocation flag values	x Value
PXHGCOMP	PEHGCOMP: allocation flag	ATUS-CPS File
		n Value
	53 Ma * Note: See Introduction for allocation flag values	x Value
PXHRACT1	PEHRACT1: allocation flag	ATUS-CPS File
		n Value
		x Value
	* Note: See Introduction for allocation flag values	
PXHRACT2	PEHRACT2: allocation flag	ATUS-CPS File
		n Value x Value
	* Note: See Introduction for allocation flag values	
PXHRACTT	PEHRACTT: allocation flag	ATUS-CPS File
		n Value
	53 Ma * Note: See Introduction for allocation flag values	x Value
PXHRAVL	PEHRAVL: allocation flag	ATUS-CPS File
	-	n Value
		x Value
	* Note: See Introduction for allocation flag values	
PXHRFTPT	PEHRFTPT: allocation flag	ATUS-CPS File
		ז Value x Value
	* Note: See Introduction for allocation flag values	
PXHRRSN1	PEHRRSN1: allocation flag	ATUS-CPS File
	Valid Entries: 0 Min	n Value
		x Value
	* Note: See Introduction for allocation flag values	
PXHRRSN2	PEHRRSN2: allocation flag Valid Entries: 0 Min	ATUS-CPS File
		x Value
	* Note: See Introduction for allocation flag values	
PXHRRSN3	PEHRRSN3: allocation flag	ATUS-CPS File
		n Value
	53 Ma * Note: See Introduction for allocation flag values	x Value
PXHRUSL1	PEHRUSL1: allocation flag	ATUS-CPS File
	-	n Value
	53 Ma	x Value
	* Note: See Introduction for allocation flag values	
PXHRUSL2	PEHRUSL2: allocation flag	ATUS-CPS File

Name	Description		File
	Valid Entries: 0	Min Value	
	53 * Note: See Introducti	Max Value on for allocation flag values	
PXHRUSLT	PEHRUSLT: allocation f	-	ATUS-CPS File
	Valid Entries: 0	Min Value	
	53 * Note: See Introducti	Max Value on for allocation flag values	
PXHRWANT	PEHRWANT: allocation	-	ATUS-CPS File
	Valid Entries: 0	Min Value	
	53	Max Value	
DYLICDNON		on for allocation flag values	
PXHSPNON	PEHSPNON: allocation	-	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value	
	* Note: See Introducti	on for allocation flag values	
PXINUSYR	PRINUYER: allocation f	lag	ATUS-CPS File
	Valid Entries: 0	Min Value	
	53 * Note: See Introducti	Max Value on for allocation flag values	
PXIO1COW	PEIO1COW: allocation	v	ATUS-CPS File
	Valid Entries: 0	Min Value	
	53	Max Value	
PXIO1ICD		on for allocation flag values	ATUS-CPS File
PAIOTICD	PEIO1ICD: allocation fla Valid Entries: 0	99 Min Value	ATUS-CPS File
	53	Max Value	
	* Note: See Introducti	on for allocation flag values	
PXIO10CD	PEIO1OCD: allocation f	lag	ATUS-CPS File
	Valid Entries: 0	Min Value	
	53 * Note: See Introducti	Max Value on for allocation flag values	
PXIO2COW	PEIO2COW: allocation		ATUS-CPS File
	Valid Entries: 0	Min Value	
	53	Max Value	
PXIO2ICD		on for allocation flag values	ATUS-CPS File
PAIOZICD	PEIO2ICD: allocation fla Valid Entries: 0	Min Value	ATUS-CPS File
	53	Max Value	
	* Note: See Introducti	on for allocation flag values	
PXIO2OCD	PEIO2OCD: allocation f	-	ATUS-CPS File
	Valid Entries: 0	Min Value	
	53 * Note: See Introducti	Max Value on for allocation flag values	
PXJHRSN	PEJHRSN: allocation fla		ATUS-CPS File
		-	

Valid Entries: 0 Min Value S3 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value S3 Max Value *Note: See Introduction for allocation flag values PXJHWKO PEJHWART: allocation flag ATUS-CPS File Valid Entries: 0 Min Value S3 Max Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYAVL PELAYAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYDVL PELAYEND: Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYDR PELAYEND: Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYDR DELAYEND: Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYEND	Name	Description		File
*Note: See Introduction for allocation flag ATUS-CPS File PXJHWANT PEJHWANT: allocation flag Min Value *Note: See Introduction for allocation flag values ATUS-CPS File *Note: See Introduction for allocation flag values ATUS-CPS File PXJHWKO PELHWKO: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value *So allocation flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYAVL PELAYAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *So allocation flag ATUS-CPS File Valid Entries: 0 Min Value *So allocation flag ATUS-CPS File Valid Entries: 0 Min Value *So allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYFTO PELAYLK PELAYLK: allocation flag values ATUS-CPS File Valid Entr				
Valid Entries: 0 Min Value S3 Max Value * Note: See Introduction for allocation flag values PXJHWKO PEJHWKO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLAYAVL PELAYAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS F				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	PXJHWANT	PEJHWANT: allocation flag	-	ATUS-CPS File
 *Note: See Introduction for allocation flag values PXJHWKO PEJHWKCO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values PXLAYAVL PELAYAVL: allocation flag Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values PXLAYDUR PELAYDUR: allocation flag Note: See Introduction for allocation flag values *Note: See Introduction for a				
Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLAYAVL PELAYAVL allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYDUR PELAYDUR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLAYLK PELAYLK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0		* Note: See Introduction for allocation		
	PXJHWKO	PEJHWKO: allocation flag		ATUS-CPS File
 *Note: See Introduction frag values PXLAYAVL PELAYAVL: allocation flag ATUS-CPS File S3 Max Value *Note: See Introduction for allocation flag values PXLAYDUR PELAYDUR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLAYDUR PELAYDUR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLAYFTO PELAYFTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLAYLK PXLAYLK PELAYLK: allocation flag values PXLKAVL PELKAYLK: allocation flag values Note: See Introduction for allocation flag values Note: See Introduction for allocation flag values PXLKAVL PELKAVL: allocation flag values Note: See Introduction for allocation flag values Note: See Introduction for allocation flag values Note: See Introduction for allocation flag values Note: See Introduction flag values PXLKDUR PELKLUP: allocation flag values Note: See Introduction flag values<th></th><th></th><th></th><th></th>				
PXLAYAVL PELAYAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYDUR PELAYDUR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File VLKAVL PELKAVL: allocation flag				
Side Introduction for allocation flag values ATUS-CPS File PXLAYDUR PELAYDUR: allocation flag Max Value Valid Entries: 0 Min Value S3 Max Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYFTO PELAYFTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYLK PELAYLK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values PXLKAVL PELKAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Value Sister introduction for allocation flag values ATUS-CPS File PXLKAVL PELKAVL: allocation flag ATUS-CPS File Value Sister introducti	PXLAYAVL		5	ATUS-CPS File
 * Note: See Introduction for allocation flag values PXLAYDUR PELAYDUR: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLAYFTO PELAYFTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value 53 Max Value 53 Max Value * Note: See Introduction for allocation flag values PXLAYLK PELAYLK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction frag values PXLKAVL PELKAVL: allocation flag values PXLKAVL PELKAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction frag values PXLKDUR PELKDUR: allocation flag values PXLKDUR PELKDUR: allocation flag values PXLKDUR PELKDUR: allocation for allocation flag values * Note: See Introduction for allocation flag value * Note: See Introduction for allocation flag values * Note: See Introduction for allocation flag values * Note: See Introduction frag ATUS-CPS File Yalid Entries: 0 Min Value 53		Valid Entries: 0	Min Value	
PXLAYDUR PELAYDUR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLAYFTO PELAYFTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYLK PELAYLK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLKAVL PELKAVL: allocation flag Max Value ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLKAUR PELKDUR: allocation flag Max Value Max Value				
Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLAYLK PELAYLK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLKAVL PELKAVL: allocation flag Min Value 53 Max Value *Note: See Introduction for allocation flag values TUS-CPS File PXLKDUR PELKDUR: allocation flag values Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLKFTO PELKFIC: allocation flag Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLKL10 PELKFIC: allocation flag Min Value 53 Max Value <th></th> <th></th> <th>tion flag values</th> <th></th>			tion flag values	
Same the set of	PALATOUR	-	Min Value	ATUS-CPS FILE
*Note: See Introduction for allocation flag values PXLAYFTO PELAYFTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLAYLK PELAYLK: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKAVL PELKAVL: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKAVL PELKDUR: allocation flag values ATUS-CPS File PXLKDUR PELKDUR: allocation flag values Min Value 53 * Note: See Introduction for allocation flag values ATUS-CPS File PXLKFTO PELKDUR: allocation flag values Min Value 53 * Note: See Introduction for allocation flag values ATUS-CPS File PXLKFTO PELKETO: allocation flag values Min Value 53 * Note: See Introduction for allocation flag values ATUS-CPS File PXLKL1O PELKETO: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 * Note: See Introduction for allocation				
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLAYLK PELAYLK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKAVL PELKAVL: allocation flag Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKDUR PELKDUR: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value </th <th></th> <th></th> <th></th> <th></th>				
StartSignatureSignatureMax ValueYNDE:SignatureSignatureATUS-CPS FileValid Entries:0Min Value 53Max Value*Note:SignatureSignatureATUS-CPS FilePXLKAVLPELKAVL: allocation for allocation flag valuesATUS-CPS FilePXLKAVLPELKAVL: allocation for allocation flag valuesATUS-CPS FilePXLKDURPELKAVL: allocation for allocation flag valuesATUS-CPS FilePXLKDURPELKDUR: allocation for allocation flag valuesATUS-CPS FilePXLKDURPELKDUR: allocation flag valuesATUS-CPS FilePXLKDURPELKDUR: allocation flag valuesMin Value 53PXLKFTOPELKFTO: allocation flag valuesATUS-CPS FilePXLKFTOPELKFTO: allocation flag valuesATUS-CPS FilePXLKL10PELKLTI:0Min Value 53PXLKL10PELKLLT:Note:See Introduction flag valuesPXLKL10PELKLLT:Note:ATUS-CPS FilePXLKL10PELKLLT:Note:ATUS-CPS FilePXLKL10PELKLLT:Note:ATUS-CPS FilePXLKL10See Introduction flag valuesATUS-CPS FilePXLKL10See Introduction for allocation flag valueATUS-CPS FilePXLKL10See Introduction for allocation flag valueATUS-CPS FilePXLKL10See Introduction for allocation flag valueATUS-CPS FilePXLKL10See Introduction for allocation flag valueSignatureSignatureSignatureSignatureATUS-CPS File </th <th>PXLAYFTO</th> <th>PELAYFTO: allocation flag</th> <th></th> <th>ATUS-CPS File</th>	PXLAYFTO	PELAYFTO: allocation flag		ATUS-CPS File
 *Note: See Introduction for allocation flag values PXLAYLK PELAYLK: allocation flag Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values PXLKAVL PELKAVL: allocation flag Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLKDUR PELKDUR: allocation flag Note: See Introduction for allocation flag values PXLKDUR PELKDUR: allocation flag Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocation flag Min Value Sa Max Value *Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocation flag ATUS-CPS File PXLKL10 PELKETO: allocation flag values PXLKL10 PELKL10: allocation flag value *Note: See Introduction for allocation flag values PXLKL10 PELKL10: allocation flag Min Value S3 Max Value *Note: See Introduction for allocation flag values 				
PXLAYLK PELAYLK: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKAVL PELKAVL: allocation flag Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKDUR PELKDUR: allocation flag Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKFTO PELKFTO: allocation flag values Min Value Sa Max Value Max Value * Note: See Introduction for allocation flag values Min Value PXLKL10 PELKL10: allocation flag Min Value Sa Max Value Max Value * Note: See Introduction for allocation flag values Min Value PXLKL10 PELKL10: allocation flag Min Value Sa Max Value				
Sale Introduction for allocation flag values PXLKAVL PELKAVL: allocation flag values Valid Entries: 0 Min Value 53 * Note: See Introduction for allocation flag values PXLKDUR PELKDUR: allocation flag values PXLKDUR PELKDUR: allocation flag values PXLKDUR PELKDUR: allocation flag values Valid Entries: 0 Min Value 53 * Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocation flag values Valid Entries: 0 Min Value 53 * Note: See Introduction flag values PXLKFTO PELKLTO: allocation flag values * Note: See Introduction for allocation flag values PXLKL10 PELKLL10: allocation flag Valid Entries: 0 Min Value 53 * Note: See Introduction for allocation flag values * Note: See Introduction for allocation flag value * Note: See Introduction for allocatio	PXLAYLK			ATUS-CPS File
 * Note: See Introduction for allocation flag values PXLKAVL PELKAVL: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKDUR PELKDUR: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKDUR PELKDUR: allocation flag Max Value * Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKL10 PELKL10: allocation flag Min Value * Note: See Introduction for allocation flag values PXLKL10 PELKL10: allocation flag Min Value * Note: See Introduction for allocation flag values * Note: See Introduction for allocation flag values 		Valid Entries: 0	Min Value	
PXLKAVL PELKAVL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKDUR PELKDUR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value 53 * Note: See Introduction for allocation flag values ATUS-CPS File PXLKFTO PELKFTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKFTO PELKLI10: allocation flag values Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKLI10 PELKLL10: allocation flag Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction				
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKDUR PELKDUR: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKFTO PELKFTO: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKL10 PELKETO: allocation flag values Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKL10 PELKL10: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values Min Value * Note: See Introduction for allocation flag values Min Value * Note: See Introduction for allocation flag values Min Value * Note: See Introduction for allocation flag values Min Value			lion hay values	
53 Max Value * Note: See Introduction for allocation flag values PXLKDUR PELKDUR: allocator flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocator flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocator flag Max Value 53 Max Value Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKL10 PELKLL10: allocator flag PXLKL10 Sa Min Value S3 Max Value * Note: See Introduction for allocation flag values		· ·	Min Valuo	
PXLKDUR PELKDUR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXLKLL10 PELKLL10: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Min Value * Note: See Introduction for allocation flag values				
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocation flag Min Value Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKL10 PELKL10: allocation for allocation flag values PXLKL10 PELKL10: allocation for allocation flag values PXLKL10 PELKL10: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKL10 PELKL10: allocation flag Max Value 53 Max Value * Note: See Introduction for allocation flag values		* Note: See Introduction for allocation	tion flag values	
53 Max Value * Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocator flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKL10 PELKL10: allocator flag Valid Entries: 0 53 Max Value * Note: See Introduction for allocation flag values PXLKL10 PELKL10: allocator flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag value	PXLKDUR	· ·		ATUS-CPS File
* Note: See Introduction for allocation flag values PXLKFTO PELKFTO: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKL10 PELKL10: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag value * Note: See Introduction for allocation flag value * Note: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag value * Note: See Introduction for allocation flag value				
PXLKFTO PELKFTO: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXLKLL10 PELKLL10: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag value * Note: See Introduction for allocation flag value				
53 Max Value * Note: See Introduction for allocation flag value PXLKL10 PELKL10: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag value * Note: See Introduction for allocation flag value	PXLKFTO		5	ATUS-CPS File
* Note: See Introduction for allocation flag values PXLKLL10 PELKLL10: allocation flag Valid Entries: 0 S3 Min Value * Note: See Introduction for allocation flag value * Note: See Introduction flag value		Valid Entries: 0	Min Value	
PXLKLL10 PELKLL10: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note:				
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values			tion flag values	
53 Max Value * Note: See Introduction for allocation flag values	PALKLLIU	· ·	Min Value	ATUS-CPS FILE
* Note: See Introduction for allocation flag values				
PXLKLL2O: allocation flag ATUS-CPS File				
	PXLKLL2O	PELKLL2O: allocation flag		ATUS-CPS File

Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLKM1 PLLMM1: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLNDAD PELNDAD: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for ist of allocation flag values ATUS-CPS File PXLNMOM PELNDAD: allocation flag ATUS-CPS File Valid Entries: 01 Min Value *Note: See Introduction for ist of allocation flag values ATUS-CPS File PXLNMOM PEMARITL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *S3 Max Value ATUS-CPS File Valid Entries: 0 Min Value *S3 Max Value ATUS-CPS File </th <th>Name</th> <th>Description</th> <th></th> <th></th> <th>File</th>	Name	Description			File
*Note: See Introduction for allocation flag values PXLKLWO PELLKUV: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLKM1 PELKMM: allocation flag ATUS-CPS File Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXLNDAD PELNDAD: allocation flag ATUS-CPS File Valid Entries: 01 Min Value *Note: See Introduction for Ist of allocation flag values ATUS-CPS File PXLNMOM PELNNOM: allocation flag ATUS-CPS File Valid Entries: 01 Min Value S3 Max Value Max Value *Note: See Introduction for Ist of allocation flag values ATUS-CPS File PXMARITL PEMARITL: allocation flag Min Value Max Value Note: See Introduction for allocation flag values ATUS-CPS File <t< th=""><th></th><th></th><th></th><th></th><th></th></t<>					
Valid Entries: 0 Min Value S3 Max Value *Note: See Introduction for allocation flag values PXLKM1 PELKM1: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLNDAD PELNDAD: allocation flag ATUS-CPS File Valid Entries: 01 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 01 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 01 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File					
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	PXLKLWO			•	ATUS-CPS File
 *Note: See Introduction for allocation flag values PZLKM1 PELKM1: allocation flag Valid Entries: 0 Min Value *Note: See Introduction for allocation flag values PXLNDAD PELNDAD: allocation flag Valid Entries: 01 Min Value *Note: See Introduction for allocation flag values PXLNMOM PELNNOM: allocation flag Note: See Introduction for list of allocation flag values Note: See Introduction for list of allocation flag values PXLNMOM PELNNOM: allocation flag Note: See Introduction for list of allocation flag values Note: See Introduction for list of allocation flag values Note: See Introduction for list of allocation flag values Note: See Introduction for list of allocation flag values Note: See Introduction for allocation fl			•		
Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXLNDAD PELNDAD: allocation flag ATUS-CPS File Valid Entries: 01 Min Value 53 Max Value *Note: See Introduction for list of allocation flag values ATUS-CPS File PXLNMOM PELNMOM: allocation flag ATUS-CPS File Valid Entries: 01 Min Value 53 Max Value *Note: See Introduction for list of allocation flag values ATUS-CPS File Valid Entries: 01 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File VAMJOT PEMJOT: allocation flag ATUS-CPS File VAMJOT PEMJO: allocation flag Max Value *Note: See Introduction for allocation flag values <th></th> <th></th> <th></th> <th></th> <th></th>					
Sample	PXLKM1	PELKM1: allocation	flag		ATUS-CPS File
PXLNDAD PELNDAD: allocation flag ATUS-CPS File Valid Entries: 01 Min Value Max Value * Note: See Introduction for list of allocation flag values ATUS-CPS File PXLNMOM PELNMOM: allocation flag Min Value Max Value ATUS-CPS File Valid Entries: 01 Min Value Max Value ATUS-CPS File * Note: See Introduction for list of allocation flag values ATUS-CPS File PXMARITL PEMARITL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value S3 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMJNUM PEMJNUM: allocation flag ATUS-CPS File Valid Entries: 0 Min Value S3 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMJOT PEMJOT: allocation flag ATUS-CPS File Valid Entries: 0 Min Value S3 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag Min Value S3 Max Value * Note: See Introductio			53	Max Value	
Valid Entries: 01 Min Value 53 Max Value Max Value * Note: See Introduction for list of allocation flag values ATUS-CPS File PXLNMOM PELINMOM: allocation flag ATUS-CPS File Valid Entries: 01 Min Value 53 Max Value * Note: See Introduction for list of allocation flag values ATUS-CPS File PXMARITL PEMARITL: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMJNUM PEMJNUM: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value <th></th> <th></th> <th></th> <th>ag values</th> <th></th>				ag values	
Size Introduction for ist of allocation flag values ATUS-CPS File PXLNMOM PELNMOM: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value *Note: See Introduction for list of allocation flag values ATUS-CPS File PXMARITL PEMARITL: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMJNUM PEMANUM: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMJOT PEMJOT: allocation flag Min Value 53 Max Value 53 *Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value 53 *Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag values ATUS-CPS File Value Entries: 0	PXLNDAD		-		ATUS-CPS File
PXLNMOM PELNMOM: allocation flag ATUS-CPS File Valid Entries: 01 Min Value * Note: See Introduction for list of allocation flag values ATUS-CPS File PXMARITL PEMARITL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File VXMJNUM PEMJNUM: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File VAIId Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File VAIId Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File VAIId Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS F			53	Max Value	
Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for list of allocation flag values PXMARITL PEMARITL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMJNUM PEMJRUM: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value *Note: See Introduction frag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value *Note: See Introduction frag values ATUS-CPS File PXMJOT PEMJOT: allocation flag values Max Value *Note: See Introduction for allocation flag values TUS-CPS File PXMLR PEMLR: allocation flag Min Value Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMITVTY PEMNTVTY: allocation flag values Min Value Max Value *Note: </th <th></th> <th></th> <th></th> <th>uon nag values</th> <th></th>				uon nag values	
Same with the set of the se			-	Min Value	AT03-OF3THe
*Note: See Introduction for list of allocation flag values PXMARITL PEMARITL: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMJNUM PEMJNUM: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMJOT PEMJOT: allocation flag Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMNTVTY PEMLR: allocation flag Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File PXMNTVTY PEMMTYY: allocation for allocation flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values ATUS-CPS File Valid E					
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMJNUM PEMJNUM: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMJOT PEMJOT: allocation flag Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value Max Value * Note: See Introduction for allocation flag values Max Value		* Note: See Introc	luction for list of alloca		
StateSignatureMax Value SignatureYMJNUMPEMJNUM: allocation flag valuesATUS-CPS FileValid Entries:0Min Value 53Max Value* Note:See Introduction flag valuesATUS-CPS FilePXMJOTPEMJOT: allocation flagMin Value 53Max Value* Note:See Introduction flag valuesATUS-CPS FilePXMLPPEMJOT: allocation flagMin Value 53Max Value* Note:See Introduction for allocation flag valuesATUS-CPS FilePXMLRPEMLR: allocation flagMin Value 53Max Value* Note:See Introduction flag valuesATUS-CPS FilePXMNTVTYPEMNTVTY: allocation flag valuesMin Value 53PXMOMTYPPEMOMTYP: allocation flag valuesATUS-CPS FilePXMOMTYPPEMOMTYP: allocation flag valueATUS-CPS FilePXMOMTYPPEMOMTYP: allocation flag valueATUS-CPS FilePXMOMTYPPEMOMTYP: allocation flag valueATUS-CPS FilePXMOMTYPPEMOMTYP: allocation flag valueMin Value 53* Note:See Introduction flag valueATUS-CPS File* Note:See Introduction flag valueATUS-CPS File* Note:See Introduction flag valueMin Value flag* Note:See Introduction flag valueMin Value flag <t< th=""><th>PXMARITL</th><th>PEMARITL: allocation</th><th>on flag</th><th></th><th>ATUS-CPS File</th></t<>	PXMARITL	PEMARITL: allocation	on flag		ATUS-CPS File
 *Note: See Introduction for allocation flag values PXMJNUM PEMJNUM: allocation flag Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXMJOT PEMJOT: allocation flag Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXMLR PEMLR: allocation flag Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXMLR PEMLR: allocation flag Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag Min Value 53 Max Value *Note: See Introduction for allocation flag values PXMOMTYP PEMOTYP: allocation flag Valid Entries: 0 Min Value 53 Max Value *Note: See Introduction for allocation flag values PXMOMTYP PEMOTYP: allocation flag *Note: See Introduction for allocation flag values 					
PXMJNUM PEMJNUM: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMJOT PEMJOT: allocation flag Min Value 53 Max Value ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag Min Value Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMNTVTY PEMNTVTY: allocation flag values Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag values Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag <					
Valid Entries: 0 Min Value 53 * Note: See Introduction for allocation flag values PXMJOT PEMJOT: allocation flag Valid Entries: 0 Min Value 53 * Note: See Introduction for allocation flag values PXMLR PEMLR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 ATUS-CPS File VALID Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMNTVTY PEMNTVTY: allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag ATUS-CPS File Valid Entries: 01 Min Value 53 Max Value * Note: See Introduction for allocation flag values Max Value * Note: See Introduction for list of allocation flag values <td< th=""><th></th><th></th><th></th><th>ag values</th><th></th></td<>				ag values	
* Note: See Introduction for allocation flag values PXMJOT PEMJOT: allocation flag PXMJOT PEMJOT: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMLR PEMLR: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMLR PEMLR: allocation Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag values Min Value * Note: See Introduction flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag Min Value * Note: See Introduction flag values ATUS-CPS File * Note: See Introduction flag values Min Value * Note: See Introduction flag values	PAIVIJINUIVI		-		ATUS-CPS FILE
 * Note: See Introduction for allocation flag values PXMJOT PEMJOT: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMLR PEMLR: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMLR PEMLR: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMOMTYP PEMOMTYP: allocation flag Valid Entries: 01 Min Value * Note: See Introduction for Ist of allocation flag values * Note: See Introduction for Ist of allocation flag values 					
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMLR PEMLR: allocation flag Min Value 53 ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMNTVTY PEMNTVTY: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag Min Value 53 Max Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 01 Min Value Max Value Max Value * Note: See Introduction for Ist of allocation flag values Max Value * Note: See Introduction for Ist of allocation flag values Max Value					
53 Max Value * Note: See Introduction for allocation flag values PXMLR PEMLR: allocation: Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag value Yalid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag values PXMOMTYP PEMOMTYP: allocation for allocation flag values PXMOMTYP PEMOMTYP: allocation flag PXMOMTYP PEMOMTYP: allocation flag Valid Entries: 01 Min Value 53 Max Value * Note: See Introduction for list of allocation flag values	PXMJOT	PEMJOT: allocation	flag		ATUS-CPS File
* Note: See Introduction for allocation flag values PXMLR PEMLR: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag ATUS-CPS File Valid Entries: 0 Min Value 53 Max Value Min Value * Note: See Introduction for allocation flag values ATUS-CPS File Valid Entries: 0 Min Value * Note: See Introduction for allocation flag values ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag Min Value 53 Max Value Min Value 53 Max Value Min Value * Note: 01 Min Value 53 Max Value Max Value * Note: See Introduction for list of allocation flag values					
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMOMTYP PEMOMTYP: allocation flag PXMOMTYP PEMOMTYP: allocation flag Valid Entries: 01 53 Max Value 53 Max Value * Note: See Introduction for allocation flag values PXMOMTYP PEMOMTYP: allocation flag Note: 01 Min Value 53 Max Value * Note: See Introduction for allocation flag values		* Note: See Introc	luction for allocation fla	ag values	
53 Max Value * Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMOMTYP PEMOMTYP: allocation flag ATUS-CPS File PXMOMTYP PEMOMTYP: allocation flag ATUS-CPS File Valid Entries: 01 Min Value 53 Max Value Max Value * Note: See Introduction for list of allocation flag values ATUS-CPS File	PXMLR	PEMLR: allocation f	lag		ATUS-CPS File
* Note: See Introduction for allocation flag values PXMNTVTY PEMNTVTY: allocation flag Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMOMTYP PEMOMTYP: allocation flag PXMOMTYP PEMOMTYP: allocation flag Valid Entries: 01 53 Min Value Max Value Max Value * Note: See Introduction for list of allocation flag values					
Valid Entries: 0 Min Value 53 Max Value * Note: See Introduction for allocation flag values PXMOMTYP PEMOMTYP: allocation flag Valid Entries: 01 Min Value 53 Max Value * Note: See Introduction for list of allocation flag values					
53 Max Value * Note: See Introduction for allocation flag values PXMOMTYP PEMOMTYP: allocation flag Valid Entries: 01 Min Value 53 Max Value * Note: See Introduction for list of allocation flag values	PXMNTVTY	PEMNTVTY: allocat	tion flag		ATUS-CPS File
* Note: See Introduction for allocation flag values PXMOMTYP PEMOMTYP: allocation flag Valid Entries: 01 53 Max Value * Note: See Introduction for list of allocation flag values			-		
PXMOMTYP PEMOMTYP: allocation flag ATUS-CPS File Valid Entries: 01 Min Value 53 Max Value * Note:					
Valid Entries: 01 Min Value 53 Max Value * Note: See Introduction for list of allocation flag values					
53 Max Value * Note: See Introduction for list of allocation flag values			-	Min Value	ATUS-CP5 FILE
* Note: See Introduction for list of allocation flag values					
PXMS123 PEMS123: allocation flag ATUS-CPS File					
	PXMS123	PEMS123: allocation	n flag		ATUS-CPS File

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocat	Max Value ion flag values	
PXNATVTY	PENATVTY: alloc			ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr	oduction for allocat	ion flag values	
PXNLFACT	PENLFACT: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
		oduction for allocat	ion flag values	
PXNLFJH	PENLFJH: allocat	-		ATUS-CPS File
	Valid Entries:	0 53 oduction for allocat	Min Value Max Value	
PXNLFRET	PENLFRET: alloc			ATUS-CPS File
	Valid Entries:		Min Value	ATUS-CFSTILE
	valid Entries:	0 53	Max Value	
	* Note: See Intr	oduction for allocat		
PXPARENT	PEPARENT: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Noto: Soo Intr	53 oduction for allocat	Max Value	
PXRACE1	PTDTRACE: alloc			ATUS-CPS File
	Valid Entries:	0	Min Value	
	valid Entries:	0 53	Max Value	
	* Note: See Intr	oduction for allocat		
PXRET1	PERET1: allocation	n flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocat	Max Value	
PXRRP	PERRP: allocation			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
	* Note: See Intr	oduction for allocat	ion flag values	
PXSCHENR	PESCHENR: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 adjustion for allocat	Max Value	
PXSCHFT		oduction for allocat		ATUS-CPS File
FASCHEI	PESCHFT: alloca	-	Min Malue	ATUS-CPS FILE
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr	oduction for allocat		
PXSCHLVL	PESCHLVL: alloc		-	ATUS-CPS File

Name	Description Valid Entries: * Note: See Intr	0 53 oduction for allocation flag	Min Value Max Value	File
PXSEX	PESEX: allocation	•	values	ATUS-CPS File
	Valid Entries:	0 53 roduction for allocation flag	Min Value Max Value values	
PXSPOUSE	PESPOUSE: alloc	•	Valuoo	ATUS-CPS File
	Valid Entries:	0 53 roduction for allocation flag	Min Value Max Value values	
QSTNUM	Unique household	l identifier		ATUS-CPS File
	Valid Entries: * Note: Valid on	0 99999 Ily within any specific mont	Min Value Max Value th	
TRATUSR	ATUS respondent			ATUS-CPS File
	Edited Universe: Valid Entries:		spond to ATUS	
		1 Responde of -1 indicate that the indiv als with TULINENO = 1 we	idual did not complete an	
TUCASEID	ATUS Case ID (14	4-digit identifier)		All Files
TULINENO	ATUS person line	number		ATUS-CPS File, Respondent File, Roster File, Who File, WB Respondent File
	Valid Entries: * Note: The per	1 30 son selected to be intervie	Min Value Max Value wed for ATUS is always 1	TULINENO = 1

APPENDIX A

Census State Codes (GESTCEN)

GESTCEN	State	GESTCEN	State	GESTCEN	State	GESTCEN	State
11	ME	35	WI	56	NC	82	ID
12	NH	41	MN	57	SC	83	WY
13	VT	42	IA	58	GA	84	CO
14	MA	43	MO	59	FL	85	NM
15	RI	44	ND	61	KY	86	AZ
16	СТ	45	SD	62	TN	87	UT
21	NY	46	NE	63	AL	88	NV
22	NJ	47	KS	64	MS	91	WA
23	PA	51	DE	71	AR	92	OR
31	OH	52	MD	72	LA	93	CA
32	IN	53	DC	73	OK	94	AK
33	IL	54	VA	74	ТΧ	95	HI
34	MI	55	WV	81	MT		

Federal Processing Information Processing Standards (FIPS) codes (GESTFIPS)

GESTFIPS	State	GESTFIPS	State	GESTFIPS	State	GESTFIPS	State
1	AL	17	IL	30	MT	44	RI
2	AK	18	IN	31	NE	45	SC
4	AZ	19	IA	32	NV	46	SD
5	AR	20	KS	33	NH	47	TN
6	CA	21	KY	34	NJ	48	ТХ
8	CO	22	LA	35	NM	49	UT
9	СТ	23	ME	36	NY	50	VT
10	DE	24	MD	37	NC	51	VA
11	DC	25	MA	38	ND	53	WA
12	FL	26	MI	39	OH	54	WV
13	GA	27	MN	40	OK	55	WI
15	HI	28	MS	41	OR	56	WY
16	ID	29	MO	42	PA		

Census Region Codes (GEREG)

GEREG	States
1 – Northeast	CT, MA, ME, NH, NJ, NY, PA, RI, and VT
2 – Midwest	IA, IL, IN, KS, MI, MN, MO, ND, NE, OH, SD, and WI
3 – South	AL, AR, DC, DE, FL, GA, KY, LA, MD, MS, NC, OK, SC, TN, TX, VA, and WV
4 – West	AK, AZ, CA, CO, HI, ID, MT, NM, NV, OR, UT, WA, and WY

Nativity Country Codes (PEFNTVTY, PEMNTVTY, and PENATVTY)

-	Country Codes (PEFNIVIT,		-
Code	Country	Code	Country
57	United States	158	Armenia
66	Guam	159	Azerbaijan
73	Puerto Rico	160	Belarus
78	U.S. Virgin Islands	161	Georgia
96	U.S. Outlying Area	162	Moldova
100	Albania	163	Russia
102	Austria	164	Ukraine
103	Belgium	165	USSR
104	Bulgaria	166	Europe, not specified
105	Czechoslovakia	167	Kosovo
106	Denmark	200	Afghanistan
108	Finland	202	Bangladesh
109	France	205	Myanmar
110	Germany	206	Cambodia
116	Greece	207	China
117	Hungary	208	Cyprus
119	Ireland	209	Hong Kong
120	Italy	210	India
126	Netherlands/Holland	211	Indonesia
127	Norway	212	Iran
128	Poland	213	Iraq
129	Portugal	214	Israel
130	Azores	215	Japan
132	Romania	216	Jordan
134	Spain	217	Korea
136	Sweden	220	South Korea
137	Switzerland		
138	United Kingdom	222	Kuwait
139	England	223	Laos
140	Scotland	224	Lebanon
141	Wales	226	Malaysia
142	Northern Ireland	229	Nepal
147	Yugoslavia	231	Pakistan
148	Czech Republic	233	Philippines
149	Slovakia Bosnia &	235	Saudi Arabia
150	Herzegovina	236	Singapore
151	Croatia	238	Sri Lanka
152	Macedonia	239	Syria
154	Serbia	240	Taiwan
156	Latvia	242	Thailand
157	Lithuania	243	Turkey
		246	Uzbekistan

Code	Country
247	Vietnam
248	Yemen
249	Asia, not specified
300	Bermuda
301	Canada
303	Mexico
305	North America, not specified
310	Belize
311	Costa Rica
312	El Salvador
313	Guatemala
314	Honduras
315	Nicaragua
316	Panama
321	Antigua and Barbuda
323	Bahamas
324	Barbados
327	Cuba
328	Dominica
329	Dominican Republic
330	Grenada
332	Haiti
333	Jamaica
338	St. Kitts-Nevis
339	
340	St. Vincent and the Grenadines
340 341	Trinidad & Tobago
••••	West Indies, not specified
343 360	•
361	Argentina Bolivia
362	
363	
364	
365	Ecuador
368	Guyana
369	Paraguay
370	Peru
372	Uruguay
373	Venezuela
374	South America, not specified
399	Americas, not specified

Nativity Country Codes (PEFNTVTY, PEMNTVTY, and PENATVTY), continued

Code	Country	Code	Country	Code	Country
400	Algeria	436	Morocco	461	Zimbabwe
407	Cameroon	440	Nigeria	462	Africa, not specified
408	Cape Verde	444	Senegal	501	Australia
414	Egypt	447	Sierra Leone	508	Fiji
416	Ethiopia	448	Somalia	515	New Zealand
417	Eritrea	449	South Africa	523	Tonga
421	Ghana	451	Sudan	527	Samoa
427	Kenya	453	Tanzania	528	Oceania, not specified
429	Liberia	457	Uganda	555	Other

Detailed Industry Codes using the 2007 Census Industry Classification system (PRDTIND1 and PRDTIND2)

Detailed Industry Code	Description	Census Industry Code
1	Agriculture	0170-0180, 0290
2	Forestry, logging, fishing, hunting, and trapping	0190-0280
3	Mining	0370-0490
4	Construction	770
5	Nonmetallic mineral product manufacturing	2470-2590
6	Primary metals and fabricated metal products	2670-2990
7	Machinery manufacturing	3070-3290
8	Computer and electronic product manufacturing	3360-3390
9	Electrical equipment, appliance manufacturing	3470, 3490
10	Transportation equipment manufacturing	3570-3690
11	Wood product manufacturing	3770-3870
12	Furniture and fixtures manufacturing	3890
13	Miscellaneous and not specified manufacturing	3960-3990
14	Food manufacturing	1070-1290
15	Beverage and tobacco product manufacturing	1370, 1390
16	Textile, apparel, and leather manufacturing	1470-1790
17	Paper manufacturing and printing	1870-1990
18	Petroleum and coal products manufacturing	2070, 2090
19	Chemical manufacturing	2170-2290
20	Plastics and rubber products manufacturing	2370-2390
21	Wholesale trade	4070-4590
22	Retail trade	4670-5790
23	Transportation and warehousing	6070-6390
24	Utilities	0570-0690
25	Publishing industries (except internet)	6470-6490
26	Motion picture and sound recording industries	6570, 6590
27	Broadcasting (except internet)	6670
28	Internet publishing and broadcasting	6672
29	Telecommunications	6680, 6690
30	Internet service providers and data processing services	6695
31	Other information services	6770, 6780
32	Finance	6870-6970
33	Insurance	6990
34	Real estate	7070
35	Rental and leasing services	7080-7190
36	Professional, scientific, and technical services	7270-7490
37	Management of companies and enterprises	7570
38	Administrative and support services	7580-7780
39	Waste management and remediation services	7790
40	Educational services	7860-7890
41	Hospitals	8190
42	Health care services, except hospitals	7970-8180, 8270, 8290

Detailed Industry Code	Description	Census Industry Code
43	Social assistance	8370-8470
44	Arts, entertainment, and recreation	8560-8590
45	Traveler accommodation	8660, 8670
46	Food services and drinking places	8680, 8690
47	Repair and maintenance	8770-8890
48	Personal and laundry services	8970-9090
49	Membership associations and organizations	9160-9190
50	Private households	9290
51	Public administration	9370-9590
52	Armed Forces	9890

Industry Codes (PEIO1ICD, PEIO2ICD)

2007 Census Industry Classification Codes available at http://www.bls.gov/tus/census07icodes.pdf

Occupation Codes (PEIO10CD, PEIO20CD)

Available at http://www.bls.gov/tus/census02iocodes.pdf