United States Department of Agriculture



Federal Crop Insurance Corporation



Product Administration and Standards Division

FCIC-25140 (03-2008)

FLORIDA CITRUS FRUIT

LOSS

ADJUSTMENT

STANDARDS HANDBOOK

2009 and Succeeding Crop Years

UNITED STATES DEPARTMENT OF AGRICULTURE WASHINGTON, D.C.

| FEDERAL CROP INSURANCE HANDBOOK | | NUMBER: 25140 (03-2008) | |
|--|-----------------|---|--|
| | | OPI: Product Administration and Standards Division | |
| ADJUSTMENT STANDARDS HANDBOOK 2009 AND SUCCEEDING CROP YEARS | APPRO Deputy Ac | OVED: DATE: /s/ Tim B Witt 3/24/08 dministrator, Product Management | |

THIS HANDBOOK CONTAINS THE OFFICIAL FCIC-ISSUED LOSS ADJUSTMENT STANDARDS FOR THIS CROP FOR THE 2009 AND SUCCEEDING CROP YEARS. ALL REINSURED COMPANIES WILL UTILIZE THESE STANDARDS FOR BOTH LOSS ADJUSTMENT AND LOSS TRAINING.

SUMMARY OF CHANGES/CONTROL CHART

The following list contains significant changes to this handbook, as determined by us. It may not represent all changes made. All changes made to this handbook are applicable regardless of whether or not listed.

Major Changes: Refer to changes or additions in text that have been highlighted. Three stars (***) identify information that has been removed.

Changes for Crop Year 2009 issued March 2008:

- 1. Revised the handbook to incorporate the 2009 Florida Citrus Fruit Crop Provisions.
- 2. Incorporated the most recent FCIC loss adjustment standard handbook language.
- 3. In subsection 2 B (4), revised the definition for "Citrus fruit type" and inserted a definition for "Excess wind."
- 4. Revised subsection 3 to incorporate the 2009 crop provisions. Move the last subsection in 3 A to subsection 3 C.
- 5. In subsection 4 A inserted new instructions in paragraph (3) requiring separate appraisals for each citrus fruit crop and type. Moved paragraph (3) (b) to paragraph (4) and expanded to include instructions to appraise the unit after the normal fruit-drop period and before the fruit is removed from the trees.
- 6. Subsection 5 A, added the Fresh-fruit Wind-scar Damage Method as an appraisal method. Clarified subsections 5 B (1) (a) and (b). Inserted in subsection 5 B (2), instructions to use the insured's past harvest records to establish average potential production when, due to hurricane,

FLORIDA CITRUS FRUIT LOSS ADJUSTMENT STANDARDS HANDBOOK

SUMMARY OF CHANGES

fruit have been carried away by flood or wind and there is no other way determine the potential production prior to damage occurring.

- 7. Subsection 5 D, revised to add wind-scar damage and references to Citrus Fruit Crop VIII. Subsection 5 E, clarified the "Wind-scar" Damage appraisal method, added references to Citrus Fruit Crop VIII and revised the example in subsection 5 E (7) to include wind-scar damage.
- 8. Clarified appraisal worksheet entry instructions in subsection 7 C. Added requirements to document damage due to uninsured causes, why estimated number of trees were used and how the number of trees were determined. Added references to Citrus Fruit Crop VIII, inserted entries for Wind-scar Damage Appraisals, and entries for fruit crop and type. Under the instructions for item 45, expanded the Official Box Weight chart to include more citrus fruit types. Updated appraisal worksheet example forms to include entries for wind-scar damage, and instructions for citrus fruit crop and type entries.
- 9. Updated subsections 8 C and 9 C and the respective example forms to add entries for citrus fruit crop and type. Subsection 9 C, instructions for the Florida Citrus Juice Production Summary, for item 10, expanded the Official Box Weight chart to include more citrus fruit types.
- 10. In subsection 10 C, added references to Citrus Fruit Crop VIII and entry instructions for citrus fruit crop and type; clarified instructions for uninsured causes, and inserted a new subparagraph "u" in Section I, Narrative instructions for the Production Worksheet requiring documentation of uninsured causes of loss.
- 11. In Section 11, inserted a new **TABLE A** for the minimum number of samples.
- 12. In Section 11, inserted at the end of **TABLE B**, the formula and example for calculating the number of trees per acre for tree setting distances not shown in the **TABLE**.
- 13. Made additional changes to correct spelling, format, and punctuation.

| CONT | CONTROL CHART FOR: FLORIDA CITRUS FRUIT LOSS ADJUSTMENT STANDARDS HANDBOOK | | | | | | |
|--------------------------------|---|-----|------|-------|---------|------------|--|
| | SC Page(s) | | | | | | |
| Remove | Entire Handbook | | | | | | |
| Insert and Current Index | 1-2 | 1-4 | 1-54 | 55-66 | 03-2008 | FCIC-25140 | |

FLORIDA CITRUS FRUIT LOSS ADJUSTMENT STANDARDS HANDBOOK TABLE OF CONTENTS

| | | | PAGE |
|----|-----|--|-------------|
| 1. | IN' | FRODUCTION | 1 |
| 2. | SP | ECIAL INSTRUCTIONS | 1 |
| | A. | DISTRIBUTION | 1 |
| | B. | TERMS, ABBREVIATIONS, AND DEFINITIONS | 1 |
| 3. | INS | SURANCE CONTRACT INFORMATION | 2 |
| | A. | INSURABILITY | 2 |
| | B. | PROVISIONS AND PROCEDURES NOT APPLICABLE TO CAT COVERAGE | 4 |
| | C. | UNIT DIVISION | 4 |
| | D. | QUALITY STANDARDS | 5 |
| 4. | FL | ORIDA CITRUS FRUIT APPRAISALS | 5 |
| | A. | GENERAL INFORMATION | 5 |
| | В. | SELECTING REPRESENTATIVE SAMPLES FOR APPRAISALS | 6 |
| | C. | SELECTING RANDOM FRUIT SAMPLES | 6 |
| | D. | PRELIMINARY INSPECTIONS | 6 |
| | E. | GROUND COUNT INSPECTIONS | 7 |
| 5. | AP | PRAISAL METHODS | 7 |
| | A. | GENERAL INFORMATION | 7 |
| | B. | DROPPED FRUIT GROUND COUNT METHOD | 7 |
| | C. | TREE FRUIT COUNT METHOD | |
| | D. | FREEZE-DAMAGE DETERMINATION METHOD | 9 |
| | E. | FRESH-FRUIT HAIL <mark>/WIND</mark> -SCAR DAMAGE METHOD | |
| | F. | HANDLING PRE-HARVEST APPRAISAL DISCREPANCIES | 13 |
| 6. | AP | PRAISAL DEVIATIONS AND MODIFICATIONS | 14 |
| | A. | DEVIATIONS | 14 |
| | B. | MODIFICATIONS | 14 |

FLORIDA CITRUS FRUIT LOSS ADJUSTMENT STANDARDS HANDBOOK

TABLE OF CONTENTS (Continued)

| | | <u>PAG</u> |
|----|---|------------|
| AP | PPRAISAL WORKSHEET ENTRIES AND COMPLETION | |
| PR | ROCEDURES | |
| A. | APPRAISAL WORKSHEET FORM STANDARDS | |
| В. | | PLETION |
| C. | | |
| | PART I FRUIT LOST ON GROUND | |
| | PART II FRUIT ON TREE, PRODUCTION AND LOSS (HAIL AND METHODS) | |
| | PART III FRUIT PRODUCTION AND LOSS BASED ON DATA FRO HOUSE ANALYSIS | |
| | PART IV TOTAL PRODUCTION AND PRODUCTION LOST | |
| | ADJUSTER'S CITRUS WORKSHEET EXAMPLES | |
| D. | GENERAL INFORMATION FOR SUBMITTED SAMPLE - FLORIDA (| CITRUS |
| | JUICE TEST | |
| E. | | |
| | COMPLETION PROCEDURES | |
| | SUBMITTED SAMPLE - FLORIDA CITRUS JUICE TEST EXAMPLE . | |
| | ABULATION OF PRODUCTION RECORDS FROM INDIVID | |
| LO | OAD CERTIFICATES | ••••• |
| A. | TABULATION OF PRODUCTION RECORDS STANDARDS | ••••• |
| B. | GENERAL INFORMATION FOR ENTRIES AND COMPLETION PRO | CEDURES |
| C. | TABULATION OF PRODUCTION RECORDS ENTRIES AND COMPL | ETION |
| | PROCEDURES | |
| | TABULATION OF PRODUCTION RECORDS EXAMPLE | |
| FL | LORIDA CITRUS JUICE PRODUCTION SUMMARY | |
| A. | FLORIDA CITRUS JUICE PRODUCTION SUMMARY | ••••• |
| B. | GENERAL INFORMATION | |
| C. | FLORIDA CITRUS JUICE PRODUCTION SUMMARY ENTRIES AND | |
| | COMPLETION PROCEDURES | |
| | PART I | |
| | PART II | |
| | FLORIDA CITRUS HIICE PRODUCTION SUMMARY FXAMPLE | |

FLORIDA CITRUS FRUIT LOSS ADJUSTMENT STANDARDS HANDBOOK

TABLE OF CONTENTS (Continued)

| | $\underline{\mathbf{P}}_{I}$ | AGE |
|-----|---|------------|
| 10. | CLAIM FORM ENTRIES AND COMPLETION PROCEDURES | 44 |
| | A. CLAIM FORM STANDARDS | 44 |
| | B. GENERAL INFORMATION FOR ENTRY AND COMPLETION PROCEDURES | 44 |
| | C. PRODUCTION WORKSHEET ENTRIES AND COMPLETION PROCEDURES | 45 |
| | SECTION I - ACREAGE APPRAISED, PRODUCTION AND ADJUSTMENTS | 47 |
| | SECTION II - HARVESTED PRODUCTION | 51 |
| | PRODUCTION WORKSHEET EXAMPLE | 53 |
| 11. | REFERENCE MATERIAL | 55 |
| | TABLE A - MINIMUM REPRESENTATIVE SAMPLE REQUIREMENTS | 55 |
| | TABLE B - SETTING DISTANCES AND APPROXIMATE NUMBER OF TREES | |
| | PER ACRE | 56 |
| | TABLE C - CITRUS JUICE CHART- CITRUS I (011) & (012) | 58 |
| | TABLE D - CITRUS JUICE CHART- CITRUS II (024) | 60 |
| | TABLE E - CITRUS JUICE CHART- CITRUS III (031) | 62 |
| | TABLE F - CITRUS JUICE CHART- CITRUS VI (074; LIMES) | |
| | TABLE G - CITRUS JUICE CHART- CITRUS VI (073; LEMONS) | 65 |

FLORIDA CITRUS FRUIT LOSS ADJUSTMENT STANDARDS HANDBOOK TABLE OF CONTENTS (Continued)

THIS PAGE INTENTIONALLY LEFT BLANK

1. INTRODUCTION

THIS HANDBOOK MUST BE USED IN CONJUNCTION WITH THE LOSS ADJUSTMENT MANUAL (LAM) STANDARDS HANDBOOK FCIC-25010.

The FCIC-issued loss adjustment standards for this crop are the official standard requirements for adjusting Multiple Peril Crop Insurance (MPCI) losses in a uniform and timely manner. The FCIC-issued standards for this crop and crop year are in effect as of the signature date for this crop handbook at www.rma.usda.gov/handbooks/25000/index.html. All reinsured companies will utilize these standards for both loss adjustment and loss training for the applicable crop year. These standards, which include crop appraisal methods, claims completion instructions, and form standards, supplement the general (not crop-specific) loss adjustment standards identified in the LAM.

2. SPECIAL INSTRUCTIONS

This handbook remains in effect until superseded by reissuance of **either** the entire handbook **or** selected portions (through slipsheets or bulletins). If slipsheets have been issued for a handbook, the original handbook as amended by slipsheet pages shall constitute the handbook. A bulletin can supersede either the original handbook or subsequent slipsheets.

A. <u>DISTRIBUTION</u>

- (1) The following is the minimum distribution of forms completed by the adjuster and signed by the insured (or the insured's authorized representative) for the loss adjustment inspection:
 - (a) One legible copy to the insured.
 - (b) The original and all remaining copies as instructed by the approved insurance provider (AIP).
- (2) It is the AIP's responsibility to maintain original insurance documents relative to policyholder servicing as designated in their approved plan of operations.

B. TERMS, ABBREVIATIONS, AND DEFINITIONS

- (1) Terms, abbreviations, and definitions **general** (not crop specific) to loss adjustment are identified in the LAM.
- (2) Terms, abbreviations, and definitions **specific** to Florida citrus fruit loss adjustment and this handbook, which are not defined in this section, are defined as they appear in the text.
- (3) Abbreviation(s):

DSSH Document Supplemental Standards Handbook (FCIC-24040).

(4) Definition(s):

Citrus fruit type (fruit type)

Any of the separate citrus fruit listed in the Special Provisions and contained within one of the citrus fruit crop designated as Citrus I

through IX.

Excess wind

A natural movement of air that has sustained speeds exceeding 58 miles per hour recorded at the U.S. Weather Service reporting station

operating nearest to the grove at the time of damage.

3. INSURANCE CONTRACT INFORMATION

The AIP is to determine that the insured has complied with all policy provisions of the insurance contract. Crop provisions which are to be considered in this determination include (but are not limited to):

A. <u>INSURABILITY</u>

The following may not be a complete list of insurability requirements. Refer to the Basic Provisions, Florida Citrus Fruit Crop Provisions, and the Special Provisions for a complete list.

- (1) The crop insured will be all acreage of each Florida citrus fruit crop that the insured elects to insure in which the insured has a share, that is grown in the county shown on the application, and for which a premium rate is quoted by the actuarial documents.
- *** (a) Insurance will not attach to any citrus fruit (or types) which:
 - Cannot be expected to mature each crop year within the normal maturity period for the fruit type;
 - Is produced by citrus trees that have not reached the fifth growing season after being set out, unless otherwise provided in the Special Provisions, or a written agreement is authorized to insure such citrus fruit (in order for the year of set out to be considered as a growing season, citrus trees must be set out on or before April 30 of the calendar year);
 - Are "Meyer lemons" and oranges commonly known as "Sour Oranges" or "Clementines;"
 - Are the Robinson tangerine variety, for any crop year in which the insured elected to exclude such tangerines from insurance (the insured must elect this exclusion prior to the crop year for which the exclusion is to be effective, except that for the first crop year the insured must elect this exclusion by the later of the sales closing date or the time the insured submits the application for insurance);
 - Are produced on citrus trees that have been top worked until the third crop year after top working. The Special Provisions will specify the appropriate rate class

for trees insurable following top working, but that have not reached full production; or

- Are of any fruit type not specified as insurable in the Special Provisions or within the definition of "citrus fruit crop" found in the crop provisions.
- (b) Prior to the date insurance attaches, and upon the AIP's approval, the insured may elect to insure or exclude from insurance any insurable citrus acreage that has a potential production of less than 100 boxes per acre. If the insured elects to:
 - Insure such acreage, the potential production will be considered to be 100 boxes per acre when determining the amount of loss; or
 - Exclude such acreage, the acreage will be disregarded for all purposes related to the policy (the acreage will be reported on the acreage report as uninsured acres).

If the insured fails to provide notice of the election to insure or exclude the citrus acreage, and the potential production from such acreage is 100 or more boxes per acre, the AIP will determine the percent of damage on all of the insurable acreage for the unit, but will not allow the percent of damage for the unit to be increased by including such acreage. The potential production will be determined during loss adjustment.

- (2) The AIP will inspect the grove at least the first year for applicants requesting coverage. AIP's may waive subsequent grove inspections for carryover policies only if:
 - (a) The total grove acreage is less than 250 acres; and
 - (b) A "Self Certification Inspection" is authorized. (Refer to the Crop Insurance Handbook (CIH) for more information.)
- (3) Coverage will not attach if the AIP determines the grove (or sub-grove) does not meet the requirements for insurability, and:
 - (a) The insured fails to provide the information the AIP requires for the fruit type, so the AIP can determine the condition of the grove to be insured; or
 - (b) For carryover policies, the insured reports additional citrus acreage, or a greater share, such that the amount of insurance will increase by more than 10 percent and the AIP provides notice to the insured that all or part of the citrus acreage is not insurable.
- (4) Citrus fruit from trees interplanted with another fruit type or another crop is insurable unless the AIP inspects the acreage and determines it does not meet the requirements contained in the policy.
- (5) If the citrus fruit is from trees interplanted with another fruit type or another crop, acreage will be prorated according to the percentage of the acres occupied by each of the interplanted fruit types or crops (e.g., if grapefruit have been interplanted with oranges on 100.0 acres and the grapefruit trees are on 50.0 percent of the acreage, grapefruit will be considered planted on 50.0 acres and oranges will be considered planted on 50.0 acres).

The combination of the citrus fruit acreage and the interplanted crop acreage cannot exceed the physical amount of acreage.

- Insurance coverage is provided against the named perils of fire unless weeds and other forms of undergrowth have not been controlled or pruning debris has not been removed from the grove; freeze; hail; hurricane; tornado; excess wind (but only if the excess wind causes individual citrus fruit from Citrus IV, V, VII and VIII to be unmarketable as fresh fruit); and disease (but only if specified in the Special Provisions) occurring within the insurance period.
- (7) Coverage is not provided for loss of production due to:
 - (a) Damage to blossoms or trees; or
 - (b) Inability to market the citrus fruit for any reason other than actual physical damage from an insurable cause of loss. For example, an indemnity will not be paid if the insured is unable to market due to quarantine, boycott, or refusal of any person to accept production.
- (8) The insurance period begins May 1 (refer to Section 8 of the Florida Citrus Fruit Crop Provisions for specific information) and, unless specified otherwise in the Special Provisions, ends the calendar date for the end of insurance for each crop year:
 - (a) February 7 for early and navel oranges, Orlando tangelos and tangerines;
 - (b) February 28 for all other tangelos;
 - (c) March 31 for mid-season and temple oranges;
 - (d) April 30 for lemons and limes;
 - (e) May 15 for murcott honey oranges; and
 - (f) June 30 for grapefruit and late season oranges.

B. PROVISIONS AND PROCEDURES NOT APPLICABLE TO CAT COVERAGE

Refer to the CIH and the LAM for other provisions and procedures not applicable to CAT

C. UNIT DIVISION

Citrus fruit crops are considered separate basic units. The Citrus fruit crops are designated as Citrus I (0245) early and mid-season oranges, Citrus II (0246) late oranges juice, Citrus III (0247) grapefruit (for which freeze damage will be adjusted on a juice basis), Citrus IV (0248) tangelos and tangerines, Citrus V (0249) murcott honey oranges (or honey tangerines) and temple oranges, Citrus VI (0250) lemons and limes, Citrus VII (0251) grapefruit (for which freeze damage will be adjusted on a fresh fruit basis) and late oranges fresh, Citrus VIII (0252) navel oranges and Citrus IX if listed on the Special Provisions. Within the citrus fruit crop, citrus fruit types are designated on the Special Provisions; e.g., Citrus I (0245) contains citrus fruit types early oranges (011) and mid-season oranges (012). Grapefruit may be insured as either Citrus III (juice basis (031)) or Citrus VII (fresh-fruit basis (071)), and Late Oranges may be insured as either Citrus II (juice basis (024)) or Citrus VII (fresh-fruit basis (072)); the same acreage can only be insured as one

4

- citrus fruit crop/type on the policy (refer to the Special Provisions for record requirements for insuring grapefruit or oranges as Citrus VII).
- (2) Refer to the insurance contract for unit provisions. Unless limited by the Crop or Special Provisions, a basic unit, as defined in the Basic Provisions, may be divided into optional units if, for each optional unit, all the conditions stated in the applicable provisions are met.

D. QUALITY STANDARDS

- (1) Florida Citrus fruit production sold as fresh fruit must meet the applicable United States Standards for Grades of Florida Fruit.
- (2) Florida Citrus fruit production sold for juice must meet the applicable provisions of the State of Florida Citrus Fruit Laws.

4. FLORIDA CITRUS FRUIT APPRAISALS

A. GENERAL INFORMATION

- (1) Potential production for all types of inspections will be appraised in accordance with procedures specified in this handbook and in the LAM.
- (2) Specifically for Florida citrus fruit, circumstances that require an appraisal include (but are not limited to):
 - (a) The insured has reported insured damage which may cause the fruit to fail to meet marketability requirements by citrus fruit type;
 - (b) The insured has Florida citrus fruit acreage that they do not intend to harvest or which is unharvested at the end of the insurance period;
 - (c) Fruit production evidence will be lost if an inspection is delayed.
 - (d) Inspections requested by the AIP.
- (3) Make separate appraisals for each citrus fruit crop and type grown in the grove or subgrove, as applicable. Refer to the LAM for additional reasons for appraisals.
- (4) AIP representatives will set appraisal dates. Whenever appraisals are necessary, inspect the unit/grove/sub-grove after the normal fruit-drop period and before the fruit is removed from the trees.

B. <u>SELECTING REPRESENTATIVE SAMPLES FOR APPRAISALS</u>

- (1) Make a general examination of all acreage in the grove or sub-grove. Determine the number and general location of trees to be used in the representative samples based on the:
 - (a) Total acreage and number of trees;
 - (b) Extent of variation in the amount of production or damage within the acreage and location of the fruit on the tree. When variable damage causes the crop potential to be significantly different within the same grove, or when the insured wishes to destroy a portion of the grove, split the grove into sub-groves, and appraise each one separately;
 - (c) Percent of each citrus fruit type in the acreage;
 - (d) Tree age, size, density, and vigor. Do not sample weaker than average trees.
 - (e) Extent to which the amount of harvested fruit varies over the grove or sub-grove.
- (2) Take not less than the minimum number (count) of representative samples required in **TABLE A** for each grove or sub-grove.
- (3) Use separate sub-grove numbers where part of the grove was harvested:
 - (a) Before damage occurred;
 - (b) Within seven days after a damaging freeze; or
 - (c) Prior to an inspection.
- (4) Prepare a sketch map on a Special Report to record the location(s) involved, indicating any significant production variations between groves or sub-groves.

C. SELECTING RANDOM FRUIT SAMPLES

- (1) A fruit sample must be representative of ALL THE FRUIT IN THE GROVE OR SUB-GROVE and taken from all areas of the tree canopy; the top, middle, bottom, inside and outer edge (refer to subsection 5.C. below for additional sampling methods using tree quadrants).
- (2) Normally, uniform fruit may be adequately sampled by a 100-fruit sample. If conditions and/or damage vary greatly within a grove or sub-grove, use a larger sample.
- (3) Never use less than 100 fruit per sample as a basis for establishing the percent of damage for any grove or sub-grove.

D. PRELIMINARY INSPECTIONS

(1) When notices of damage or loss are received **BEFORE** it is possible to accurately assess crop damage, make inspections as directed by the AIP to verify the cause and relative severity of the damage.

- (a) Prepare a **Special Report** to record inspection results to document there was an inspection; insured and uninsured causes of damage; and any loss of potential production.
- *** (b) Advise the insured that if further damage occurs (or a claim will be filed) the insured must give another notice of damage.
 - When notices of damage or loss are received AFTER it is possible to accurately assess damage or appraise production, make inspections as soon as possible. Record the results of such inspections on the Adjuster's Citrus Worksheet, accounting for undamaged production and production damaged by uninsured causes.

E. GROUND COUNT INSPECTIONS

Ground-count inspections are preliminary inspections used solely to determine the average number of fruit per tree that fell to the ground due to insured causes. Ground counts of fallen fruit can also be part of a regular preliminary inspection or a final inspection, depending on when the damage occurred relative to fruit maturity and the cause of loss. Fruit ground counts must be made to document fruit set on the trees relative to production to be counted for fresh market or juice.

5. APPRAISAL METHODS

A. GENERAL INFORMATION

These instructions provide information on appraisal methods for:

| Appraisal Method | Use |
|--|--|
| Dropped Fruit Ground Count Method | To determine the number of boxes of fruit per acre lost when fruit has fallen to the ground due to an insurable cause. |
| Tree Fruit Count Method | With ground-count inspections, to estimate amount of fruit for juice-loss determinations. |
| Freeze-damage Determination Method | To determine freeze damage. |
| Fresh-fruit Hail <mark>/Wind</mark> -scar Damage Method | To determine hail or wind damage. |

B. <u>DROPPED FRUIT GROUND COUNT METHOD</u>

- (1) Determine, by actual count, the average number of fallen fruit per tree from representative trees:
 - (a) Avoid trees that are under-producing, missing (or skips), dead, or reset when choosing representative trees for the fruit ground count. They will depress the ground

- count average since their overall production will be below the potential of the grove or sub-grove.
- (b) Count only the fruit that would be expected to mature in the normal harvest period for the variety. Do not count fruit damaged or destroyed before insurance attached for the crop year or by normal dropping. For tangerines, disregard fruit that would not meet the 210 pack size (2-4/16 inches minimum diameter) or 420 box size (by the end of the insurance period for tangerines) under the U.S. Standards for all insurance purposes. Fruit on the ground due to uninsured causes or due to normal drop will NOT be counted as lost.
- (2) If hurricane is the cause of loss, the fruit could be blown away by wind and/or carried away by flooding. Establish the number of fruit lost in this event by subtracting the number of fruit remaining on the tree from the potential prior to the hurricane. Potential production may have to be established from information obtained on an earlier inspection. If no previous inspection was completed, use the insured's past harvest records (for at least the two most recent crop years) to establish an average potential production prior to the hurricane's occurrence. If acceptable harvest records are not available and there is no other way to determine the potential prior to the hurricane, establish the potential production using similar groves in the area together with facts such as the size, age, and condition of the trees in the insured orchard before the hurricane damage occurred. Document on a Special Report how the potential production prior to damage occurring was determined.
- (3) Do not include any ground count fruit production that will be picked up at harvest. Such fruit will be considered lost to the same extent as on-tree fruit. A post-harvest ground count must be made, regardless of the cause of loss, if damage occurred near harvest and it appears likely that ground fruit will be picked up.
 - (a) Occurrence of hurricanes, tornados, or excess wind must be confirmed through reliable information sources such as newspaper or official weather bureau reports or document, on a Special Report, evidence of such storms in the vicinity of the affected grove.
 - (b) Fruit remaining on the tree that is damaged by hail near harvest time to the extent that it would be expected to fall to the ground at a later date, will be counted as ground fruit after it actually falls. Severely hail-damaged citrus fruit will usually fall to the ground within two to three weeks of the hail storm. Defer ground counts until an accurate determination can be made.

C. TREE FRUIT COUNT METHOD

An estimate of the amount of on-tree fruit on a representative number of trees must be made on most inspections (for large trees, divide the tree into quadrants and determine the amount of on-tree fruit on one quadrant and multiply by 4 to determine the amount of fruit on the entire tree). On-tree fruit estimates are NOT REQUIRED on "post-harvest ground count" inspections and inspections where hurricane or tornado is the cause of loss, but are REQUIRED for "ground"

count only" inspections. Where a juice-loss determination will be calculated from processing records, an on-tree fruit estimate MUST be made to verify insurable damage.

D. FREEZE-DAMAGE DETERMINATION METHOD

- (1) Any fruit (for juice) of Citrus I, II, III and VI damaged by freeze that can be processed into products for human consumption will be considered marketable for juice. Fruit adjusted for freeze-damage cannot also be adjusted for hail or wind-scar damage.
 - (a) Records for harvested juice fruit will be obtained from processing-plant records or inspection certificates. If juice fruit will remain unharvested, fruit samples must be submitted for test house analysis.
 - If a juice loss has been confirmed on juice fruit and records of production and juice content have been requested, complete a Special Report to document the request for juice loss determination and what was found. A standard statement may be used on the report such as:
 "On ____ (date), I visited the referenced grove and examined ____ (#) fruit on the tree. Of the fruit examined, ____ (#) show juice loss evidenced by dryness in internal segments. Records of production and juice content have been requested so that the amount of juice loss can be determined from test house analysis."
 "The estimated average production is ____ boxes per tree."
 - If individual load certificates **HAVE NOT** been summarized by processing plant(s) or one or more processing plants received fruit for any crop year, use a "Tabulation of Production Records From Individual Load Certificates" to summarize the juice-per-weight-box records (refer to Section 8, below).
 - <u>3</u> If the individual load certificates have been summarized (averaged), use a "Florida Citrus Summary of Production Worksheet" to record the juice-perweight-box records (refer to Section 9, below).
- (2) For serious freeze damage on fresh fruit Citrus IV, V, VII and VIII the number of fruit in the sample that are unmarketable as fresh fruit, are to be evaluated by MECHANICAL SEPARATION or the FRESH FRUIT CUT METHOD OF APPRAISAL.
 - (a) The following language, in *italics*, is from the 2000 Florida Statutes; Title XXXV Agriculture, Horticulture, and Animal Industry; Chapter 601 Florida Citrus Code;

"601.89 Citrus fruit; when damaged by freezing -

- (1) Citrus fruit will be deemed "seriously" damaged by freezing when such freezing causes:
 - (a) Marked dryness to extend into the segments of oranges and grapefruit more than 1/2 inch at the stem end; or into segments of mandarin or

hybrid varieties more than 1/4 inch at the stem end; or more than an equivalent amount by volume of dryness to occur in any other portions of the fruit.

- (b) Internal freeze-related injury, as defined in subsection (3), when such condition or combination of conditions is determined to affect the fruit to a degree equal in seriousness to that described in paragraph (a)."
- (3) Citrus fruit shall be considered "damaged" by freezing when such freezing causes:
 - (a) Marked dryness to extend into the segments of oranges and grapefruit more than 1/4 inch but less than 1/2 inch at the stem; or into segments of mandarin or hybrid varieties more than 1/8 inch but less than 1/4 inch at the stem end; or more than an equivalent amount by volume of dryness to occur in any portions of the fruit.
 - (b) Internal freeze-related injury, as defined by subsection (3) of the Florida Citrus Code, when such condition or combination of conditions is determined to affect the fruit to a degree equal in seriousness to that described in paragraph (1) (a) of the Florida Citrus Code.
- (4) Internal freeze-related injury to citrus fruit shall consist of any of the following:
 - (a) Wet cores or wet segment walls;
 - (b) Water soaking;
 - (c) Juice cell breakdown;
 - (d) Mushy condition;
 - (e) Honeycomb or open spaces in the pulp; or
 - (f) Other evidence of internal breakdown, decay or moldy condition.

The conditions described in (1) (a) and (b) of the Florida Citrus Code above are causes for consideration as serious damage in the interim period between the 8th day after the freeze and the time that the drying process develops. Evidence of the above that did not progress to dryness will not be considered as serious damage. Dryness is not necessarily the result of freeze damage. Where dryness is found in fruit without other evidence of freeze injury, the fruit will be considered not damaged.

- (5) **MECHANICAL SEPARATION** (**FLOATATION**): Any unit which is mechanically separated for:
 - (a) Other than tangerines, the percent of damage will be determined by the percent of damaged fruit, not to exceed 50 percent.
 - (b) Tangerines, the percent of damage will be determined by the actual percent of damaged fruit.
- (6) **FRESH-FRUIT CUT:** The number of unharvested freeze-damaged fruit considered 100 percent damaged for juice content, divided by the number of fruit **in the sample** equals the calculated percent of the production considered damaged if the fruit is **not harvested**, EXCEPT FOR:

- (a) Grapefruit (Citrus VII), Navel oranges, Tangelos, Temple oranges, and Murcott Honey oranges, which are considered 50 percent damaged if the calculated percent of damage is 16.0 percent or more.
- (b) Tangerines (Citrus IV), which use the larger of 50 percent or the actual percent of damage if the calculated percent of damage is 16.0 percent or more.

Percent of damage for any harvested fresh fruit production will be determined from production/market records.

| Unmarketable Fresh Fruit (Citrus Fruit Crop/Types IV, V, VII, & VIII except as noted) | Calculated Percent of Damage | Fresh-fruit Cut Percent of Damage |
|---|------------------------------------|---|
| | Less than 16% | None |
| IV (0248) except Tangerines, V (0249), VII (0251), & VIII (0252) | 16% or more | 50% |
| | Less than 16% | None |
| IV (0248) Tangerines (043) | 16% or more | 50% or actual % if the damage exceeds 50% |

(7) **DRYNESS CUT:**

- (a) Further determine fruit dryness only when making a final determination of juice loss on unharvested Citrus IV (except Tangerines), V, VII and VIII crops when 16% or more of the fruit in a sample shows serious freeze damage using the fresh fruit cut method. If the juice loss from the dryness cut sample does not exceed 50%, then 50% will be the percent of damage for the sample as specified in the instructions for the fresh fruit cut. Samples qualifying for Dryness Cut evaluation may be taken to a processor for testing in place of performing the following Dryness Cut procedure.
- (b) Using a sharp, thin-bladed knife, cut the sample fruit. When ALL the segments of a fruit ARE NOT dry beyond a cut made at one-fourth of the distance from the stem end to the blossom end (or the equivalent of this amount by volume, when occurring in other portions of the fruit), the fruit will be considered to have sustained **no damage** from freeze. The following is from Chapter 601 of the Florida Citrus Code:
 - "Where there is juice loss of less than 16 percent, the fruit will be considered undamaged."
 - When all the segments of a fruit are dry beyond the one-fourth cut but not beyond a center cut (or the equivalent of this amount by volume, when occurring in other portions of the fruit), the fruit will be considered **40 percent damaged**.

[&]quot;If 16 percent but less than 50 percent juice loss in a fruit, the fruit shall be considered as 40 percent damaged."

- iii When all the segments of a fruit are dry beyond the center cut but not beyond a cut made at two-thirds of the distance from the stem end to the blossom end (or the equivalent of this amount by volume, when occurring in other portions of the fruit), the fruit will be considered 70 percent damaged.
 - "Where there is as much as 50 percent but less than 75 percent juice loss in a fruit, the fruit shall be considered as 70 percent damaged."
- iv When all the segments of a fruit are dry beyond the two-thirds cut (or the equivalent of this amount by volume, when occurring in other portions of the fruit), the fruit will be considered totally lost (100 percent damaged). "Where there is 75 percent or more juice loss in a fruit, the fruit shall be considered totally lost or 100 percent damaged."

| Juice Loss Determination for Individually Sampled Fruit from Dryness Cut | | |
|---|----------------------|--|
| Percent Lost Juice/Fruit | Percent Damage/Fruit | |
| 0 – 15.99 | NONE | |
| 16 - 49.99 | 40 | |
| 50 - 74.99 | 70 | |
| 75 – 100 | 100 | |

E. FRESH-FRUIT HAIL/WIND-SCAR DAMAGE

- (1) Citrus fruit with serious hail-damage will usually fall to the ground within two or three weeks of the hail storm. Wait AT LEAST TWO WEEKS before making the loss determination, if possible. When the hail occurs near the normal harvesting period and the insured plans to immediately harvest the crop, it may be necessary to make the loss determination soon after the storm.
- (2) If the insured harvests the damaged crop as fresh fruit, use packing records in lieu of the Hail or Wind-Scar Damage Methods to determine production to count.
- (3) Fruit qualifying for adjustment for freeze damage cannot also be adjusted for hail-scar damage and/or wind-scar damage. Also, the same fruit cannot be adjusted for both hail-scar and wind-scar damage.
- (4) Fresh Fruit Citrus IV, V, VI, VII and VIII with wind-scar damage resulting from a hurricane, tornado, or excess wind will be adjusted using the Fresh-Fruit Wind-Scar Damage Method.
- (5) For either the Hail or Wind-scar Methods, collect and examine a random sample of not less than 100 tree fruit. Grade the sample by separating out the damaged fruit that is unmarketable as FRESH FRUIT. If there is high variability in fruit damage within the orchard, divide into sub orchards and appraise each separately; or use a larger tree fruit sample (e.g., 200, 300, etc.) to assure an accurate percent damage determination.

- (a) For seriously hail-scarred:
 - Citrus IV Tangerines; separate out fruit that are not well-healed, or with damage aggregating more than a circle 3/8-inch in diameter on a 210-pack size tangerine.
 - Citrus IV Tangelos, Citrus V Murcott Honey oranges (Honey Tangerines) and Temple oranges, Citrus VII Late Oranges (Valencia), and Citrus VIII Navel oranges; separate out fruit that are not well-healed, or with damage aggregating more than a circle 1/2-inch in diameter on a 200-size orange.
 - Citrus VII grapefruit; separate out fruit that are not well-healed, or with damage aggregating more than a circle 5/8-inch in diameter on a 70-size grapefruit.
- (b) For wind-scarred Citrus IV, V, VII and VIII, separate out fruit that exhibits wind induced scars, scratches and punctures as defined under the U. S. Standards for Grades of Florida citrus for the categories of "Damage," "Serious Damage" and "Very Serious Damage." Fruit with such damage are generally not marketable as fresh fruit and will be considered 100% damaged.
- (6) Percent of damage is the percent of the sample graded out of the original sample.
- (7) If any hail/wind-scarred fruit is later marketed as fresh fruit, hail/wind-scar damage determinations will be disregarded and the citrus will be treated as marketable fresh fruit.

EXAMPLE: Assume a hurricane caused both hail and wind-scar damage to Navel Oranges.

A random sample of 100 fruit 200-size Navel Oranges have 22 oranges sorted out due to serious hail-scar damage and 10 oranges with wind-scar damage (each fruit was adjusted for only one cause of damage).

22 qualifying hail-damaged oranges \div 100 fruit sample = 22.0 percent hail-scar damage. 10 qualifying wind-damaged oranges \div 100 fruit sample = 10.0 percent wind-scar damage.

F. HANDLING PRE-HARVEST APPRAISAL DISCREPANCIES

If the insured disagrees with the pre-harvest appraisal, make arrangements for leaving representative trees UNHARVESTED and for inspecting those trees when the citrus fruit are ready to harvest (harvest-appraisal). The adjuster and insured should jointly determine the trees to be selected for this representative sample. Make a sketch map of the grove or sub-grove and mark the sample trees by row number and tree count within the chosen row. An adjuster must be present when the representative trees are harvested. The method of harvest, the type of Florida citrus fruit producing operation (e.g., hand basket, packing, etc.), or economic considerations (e.g., cost of picking and/or packing) cannot be considered when establishing appraised production to count.

6. APPRAISAL DEVIATIONS AND MODIFICATIONS

A. <u>DEVIATIONS</u>

Deviations in appraisal methods require RMA written authorization (as described in the LAM) prior to implementation.

B. MODIFICATIONS

There are no pre-established appraisal modifications contained in this handbook. Refer to the LAM for additional information.

7. APPRAISAL WORKSHEET ENTRIES AND COMPLETION PROCEDURES

A. APPRAISAL WORKSHEET FORM STANDARDS

- (1) The entry items in subsection 7C are the minimum requirements for the Citrus Appraisal Worksheet. All entry items are "Substantive" (i.e., they are required).
- (2) Appraisal Worksheet Completion Instructions. The completion instructions for the required entry items on the appraisal worksheet in the following subsections are "Substantive" (i.e., they are required).
- (3) The Privacy Act and Nondiscrimination statements are required statements that must be printed on the form or provided to the insured as a separate document. These statements are not shown on the example form in this section. The current Privacy Act and Nondiscrimination statements can be found in the DSSH.
- (4) Refer to the DSSH for other crop insurance form requirements (e.g., font point size, etc.).

B. GENERAL INFORMATION FOR WORKSHEET ENTRIES AND COMPLETION PROCEDURES

- (1) Include the AIP's name in the appraisal worksheet title if not preprinted on the AIP's worksheet or when a worksheet entry is not provided.
- (2) A separate Adjuster's Citrus Worksheet must be prepared for each citrus fruit crop and type insured within the unit (e.g., Citrus I, subtype (011) must be listed on a separate Adjuster's Citrus Worksheet from that of Citrus I, subtype (012)). Refer to Section 4 above for sampling instructions.
 - (a) Sub-groves of a citrus fruit crop and type may be entered on separate lines of the same worksheet for the citrus fruit crop and type as room allows.
 - (b) Multiple inspections may be documented on the same worksheet.

- (c) Document uninsured causes of loss on a separate line of the worksheet.
- (3) Record damage due to uninsurable causes of loss on separate lines.
- (4) Document on a Special Report fruit counts and calculations not shown on the appraisal worksheet. Document any unusual circumstances affecting the adjuster's determination of the percent of loss.
- (5) Standard appraisal worksheet items are numbered consecutively in subsection C below. Example appraisal worksheets are provided to illustrate how to complete entries.

C. WORKSHEET ENTRIES AND COMPLETION INFORMATION

Verify or make the following entries:

Item

No. Information Required

- 1. **Company:** Name of the AIP, if not pre-printed on the worksheet (Company Name).
- 2. **Policy Number:** Insured's assigned policy number.
- 3. **Claim Number:** Claim number as assigned by the AIP.
- 4. **Unit No.:** Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g., 00100).
- 5. **Fruit Crop & Type:** Citrus fruit crop inspected and applicable three-digit type code as listed on the actuarial documents (e.g., Citrus I (011).
- 6. **Crop Year:** Four-digit crop year, as defined in the policy, for which the claim has been filed (e.g., YYYY).
- 7. **Name of Insured:** Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
- 8. **Acres:** Number of determined acres, to tenths, in grove or sub-grove being appraised. Document on a Special Report how the number of acres were determined.
- 9. **No. of Trees:** Number of insured trees represented by this worksheet (grove or sub-grove). Use actual tree counts where feasible, otherwise refer to **TABLE B** for estimating tree numbers by tree spacing. Document on a Special Report why estimated trees were used in place of actual tree counts and how tree counts or estimates were determined. If the number of trees as reported on the grove inspection is found to be incorrect, prepare a Special Report documenting the discrepancy.
- 10. **No. of Trees Harvested:** Number of trees found harvested at the time of the initial inspection of the unit. **This entry will not be modified on subsequent inspections.**

- 11. **Cause(s) of Loss/Date(s):** Primary and secondary insured cause(s) of damage, the applicable loss code(s) as listed in the LAM, and the month, day, and year the damage occurred (e.g., MM/DD/YYYY). List the primary insured cause of loss first. For progressive damage, enter the month and year most of the damage occurred (e.g., MM/YYYY). Document uninsured cause(s) of loss on a Special Report.
- 12. **Inspection Types:** Indicate the type of inspection to be conducted, preliminary or final, by checking the appropriate box. For subsequent inspection(s), line through the previous entry as appropriate.
- 13. **Date(s):** Enter the date of notice. For subsequent inspection(s), line through any previous entry.
- 14. **Inspection Number:** Number of the inspection in chronological order, e.g., Ground Count Only = "1;" Preliminary (after Ground Count Only) = "2," etc. Line through any previous inspection number.

PART I - FRUIT LOST ON GROUND

Complete for fruit on the ground that will not be harvested and that is lost due to insurable and uninsurable causes.

- 15. **Plot No.:** Grove or sub-grove identification number applicable to the area being appraised. A sketch map (on a Special Report is to be included in the file) must be prepared if several appraisals are being made on the unit, stating pertinent information in regard to the grove/sub-grove (e.g., harvested prior to inspection, etc.). Use a separate line for the grove or sub-grove to record damage due to uninsured causes.
- Number of Trees: Number of insured trees located in the grove/sub-grove. Use actual tree counts, if feasible, or TABLE B for estimating tree numbers by tree spacing. Encircle the first line entry to exclude it from the Total (item 24) when the entry for this inspection duplicates or updates a previous inspection. Encircle entry used to document uninsured causes of loss and exclude it from the Total (item 24). Document on a Special Report why estimated trees were used in place of actual tree counts and how tree estimates or counts were determined. Document any adjustments made to the number of insured trees to account for missing, dead, and nonproducing trees.
- 17. **Fruit Size Per Box:** Average fruit size as determined by actual measurement or sizing caliper of mature fruit. The fruit measurement may not be applicable because of immature fruit, therefore, use the average fruit numbers provided, by crop, in the following table:

| | IMMATURE FRUIT | | | | |
|--|----------------|-----------------------|--|--|--|
| CITRUS | S FRUIT | AVERAGE FRUIT PER BOX | | | |
| Early/Mi | d Oranges | 247 | | | |
| Valencia | Oranges | 202 | | | |
| White G | rapefruit | 90 | | | |
| Colored | Grapefruit | 98 | | | |
| Navels | Oranges | 133 | | | |
| Temple Oranges | | 211 | | | |
| Tan | gelos | 220 | | | |
| Tongominas | Fallglo | 236 | | | |
| Tangerines | Sunburst | 297 | | | |
| Murcott <mark>Honey Oranges</mark> , Honey Tangerines | | 252 | | | |
| Lemon | | 280 | | | |

When a grove/sub-grove is harvested prior to a ground-count inspection, indicate the production was "harvested prior to a ground count inspection" by entering the explanation in items 17 through 19. Enter a post-harvest ground count on a subsequent line.

- 18. **Grnd. Fruit Per Tree:** When fruit on the ground will not be marketed, count the number of fallen fruit under each representative tree (refer to **TABLE A** for minimum sample requirements) and divide by the number of trees sampled to determine the average number of fruit per tree that are on the ground (refer to subsection 5B for Ground Count appraisal instructions).
- 19. **Boxes Lost Per Tree:** Ground Fruit Per Tree (item 18) divided by Fruit Size Per Box (item 17), rounded to tenths. Use a separate line for uninsured cause of loss.
- 20. Cause(s) of Loss: Name or code of applicable insured cause(s) of loss for the line from item 11. Use a separate line to document uninsured cause(s) of loss.
- 21. **Applicable Percent:** MAKE NO ENTRY.
- 22. **Boxes on Ground:** Number of Trees (item 16) multiplied by Boxes Lost Per Tree (item 19), rounded to tenths. Encircle entry for uninsured causes of loss to exclude it from the column 22 Total for item 24. The total boxes lost due to uninsured causes will be summarized in item 59.

When a previous inspection has been made or freeze is the cause of loss, the post-harvest ground count must be entered on a succeeding line in "Boxes on Ground" (item 22) and "Boxes Lost" (item 23). Enter through items 22 and 23, a statement such as "see next line for post-harvest ground count."

- 23. **Boxes Lost:** Applicable Percent (item 21) multiplied by Boxes on Ground (item 22). Divide the result by 100 and round to tenths (if result is "zero," make NO ENTRY). Make NO ENTRY for uninsured causes of loss.
- 24. **Total:** Separate column totals of all lines of Number of Trees (item 16), Boxes on Ground (item 22), and Boxes Lost (item 23). DO NOT INCLUDE encircled (duplicate) entries.

PART II - FRUIT ON TREE, PRODUCTION AND LOSS (HAIL/WIND-SCAR AND FREEZE CUT METHODS)

Use for juice and fresh fruit remaining on the tree.

- 25. **Plot No.:** Grove or sub-grove identification number applicable to the area being appraised. A sketch map (on a Special Report to be included in the file) must be prepared if several appraisals are being made on the unit, stating pertinent information in regard to the grove/sub-grove (e.g., harvested prior to inspection, etc.). Use a separate line for uninsured cause of loss.
- Number of Trees: Number of insured trees located in the grove/sub-grove. If the line entry updates a previous inspection, encircle the line entry to exclude it from the Total (item 38) (e.g., duplicates the "Number of Trees" count with updated information). Encircle entry to document uninsured causes of loss to exclude it from the Total (item 38).
- 27. **Boxes Per Tree:** Estimated average number of boxes of fruit per tree. **If all fruit have** been harvested from the trees MAKE NO ENTRY.
- 28. **Cause of Loss:** Name and code of insured cause(s) of loss **for the line** as listed in the LAM. Use a separate line to document uninsured causes of loss.
- *** For hurricane or tornado losses, when fruit have been blown and/or washed away from under the trees, if possible, use the insured's past harvest records (for the three most recent crop years) to determine the average potential production for Boxes Produced (item 36) (refer to subsection 5B).
 - 29. **Number in Sample:** Number of fruit included in the random sample. If ALL fruit have been harvested from the trees, enter the statement "No unharvested production on trees" in items 29 35, complete item 38, and MAKE NO OTHER ENTRIES in this Part. For hurricane or tornado losses, if past harvest records were used to determine Boxes Produced, enter in items 29 35 "Harvest Records," the name of the buyer/packer and date(s) of the records. Use separate lines for each buyer/packer or document on a Special Report.
 - 30. **No.** @ **100%:** The number of fruit considered:
 - a. One hundred (100) percent damaged by serious freeze damage, determined by FRESH FRUIT CUT, on tangerines (Citrus IV).
 - b. One hundred (100) percent damaged by serious freeze damage, determined by DRYNESS CUT on Citrus IV, Citrus V and Citrus VII.
 - c. Lost by hail/wind-scar damage on Citrus IV, Citrus V, Citrus VII and Citrus VIII that are unmarketable as fresh fruit.
 - d. Lost due to uninsured causes of loss.

- 31. **No.** @ **70%:** For hurricane, tornado, and excess wind, if the trees are not harvested, enter "trees not harvested" in items 31 33. For freeze damage on Citrus IV, V and VII, enter the number of fruit considered 70 percent damaged by DRYNESS CUT. For damage due to uninsured causes of loss, enter in items 31 35 "Uninsured Causes."
- 32. **Col. 31 X .7:** Item 31 multiplied by 0.7, rounded to tenths.
- 33. **No.** @ **40%:** For serious freeze damage on Citrus IV, V and VII, the number of fruit considered 40 percent damaged by DRYNESS CUT.
- 34. **Col. 33 X .4:** Item 33 multiplied by 0.4, rounded to tenths.
- 35. **% Damage:**
 - a. Percent of damage for fresh fruit NOT MARKETED, determined by:
 - (1) **MECHANICAL SEPARATION (FLOATATION)**. Refer to subsection 5D(5) above. Enter to tenths for:
 - (a) Other than tangerines, the percent of damaged fruit, not to exceed 50 percent.
 - (b) Tangerines, the percent of damaged fruit.
 - (2) **FRESH-FRUIT CUT** Refer to subsection 5D(6) above. For Tangerines (of Citrus IV), if the percent of sample damage is 16.0 percent or more, enter the GREATER of "50.0" percent or the actual percent of damage, to tenths.
 - (3) **DRYNESS CUT**. Refer to subsection 5D(7), above. The sum of No. @ 100% (item 30), Col. 31 X .7 (item 32), and Col. 33 X .4 (item 34), divided by Number in Sample (item 29); the result multiplied by 100 and rounded to tenths.
 - (4) HAIL/WIND-SCAR determination. Refer to subsection 5E, above. The No.
 @ 100% (item 30), divided by Number in Sample (item 29); the result multiplied by 100 and rounded to tenths.
 - b. "0.0" Percent damage for fresh fruit MARKETED as fresh fruit. (Production to be recorded on a separate line in PART IV.)
 - c. Percent of damage for fresh fruit MARKETED as juice as determined from processor records (record production and damage on a separate line).
- 36. **Boxes Produced:** Number of Trees (item 26) times Boxes Per Tree (item 27), **EXCEPT** for FRESH-FRUIT CUT where any harvested production will be taken from marketing records. Encircle entry for uninsured causes of loss to exclude it from the Total for item 38. The total boxes lost due to uninsured causes will be summarized in item 59. For hurricane/tornado losses when past harvest records are used to determine Boxes Produced, to avoid counting production twice, subtract Boxes on Ground (item 22) from (gross) past-harvest-record Boxes Produced, and enter (net) Boxes Produced (item 36).

- 37. **Boxes Lost:** % Damage (item 35) times Boxes Produced (item 36), divided by 100 and recorded to tenths (if result is "zero," make NO ENTRY). Make NO ENTRY for uninsured causes of loss. For hurricane/tornado losses when past harvest records are used enter "0.0."
- 38. **Total:** Separate column totals of all lines for Number of Trees (item 26), Boxes Produced (item 36), and Boxes lost (item 37). Item 37 entry must not exceed the item 36 entry. DO NOT INCLUDE encircled (duplicate) entries.

PART III - FRUIT PRODUCTION AND LOSS BASED ON DATA FROM TEST HOUSE ANALYSIS

Complete this part only for juice fruit.

- 39. **Plot No.:** Grove or sub-grove identification number applicable to the area for which production is being reported.
- 40. **Wgt. Bxs. Harvested:** Number of (appropriate-weight) weight boxes of marketable and harvested juice fruit for the grove/sub-grove. Include marketable fruit that cannot be picked in a timely manner and marketable fruit remaining after the end of the insurance period. A representative sample of remaining marketable fruit must be taken to a processor to establish the juice content.

Leave this item blank if juice fruit is to remain unharvested (not weighed) production. In item 49, enter an estimate of the number of boxes of fruit produced, calculated by multiplying Part II, number of trees (item 26) by the estimated number of boxes per tree (item 27). Use test house analysis to calculate percent of damage (item 48) and, ultimately, boxes lost (item 50).

- 41. **Date Harvested:** The final harvest date for the grove/sub-grove, in MM/DD/YYYY format. If unharvested, enter applicable date for the end of the insurance period.
- 42. **Processing Plant (Name):** Processing plant that received the fruit. If fruit was not harvested, enter the name of the processing plant which established the juice content.
- 43. **Avg. Lbs. Jce/Bx (After):** Average pounds of juice per appropriate weight box, remaining after freeze damage. Determine the production-record average juice pounds using a WEIGHTED AVERAGE if the record is based on ten loads or less for the unit or a SIMPLE AVERAGE if the record is based on more than ten loads for the unit.
 - a. Use the appropriate fruit-type Juice Chart (refer to Section 11, Reference Material **TABLES C G**, below) for the specific entries for Juice Base, Lbs./Box (item 44), Official Weight Lbs./Box (item 45), Post Factor (item 46), Pre Factor (item 47), and % Damage (item 48), EXCEPT when:
 - (1) The actual average juice pounds per box from PRODUCTION RECORDS EXCEEDS the established juice base for the fruit type. In this case, enter the number of weight boxes harvested in the columns Weight Boxes Harvested (item 40) AND in Boxes Produced (item 49). LEAVE BLANK the columns for

20

- Juice Base, Lbs./Box (item 44), Official Weight, Lbs./Box (item 45), Post Factor (item 46), and Pre Factor (item 47).
- (2) Prior-three-year production records have NOT been furnished for the citrus fruit type. In this case, use the default juice base value as specified in the Crop Provisions. Complete Juice Base, Lbs./Box (item 44, using the default juice base value in the Crop Provisions in this case), Official Wt., Lbs./Box (item 45), Post Factor (item 46), Pre Factor (item 47), and % Damage (item 48) as described below.
- (3) Juice chart (refer to Section 11, Reference Material **TABLES C G**, below) values are NOT listed for the Official Wt., Lbs/Box (item 45) for the citrus fruit type AND:
 - (a) The juice base from the insured's prior-three year production records DOES NOT EXCEED the policy default juice base value per box for the citrus fruit type. In this case, complete Juice Base, Lbs./Box (item 44), Official Wt., Lbs./Box (item 45), Post Factor (item 46), Pre Factor (item 47), and % Damage (item 48) as directed below.
 - (b) The actual juice base EXCEEDS the policy default juice base per box for the citrus fruit type. In this case, enter the number of weight boxes harvested in the columns Weight Boxes Harvested (item 40) AND Boxes Produced (item 49). Leave blank the columns for Juice Base, Lbs./Box (item 44), Official Weight, Lbs./Box (item 45), Post Factor (item 46), and Pre Factor (item 47).

| Citrus Fruit Type | Default Juice Base per Box |
|-------------------|----------------------------|
| Citrus I (0245) | 52 pounds |
| Citrus II (0246) | 54 pounds |
| Citrus III (0247) | 45 pounds |
| Citrus VI (0250) | 43 pounds |

- b. Establish Average Pounds Juice Per Box for juice fruit acreage (Citrus I, II, III and VI) that will not be harvested. Samples must be taken to a test house for analysis. The test result, item 17 from the Submitted Sample Florida Citrus Fruit Test form, is used to complete Part III, Item 43, of the Adjuster's Citrus Worksheet. Refer to subsection 7C, above, for Submitted Sample form entries and completion information.
 - (1) Adjuster will hand select samples for test house analysis by a certified State inspector. Refer to Section 4, above, for sampling instructions. A test house (generally co-located at a citrus fruit processor/buyer facility) is operated by a certified State inspector for the purpose of testing and grading citrus fruit.
 - (2) A separate Submitted Sample Florida Citrus Fruit Test form must be prepared for each citrus fruit type, subtype, and unit of fruit (e.g., use a separate form for Citrus I subtypes (011) and I (012)). Identify the sample grove/sub-grove number in the space provided.

- (3) Each citrus sample must contain a minimum of 25 pounds of fruit.
- (4) The adjuster must give notice to the Citrus Administrator, Florida Department of Agriculture, Division of Fruits and Vegetables, Winter Haven, Florida, (telephone (863) 291-5820 ext. 264) at least 48 hours prior to submitting the sample to the test house.
- (5) There is a \$20.00 charge for each sample tested. Producers must submit checks payable to the Florida Department of Agriculture with the sample(s) to be tested. Put sample identification on each check to assure proper credit.
- 44. **Juice Base, Lbs/Bx:** As described in item 43 above, enter the appropriate of the Juice Base (rounded to tenth) from the appropriate fruit-type Juice Chart, the default Juice Base from the crop provisions, or the average (item 23 of the Citrus Production Sheet) established from insured's previous 3-year production records as described above (also refer to Section 9, below). Document on a Special Report how the juice base was determined.
- 45. **Off. Wgt. Lbs/Bx:** Weight, in whole pounds, of the appropriate official Citrus Weight-Box weight for the citrus fruit are:

| Citrus Fruit Type | Official Box Weight |
|--|---------------------|
| Citrus I, II, <mark>IV – Tangelos, V – Temples, VI - Lemons, and VIII</mark> | 90 pounds |
| Citrus IV – Tangerines, V – Murcott Honey Oranges | 95 pounds |
| Citrus VI - Limes | 88 pounds |
| Citrus III and VII | 85 pounds |

- 46. **Post Factor:** Off. Wgt. Lbs./Bx (item 45), minus Avg. Lbs. Jce/Box (After) (item 43), to tenths.
- 47. **Pre Factor:** Off. Wgt. Lbs./Bx (item 45), minus Juice Base, Lbs./Bx (item 44), to tenths.
- 48. **% Damage:** Use chain calculation and round at the end:
 - a. Post Factor (item 46) minus Pre-(freeze) Factor (item 47);
 - b. Post Factor (item 46) multiplied by Juice Base, Lbs./Box (item 44);
 - c. Divide "a" by "b;"
 - d. Multiply "c" by Off. Wgt, Lbs./Bx (item 45);
 - e. Multiply "d" by 100;
 - f. Round "e" to tenths.
- 49. **Boxes Produced:** Wgt. Bxs. Harvested (item 40) multiplied by Post Factor (item 46); divided by Pre Factor (item 47), rounded to tenths. (If the average pounds of juice exceeds the established juice base for the variety, enter the Wgt. Bxs. Harvested (item 40). Refer to instructions following Avg. Lbs. Juice/Box (After) (item 43), above.) If juice fruit remains unharvested (not weighed), refer to item 40 to determine "Boxes Produced."

- 50. **Boxes Lost:** Item 48 multiplied by item 49; divided by 100, result rounded to tenths. If the result is "zero," make NO ENTRY.
- 51. **Total:** Separate column totals of all lines of Wgt. Bxs. Harvested (item 40), Boxes Produced (item 49), and Boxes Lost (item 50).

PART IV - TOTAL PRODUCTION AND PRODUCTION LOST

DO NOT COMPLETE PART IV UNTIL ALL POTENTIAL FOR THE CITRUS FRUIT TYPE/SUBTYPE IS ACCOUNTED FOR.

- 52. (Part 1, Columns 22 and 23) Fruit lost on ground and not harvested (used for all ground fruit lost through insurable causes):
 - a. **Boxes Produced:** Sum, to tenths, of all non-encircled line entries in the column Boxes on Ground (item 22).
 - b. **Boxes Lost:** Sum, to tenths, of all non-encircled line entries in the column Boxes Lost (item 23).
- 53. (Part II, Columns 36 and 37) Unharvested fruit production and loss due to hail/wind-scar and freeze (used for fruit remaining on trees):
 - a. **Boxes Produced:** Sum, to tenths, of all non-encircled line entries in column Boxes Produced (item 36).
 - b. **Boxes Lost:** Sum, to tenths, of all non-encircled line entries in column Boxes Lost (item 37).
- 54. (Part III, Columns 49 and 50) Harvested fruit production and loss due to freeze (used only for juice):
 - a. **Boxes Produced:** Sum, to tenths, of all non-encircled line entries in column Boxes Produced (item 49).
 - b. **Boxes Lost:** Sum, to tenths, of all non-encircled line entries in column Boxes Lost (item 50).

Fruit harvested before damage occurred, within 7 days after freeze, or prior to an inspection (used for fresh or juice):

- 55. **Plot No.:** By line, grove/sub-grove number (from Special Report grove/sub-grove sketch) of any fruit which was harvested:
 - a. Before damage occurred;
 - b. Within seven days after freeze: or
 - c. Prior to an inspection.
- 56. **Date Harvested:** By line, final date of harvest for the grove/sub-grove No. (item 55), in MM/DD/YYYY format.
- 57. **Buyer or Processor:** By line, name of buyer or processor receiving harvested fruit from the grove/sub-grove number identified in item 55; and under the "Boxes Produced"

column, by line, the boxes to tenths, corresponding to the Plot No. (item 55), Date Harvested (item 56), and Buyer or Processor.

- 58. **Box increase to meet minimum for the acreage:** When necessary, enter the number of boxes required to meet the minimum potential for the unit. Determine by:
 - a. Multiplying the total Number of Acres (item 8) for the citrus crop/type by 100 boxes per acre;
 - b. Subtract from (a), the sum of Boxes Produced from lines 52, 53, 54, and the section titled "Fruit harvested before damage occurred," within 7 days after freeze, or prior to an inspection" (comprised of columns 55, 56, and 57) from all Adjuster's Citrus Worksheets for the citrus crop/type.
 - c. Record the difference, to tenths. If the minimum for the citrus fruit type has been met or exceeded, MAKE NO ENTRY. When separate Adjuster's Citrus Worksheets have been prepared because of differing citrus fruit types/subtypes within the unit, calculate and enter the Box Increase to meet the minimum for the acreage of the deficient citrus crop/type/subtype in item 58 OF THE LAST PAGE of the Appraisal Worksheets for the citrus crop/type.
- 59. **Reduced production due to uninsured causes:** Total encircled entries in items 22 and 36 to determine Boxes Produced (to tenths) for production lost due to uninsurable causes. Fruit lost through normal fruit drop is not considered lost due to an uninsurable cause. Document on a Special Report, the amount and cause of any loss from fruit-drop or on-tree damage due to uninsured cause(s) of loss or failure to follow good farming practices.

If more than one Adjuster's Citrus Worksheet is prepared for a citrus fruit type on a unit, complete items 52 through 57, item 59, and items 62 through 64 on each page. ON THE LAST PAGE, enter the total Boxes Produced and total Boxes Lost from ALL Adjuster's Citrus Worksheet pages FOR THE FRUIT TYPE in item 60 and complete item 61. Leave items 60 and 61 blank on the previous pages.

- 60. **TOTAL BOXES (Round to whole boxes):** Separate column totals of "Boxes Produced" and "Boxes Lost" for all lines 52 through 59.
- 61. Percent of Loss (Total Boxes Lost ÷ Total Boxes Produced X 100):
 - a. Total Boxes (item 60), "Boxes Lost," divided by Total Boxes (item 60), "Boxes Produced" entries.
 - b. Multiply "a" times 100 and round result, to tenths. Transfer the entry to the Production Worksheet (refer to Section I, Item L and the "Narrative" of the Production Worksheet for additional instructions).

The following required entries are not illustrated on the appraisal worksheet example below.

62. **Adjuster's Signature(s), Code No., & Date(s):** Signature of adjuster, code number, and date signed **after** the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to signature date, document the date of appraisal in the

Remarks/Narrative section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the Production Worksheet.

Insured's Signature & Date: Insured's (or insured's authorized representative's) signature and date. BEFORE obtaining the signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED, (or insured's authorized representative) particularly explaining codes, etc., which may not be readily understood. Multiple fruit inspections (as denoted by multiple entries in items 12, 13, and 14) will require corresponding multiple signatures in items 62 and 63.

64. **Page Numbers:**

PRELIMINARY: Page numbers – "1," "2," etc., at the time of inspection.

FINAL: Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

EXAMPLE 1

| | | | | | or Illustr STER'S | | | | | Γ | | | |
|-------------|---|--------------------------|-------------------------|------------|--------------------------------|-------------------------|------------------------------|----------------------|--------------|-----------------------|---|--------------------------------|-------------------------------|
| | | 1. Company | | | 2. Policy I | Number | 3. Clai | m Number | | 4. Ur | nit No. | 5. Fruit Crop & Typ | e 6. Crop Yea |
| | | ANY COMPANY | | | XXXX | ХХХ | XXX | XXXXXX | | 003 | 100 | CITRUS I (011 | YYYY |
| | 7. | Name of Insured | | | 8. Ac | res | 9. No | . of Trees | 10. 1 | No. of Tre | ees Harvested | 11. Cause(s) of Los | Date(s) |
| | I | . M. INSURED | | | 33. | 3 | 2 | 2830 | | | 0 | Freeze (42) | MM/DD/YYYY |
| 12. In: | spection Types | s | Ground Count | Only | | 13 Г | Date(s) | | 14 | . Inspect | ion Number | See Special Repo | ort |
| | ck Applicable | X | Preliminar | - | | | / <u>YYYY</u> | | | | 1 | | |
| | Term) | X | Final | , | | MM/DE |)/YYYY | | | | 2 | | į |
| | | Λ | | | PART I - | FRUIT LO | ST ON GR | OUND | | | | | |
| Plot No. | Number of Trees | Fruit Size Per Box | Grnd. Fruit Per Tree | Boxe | xes Lost Per Tree 18 ÷ 17 | | Cause <mark>(s)</mark> of Lo | | | Applicable ss Percent | | Boxes on Ground 16 x 19 | Boxes Lost (21 x 22) ÷ 100 |
| 15 | 16 | 17 | 18 | | 19 | | | | 21 | | 22 | 23 | |
| 1 | (2830) | 200 | 50 | | 0.3 | | CHEMICAL DAMA | | | | | (849.0) | |
| 1 | (2830) | 200 | 94 | | 0.5 | | F | 2) | | | See next line fo ground | | |
| 1 | 2830 | 200 | 376 | | 1.9 FREEZE (42 | | | | 2) | | | 5377.0 | 5377.0 |
| 24. TOTAL | 2830 | | | | | | | | | | 5377.0 | 5377.0 | |
| | 1 | PART | II - FRUIT ON T | TREE, PRO | DUCTION A | ND LOSS | (HAIL <mark>/WI</mark> | ND-SCAR A | AND FR | EEZE CL | JT METHODS |) | |
| | | | | | | | Number of [| Damaged Frui | it by Perce | ent of Dam | | | |
| Plot No. | Number of Trees | Boxes Per Tree (Est.) | Caus Los | | Number in Sample | No. @ 100% | No. @ 70% | Col. 31 x .7 | No. @ 40% | Col. 3 | (/ | Boxes Produced 26 x 27 | Boxes Lost (35 x 36) ÷ 100 |
| 25 1 | 26 2830 | | | 3 | 29 No unhar | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| | 2030 | | FREEZE | (12) | no anna | Vebeca | | CICCD | | | | | |
| 38. TOTAL | 2830 | | | | | | | | | | | | |
| | 1 | F | PART III - FRUIT | PRODUC | TION AND L | OSS BAS | ED ON DA | TA FROM | TEST H | IOUSE A | NALYSIS | | |
| Plot No. | Wgt. Bxs. Harvested | Date Harvested | Processing (Nam | - | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. | Post Fact 45 – 43 | | - | %Damage (<u>46-47</u>)x45x 100 46x44) | Boxes Produced (40x46) ÷ 47 | Boxes Lost (48x49) ÷ 100 |
| 39 | 40 | 41 | 42 | , | 43 | 44 | 45 | 46 | | 47 | 48 | 49 | 50 |
| 1 | 9822 | MM/DD/YYYY | B&W Can | ning | 37.2 | 44.0 | 90 | 52.8 | 4 | 46.0 | 26.3 | 11273.9 | 2965.0 |
| 1 | 3625 | MM/DD/YYYY | Coca C | ola! | 35.9 | 44.0 | 90 | 54.1 | 4 | 46.0 | 30.6 | 4263.3 | 1304.6 |
| | | | | | | | | | | | | 45505.0 | 1050 5 |
| 51. TOTAL | 13447 | | | | | | | | | | | 15537.2 | 4269.6 |
| | _ | | | PART IV | – TOTAL PR | ODUCTIO | N AND PR | RODUCTIO | N LOST | | , | | |
| | D 0 | | | | | | | | | | | Boxes Produced | Boxes Lost |
| 52 | Part I: Columns 22 and 23) Fruit lost on ground and not harvested Part II: Columns 36 and 37) Unharvested fruit production and loss due to hail/wind-scar and freeze | | | | | | | | | | | 5377.0 | 5377.0 |
| 53 | | | | | | | <mark>/ind-scar</mark> ai | nd freeze | | | | 15525 0 | 1000.0 |
| 54 | | olumns 49 and 50) l | Harvested fruit p | | | | after freeze | e, or prior to | an insn | ection | | 15537.2 | 4269.6 |
| | 55 Plot No. | 56. Date Hai | | _ aamage (| _ 500.100, WIII | | . Buyer or | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | Box increase | e to meet minimum | for the acreage | | | | | | | | | | |
| 58 | | | | | | | | | | | | 849.0 | |
| 58 59 | Reduced pro | oduction due to unit | nsured causes | | | | | | | | | 049.0 | |
| | | CES (Round to wh | | | | | | | | | | 21763 | 9647 |

EXAMPLE 2

| | | | | Al | | or Illustr | | _ | _ | | EET | | | | |
|----------------|--|--------------------------|------------|-------------------------|-----------|------------------------|---------------|------------------------------|----------------------------------|------------|----------------------------|----------------|----------------------------------|--------------------------------|-------------------------------|
| . Company | | | | | | Policy Num | | 3. Claim | | | Unit No | | | 5. Fruit Crop & Type | 6. Crop Year |
| | I | ANY COMPANY | | | | XXXXX | XXX | xxxxxxx | | | 00300 | | | CITRUS IV (045) | YYYY |
| . Name of Insi | ured | | | | | 8. Acres | | 9. No. of Trees | | 10 | 10. No. of Trees Harvested | | | | Date(s) |
| | I. | . M. INSURE | D | | | 25. | 5 | | 2448 | | 0 | | | HAIL (21) | MM/DD/YYYY |
| 2. Inspection | Types | | Ground | I Count Only | , | 13. Date(s) | | 1 | | 14 | . Insped | tion N | umber | 1 | į |
| (Check App | olicable | × | Prelimir | | | io. Balo(s) | MM/DE |)/YYYY | | | ± | | | | |
| Term) | | X | Final | | | | MM/DE |)/YYYY | | | | 2 | | | į |
| | | Λ | 1 | | | PART I - I | FRUIT LO | ST ON GR | OUND | | | | | | |
| Plot No. | Number of Trees | Fruit Size | | 3rnd. Fruit Per Tree | Boxe | es Lost Per Tr | ee | Cause <mark>(s)</mark> of Lo | | | | | oplicable Percent | Boxes on Ground 16 x 19 | Boxes Lost (21 x 22) ÷ 100 |
| 15 | 16 | 17 18 | | | 19 | | 20 | | | 21 | | | 22 | 23 | |
| 1 | 2448 | 250 | | 19 | | 0.1 | | HAIL (021) | | | | | | 244.8 | 244.8 |
| | | | | | | | | | | | | | | | |
| 24. TOTAL | 2448 | | \perp | | | | | | | | | \perp | | 244.8 | 244.88 |
| 24. IUIAL | 2170 | D | ART II - E | DI IIT ON T | DEE DE | ODUCTION A | ND LOSS | (HAII <mark>AA/II</mark> | ND-SCAP / | ND F | DEE75 | CUT | METHODS | | 211.00 |
| | 1 | F/ | AKI II - F | KUII UN II | KEE, PK | T TOOL TON A | ND LOSS | | Damaged Fru | | | | | ") | |
| Plot No. | Number of Trees | Boxes Per Tree (Est.) | | Cause of Loss | | Number in Sample | No. @ 100% | No. @ 70% | Col. 31 x .7 | No. 40' | _ | ol. 33 x .4 | %Damage (30+32+34) ÷29x100 | Boxes Produced 26 x 27 | Boxes Lost (35 x 36) ÷ 100 |
| 25 | 26 | 27 | | 28 | | 29 | 30 | 31 | 32 | 33 | 3 | 34 | 35 | 36 | 37 |
| 1 | 2448 2.8 HAIL (021) | | | | | 150 31 | | Market Records; Ac | | | ce Packing 20.7 | | 6854.4 | 1418.9 | |
| | | | | | | | | | | | | | | | |
| 00 TOTAL | 2440 | | | | | | | | | | | | <u> </u> | 6854.4 | 1418.9 |
| 38. TOTAL | 2448 | | PART | III - FRI IIT | PRODUC | CTION AND L | OSS BAS | ED ON DA | TA FROM | TEST | HOUS | - ΔΝΔ | VSIS | 6854.4 | 1418.9 |
| | | | I AKI | III - I IXOII | I KODO | 1 | | 1 | I | т | | | | | |
| Plot | Wgt. Bxs. | Date | | Processing | Plant | Avg. Lbs. Jce/Bx | Juice Base | Off. Wat. | Off. Post Factor Wgt. 45 – 43 | | | | 6Damage 47)x45x 100 | Boxes Produced (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 |
| No. | Harvested | Harveste | d | (Name |) | (After) | Lbs/Bx | Lbs/Bx | | | | (46x | :44) | , , | |
| 39 | 40 | 41 | | 42 | | 43 | 44 | 45 | 46 | | 47 | | 48 | 49 | 50 |
| | | | | | | | | | | | | | | | |
| 51. TOTAL | | | | | | | | | | | | | | | |
| | | | | | PART IV | / - TOTAL PR | ODUCTIO | N AND PF | RODUCTION | N LO | ST | | | | |
| | | | | | | | | | | | | | | Boxes Produced | Boxes Lost |
| 52 | Part I: Columns 22 and 23) Fruit lost on ground and not harvested | | | | | | | | | | 244.8 | 244.8 | | | |
| 53 | Part II: Columns 36 and 37) Unharvested fruit production and loss due to hail/wind-scar and freeze | | | | | | | | | | 6854.4 | 1418.9 | | | |
| 54 | Part III: Col | lumns 49 and | 50) Harve | ested fruit pr | oduction | and loss due | to freeze | | | | | | | | |
| | 55 Frui | t harvested be | efore dam | nage occurre | d, within | 7 days after fr | eeze, or p | rior to an i | nspection | | | | | | |
| | Plot No. | 56. Date | Harveste | ed | | | 57 | 7. Buyer o | r Processor | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 58 | Box increase | to meet minin | num for th | he acreage | | | | | | | | | | | |
| 59 | Reduced pro | duction due to | uninsure | ed causes | | | | | | | | | | | |
| 60 | TOTAL BOX | ES (Round to | whole b | ooxes) | | | | | | | | | | 7099 | 1664 |
| 61 | Percent of Lo | ss [(Total Box | es Lost ÷ | - Total Boxe | s Produc | ed) x 100] | | | | | | | | 23 | . 4 |

EXAMPLE 3

| | | | | | For Illustr | | - | _ | | · - | | | |
|----------------|--|--|---|--|--|--|------------------------------|----------------------|--------------|-----------------------|--|--------------------------------|-------------------------------|
| . Company | | | A | | STER'S 2. Policy Num | | 3. Claim | | 4. Un | | | 5. Fruit Crop & Type | 6. Crop Yea |
| . Company | ANY COMPANY | | | | | | | XXXXXXXX | | 0040 | 0 | CITRUS V (052) | YYYY |
| . Name of Ins | | | | | 8. Acres | | 9. No. of | | 10. N | | | 11. Cause(s) of Loss | Date(s) |
| | I. | M. INSURED | | | 12. | 0 | | L000 | | 0 | | TORNADO (64) | MM/DD/YYYY |
| 2. Inspection | Гуреѕ | Gr | ound Count Onl | v | 13. Date(s) | | | | 14. In | spection N | lumber | - | |
| (Check App | licable | - | eliminary | , | | MM/DD | /YYYY | | | ÷ | | | |
| Term) | | X Fir | nal | | MM/DD/YYYY 2 | | | | | | | | |
| | | L L | | | PART I - I | RUIT LO | ST ON GR | OUND | l. | | | | |
| Plot No. | Number of Trees | Fruit Size Per Box | Grnd. Fruit Per Tree | Boxe | es Lost Per Tro | ee | Cause <mark>(s)</mark> of Lo | | | Applicable ss Percent | | Boxes on Ground 16 x 19 | Boxes Lost (21 x 22) ÷ 100 |
| 15 | 16 | 17 | 18 | | 19 | | 20 | | | 21 | | 22 | 23 |
| 1 | (1000) | 300 | 416 | | 1.4 | | TORNADO (64 | | |) | | See next line for p count | ost-harvest gro |
| 1 | 1000 | 300 | 127 | | 0.4 | | TORNADO (64 | | | | | 400.0 | 400.0 |
| 04 =0=:: | 1000 | | <u> </u> | | | | | | | | | 400.0 | 400.0 |
| 24. TOTAL | 1000 | DART | II EDINT ON T | DEE DO | ODLICTION A | ND LOSS | /LIAU AA | ID CCAD A | ND FRE | EZE CUT | METUODO | 400.0 | 400.0 |
| | | PARI | II - FRUIT ON T | REE, PR | ODUCTION A | ND LOSS | • | Damaged Frui | | | | i) | |
| Plot No. | Number of Trees | Boxes Per Tree (Est.) | e Caus | | Number in Sample | No. @ 100% | No. @ 70% | Col. 31 x .7 | No. @ 40% | Col. 33 x .4 | %Damage | | Boxes Lost (35 x 36) ÷ 100 |
| 25 | 26 | 27 | 28 | 3 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| 1 | 800 | 0.9 | TORNADO | | | Harvest Records; Ace Packing, N | | | | | _ | 720.0 | 0.0 |
| <u>1</u> | 200 | 0.9 | TORNADO | (64) | 150 | 98 | Trees | Not Harv | ested | | 65.3 | 180.0 | 117.5 |
| | | | | | | | | | | | | | |
| 38. TOTAL | 1000 | | | | OTION AND I | 200 540 | | T. FD. | | | | 900.0 | 117.5 |
| | | P | ART III - FRUIT | PRODUC | | ı | | l | | 1 | | T I | |
| Plot No. | Wgt. Bxs. Harvested | Date Processing Harvested (Name) | | - | Avg. Lbs. Jce/Bx (After) | Juice Base | Off. Wgt. | Post Fact 45 – 43 | | - 44 (<u>46</u> | %Damage i <u>-47</u>)x45x 100 ix44) | Boxes Produced (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 |
| 39 | 40 | 41 | 42 | | | Lbs/Bx | Lbs/Bx | | | | | | |
| | | | | | 43 | 44 | Lbs/Bx 45 | 46 | | 47 | 48 | 49 | 50 |
| | | | | | 43 | | | 46 | | 47 | 48 | 49 | 50 |
| | | | | | 43 | | | 46 | | 47 | 48 | 49 | 50 |
| 54 7074 | | | | | 43 | | | 46 | | 47 | 48 | 49 | 50 |
| 51. TOTAL | | | | | | 44 | 45 | | | 47 | 48 | 49 | 50 |
| 51. TOTAL | | | | PART IV | 43 / - TOTAL PR | 44 | 45 | | | 47 | 48 | | |
| | Part I: Col | umns 22 and 23) f | Fruit lost on grou | | / - TOTAL PR | 44 | 45 | | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost |
| 52 | | | | und and n | / - TOTAL PR | 0DUCTIO | 45 N AND PF | CODUCTION | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 | Part II: Col | umns 36 and 37) l | Unharvested fru | und and no | / - TOTAL PR ot harvested on and loss du | ODUCTIO | 45 N AND PF | CODUCTION | | 47 | 48 | Boxes Produced | Boxes Lost |
| 52 | Part III: Col | umns 36 and 37) l | Unharvested fruit p | und and no | ot harvested on and loss du | ODUCTIO ue to hail/w | N AND PP | RODUCTION | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 | Part III: Col Part III: Col 55 | umns 36 and 37) tumns 49 and 50) the tharvested before | Unharvested fru Harvested fruit p damage occurr | und and no | ot harvested on and loss du | ODUCTIO ue to hail/w to freeze eeze, or p | N AND PP | RODUCTION | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 | Part III: Col | umns 36 and 37) l | Unharvested fru Harvested fruit p damage occurr | und and no | ot harvested on and loss du | ODUCTIO ue to hail/w to freeze eeze, or p | N AND PP | nd freeze | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 | Part III: Col Part III: Col 55 | umns 36 and 37) tumns 49 and 50) the tharvested before | Unharvested fru Harvested fruit p damage occurr | und and no | ot harvested on and loss du | ODUCTIO ue to hail/w to freeze eeze, or p | N AND PP | nd freeze | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 | Part III: Col Part III: Col 55 | umns 36 and 37) tumns 49 and 50) the tharvested before | Unharvested fru Harvested fruit p damage occurr | und and no | ot harvested on and loss du | ODUCTIO ue to hail/w to freeze eeze, or p | N AND PP | nd freeze | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 | Part II: Col Part III: Col 55 Plot No. | umns 36 and 37) (umns 49 and 50) (t harvested before 56. Date Hai | Unharvested fruit particular damage occurr | it producti roduction ed, within | ot harvested on and loss du | ODUCTIO ue to hail/w to freeze eeze, or p | N AND PP | nd freeze | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 | Part II: Col Part III: Col 55 Plot No. | umns 36 and 37) tumns 49 and 50) the tharvested before | Unharvested fruit particular damage occurr | it producti roduction ed, within | ot harvested on and loss du | ODUCTIO ue to hail/w to freeze eeze, or p | N AND PP | nd freeze | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 54 | Part III: Col Part IIII: Col 55 Fruit Plot No. Box increase | umns 36 and 37) (umns 49 and 50) (t harvested before 56. Date Hai | Unharvested fruit p damage occurr rvested for the acreage | it producti roduction ed, within | ot harvested on and loss du | ODUCTIO ue to hail/w to freeze eeze, or p | N AND PP | nd freeze | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |
| 52 53 54 | Part III: Col Part III: Col 55 Plot No. Box increase Reduced prod | umns 36 and 37) t umns 49 and 50) t t harvested before 56. Date Hai | Unharvested fruit parameter damage occurr revested for the acreage | it producti roduction ed, within | ot harvested on and loss du | ODUCTIO ue to hail/w to freeze eeze, or p | N AND PP | nd freeze | | 47 | 48 | Boxes Produced 400.0 | Boxes Lost 400.0 |

EXAMPLE 4

| | | | _ | | or Illusti | | | | | | | | | | | | |
|---|-----------------|-----------------------|-------------------------|-----------------|---------------------------|---|-----------------------------|----------------------------|----------------------|------------------|-----------------------|----------------------------|---------------|-------------------------------|--|--|--|
| | | | A | DJUS | STER'S | | | | | | | | | I a a v | | | |
| Company | | | | | Policy Nur | | 3. Claim | | 4. U | nit No. | | | Kind of Fruit | | | | |
| | | ANY COMPANY | | | XXXX | XXX | | ·xxxxx | | 0030 | | CITRUS I | | YYYY | | | |
| 7. Name of Ins | | | | | 8. Acres | | 9. No. of | | 10. 1 | | Harvested | 11. Cause(| | Date(s) | | | |
| | | . M. INSURE | D T | | 80. | . 7 | 4 | 1912 | | 0 | | FREEZE (| 42) | MM/DD/YYYY | | | |
| Inspection (Check Ap) | | | Ground Count On | ly | 13. Date(s) | | | | 14. I | nspection N | lumber | | | į | | | |
| Term) | pilodbic | X | Preliminary | | | |)/YYYY)/YYYY | | | -1 | | | | 1 | | | |
| | | X | Final | | | | | | | 2 | | | | <u>i</u> | | | |
| | 1 | | | | PART I - | FRUIT LO | ST ON GR | OUND | | | | 1 | | | | | |
| Plot No. | Number of Trees | Fruit Size Per Box | Grnd. Fruit Per Tree | Boxe | es Lost Per Ti 18 ÷ 17 | ee | C | ause <mark>(s)</mark> of I | Loss | | pplicable Percent | Boxes on Ground 16 x 19 | | Boxes Lost (21 x 22) ÷ 100 | | | |
| 15 | 16 | 17 | 18 25 | | 19 20 21 | | | | 21 | 22 | | 23 t-harvest grou | | | | | |
| 1 | (4912) | 200 | | 0.1 FREEZE (42) | | | count. | | | | | | | | | | |
| 1 | 4912 | 200 | 54 | | 0.3 FREEZE (42) | | | | | 1473 | .6 | 1473.6 | | | | | |
| | | | | | | | | | | | | | | | | | |
| 24. TOTAL | 4912 | | | | | | | | | | | 1473 | .6 | 1473.6 | | | |
| | | PA | RT II - FRUIT ON 1 | ree, Pr | ODUCTION A | ND LOSS | • | | | | | 5) | | | | | |
| Plot | Number | | | | | No. @ | No. @ | Col. 31 | No. @ | | %Damage (30+32+34) | Boxes Pro | | Boxes Lost (35 x 36) ÷ 100 | | | |
| No. 25 | of Trees 26 | (Est.) 27 | 28 | | Sample 29 | 100% 30 | 70% 31 | x .7 32 | 40% 33 | x .4 34 | ÷29x100 | 36 | | 37 | | | |
| 1 | (4912) | 4.0 | FREEZE | | 200 | 114 | 0. | 02 | - 00 | 04 | | | | | | | |
| 1 | 4912 | 3.8 | FREEZE | (42) | 200 | 120 | 22 | 15.4 | 5 | 2.0 | 68.7 | 18665 | 5.6 | 12823.3 | | | |
| | | | | | | | | | | | | | | | | | |
| 38. TOTAL | 4912 | | | | • | | | | | • | • | 18665 | 5.6 | 12823.3 | | | |
| | | | PART III - FRUIT | PRODUC | CTION AND L | OSS BAS | ED ON DA | TA FROM | TEST H | OUSE ANA | LYSIS | | • | | | | |
| Plot | Wgt. Bxs. | Date | Processin | - | Avg. Lbs. Jce/Bx | - I I I I I I I I I I I I I I I I I I I | | | Boxes Pro (40x46) | | Boxes Lost | | | | | | |
| No. 39 | Harvested 40 | Harvested 41 | I (Nam 42 | e) | (After) | LDS/BX | LDS/BX 45 | 46 | - | (46x44) 47 48 | | 49 | | (48x49)÷ 100 | | | |
| | 40 | | 72 | | 40 | | 40 | 40 | | | -10 | Ī | | 1 | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 51. TOTAL | | | | | 1 | 1 | | | | | | | | | | | |
| | | | | PART IV | / - TOTAL PR | ODUCTIO | N AND PR | ODUCTIO | N LOST | | | | | | | | |
| | | | | | | | | | | | | Boxes Pro | oduced | Boxes Lost | | | |
| 52 | Part I: Col | lumns 22 and 2 | 23) Fruit lost on grou | und and no | ot harvested | | | | | | | 1473 | .6 | 1473.6 | | | |
| 53 | Part II: Col | lumns 36 and 3 | 37) Unharvested fru | it producti | on and loss d | ue to hail <mark>/v</mark> | vind-scar a | nd freeze | | | | 18665 | 5.6 | 12823.3 | | | |
| | Part III: Col | lumns 49 and 5 | 50) Harvested fruit p | roduction | and loss due | to freeze | | | | | | | | | | | |
| 54 | Frui | | fore damage occurr | | | | rior to an ir | nspection | | | | | | | | | |
| | 55 Plot No. | | Harvested | | | | | Processor | | | | | | | | | |
| | 1.50.140. | JU. Date | i iai voolou | | | | ., | | | | | | | | | | |
| | \vdash | | | | | | | | | | | - | | | | | |
| | | | | 1 | | | | | | | | | | | | | |
| | Box increase | to meet minim | num for the acreage | | | | | | | | | | | | | | |
| 58 | | | | | | | | | | | | <u> </u> | | | | | |
| 59 | | | uninsured causes | | | | | | | | | | | | | | |
| 60 | TOTAL BOX | ES (Round to | whole boxes) | | | | | | | | | 2013 | 59 | 14297 | | | |
| | Darsont of La | on [/Total Boy | e Lost - Total Boy | o Droduo | 1\ 4.001 | TOTAL BOXES (Round to whole boxes) 20139 14297 Percent of Loss [(Total Boxes Lost ÷ Total Boxes Produced) x 100] 71.0 | | | | | | | | | | | |

EXAMPLE 5

| | | | A | | For Illust STER'S | | | es Onl | | EET | | | | |
|-----------------|--|--|--|---------------------------------------|---|--|--|----------------------------|------------|---------------|----------------------------|-------------|--------------------------------|-------------------------------|
| . Company | | | | | Policy Nun | | 3. Claim | | | Unit No. | | | 5. Type & Kind of Fruit | 6. Crop Year |
| | | ANY COMPANY | | | XXXXX | XXX | XXX | XXXXX | | 00 | 400 | | CITRUS V (052) | YYYY |
| . Name of Ins | ured | | | | 8. Acres | | 9. No. of | Trees | 10. | . No. of Tre | ees Harve | sted | 11. Cause(s) of Loss | Date(s) |
| | I | . M. INSUREI |) | | 10. | 0 | | 700 | | | 0 | | FREEZE (42) | MM/DD/YYYY |
| 2. Inspection | Types | | Ground Count Only | , | 13. Date(s) | | 1 | | 14. | Inspection | Number | | HAIL (21) | MM/DD/YYYY |
| (Check App | olicable | - | Preliminary | | (-) | MM/DD, | YYYY | | | - | 1 | | | |
| Term) | | | Final | | | MM/DD/ | YYYY | | | | 2 | | | į |
| | | | | | PART I - | FRUIT LO | ST ON G | ROUND | | | | | | |
| Plot No. | Number of Trees | Fruit Size Per Box | Grnd. Fruit Per Tree | Box | tes Lost Per Tree 18 ÷ 17 | | С | ause <mark>(s)</mark> of L | .oss | | Applicat Percer | - 1 | Boxes on Ground 16 x 19 | Boxes Lost (21 x 22) ÷ 100 |
| 15 | 16 | 17 | 18 | | 19 | | | 20 | | | 21 | | 22 | 23 |
| 1 | (700) | 250 | 41 | | 0.2 | | HAIL (021) | | | | | | 140.0 | 140.0 |
| 1 | 700 250 57 | | | 0.2 | | FREEZE (42) | | | | | 140.0 | 140.0 | | |
| | | | | | | | | | | | | | | |
| 24. TOTAL | 700 | | | | | | | | | | | | 280.0 | 280.0 |
| | | PA | ART II - FRUIT ON | TREE, P | RODUCTION | AND LOSS | | | | | | ods | <u> </u> | |
| | | | | - | Number | | Number of | Damaged Frui | t by Pe | ercent of Dan | nage %Dan | age | Boxes Produced | Boxes Lost |
| Plot No. | Number of Trees | Boxes Per Ti (Est.) | ree Caus Los | | in Sample | No. @ 100% | No. @ 70% | Col. 31 x .7 | No. 40° | | 33 (30+32 4 ÷29x | +34) 100 | 26 x 27 | (35 x 36) ÷ 100 |
| 25 1 | 26 700 | 27 28 4.5 HAIL (021) | | | 29 | 30 37 | 31 | 32 | 33 | 3 34 | 18 | | 36 (3150.0) | 37 582.8 |
| 1 | 4.5 FREEZE (4 | | | | | | Market I | Pegor | de | | | | | |
| | | 4.5 | FREEZE | (42) | 100 | 19 | | Kraft MM | /DD/Y | YYY | 50 | . 0 | 3150.0 | 1575.0 |
| 38. TOTAL | 2448 | | | | | | | | | | | | 3150.0 | 2157.8 |
| 30. TOTAL | 2110 | | PART III - FRUI | T PRODI | ICTION AND I | OSS BAS | ED ON D | ATA EROM | TES | THOUSE | ANAI VSI | | 3130.0 | 2137.0 |
| | | | TARTIN TRO | TTRODE | T . | | 1 | | - 1 | | %Dama | | | |
| Plot No. | Wgt. Bxs. Harvested | Date Harvested | Processing (Nam | - | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Post Fact Wgt. 45 – 43 | | | | (46-47)x45x 100 (46x44) | | Boxes Produced (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 |
| 39 | 40 | 41 | 42 | | 43 | 44 | 45 | 46 | | 47 | 48 | | 49 | 50 |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 51. TOTAL | | | | | | | | | | | | | | |
| 51. TOTAL | | | | PART | V - TOTAL PP | RODUCTIO | ON AND P | RODUCTIO | N LC | OST | | | | |
| 51. TOTAL | | | | | | RODUCTIO | ON AND P | RODUCTIO | N LC |)ST | | | Boxes Produced | Boxes Lost |
| 51. TOTAL 52 | | | 3) Fruit lost on gro | und and n | ot harvested | | | | N LC | OST | | | 280.0 | 280.0 |
| | | | 3) Fruit lost on gro | und and n | ot harvested | | | | N LC | PST | | | | |
| 52 | Part II: Co | lumns 36 and 3 | , , | und and n | ot harvested | ue to hail <mark>/w</mark> | | | N LC | est | | | 280.0 | 280.0 |
| 52 53 | Part III: Co | olumns 36 and 3 | 7) Unharvested fru | und and n | ot harvested ion and loss do and loss due | ue to hail <mark>/w</mark> to freeze | vind-scar a | nd freeze | N LC | PST | | | 280.0 | 280.0 |
| 52 53 | Part III: Co | olumns 36 and 3 | 7) Unharvested fruit pore damage occurre | und and n | ot harvested ion and loss do and loss due | ue to hail <mark>/w</mark> to freeze eeze, or pr | /ind-scar a ior to an ir | nd freeze | N LO | PST | | | 280.0 | 280.0 |
| 52 53 | Part III: Co | olumns 36 and 3 olumns 49 and 5 t harvested befo | 7) Unharvested fruit pore damage occurre | und and n | ot harvested ion and loss do and loss due | ue to hail <mark>/w</mark> to freeze eeze, or pr | /ind-scar a ior to an ir | nd freeze | N LO | DST | | | 280.0 | 280.0 |
| 52 53 | Part III: Co | olumns 36 and 3 olumns 49 and 5 t harvested befo | 7) Unharvested fruit pore damage occurre | und and n | ot harvested ion and loss do and loss due | ue to hail <mark>/w</mark> to freeze eeze, or pr | /ind-scar a ior to an ir | nd freeze | N LO | DST | | | 280.0 | 280.0 |
| 52 53 | Part III: Co | olumns 36 and 3 olumns 49 and 5 t harvested befo | 7) Unharvested fruit pore damage occurre | und and n | ot harvested ion and loss do and loss due | ue to hail <mark>/w</mark> to freeze eeze, or pr | /ind-scar a ior to an ir | nd freeze | N LO | DST | | | 280.0 | 280.0 |
| 52 53 54 | Part II: Co Part III: Co Frui Frui Flot No. | olumns 36 and 3 olumns 49 and 5 t harvested before 56. Date I | 7) Unharvested fruit pore damage occurre | it product roduction ed, within | ot harvested ion and loss do and loss due | ue to hail <mark>/w</mark> to freeze eeze, or pr | /ind-scar a ior to an ir | nd freeze | N LO | DIST | | | 280.0 | 280.0 |
| 52 53 54 | Part III: Co Part III: Co Frui 55 Plot No. Box increase | olumns 36 and 3 olumns 49 and 5 t harvested before 56. Date I | 7) Unharvested fruit pore damage occurred | it product roduction ed, within | ot harvested ion and loss do and loss due | ue to hail <mark>/w</mark> to freeze eeze, or pr | /ind-scar a ior to an ir | nd freeze | N LO | DST | | | 280.0 | 280.0 |
| 52 53 54 | Part II: Co Part III: Co Frui Frui For No. Box increase Reduced pro | olumns 36 and 3 olumns 49 and 5 t harvested before 56. Date I | 17) Unharvested fruit pore damage occurred Harvested | it product roduction ed, within | ot harvested ion and loss do and loss due | ue to hail <mark>/w</mark> to freeze eeze, or pr | /ind-scar a ior to an ir | nd freeze | N LO | DST | | | 280.0 | 280.0 |

EXAMPLE 6

| | | | Α | | For Illustr STER'S | | - | | • | EET | | | | |
|--|---|--|--|--|---|--|---|-------------------------------|-------|---------------------------|-----------------|---------------------------------------|---|---|
| Company | | | | | Policy Num | | 3. Claim | | | . Unit No | | | 5. Type & Kind of Frui | 6. Crop Year |
| | AA | NY COMPANY | | | XXXXX | XXX | XX | XXXXXX | | | 00100 |) | CITRUS V (051) | YYYY |
| Name of Insured | i | | | | 8. Acres | | 9. No. of | Trees | 10 | 0. No. of | Trees | Harvested | 11. Cause(s) of Loss | Date(s) |
| | I. | M. INSURED | | | 52. | 0 | | 3840 | | | 1230 | | FREEZE (42) | MM/DD/YYYY |
| Inspection Type | es | | Ground Count On | lv. | 13. Date(s) | | | | 14 | 4. Inspe | ction N | umber | | į |
| ~ · · · · · · | | | Preliminary | y | 13. Date(3) | MM/DI | O/YYYY | | | · | 1 | | | 1 |
| | | | Final | | | | D/YYYY | | | | 2 | | | |
| | | Λ | | | PART I - F | FRUIT LO | ST ON GF | ROUND | | | | | <u> </u> | <u>i</u> |
| Plot | Number | Fruit Size | Grnd. Fruit | Boxe | es Lost Per Tre | ее | | | | | | pplicable | Boxes on Ground | Boxes Lost |
| No. | of Trees | Per Box | Per Tree | | 18 ÷ 17 | | С | ause(s) of | Loss | | | | 16 x 19 | (21 x 22) ÷ 100 |
| 15 1 | 16 (2610) | 17 300 | 18 38 | | 19 | | 20 FREEZE (42) | | | 21 | | | See Line 3 For Post- | |
| | | | | | | | | FREEZE (| ±2) | | | | Count | |
| 2 | 1230 | | vested Prior | to insp | | | | | | | | | 500 5 | |
| 1 | 2610 300 57 | | | | 0.2 | | | FREEZE (4 | 12) | | | | 522.0 | 522.0 |
| 24. TOTAL | 3840 | | | | | | | | | | | | 522.0 | 522.0 |
| - Di i | 1 1 | PAF | RT II - FRUIT ON 1 | REE, PR | ODUCTION A | ND LOSS | • | | | | | | , | |
| Plot | Number of Trees | Boxes Per Tr (Est.) | ee Caus | Number in Sample | No. @ 100% | No. @ | Col. 31 | No. | | | %Damage | Boxes Produced 26 x 27 | Boxes Lost (35 x 36) ÷ 10 | |
| 25 | 26 | 27 | 28 | | | | 32 | 33 | | 34 | 35 | 36 | 37 | |
| 1 | 2610 | 2.7 | 2.7 FREEZE (42) | | 200 | 47 | | | | | | 50.0 | 7047.0 | 3523.5 |
| 2 | 1230 (Harvested F | | | | ior to Free | eze (MM/ | DD); Buy | yer: Hair | nes C | city CG | A) | 0.0 | | |
| | | | | | | | | | | | | | | |
| 38. TOTAL | 3840 | | | | • | | • | • | - | | | | 7047.0 | 3523.5 |
| | | | | | | | | | | | | | | |
| | | | PART III - FRUIT | PRODUC | CTION AND L | OSS BAS | ED ON DA | ATA FROM | TEST | r Housi | ANA | LYSIS | | |
| | | | PART III - FRUIT | PRODUC | | OSS BAS | ED ON DA | TA FROM | - 1 | r HOUSI | 1 | LYSIS %Damage | Boxes Produced | |
| Plot | Wgt. Bxs. | Date | PART III - FRUIT | | Avg. Lbs. Jce/Bx | ı | 1 | | tor F | | or (<u>46-</u> | %Damage 47)x45x 100 | Boxes Produced (40x46) ÷ 47 | Boxes Lost |
| No. | Harvested | Harvested | Processing (Name | g Plant | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | Post Fac 45 – 43 | tor F | Pre Facto 45 – 44 | or 9 | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 |
| | - | | Processing | g Plant | Avg. Lbs. Jce/Bx | Juice Base | Off. Wgt. | Post Fac | tor F | Pre Fact | or (<u>46-</u> | %Damage 47)x45x 100 | | Boxes Lost |
| No. | Harvested | Harvested | Processing (Name | g Plant | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | Post Fac 45 – 43 | tor F | Pre Facto 45 – 44 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 |
| No. | Harvested | Harvested | Processing (Name | g Plant | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | Post Fac 45 – 43 | tor F | Pre Facto 45 – 44 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 |
| No. 39 | Harvested | Harvested | Processing (Name | g Plant | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | Post Fac 45 – 43 | tor F | Pre Facto 45 – 44 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 |
| No. | Harvested | Harvested | Processing (Name | g Plant | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | Post Fac 45 – 43 | tor F | Pre Facto 45 – 44 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 |
| No. 39 | Harvested | Harvested | Processing (Name | g Plant e) | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx 44 | Off. Wgt. Lbs/Bx 45 | Post Fac 45 – 43 46 | tor F | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 | Boxes Lost (48x49)÷100 50 |
| No. 39 | Harvested 40 | Harvested 41 | Processing (Nam 42 | g Plant e) | Avg. Lbs. Jce/Bx (After) 43 | Juice Base Lbs/Bx 44 | Off. Wgt. Lbs/Bx 45 | Post Fac 45 – 43 46 | tor F | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 50 |
| No. 39 | Harvested 40 | Harvested 41 | Processing (Name | g Plant e) | Avg. Lbs. Jce/Bx (After) 43 | Juice Base Lbs/Bx 44 | Off. Wgt. Lbs/Bx 45 | Post Fac 45 – 43 46 | tor F | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 | Boxes Lost (48x49)÷ 100 50 |
| No. 39 51. TOTAL | Harvested 40 Part I: Co | Harvested 41 | Processing (Nam 42 | g Plant e) PART IN | Avg. Lbs. Jce/Bx (After) 43 | Juice Base Lbs/Bx 44 | Off. Wgt. Lbs/Bx 45 | Post Fac 45 – 4: 46 | tor F | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 | Boxes Lost (48x49)÷ 100 50 Boxes Lost |
| No. 39 51. TOTAL | Part II: Co | Harvested 41 Jumns 22 and 23 Jumns 36 and 37 | Processing (Name 42) | PART IV | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested tion and loss du | Juice Base Lbs/Bx 44 | Off. Wgt. Lbs/Bx 45 | Post Fac 45 – 4: 46 | tor F | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 | Part II: Co Part III: Co | Harvested 41 Jumns 22 and 23 Jumns 36 and 33 Jumns 49 and 56 | Processing (Nam 42 42 42) B) Fruit lost on grown (Nam 42) 42 42 42 42 42 42 42 42 42 42 42 42 42 | PART IV | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 | Off. Wgt. Lbs/Bx 45 | Post Fac 45 – 4: 46 RODUCTIO | tor F | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 54 | Part II: Co Part III: Co | Harvested 41 Jumns 22 and 23 Jumns 36 and 33 Jumns 49 and 56 | Processing (Name 42 42 42 42 42 42 42 42 42 42 42 42 42 | PART IV | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 ODUCTIO ue to hail/ to freeze eeze, or pi | Off. Wgt. Lbs/Bx 45 NN AND PR wind-scar a | Post Fac 45 – 4: 46 RODUCTIO | N LOS | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 54 | Part II: Co Part III: Co Part III: Co | Harvested 41 Jumns 22 and 23 Jumns 36 and 37 Jumns 49 and 56 t harvested before 56. Date H | Processing (Name 42 42 42 42 42 42 42 42 42 42 42 42 42 | PART IV | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 ODUCTIO ue to hail/ to freeze eeze, or pi | Off. Wgt. Lbs/Bx 45 N AND PP wind-scar a rior to an ir 7. Buyer c | Post Fac 45 – 4: 46 RODUCTIO | N LOS | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 7047.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 54 | Part I: Co Part II: Co Part III: Co Part III: Co Part III: Co | Harvested 41 Jumns 22 and 23 Jumns 36 and 37 Jumns 49 and 50 t harvested before | Processing (Name 42 42 42 42 42 42 42 42 42 42 42 42 42 | PART IV | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 ODUCTIO ue to hail/ to freeze eeze, or pi | Off. Wgt. Lbs/Bx 45 N AND PP wind-scar a rior to an ir 7. Buyer c | Post Fac 45 – 4: 46 RODUCTIO | N LOS | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 54 | Part I: Co Part II: Co Part III: Co Part III: Co Part III: Co | Harvested 41 Jumns 22 and 23 Jumns 36 and 37 Jumns 49 and 56 t harvested before 56. Date H | Processing (Name 42 42 42 42 42 42 42 42 42 42 42 42 42 | PART IV | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 ODUCTIO ue to hail/ to freeze eeze, or pi | Off. Wgt. Lbs/Bx 45 N AND PP wind-scar a rior to an ir 7. Buyer c | Post Fac 45 – 4: 46 RODUCTIO | N LOS | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 7047.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 54 | Part I: Co Part II: Co Part III: Co Part III: Co Part III: Co | Harvested 41 Jumns 22 and 23 Jumns 36 and 37 Jumns 49 and 56 t harvested before 56. Date H | Processing (Name 42 42 42 42 42 42 42 42 42 42 42 42 42 | PART IV | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 ODUCTIO ue to hail/ to freeze eeze, or pi | Off. Wgt. Lbs/Bx 45 N AND PP wind-scar a rior to an ir 7. Buyer c | Post Fac 45 – 4: 46 RODUCTIO | N LOS | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 7047.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 54 | Part I: Co Part II: Co Part III: Co Part III: Co Part III: Co 2 | Harvested 41 Jumns 22 and 23 Jumns 36 and 37 Jumns 49 and 50 t harvested before 56. Date H | Processing (Name 42 42 42 42 42 42 42 42 42 42 42 42 42 | PART IV und and n it production orduction ed, within | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 ODUCTIO ue to hail/ to freeze eeze, or pi | Off. Wgt. Lbs/Bx 45 N AND PP wind-scar a rior to an ir 7. Buyer c | Post Fac 45 – 4: 46 RODUCTIO | N LOS | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 7047.0 | Boxes Lost (48x49)÷ 100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 54 | Part I: Co Part II: Co Part III: Co Part III: Co Box increase | Harvested 41 Jumns 22 and 23 Jumns 36 and 37 Jumns 49 and 50 t harvested before 56. Date H MM/DD/ | Processing (Name 42) 3) Fruit lost on group of the acreage of the | PART IV und and n it production orduction ed, within | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 ODUCTIO ue to hail/ to freeze eeze, or pi | Off. Wgt. Lbs/Bx 45 N AND PP wind-scar a rior to an ir 7. Buyer c | Post Fac 45 – 4: 46 RODUCTIO | N LOS | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 7047.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |
| No. 39 51. TOTAL 52 53 54 | Part I: Co Part II: Co Part III: Co Part III: Co S5 Fruit Plot No. 2 Box increase Reduced pro | Harvested 41 Jumns 22 and 23 Jumns 36 and 37 Jumns 49 and 50 t harvested before 56. Date H MM/DD/ | Processing (Nam. 42 3) Fruit lost on groot (Nam. 42) 3) Fruit lost on groot (Nam. 42) 4) Harvested fruit pre damage occurred larvested (Nam. 42) 4) Harvested fruit pre damage occurred larvested (Nam. 42) 4) Important the acreage (Nam. 42) 5) Important the import | PART IV und and n it production orduction ed, within | Avg. Lbs. Jce/Bx (After) 43 V - TOTAL PRO tot harvested ion and loss due | Juice Base Lbs/Bx 44 ODUCTIO ue to hail/ to freeze eeze, or pi | Off. Wgt. Lbs/Bx 45 N AND PP wind-scar a rior to an ir 7. Buyer c | Post Fac 45 – 4: 46 RODUCTIO | N LOS | Pre Fact 45 – 44 47 | or (<u>46-</u> | %Damage <u>47</u>)x45x 100 44) | (40x46) ÷ 47 49 Boxes Produced 522.0 7047.0 | Boxes Lost (48x49)÷100 50 Boxes Lost 522.0 |

D. GENERAL INFORMATION FOR SUBMITTED SAMPLE - FLORIDA **CITRUS JUICE TEST**

- The entry items in subsection 7E are the requirements for the Submitted Sample Florida (1) Citrus Juice Test inspection certificate. All entry items are "Substantive" (i.e., they are required).
- Submitted Sample inspection certificate instructions. The completion instructions for the (2) required entry items on the inspection certificate in the following subsection are "Substantive" (i.e., they are required).
- The body (exclusive of the heading and footer) of the following inspection certificate example SHALL NOT BE ALTERED WITHOUT THE PRIOR WRITTEN APPROVAL OF RMA AND THE FLORIDA DEPARTMENT OF AGRICULTURE.

Ε. SUBMITTED SAMPLE - FLORIDA CITRUS JUICE TEST ENTRIES AND **COMPLETION PROCEDURES**

The adjuster completes entries in items 1 through 14. Items 15 through 23 will be completed by the State Inspector.

Item

No. **Information Required**

- 1. Name of Insured: Name that EXACTLY identifies the person (legal entity) to whom the policy is issued.
- 2. **Policy Number:** Insured's assigned policy number. If a **Claim Number** is required, enter it on this same line, preceded by a slash (/), after the policy number.
- 3. **Crop Year:** Four digit crop year, as defined in the policy, for which the claim has been filed.
- Unit Number: Five digit unit number from the Summary of Coverage after it is verified to 4. be correct (e.g., 00100).
- 5. **County:** County where unit is located as identified on Summary of Coverage.
- **Date Sample Collected:** Date, MM/DD/YYYY, on which the sample was collected. 6.
- **Type and Kind of Fruit:** Citrus fruit crop and applicable three-digit type code as listed on 7. the actuarial documents [e.g., Citrus I (011)].
- 8. **Processing Plant (Name & Location):** Name and address of test house/processing plant where sample is to be analyzed.

32

9. **Adjuster's Signature:** Signature of loss adjuster submitting the sample.

- 10. **Submission Date:** The date, MM/DD/YYYY, the sample was submitted for analysis.
- 11. **Adjuster's Address:** Loss adjuster's mailing address, including zip code.
- 12. **Adjuster's Telephone Number:** The loss adjuster's telephone number, including area code.
- 13. **Plot Number:** Grove or sub-grove number.
- 14. **Page** ____ of ____: Page number within a series of page numbers for multiple samples within a unit.
- 15. **Sample Weight:** The submitted-sample weight in pounds to hundredths.
- 16. **Juice Weight:** Pounds, to hundredths, of juice extracted from the sample.
- 17. **Juice Per Box:** Average pounds of juice per appropriate weight box, rounded to hundredths, as determined from the submitted sample. (The adjuster enters this value, to tenths, in item 43 of the Adjuster's Citrus Worksheet.)
- 18. **Acid:** Determination from the citrus juice test analysis of the sample.
- 19. **Brix/Solids:** Determination from the citrus juice test analysis of the sample.
- 20. **Ratio:** Determination from the citrus juice test analysis of the sample.
- 21. **LBS. Solids Per Box:** Determination from the citrus juice test analysis of the sample in pounds to four decimal places.
- 22. **State Inspector's Signature:** Signature of certified State inspector running the sample.
- 23. **Date:** Date, MM/DD/YYYY, the submitted sample was tested.

FOR ILLUSTRATION PURPOSES ONLY

SUBMITTED SAMPLE

FLORIDA CITRUS JUICE TEST

TO BE COMPLETED BY LOSS ADJUSTER

| 1. | Name of Insured: | I. M. Insured | 2. | Policy Number: _ | XXXXXXX/XXXXXX | | | | |
|----|--------------------------|---------------------------------------|---------|-----------------------------------|----------------|--|--|--|--|
| 3. | Crop Year: | YYYY | 4. | Unit Number: | 00100 | | | | |
| 5. | County: | Any | 6. | Date Sample Collected: MM/DD/YYYY | | | | | |
| 7. | Type and Kind of Fruit: | Ci | trus | I (011) | | | | | |
| 8. | Processing Plant: | B & W Canning, | Any | City, Any S | tate | | | | |
| 9. | Adjuster's Signature: | I. M. Adjuster | 10. | Submission Date: | MM/DD/YYYY | | | | |
| 1. | Adjuster's Address: | Any City, | Any | State XXXXX | | | | | |
| 2. | Adjuster's Phone Number: | (XXX) <u>XXX-XXXX</u> | | | | | | | |
| 3. | Plot Number: | 3-B | 14. | Page 1 of | 1 | | | | |
| | Attach | \$20.00 per sample fee, payable to Fl | orida [| Department of Agricu | ulture | | | | |

| | TO BE COMPLETED | BY STATE INSPECTOR | |
|--------------------------|---|--------------------|-----------|
| 15. Sample Weight: | 25.00 | 16. Juice Weight: | 12.50 |
| 17. Juice Per Box: | 45.00 | 18. Acid: | 1.00 |
| 19. Brix/Solids: | 13.50 | 20. Ratio: | 13.50 |
| 21. LBS. Solids Per Box: | | 6.0750 | |
| | ve hand selected submitter sam accordance with DOC Rule Ch | | |
| I. M. | Inspector | M | M/DD/YYYY |
| 22. State | Inspector Signature | | 23. Date |

State Inspector Instructions:

Mark paid, transmit completed copy to loss adjuster, and mail original form, with payment, to Winter Haven office.

8. TABULATION OF PRODUCTION RECORDS FROM INDIVIDUAL LOAD CERTIFICATES WORKSHEET

A. TABULATION OF PRODUCTION RECORD STANDARDS

- (1) The entry items in subsection 8C are the minimum requirements for the Tabulation of Production Records From Individual Load Certificates worksheet. All entry items are "Substantive" (i.e., they are required).
- (2) Tabulation of Production Records From Individual Load Certificates worksheet completion instructions. The completion instructions for the required entry items on the worksheet in the following subsection are "Substantive" (i.e., they are required).
- (3) The Privacy Act and Nondiscrimination statements are required statements that must be printed on the form or provided to the insured as a separate document. These statements are not shown on the example form in this section. The current Privacy Act and Nondiscrimination statements can be found in the DSSH, FCIC-24040.
- (4) Refer to the DSSH for other crop insurance form requirements (e.g., font point size, etc.).

B. GENERAL INFORMATION FOR ENTRIES AND COMPLETION PROCEDURES

Juice fruit sent to a processor is to be reported for record purposes. USE THE FOLLOWING STANDARDS IF PRODUCTION AVERAGES FOR CITRUS I, II, III and VI HAVE NOT BEEN CALCULATED. If averages have been supplied, prepare a report as directed below.

- (1) Use the Tabulation of Production Records From Individual Load Certificates Worksheet or a Special Report to document the following required information when:
 - (a) Individual worksheets are not summarized by the processing plant(s); or
 - (b) One or more processing plant(s) received fruit for any crop year.
- (2) Prepare a separate worksheet or Special Report for each citrus crop/type within the unit.

C. TABULATION OF PRODUCTION RECORD ENTRIES AND COMPLETION PROCEDURES

Verify or make the following entries:

Item

No. Information Required

Company Name: Name of AIP servicing the contract.

1. **Insured's Name:** Name of insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.

- 2. **Policy No.:** Insured's assigned policy number.
- 3. **Claim No.:** The claim number as assigned by the AIP.
- 4. **Unit No.:** Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g., 00100).
- 5. **Crop & Type:** Citrus fruit crop and three-digit type code as listed in the county actuarial documents (e.g., Citrus I (011)).
- 6. **Crop Year:** Four-digit crop year, as defined in the crop provisions, for which the claim has been filed.
- 7. **Applicable Pounds Per Box:** Check the appropriate box indicating the standard fruit weight per box.

Enter the following information on a line basis:

- 8. **Date of Load Certificate:** Date, MM/DD/YYYY, as recorded on the load certificate by the processor.
- 9. **Number of Boxes At Processor:** Number of fruit weight-boxes (determined on basis of item 7, Applicable Pounds Per Box) received for the Date of Load (item 8), as recorded on the load certificate.
- 10. **Average Lbs. Juice Per Box:** Average pounds, to tenths, juice per box from the load certificate.
- 11. **Processing Plant:** Name and address of processing plant receiving the fruit for juice.
- 12. **Totals:** Total of:
 - a. Number of Boxes column (item 9), to whole boxes.
 - b. Average Lbs. of Juice per Box column (item 10), to tenths.

Enter each total in the appropriate column ON THE LAST PAGE of the Tabulation of Production Records From Individual Load Certificates form for the citrus fruit crop/type.

The following required entries are not illustrated on the appraisal worksheet example below.

- 13. **Adjuster's Signature, Code No., and Date:** Signature of adjuster, code number, and date signed **after** the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to signature date, document the date of appraisal in the Remarks/Narrative section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the Production Worksheet.
- Insured's Signature and Date: Insured's (or insured's authorized representative's signature) and date. BEFORE obtaining the signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED, (or the insured's authorized representative) particularly explaining codes, etc., which may not be readily understood.
- 15. **Page No.:** Page numbers (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

| Company Name | e: Any Compar | ny | | 1. INSURED'S NAME: | 2. POLICY NO. | | | | | | | |
|--------------------------------|--|--------------------------------------|-----------|--|---------------|--|--|--|--|--|--|--|
| TABULATIO | Illustration Pu ON OF PROD IVIDUAL LOA | UCTION RE | CORDS | I.M. Insured | xxxxxxx | | | | | | | |
| 3. CLAIM NO. | | 4. UNIT NO. | | 5. CROP & TYPE | 6. CROP YEAR | | | | | | | |
| XX | XXX | 0010 | 00 | Citrus II (024) | YYYY | | | | | | | |
| 7. APPLICABLE POUND | S PER BOX: | 85 Lb.: GRAPEFRUIT; | 88 Lb.: | p.: LIMES; X 90 Lb.: LEMONS; ORANGES, INCLUDING TEMPLES AND TANGELOS; TANGERINES | | | | | | | | |
| 8. DATE OF LOAD CERTIFICATE | 9. NUMBER OF BOXES AT PROCESSOR | 10. AVERAGE LBS. JUICE PER BOX | | 11. PROCESS | SING PLANT | | | | | | | |
| MM/DD/YYYY | 220 | 47.2 | Golden G | em, Any Town, FL | | | | | | | | |
| MM/DD/YYYY | 311 | 45.7 | Juice Box | Inc., Another Town, FL | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 12. TOTALS | 531 | 92.9 | | | | | | | | | | |

9. FLORIDA CITRUS JUICE PRODUCTION SUMMARY

A. FLORIDA CITRUS JUICE PRODUCTION SUMMARY STANDARDS

- (1) The entry items in subsection 9B are the minimum requirements for the Florida Citrus Juice Production Summary. All entry items are "Substantive" (i.e., they are required).
- (2) Florida Citrus Juice Production Summary completion instructions. The completion instructions for the required entry items on the summary in the following subsection are "Substantive" (i.e., they are required).
- (3) The Privacy Act and Nondiscrimination statements are required statements that must be printed on the form or provided to the insured as a separate document. These statements are not shown on the example form in this section. The current Privacy Act and Nondiscrimination statements can be found in the DSSH.
- (4) Refer to the DSSH for other crop insurance form requirements (e.g., font point size, etc.).

B. <u>GENERAL INFORMATION</u>

Use this procedure to document juice production information from the insured when:

- (1) Juice fruit (Citrus I, II, III, or VI) has been sent to a processor and that processor has established an average juice content.
- (2) Current records of juice production will NOT be supplied. Juice content will be based on acceptable prior-three years' production records from acreage that was or would have been insurable. If acceptable prior-three years' juice per box production records are not supplied, the default juice weight per box as listed in the policy must be used.
- (3) Load certificates have been supplied for which the processor has not established averages.
- (4) Use separate summaries for each citrus fruit crop/type on a unit or a Special Report containing the required information.

C. FLORIDA CITRUS JUICE PRODUCTION SUMMARY ENTRIES AND COMPLETION PROCEDURES

Verify or make the following entries:

Item

No. <u>Information Required</u>

- 1. **Company Name:** Name of AIP servicing the contract.
- 2. **Policy No.:** Insured's assigned policy number.
- 3. **Claim No.:** The claim number as assigned by the AIP.

- 4. **Unit No.:** Five-digit unit number from the Summary of Coverage after it has been verified to be correct (e.g., 00100).
- 5. **Acreage:** Determined acres, to tenths, applicable to this report.
- 6. Crop and Type: Citrus fruit crop and three-digit type code as listed in the county actuarial documents, (e.g., Citrus I (011)).
- 7. **Legal Description or Other Identification:** Identification of the unit location for which records are being supplied, through use of a grove/sub-grove map number, a legal description, location from physical landmarks, etc.
- 8. **Insured's Name and Address:** Insured's name and mailing address for mailed request for production records.

PART I:

Enter the Part I information only if it is available for the crop year of the loss.

- 9. **Crop Year:** Four-digit crop year, as defined in the policy, for which the claim has been filed.
- 10. **No. of Boxes Rec'd at Plant:** Number of standard weight-boxes of fruit received at the processing plant. Standard box weights are:

| Citrus Fruit Type | Official Box Weight |
|---|---------------------|
| Citrus I, II, IV – Tangelos, V - Temples, VI - Lemons, and VIII | 90 pounds |
| Citrus IV – Tangerines, V – Murcott Honey Oranges | 95 pounds |
| Citrus VI - Limes | 88 pounds |
| Citrus III and VII | 85 pounds |

- 11. **Average Lbs. Juice:** Weighted average pounds of juice, rounded to tenths, recovered per standard weight-box, for all fruit harvested and delivered to the processing plant.
- 12. **Processor Name:** Name and address (e.g., city, state) of processor which received the fruit.
- 13. **Harvesting Dates Beginning:** Month and day when harvesting began on the unit.
- 14. **Harvesting Dates Ending:** Month and day when harvesting was completed on the unit.

Make entries in (item 15) and (item 16) ONLY when Average Lbs. Juice (item 11) is **NOT** available.

15. **Average Lbs. Solids:** Weighted average pounds, rounded to tenths, of solids per weight-box for all fruit harvested and delivered to the processing plant.

16. **Average Percent Soluble Solids (BRIX):** Weighted average percent, rounded to hundredths, soluble solids (Degree Brix) for all fruit processed from the unit.

PART II:

Enter the following information for the **three previous crop years' production records** (from insurable acreage) to establish juice base content ONLY if current year's records are unavailable (Part I).

- 17. **Crop Years:** Four-digit crop year identifying each of the Three Crop Years prior to the crop year of loss.
- 18. **No. of Boxes Rec'd at Plant:** Standard weight-boxes harvested and delivered to the processing plant for each of the three prior crop years.
- 19. **Average Lbs. Juice:** Weighted-average pounds of juice, rounded to tenths, recovered per standard weight-box, for all fruit harvested and delivered to the processing plant for each of three prior crop years.
- 20. **Processor Name:** Name and location (e.g., city, state) of processor who received the fruit for each of three prior crop years.
- 21. **Harvesting Dates Beginning:** Month and day when harvesting began on the unit for each of three prior crop years.
- 22. **Harvesting Dates Ending:** Month and day when harvesting was completed on the unit for each of three prior crop years.

Make an entry in columns 23 and 24 ONLY when Average Lbs. Juice (column 19) is unavailable for a crop year.

- 23. **Average Lbs. Solids:** Weighted-average pounds, rounded to tenths, of solids per weight-box for all fruit harvested and delivered to the processing plant, for each crop year for which Average Lbs. Juice (column 19) is unavailable.
- 24. **Average Percent Soluble Solids (BRIX):** Weighted-average percent, rounded to hundredths, soluble solids (Degree Brix) for all fruit processed from the unit for each crop year for which Average Lbs. Juice (column 19) is unavailable.
- 25. **Average:** Average of Average Lbs. Juice, rounded to tenths, (column 19) for the three crop years **prior** to the crop year of loss. If production records are incomplete or otherwise unacceptable, the default juice base value listed in the crop provisions must be used.

The following required entries are not illustrated on the appraisal worksheet example below.

Adjuster's Signature(s), Code No., & Date(s): Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to signature date, document the date of appraisal in the Remarks/Narrative section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the Production Worksheet.

40

- 27. **Insured's Signature(s) & Date(s):** Insured's (or insured's authorized representative's signature) and date. BEFORE obtaining the signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED (or insured's authorized representative), particularly explaining codes, etc., which may not be readily understood.
- 28. **Page No.:** Page numbers (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

| /505 | | I DUDDOOT |) ON 10 | 1. COMPA | NY NAME | | 2. POL | ICY NO. | | | | | |
|-------------------------|-------------------------|----------------------|---------------------|---------------------|---------------|-----------------|-----------------------|---|--|--|--|--|--|
| (FOR | ILLUSTRATION | | S ONLY) | | Any Co | ompany | | XXXXXXX | | | | | |
| | FLORIDA | | | 3. CLAIM N | | 4. UNIT NO. | 5. ACF | | | | | | |
| JUIC | E PRODUC | TION SUN | IMARY | X | XXXX | 00100 | | 4.0 | | | | | |
| 6. <mark>CROP AN</mark> | D TYPE | | | 7. LEGAL | DESCRIPTION (| OR OTHER IDENTI | FICATION | | | | | | |
| | Citrus I | I (024) | | Plot 12A, Section 6 | | | | | | | | | |
| 8. INSU | RED'S NAME AND | DADDRESS | | | | | | | | | | | |
| I. M. Ir | sured | | | | | | | | | | | | |
| P.O. B | | | | | | | | | | | | | |
| _ | own, Any State | XXXXX | | | | | | | | | | | |
| PART I | | | | | | | | | | | | | |
| Record p | roduction for tl | he year of lo | oss | | | | | y if average lbs. juice ot available (Col. 11) | | | | | |
| | | | | | HARVES | TING DATES | | 16. | | | | | |
| 9. | 10. NO. OF BOXES | 11. | 12. | | 13. | 14. | 15. | AVERAGE PERCENT | | | | | |
| CROP YEAR | REC'D AT PLANT | AVERAGE LBS JUICE | PROCES NAME/CITY | //STATE | BEGINNING | ENDING | AVERAGE LBS.SOLIDS | SOLUBLE SOLIDS (BRIX) | | | | | |
| YYYY | 815 | 37.7 | Golden Any Tov | | Jan 1 | Feb 15 | | | | | | | |
| | | | | | | | | | | | | | |
| PART II | | | | | | | | | | | | | |
| | Use this | part to esta | blish juice | content b | ase from the | 9 | Complete only | y if average lbs. juice | | | | | |
| | | • | crop year p | | | | | ot available (Col. 19) | | | | | |
| 17 | | 19. | 20. | | | TING DATES | 22 | 24. | | | | | |
| 17. | 18. NO. OF | | | | 21. | 22. | 23. | AVERAGE PERCENT | | | | | |
| CROP YEARS | BOXES REC'D AT PLANT | AVERAGE LBS JUICE | PROCES NAME/CITY | | BEGINNING | ENDING | AVERAGE LBS.SOLIDS | SOLUBLE SOLIDS (BRIX) | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | 25 Averege | | | | | | | | | | | | |

25. Average

| /505 | | I DUDDOOT |) ON 10 | 1. COMPA | NY NAME | | 2. POL | ICY NO. | | | | |
|-------------------------|-------------------------|----------------------|-----------------------------|---------------------|----------------------|----------------|-----------------------|--|--|--|--|--|
| (FOR | ILLUSTRATION | | S ONLY) | | Any Cor | npany | | XXXXXXX | | | | |
| | FLORIDA | | | 3. CLAIM N | | 4. UNIT NO. | 5. ACF | | | | | |
| JUICE | E PRODUCT | TION SUN | IMARY | > | XXXX | 00100 | | 4.0 | | | | |
| 6. <mark>CROP AN</mark> | <mark>D</mark> TYPE | | | 7. LEGAL | DESCRIPTION OF | R OTHER IDENTI | FICATION | | | | | |
| | Citrus I | I (024) | | Plot 12A, Section 6 | | | | | | | | |
| 8. INSUF | RED'S NAME AND | ADDRESS | | | | | | | | | | |
| | | xxxxx | | | | | | | | | | |
| PART I | | | | | | | Complete onl | v if average lbs. iuice | | | | |
| Record pr | oduction for th | ne year of lo | SS | | | | | y if average lbs. juice of available (Col. 11) | | | | |
| 9. | 10 | 11 | 12. | | HARVESTI | NG DATES | 15. | 16. AVERAGE | | | | |
| CROP YEAR | | | PROCES NAME/CITY | SSOR | 13. BEGINNING | 14. ENDING | AVERAGE LBS.SOLIDS | PERCENT SOLUBLE SOLIDS (BRIX) | | | | |
| | | | | | | | | | | | | |
| PART II | | | | | | | | | | | | |
| | | | ıblish juice crop year p | | ase from the records | | | y if average lbs. juice of available (Col. 19) | | | | |
| 17. | 18. | 19. | 20. | | | NG DATES | 23. | 24. | | | | |
| | NO. OF | | | | 21. | 22. | | AVERAGE PERCENT | | | | |
| CROP YEARS | BOXES REC'D AT PLANT | AVERAGE LBS JUICE | PROCES NAME/CITY | | BEGINNING | ENDING | AVERAGE LBS.SOLIDS | SOLUBLE SOLIDS (BRIX) | | | | |
| YYYY | 1090 | 48.9 | Golden Any Tov | | Dec 15 | Feb 1 | | | | | | |
| YYYY | 955 | 47.4 | Golden Any Tov | vn, FL | Jan 30 | Feb 20 | | | | | | |
| YYYY | 880 | 46.9 | Golden Any Tov | Gem | Jan 10 | Feb 18 | | | | | | |

47.7

25. Average

10. CLAIM FORM ENTRIES AND COMPLETION PROCEDURES

A. CLAIM FORM STANDARDS

- (1) The entry items in subsection 10 C are the minimum Claim Form (hereafter referred to as "Production Worksheet") requirements. All of these entry items are considered "Substantive," (i.e., they are required.)
- (2) Production Worksheet Completion Instructions. The completion instructions for the required entry items on the Production Worksheet in the following subsections are "Substantive," (i.e., they are required.)
- (3) The Privacy Act and Nondiscrimination statements are required statements that must be printed on the form or provided as a separate document. These statements are not shown in the example form in this exhibit. The current Privacy Act and Nondiscrimination statements can be found in the DSSH.
- (4) The certification statement required by the current DSSH must be included on the form directly above the insured's signature block and immediately followed by the statement below:
 - "I understand the certified information on this Production Worksheet will be used to determine my loss, if any, to the above unit. The insurance provider may audit and approve this information and supporting documentation. The Federal Crop Insurance Corporation, an agency of the United States, subsidizes and reinsures this crop insurance."
- (5) Refer to the DSSH for other crop insurance form requirements (e.g., point size of font, etc.).

B. GENERAL INFORMATION FOR ENTRY AND COMPLETION PROCEDURES

- (1) The claim form (hereafter referred to as "Production Worksheet") is a progressive form containing all notices of damage for all preliminary (including ground count) and final inspections on a unit.
- (2) If a Production Worksheet has been prepared on a prior inspection, verify each entry and enter additional information as needed. If a change or correction is necessary, strike out all entries on the line and re-enter correct entries on a new line. The adjuster and insured should initial any line deletions.
- (3) Refer to the LAM for instructions regarding the following:
 - (a) Acreage report errors.
 - (b) Delayed notices and delayed claims.

- (c) Corrected claims or fire losses (double coverage), and cases involving concealment, misrepresentation, or litigation.
- (d) No Indemnity Due claims must be verified by an APPRAISAL.
- (4) The adjuster is responsible for determining if the insured has complied with all of their requirements under the notice and claim provisions of the policy. If any have not, the adjuster should contact the AIP.
- (5) Instructions designated "**PRELIMINARY**" apply to preliminary and ground count inspections only. Instructions designated "**FINAL**" apply to final inspections only. Instructions not labeled apply to ALL inspections.

C. PRODUCTION WORKSHEET ENTRIES AND COMPLETION PROCEDURES

Verify or make the following entries:

Item

No. Information Required

1. **Crop/Code #:** Enter the citrus crop name and three-digit crop code as listed in the county actuarial documents for the Florida Citrus Fruit crop insured (e.g., Citrus I, 0245):

| CITRUS FRUIT CROP NAME | CROP CODE # | TYPE NAME |
|---------------------------|-------------|--|
| Citrus I | 0245 | Early Oranges |
| | | Midseason Oranges |
| Citrus II | 0246 | Late Oranges – Juice |
| Citrus III | 0247 | Grapefruit-Juice |
| Citrus IV | 0248 | Tangerines |
| | | Tangelos |
| Citrus V | 0249 | Murcott Honey Oranges (Honey Tangerines) |
| | | Temple Oranges |
| Citrus VI | 0250 | Lemons |
| | | Limes |
| Citrus VII | 0251 | Grapefruit |
| | | Late Oranges – Fresh |
| Citrus VIII | 0252 | Navel Oranges |

2. **Unit #:** Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g., 00100).

- 3. **Legal Description:** Section, township, and range number or other description that identifies the location of the unit.
- 4. **Date of Damage:** First three letters of the month during which MOST of the insured damage (including progressive damage) occurred for each inspection. Include the SPECIFIC DATE where applicable as in the case of freeze damage (e.g., JAN 10).
- 5. **Cause of Damage:** Name of insured cause(s) of loss for **this citrus crop** as listed in the LAM. If it is evident that no indemnity is due, enter "NONE." If an insured cause of loss is coded as "Other," explain in the "Narrative." Refer to the Basic Provisions and the Florida Citrus Fruit Crop Provisions for information pertaining to insured and uninsured causes of loss.
- 6. **Primary Cause %:**

PRELIMINARY: MAKE NO ENTRY.

FINAL: Percent of damage for the cause of damage listed in item 5 above that is determined to be the primary cause of damage, to the nearest whole percent. The primary cause of damage must exceed 50 percent (e.g., 51%). Enter an X for the major secondary cause of damage.

- 7. **Company/Agency:** Name of AIP and agency servicing the contract.
- 8. **Name of Insured:** Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
- 9. Claim #: Claim number as assigned by the AIP.
- 10. **Policy #:** Insured's assigned policy number.
- 11. **Crop Year:** Four-digit crop year, as defined in the policy, for which the claim is filed.
- 12. Additional Units:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Unit number(s) for ALL non-loss units for the crop at the time of final inspection. A non-loss unit is any unit for which a Production Worksheet has not been completed. Additional non-loss units may be entered on a single Production Worksheet. If more spaces are needed for non-loss units, enter the unit numbers, identified as "Non-Loss Units," in the narrative or on an attached Special Report.

- 13. **Est. Prod. Per Acre:** MAKE NO ENTRY.
- 14. **Date(s) Notice of Loss:**

PRELIMINARY:

- a. Date the notice of damage was given for the unit in item 2, in the 1st or 2nd space, as applicable. Enter the complete date (MM/DD/YYYY).
- b. A third notice of damage or loss for a preliminary inspection (if needed) requires an additional set of Production Worksheets. Enter the date of the notice for a third preliminary inspection in the 1st space of item 14 on the second set of Production Worksheets.
- c. Reserve the "Final" space on the first page of the first set of Production Worksheets for the date of notice for the final inspection.
- d. If the inspection is initiated by the AIP, enter "Company Insp." instead of the date.
- e. If the notice does not require an inspection, document as directed in the "Narrative" instructions.

FINAL: Transfer the last date (in the 1st or 2nd space from the first or second set of Production Worksheets) to the FINAL space on the first page of the first set of Production Worksheets if a final inspection should be made as a result of the notice. Always enter the complete date of notice (MM/DD/YYYY) for the "FINAL" inspection in the FINAL space on the first page of the first set of Production Worksheets. For a delayed notice of loss or delayed claim, refer to the LAM.

15. **Companion Policy(ies):** MAKE NO ENTRY (ownership share only).

SECTION I - ACREAGE APPRAISED, PRODUCTION AND ADJUSTMENTS

Make separate line entries for each fruit type within the unit.

Verify or make the following entries:

Item

No. Information Required

A. **Field ID:** The grove identification symbol from a sketch map or aerial photo. Refer to the narrative instructions. In the margin of the last line entry (or in a separate column), enter the DATE of inspection for the last line entry of each inspection.

REFER TO THE LAM FOR INSTRUCTIONS REGARDING ENTRY OF FIRST CROP AND SECOND CROP CODES.

B. **Preliminary Acres:**

PRELIMINARY: The number of acres, to tenths, (include "E" if estimated), for which consent for other use is given. Determine actual acreage, to tenths, when the boundaries of the appraised acreage may not be determined later. Refer to the LAM or CIH for acreage measurement instructions specific to perennial crops.

FINAL: MAKE NO ENTRY.


- C. **Final Acres:** Refer to LAM for the definition of acceptable determined acres as used herein. Refer to the LAM or CIH for acreage measurement instructions specific to perennial crops. Determined acres to tenths (include "E" if estimated) for which consent is given for other use and/or:
 - a. Put to other use without prior consent.
 - b. Abandoned.
 - c. Damaged by uninsured causes.
 - d. For which the insured failed to provide acceptable records of production.

FINAL: Determined acres, to tenths.

Acreage breakdowns WITHIN a unit may be estimated (enter "E" in front of the acres) if a determination is impractical and if authorizations was received from the AIP. Document authorization in the Narrative.

ACCOUNT FOR ALL ACREAGE IN THE UNIT. In the event of over-reported acres, handle in accordance with individual AIP's instructions. In the event of under-reported acres, draw a diagonal line in Column "C" as shown.

- C_1 Enter the ACTUAL acres for the grove or sub-grove.
- C₂ Enter the REPORTED acres for the grove or sub-grove.



- D. **Interest or Share:** Insured's interest (as ownership only) in the crop to three decimal places as determined at the time of inspection.
- E. **Risk:** The correct (age of tree) rate class from the actuarial documents for the fruit crop/type. If a "Rate Class" or "High Risk Area" is not specified on the actuarial documents, make no entry. Verify with the Summary of Coverage and if the "Rate Class" is found to be incorrect, revise according to the AIP's instructions (use visual inspection and grower records to verify reported tree age). Refer to the LAM. Unrated land is uninsurable without a written agreement.
- F. **Practice:** Three-digit code number, entered exactly as specified on the actuarial documents, for the practice carried out by the insured. If "No Practice Specified," enter appropriate three-digit code number from the actuarial documents.
- G. **Type/Class/Variety:** Three-digit code number, entered exactly as specified on the actuarial documents, for the citrus fruit type grown by the insured. If "No Type Specified," enter appropriate three-digit code number from the actuarial documents.
- H.-I. MAKE NO ENTRY.
- J. Appraised Potential: In the heading, line out "Appraised Potential" and enter "Amt. of Ins." Enter the amount of insurance per acre from the insured's Summary of Coverage, in whole dollars, for the crop and type.
- K_1 .- K_2 . MAKE NO ENTRY.

L. **Shell and/or Quality Factor:** In the heading, line out "Shell and/or Quality Factor" and enter Adjusted % Potential as "Adj. % Pot." Enter the result of one hundred percent (100) minus the entry in item 61 of Part IV of the Adjuster's Citrus Worksheet, divided by the coverage level, recorded to three decimal places. Show calculation in the Narrative. If the calculated "Adjusted % Potential" equals or exceeds 1.000, enter "1.000."

EXAMPLE: $(100.0\% - \frac{44.3}{\%}) \div 75\%$ coverage level = $\frac{.7427}{.743}$; enter $\frac{.743}{.743}$ in column L.

- M. Uninsured Cause: Refer to the LAM when a Hail and Fire Exclusion is in effect and damage is from hail or fire. Enter hail and fire exclusion appraisal, rounded to whole cents. Refer to the "Narrative" instructions for information on appraisals for uninsured causes of loss due to other than Hail and Fire Exclusion.
- N. **Adjusted Potential:** Column "J" times Column "L," plus Column "M," rounded to whole cents.
- O. **Total:** Column "C" or "C₁" (actual acres) times Column "N," rounded to whole dollars.
- P. **Per Acre:** Dollar amount of insurance per acre, in whole dollars, from the insured's Summary of Coverage.
- Q. **Total:** Column "C₂" (**reported acres**) ("C₁" if acreage is not under-reported) multiplied by "P," results rounded to whole dollars.
- 16. **Total Acres:**

PRELIMINARY: MAKE NO ENTRY.

FINAL: Total actual acres (column "C" (or "C₁" if there are under-reported acres)), to tenths.

17. Totals:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Total of Column "O" and total of Column "Q" in whole dollars.

NARRATIVE:

If more space is needed, document on a Special Report, and enter "See Special Report." Attach the Special Report to the Production Worksheet.

- a. If no acreage is released on the unit, enter "No acreage released," adjuster's initials and date.
- b. If notice of damage was given and "No Inspection" is required, enter the unit number(s), "No Inspection," date, and adjuster's initials. The insured's signature is not required.
- c. Explain any uninsured causes, unusual, or controversial cases.

- d. If there is an appraisal in Section I, item M for uninsured causes due to a hail/fire exclusion, show the original hail/fire liability per acre and the hail/fire indemnity per acre.
- e. Document the actual appraisal date if an appraisal was performed prior to the adjuster's signature date on the appraisal worksheet, and the date of the appraisal is not recorded on the appraisal worksheet.
- f. State that there is "No other fire insurance" when fire damages or destroys the insured crop and it is determined that the insured has no other fire insurance. Also refer to the LAM.
- g. Explain any errors found on the Summary of Coverage.
- h. Explain a "NO" checked in item 19.
- i. Attach a sketch map or aerial photograph to identify the total unit:
 - (1) If consent is or has been given to put part of the unit to another use;
 - (2) If uninsured causes are present; or
 - (3) For unusual or controversial cases.

Indicate on the sketch map or aerial photo the disposition of acreage put to other use with or without consent.

- j. Explain any difference between date of inspection and signature dates. For an ABSENTEE insured, enter the date of the inspection AND the date of mailing the Production Worksheet for signature.
- k. When any other adjuster or supervisor accompanied the adjuster on the inspection, enter the code number of the other adjuster or supervisor and date of inspection.
- 1. Explain the reason for a "No Indemnity Due" claim. "No Indemnity Due" claims are to be distributed in accordance with AIP's instructions.
- m. Explain any delayed notices or delayed claims as instructed in the LAM.
- n. Document any authorized estimated acres shown in Section I, item C as follows: "Line 3 'E' acres authorized by AIP MM/DD/YYYY."
- o. Document the method and calculation used to determine acres for the unit. Refer to the LAM.
- p. Explain any entry on the Adjuster's Citrus Worksheet for item 58 "Box increase to meet minimum for the unit."
- q. Document if production records were not supplied for the previous three crop years.
- r. Record the tree planting pattern
- s. Document calculation of "Adjusted % Potential" for Section I, item L.

- t. Document the name and address of the charitable organization when gleaned acreage is applicable. Refer to the LAM for more information on gleaning.
- Appraisals for uninsured causes of loss due to other than Hail/Fire Exclusion are accounted for on the Adjuster's Citrus Worksheet and combined with the entry in item L as part of the Adjusted % Potential. Document uninsured causes of loss and the number of boxes (to tenths) lost to such causes in the Narrative or on a Special Report (e.g., 849.0 boxes lost to due chemical damage). Refer to the LAM for information on how to determine uninsured cause appraisals.
- v. Document any other pertinent information, including any data to support any factors used to calculate the production.

SECTION II - HARVESTED PRODUCTION

Verify or make the following entries:

Item

No. <u>Information Required</u>

18. Date Harvest Completed: (Used to determine if there is a delayed notice or a delayed claim. Refer to the LAM.)

PRELIMINARY: MAKE NO ENTRY.

FINAL:

- a. The earlier of the date the ENTIRE acreage on the unit was (1) harvested, (2) totally destroyed, (3) put to other use, (4) a combination of harvested, destroyed, or put to other use, or (5) the calendar date for the end of the insurance period.
- b. If at the time of final inspection, (if prior to the end of the insurance period,) there is any unharvested insured acreage remaining on the unit and the insured does not intend to harvest, enter "Incomplete."
- c. If at the time of final inspection (if prior to the end of the insurance period, **none** of the insured acreage on the unit has been harvested, and the insured does not intend to harvest such acreage, enter "No Harvest."
- d. If the case involves a Certification Form, enter the date from the Certification Form, when the entire unit is put to another use, etc. Refer to the LAM.

19. **Similar Damage:**

PRELIMINARY: MAKE NO ENTRY.

FINAL: Check "Yes" or "No." Check "Yes" if amount and cause of damage due to insurable causes is similar to the experience of other groves in the area. If "NO" is checked, explain in the Narrative.

- 20. **Assignment of Indemnity:** Check "Yes" **only** if an assignment of indemnity is in effect for the crop year; otherwise, check "No." Refer to the LAM.
- 21. **Transfer of Right to Indemnity:** Check "Yes" **only** if a transfer of right to indemnity is in effect for the unit for the crop year; otherwise, check "No." Refer to the LAM.
- A_1 -S. MAKE NO ENTRY.
- 22. **Section II Total:** MAKE NO ENTRY.
- 23. **Section I Total:**

PRELIMINARY: MAKE NO ENTRY.

FINAL: Figure from Section I, Column "O" Totals.

24. Unit Total:

PRELIMINARY: MAKE NO ENTRY.

FINAL: Total Net Dollar Amount to Count for the unit from item 23.

The following required entries are not illustrated on the appraisal worksheet example below.

- 25. **Adjuster's Signature, Code #, and Date:** Signature of adjuster, code number, and date signed **after** the insured (or insured's authorized representative) has signed. For an absentee insured, enter adjuster's code number ONLY. The signature and date will be entered AFTER the absentee has signed and returned the Production Worksheet. Final indemnity inspections should be signed on bottom line.
- Insured's Signature and Date: Insured's (or insured's authorized representative's) signature and date. BEFORE obtaining the signature, REVIEW ALL ENTRIES on the Production Worksheet WITH THE INSURED (or the insured's authorized representative), particularly explaining codes, etc., that may not be readily understood. Final indemnity inspections should be signed on bottom line.
- 27. **Page Numbers:**

PRELIMINARY: Page numbers – "1," "2," etc., at the time of inspection.

FINAL: Page numbers - (Example: Page 1 of 1, Page 2 of 2, etc.).

| | | | | | | | | | | | | N WORK | | | | | | | |
|----------------|-------------------------------|------------------|---------|---------------------|-----------------------|--------------------|------------------|------------------|-------------------------|-----------------|----------------------------------|----------------------|--------------------------------|---|------------------------------|-------------------------|-----------------------------|----------------------------------|------------------------|
| 1 Crop/Code | us I | 2 Unit # 0010 | | | Description 32 T17 R2 | | | | | (FOI | R ILLUSTRA | ATION PURPO | SES ONLY) | | 8 Name of Insur | red | I. M. Ins | sured | |
| ļ | 45 | 0010 | ,, | SEC 3 |)2 11/ K2 | 24 | | | 7 Company_ | | Any C | ompany | | _ | 9 Claim # | | 1. IVI. III | 11 Crop Year | |
| | | | | | | | | | | | A / | | | | | XXXXXX | XXX | YY | ΥY |
| 4 Date of Da | | JAN | 10 | | | | | | Agency_ | | Any <i>F</i> | Agency | | | | XXXXXX | X | | |
| 5 Cause of Da | | Freez | ze | | | | | | | | | | | | 14 Date(s) Notice of Loss | 1 st MM/E | DD/YYYY | | inal IM/DD/YYYY |
| 6 Primary Ca | | 100 | | | | | | | | | | | | | | | | ., | , 22, 1111 |
| 12 Additiona | | 0020 | 00 | 00100 | 00300 | <mark>00400</mark> | | | | | | | | | 15 Companion I | Policy(s) | | | |
| 13 Est. Prod l | | | | | | | | | | | | | | | | | | | |
| SECTION I - | | APPRAISE | ED, PR | RODUCT | TION AND | ADJUSTMI | ENTS | | | ротт | ENTIAL YIE | T.D. | | | | | | TAGE GUARANTEE | |
| ACTUARIAL | | | _ | | | 1 | | - | 1 | POII | ENTIAL YIE | | | | | 1 | | STAGE GUARANTEE | |
| A | В | C | | D | Е | F | G | Н | I | | J | K_1 K_2 | L Adj. % Pot. | M | N | | О | P | Q |
| Field ID | Prelim Acres | Final Acres | Ir | nterest or Share | Risk | Practi | ce Type Class | Stage | Intended o Final Use | | oraised Mential | Ioisture % Factor | Shell and/or Quality Factor | +Uninsured Cause | Adjusted Potential | | to Count (x N) | Per Acre | Total (C x P) |
| 1 NS MM/DD | | 33.3 | | 1.000 | D03 | 3 997 | 7 011 | | | | 350 | | .743 | | 260.05 | 8 | 8660 | 350 | 11655 |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| 16 TO | TAL | 33.3 | | | | | | | | | | | | · | 17 TOTALS | 8 | 8660 | | 11655 |
| | | | | | | | | | | | | g pattern 25 | | | | | | | |
| | | | | | | | | | | | | | | | | | em 19, <mark>see Ite</mark> | m 59 on Adjuster's | <mark>Appraisal</mark> |
| Workshe | <mark>et and</mark> attac | ched Spe | ecial I | Report | for expla | nation of | damage dı | ie to uni | nsured cau | se of loss | from che | mical damaş | ge. 849.0 box | xes lost due to che | mical damage. | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | II – HARVES Date Harvest C | | DUCT | ΓΙΟΝ | | | 1 | 10 In day | nage similar to | athan fama | a in the energy | | 1 1 | 0. Assignment of Inden | amitan? | | 21 Trough | er of Right To Indemnity? | |
| 16. | Date Harvest C | | M/DD | O/YYY | Y | | | 19 Is dai | Yes | omer rarm | No 🛮 | | 4 | Yes | No ⊠ | | | er of Right To indefinity? No □ | 1 |
| MEASURE | MENTS | | | | | GROSS PR | ODUCTION | | | ADJUST | TMENTS TO | HARVESTEI | PRODUCTION | N | | | | | |
| A_1 A_2 | В | С | D | | Е | F | G | Н | I | J | K ₁ K ₂ | L_1 L_2 | M_1 M_2 | N | О | P | Q_1 Q_2 | R | S |
| Share | Length | | | _ | | | Conver- | Gross | | Shell/ | FM% | Moisture% | Test Wt. | Adjusted | | Produc- | Value | Quality | Production |
| Field ID | or Diameter | Width | Dept | | educ- | Net Cubic Feet | sion Factor | Prod. (F x G) | Bu. Ton Lbs. Cwt. | Sugar Factor | Factor | Factor | Factor | Production HorIxJxK ₂ xL ₂ xM ₂ | Prod. Not To Count | tion (N – O) | Mkt. Price | Factor $(Q_1 \div Q_2)$ | To Count (P X R) |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | • | | | • | | | | | | | | • | | | 22 Section II Total | |
| | | | | | | | | | | | | | | | | | | 23 Section I Total | 8660 |
| | | | | | | | | | | | | | | | | | | 24 Unit Total | 8660 |

NOTES

| | | |
|-------|------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| · | | |
| | | |

11. REFERENCE MATERIAL

TABLE A - MINIMUM REPRESENTATIVE SAMPLE REQUIREMENTS

| Number of Acres: | Select: |
|--|---|
| 0.1 - 10.0 | The lesser of 5 trees or 5% of the number of trees in the grove or sub-grove. |
| One additional tree is required for each additional sub-grove. | 10.0 acres (or fraction thereof) in the grove or |

TABLE B- SETTING DISTANCES AND APPROXIMATE NUMBER OF TREES PER ACRE

| Acre* Feet Per Tree Distances in Feet per Acre* Acre* Under 50 881 & Over 40 X 40 27 35 X 35 36 30 X 33 44 36 X 42 29 33 X 34 39 25 X 40 44 35 X 40 31 30 X 35 41 30 X 31 47 30 X 34 36 32 X 32 43 30 X 30 48 50 to 59 880 to 773 25 X 35 50 20 X 40 54 28 X 28 56 27 X 32 50 27 X 30 54 25 X 30 58 29 X 29 52 23 X 35 54 26 X 29 58 20 X 37 54 26 X 30 | | | TF | REES PER (Page 1 | | | | |
|---|----------|------------|---|---------------------------------|---|---------------------------------|---|--------------------------|
| 36 X 42 29 33 X 34 39 25 X 40 44 35 X 40 31 30 X 36 40 30 X 32 45 34 X 38 34 30 X 35 41 30 X 31 47 30 X 34 36 32 X 32 43 30 X 30 48 50 to 59 880 to 773 25 X 35 50 20 X 40 54 28 X 28 56 27 X 32 50 27 X 30 54 23 X 33 57 28 X 30 52 25 X 32 54 25 X 30 58 29 X 29 52 23 X 35 54 26 X 29 58 29 X 29 52 23 X 35 54 26 X 29 58 29 X 29 52 23 X 30 56 24 X 31 59 60 to 69 732 to 627 27 X 27 60 23 X 30 63 22 X 30 66 25 X 29 60 20 X 34 64 25 X 26 67 26 X 28 60 26 X 26 64 18 X 36 67 20 X 35 62 24 X 28 65 <td></td> <td>Feet</td> <td>Distances in</td> <td>per</td> <td>Distances in</td> <td>per</td> <td>Distances in</td> <td>Trees per Acre*</td> | | Feet | Distances in | per | Distances in | per | Distances in | Trees per Acre* |
| 27 X 32 50 27 X 30 54 23 X 33 57 28 X 30 52 25 X 32 54 25 X 30 58 29 X 29 52 23 X 35 54 26 X 29 58 29 X 29 52 23 X 30 56 24 X 31 59 60 to 69 732 to 627 27 X 27 60 23 X 30 63 22 X 30 66 25 X 29 60 20 X 34 64 25 X 26 67 26 X 28 60 26 X 26 64 18 X 36 67 20 X 35 62 24 X 28 65 23 X 28 68 26 X 27 62 25 X 27 65 21 X 30 69 70 to 79 626 to 548 25 X 25 70 22 X 27 73 23 X 25 76 24 X 26 70 23 X 26 73 24 X 24 76 22 X 28 71 17 X 34 75 20 X 28 78 | Under 50 | 881 & Over | 36 X 42 35 X 40 34 X 38 | 29 31 34 | 33 X 34 30 X 36 30 X 35 | 39 40 41 | 25 X 40 30 X 32 30 X 31 | 44 45 47 |
| 70 to 79 626 to 548 25 X 26 70 22 X 27 73 23 X 25 76 22 X 28 71 17 X 34 75 20 X 28 78 | 50 to 59 | 880 to 773 | 27 X 32 28 X 30 <u>29 X 29</u> | 50 52 52 | 27 X 30 25 X 32 23 X 35 | 54 54 54 | 23 X 33 <u>25 X 30</u> 26 X 29 | 57 58 58 |
| 24 X 26 70 23 X 26 73 24 X 24 76 22 X 28 71 17 X 34 75 20 X 28 78 | 60 to 69 | 732 to 627 | 25 X 29 26 X 28 20 X 35 | 60 60 62 | 20 X 34 <u>26 X 26</u> 24 X 28 | 64 64 65 | 25 X 26 18 X 36 23 X 28 | 67 67 68 |
| 21 X 23 | 70 to 79 | 626 to 548 | 24 X 26 22 X 28 21 X 29 | 70 71 72 | 23 X 26 17 X 34 19 X 30 | 73 75 76 | 24 X 24 20 X 28 22 X 25 | 76 78 79 |
| 80 to 89 | 80 to 89 | 547 to 487 | 18 X 30 20 X 27 23 X 23 | 81 81 82 | 20 X 26 15 X 34 16 X 32 | 84 85 85 | 21 X 24 22 X 23 20 X 25 | 86 86 87 |
| 90 to 99 | 90 to 99 | 486 to 438 | 21 X 23 22 X 22 15 X 32 | 90 90 91 | 17 X 28 21 X 22 17 X 27 | 92 94 95 | 15 X 30 18 X 25 20 X 22 | 97 97 99 |
| 100 & 437 & 19 X 23 100 16 X 26 105 18 X 20 121 OVER LESS 15 X 29 100 15 X 27 108 19 X 19 121 18 X 24 101 20 X 20 109 16 X 22 124 16 X 27 101 18 X 22 110 18 X 19 127 17 X 25 102 14 X 28 111 17 X 20 128 14 X 30 104 15 X 25 116 13 X 26 129 Some commonly used tree setting distances are underlined | | LESS | 15 X 29 18 X 24 16 X 27 17 X 25 14 X 30 | 100 101 101 102 104 | 15 X 27 20 X 20 18 X 22 14 X 28 15 X 25 | 108 109 110 111 116 | 19 X 19 16 X 22 18 X 19 17 X 20 13 X 26 | 121 124 127 128 |

TABLE B- SETTING DISTANCES AND APPROXIMATE NUMBER OF TREES PER ACRE (Continued)

TREES PER ACRE* (Page 2 of 2) Setting Trees per Setting Trees Setting Trees Setting Trees Distances in Acre* Distances in per Distances in per Distances in per Acre* Feet Feet Feet Acre* Feet Acre* 7.5 X 20 290 12.5 X 20 174 16 X 20 136 22 X 22 90 7.5 X 22 264 12.5 X 22 158 16 X 22 124 22 X 23 86 22 X 24 83 7.5 X 23 253 12.5 X 23 152 16 X 23 118 7.5 X 24 242 12.5 X 24 145 16 X 24 113 22 X 25 79 22 X 27 73 7.5 X 25 232 12.5 X 25 139 16 X 25 109 7.5 X 27 215 12.5 X 27 129 16 X 27 101 22 X 28 71 7.5 X 28 12.5 X 28 16 X 28 97 22 X 30 66 207 124 7.5 X 30 194 12.5 X 30 116 16 X 30 91 23 X 23 82 10 X 20 218 13 X 20 168 17 X 20 128 23 X 24 79 10 X 22 198 13 X 22 152 17 X 22 116 23 X 25 76 10 X 23 13 X 23 17 X 23 189 146 111 23 X 27 70 10 X 24 13 X 24 140 17 X 24 107 182 23 X 28 68 13 X 25 10 X 25 174 134 17 X 25 102 23 X 30 63 10 X 27 161 13 X 27 124 17 X 27 95 10 X 28 156 13 X 28 120 17 X 28 92 24 X 24 76 10 X 30 145 13 X 30 112 17 X 30 85 24 X 25 73 24 X 27 67 11 X 20 198 14 X 20 156 18 X 20 121 24 X 28 65 11 X 22 180 14 X 22 141 18 X 22 110 24 X 30 61 11 X 23 172 14 X 23 135 18 X 23 105 11 X 24 165 14 X 24 130 18 X 24 101 70 25 X 25 11 X 25 158 14 X 25 124 18 X 25 97 25 X 27 65 11 X 27 145 14 X 27 115 18 X 27 90 25 X 28 62 11 X 28 141 14 X 28 111 18 X 28 86 25 X 30 58 11 X 30 14 X 30 104 18 X 30 81 132 27 X 27 60 12 X 20 182 15 X 20 145 20 X 20 109 27 X 28 58 20 X 22 12 X 22 15 X 22 132 99 165 27 X 30 54 12 X 23 158 15 X 23 126 20 X 23 95 20 X 24 12 X 24 151 15 X 24 121 91 28 X 28 56 12 X 25 145 15 X 25 116 20 X 25 87 28 X 30 52 12 X 27 134 15 X 27 108 20 X 27 81

57

104

97

20 X 28

20 X 30

78

73

15 X 28

15 X 30

30 X 30

48

130

121

12 X 28

12 X 30

^{*} Use this Table for square or hedge plantings. To determine number of trees per acre for tree setting distances not shown above, multiply the distance between trees in the row, in feet to tenths, by the distance between rows, in feet to tenths, and divide the result (in feet to tenths) into 43,560 sq. ft./acre (round to nearest whole number). **EXAMPLE:** 16 ft. X 18 ft. = 288.0 sq. ft. 43,560 sq. ft. $\div 288.0$ sq. ft. = 151.3 or 151 trees/acre. To determine the number of trees per acre for other tree planting patterns (e.g., hexagonal, quincunx, etc.) refer to the LAM.

TABLE C - CITRUS JUICE CHART - CITRUS I (011) & (012)

| | | | | | E CIIAR | | 1105 | 1 (01) | -) | (012 | <u>, </u> | | | | | | |
|-----------|--|------|-------|----------------|-----------------|-------------------------|----------|------------|----------|---------|--|-----------|-----------|----------|------|-------|-------------------|
| | | To b | e use | d for C | itrus I (011) 8 | & (012) , wh | en avera | age pour | nds of j | uice af | ter freeze is b | etween 38 | .0 and 52 | 2.0 poun | ids. | | |
| Avg. Lbs. | | | | | | U | | | | | | Avg. Lbs. | Juice | | | Pre | % Damage |
| Jce/Bx | | 0 | | | | | | | | | | Jce/Bx | Base | _ | | | <u>G-H</u> xFx100 |
| (After) | Lbs/Bx | | | (F-E) | GXE | | | Lbs/Bx | | (F-E) | GxE | (After) | Lbs/Bx | | | (F-E) | GXE |
| D | E | F | G | Н | | D | E | F | G | Н | | D | E | F | G | Н | |
| 51.9 | 52.0 | 90.0 | 38.1 | 38.0 | 0.5 | 49.6 | 52.0 | 90.0 | 40.4 | 38.0 | 10.3 | 47.3 | 52.0 | 90.0 | | 38.0 | |
| 51.8 | 52.0 | 90.0 | | 38.0 | | 49.5 | 52.0 | 90.0 | | 38.0 | 10.7 | 47.2 | 52.0 | | | | |
| 51.7 | 52.0 | 90.0 | | 38.0 | 1.4 | 49.4 | 52.0 | 90.0 | 40.6 | 38.0 | 11.1 | 47.1 | 52.0 | | | | 19.8 |
| 51.6 | 52.0 | 90.0 | | 38.0 | 1.8 | 49.3 | 52.0 | 90.0 | | 38.0 | 11.5 | 47.0 | 52.0 | 90.0 | 43.0 | 38.0 | 20.1 |
| 51.5 | 52.0 | 90.0 | 38.5 | 38.0 | 2.2 | 49.2 | 52.0 | 90.0 | 40.8 | 38.0 | 11.9 | 46.9 | 52.0 | 90.0 | 43.1 | 38.0 | 20.5 |
| 51.4 | | | | | | | | | | | | | | | | 20.8 | |
| 51.3 | 51.3 52.0 90.0 38.7 38.0 3.1 49.0 52.0 90.0 41.0 38.0 12.7 46.7 52.0 90.0 43.3 38.0 21.2 | | | | | | | | | | | | | | | 21.2 | |
| 51.2 | 51.2 52.0 90.0 38.8 38.0 3.6 48.9 52.0 90.0 41.1 38.0 13.1 46.6 52.0 90.0 43.4 38.0 21.5 | | | | | | | | | | | | | | | 21.5 | |
| 51.1 | 51.2 52.0 90.0 38.8 38.0 3.6 48.9 52.0 90.0 41.1 38.0 13.1 46.6 52.0 90.0 43.4 38.0 21.5 | | | | | | | | | | | | | | | 21.9 | |
| 51.0 | 52.0 | 90.0 | 39.0 | 38.0 | 4.4 | 48.7 | 52.0 | 90.0 | 41.3 | 38.0 | 13.8 | 46.4 | 52.0 | 90.0 | 43.6 | 38.0 | 22.2 |
| 50.9 | 52.0 | 90.0 | 39.1 | 38.0 | 4.9 | 48.6 | 52.0 | 90.0 | 41.4 | 38.0 | 14.2 | 46.3 | 52.0 | 90.0 | 43.7 | 38.0 | 22.6 |
| 50.8 | 52.0 | 90.0 | 39.2 | 38.0 | 5.3 | 48.5 | 52.0 | 90.0 | 41.5 | 38.0 | 14.6 | 46.2 | 52.0 | 90.0 | 43.8 | 38.0 | 22.9 |
| 50.7 | 52.0 | 90.0 | 39.3 | 38.0 | 5.7 | 48.4 | 52.0 | 90.0 | 41.6 | 38.0 | 15.0 | 46.1 | 52.0 | 90.0 | 43.9 | 38.0 | 23.3 |
| 50.6 | 52.0 | 90.0 | 39.4 | 38.0 | 6.1 | 48.3 | 52.0 | 90.0 | 41.7 | 38.0 | 15.4 | 46.0 | 52.0 | 90.0 | 44.0 | 38.0 | 23.6 |
| 50.5 | 52.0 | 90.0 | 39.5 | 38.0 | 6.6 | 48.2 | 52.0 | 90.0 | 41.8 | 38.0 | 15.7 | 45.9 | 52.0 | 90.0 | 44.1 | 38.0 | 23.9 |
| 50.4 | 52.0 | 90.0 | 39.6 | 38.0 | 7.0 | 48.1 | 52.0 | 90.0 | 41.9 | 38.0 | 16.1 | 45.8 | 52.0 | 90.0 | 44.2 | 38.0 | 24.3 |
| 50.3 | 52.0 | 90.0 | 39.7 | | 7.4 | 48.0 | 52.0 | 90.0 | 42.0 | 38.0 | 16.5 | 45.7 | 52.0 | 90.0 | 44.3 | 38.0 | 24.6 |
| 50.2 | 52.0 | 90.0 | 39.8 | 38.0 | 7.8 | 47.9 | 52.0 | 90.0 | 42.1 | 38.0 | 16.9 | 45.6 | 52.0 | 90.0 | 44.4 | 38.0 | 24.9 |
| 50.1 | 52.0 | 90.0 | 39.9 | 38.0 | 8.2 | 47.8 | 52.0 | 90.0 | 42.2 | 38.0 | 17.2 | 45.5 | 52.0 | 90.0 | 44.5 | 38.0 | 25.3 |
| 50.0 | 52.0 | 90.0 | | 38.0 | | 47.7 | 52.0 | 90.0 | 42.3 | 38.0 | 17.6 | 45.4 | 52.0 | 90.0 | 44.6 | 38.0 | 25.6 |
| 49.9 | 52.0 | 90.0 | 40.1 | 38.0 | 9.1 | 47.6 | 52.0 | 90.0 | 42.4 | 38.0 | 18.0 | 45.3 | 52.0 | 90.0 | | 38.0 | |
| 49.8 | 52.0 | 90.0 | _ | 38.0 | | 47.5 | 52.0 | | | 38.0 | 18.3 | 45.2 | 52.0 | | | | |
| 49.7 | 52.0 | 90.0 | | 38.0 | | 47.4 | 52.0 | 90.0 | | 38.0 | 18.7 | 45.1 | 52.0 | | | | |
| | 32.0 | 33.0 | | 22.0 | 0.0 | | | f 2, Citru | | | | | 32.0 | 33.0 | | 22.0 | |
| | | | | | | (, | J | , 2 | - (3 | , (| | | | | | | |

TABLE C - CITRUS JUICE CHART - CITRUS I (011) & (012) (continued)

| | | | | | | | 1100 | 1 (01) | <u>., a</u> | (012 |) (Continu | (CG) | | | | | |
|------|---|------|-------|------|--------------------------------------|--------------------------------|-----------|------------------------|-------------|-----------|--------------------------------------|--------------------------------|-----------|--------|------|------|--------------------------------------|
| | | | To be | used | for Citrus I (01 | 1) & (012), v | when ave | rage pou | nds of j | iice afte | er freeze is bety | ween 38.0 an | d 52.0 pc | ounds. | T | , | |
| | | Wgt. | Fctr. | | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | | Off. Wgt. Lbs/Bx | Fctr. | Fctr. | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | | Wgt. | | | % Damage <u>G-H</u> xFx100 GxE |
| D | Е | F | G | Н | I | D | Е | F | G | Н | I | D | Е | F | G | Н | I |
| 45.0 | 52.0 | 90.0 | 45.0 | 38.0 | 26.9 | 42.6 | 52.0 | 90.0 | 47.4 | 38.0 | 34.3 | 40.2 | 52.0 | 90.0 | 49.8 | 38.0 | 41.0 |
| 44.9 | 52.0 | 90.0 | 45.1 | 38.0 | 27.2 | 42.5 | 52.0 | 90.0 | 47.5 | 38.0 | 34.6 | 40.1 | 52.0 | 90.0 | 49.9 | 38.0 | 41.3 |
| 44.8 | 52.0 | 90.0 | 45.2 | 38.0 | 27.6 | 42.4 | 52.0 | 90.0 | 47.6 | 38.0 | 34.9 | 40.0 | 52.0 | 90.0 | 50.0 | 38.0 | 41.5 |
| 44.7 | 52.0 | 90.0 | 45.3 | 38.0 | 27.9 | 42.3 | 52.0 | 90.0 | 47.7 | 38.0 | 35.2 | 39.9 | 52.0 | 90.0 | 50.1 | 38.0 | 41.8 |
| 44.6 | 52.0 | 90.0 | 45.4 | 38.0 | 28.2 | 42.2 | 52.0 | 90.0 | 47.8 | 38.0 | 35.5 | 39.8 | 52.0 | 90.0 | 50.2 | 38.0 | 42.1 |
| 44.5 | 52.0 | 90.0 | 45.5 | 38.0 | 28.5 | 42.1 | 52.0 | 90.0 | 47.9 | 38.0 | 35.8 | 39.7 | 52.0 | 90.0 | 50.3 | 38.0 | 42.3 |
| 44.4 | 44.3 52.0 90.0 45.7 38.0 29.2 41.9 52.0 90.0 48.1 38.0 36.3 39.5 52.0 90.0 50.5 38.0 42.8 | | | | | | | | | | | | | | | | |
| 44.3 | | | | | | | | | | | | | | | | | |
| 44.2 | 52.0 | 90.0 | 45.8 | 38.0 | 29.5 | 41.8 | 52.0 | 90.0 | 48.2 | 38.0 | 36.6 | 39.4 | 52.0 | 90.0 | 50.6 | 38.0 | 43.1 |
| 44.1 | 52.0 | 90.0 | 45.9 | 38.0 | 29.8 | 41.7 | 52.0 | 90.0 | 48.3 | 38.0 | 36.9 | 39.3 | 52.0 | 90.0 | 50.7 | 38.0 | 43.4 |
| 44.0 | 52.0 | 90.0 | 46.0 | 38.0 | 30.1 | 41.6 | 52.0 | 90.0 | 48.4 | 38.0 | 37.2 | 39.2 | 52.0 | 90.0 | 50.8 | 38.0 | 43.6 |
| 43.9 | 52.0 | 90.0 | 46.1 | 38.0 | 30.4 | 41.5 | 52.0 | 90.0 | 48.5 | 38.0 | 37.5 | 39.1 | 52.0 | 90.0 | 50.9 | 38.0 | 43.9 |
| 43.8 | 52.0 | 90.0 | 46.2 | 38.0 | 30.7 | 41.4 | 52.0 | 90.0 | 48.6 | 38.0 | 37.7 | 39.0 | 52.0 | 90.0 | 51.0 | 38.0 | 44.1 |
| 43.7 | 52.0 | 90.0 | 46.3 | 38.0 | 31.0 | 41.3 | 52.0 | 90.0 | 48.7 | 38.0 | 38.0 | 38.9 | 52.0 | 90.0 | 51.1 | 38.0 | 44.4 |
| 43.6 | 52.0 | 90.0 | 46.4 | 38.0 | 31.3 | 41.2 | 52.0 | 90.0 | 48.8 | 38.0 | 38.3 | 38.8 | 52.0 | 90.0 | 51.2 | 38.0 | 44.6 |
| 43.5 | 52.0 | 90.0 | 46.5 | 38.0 | 31.6 | 41.1 | 52.0 | 90.0 | 48.9 | 38.0 | 38.6 | 38.7 | 52.0 | 90.0 | 51.3 | 38.0 | 44.9 |
| 43.4 | 52.0 | 90.0 | 46.6 | 38.0 | 31.9 | 41.0 | 52.0 | 90.0 | 49.0 | 38.0 | 38.9 | 38.6 | 52.0 | 90.0 | 51.4 | 38.0 | 45.1 |
| 43.3 | 52.0 | 90.0 | 46.7 | 38.0 | 32.2 | 40.9 | 52.0 | 90.0 | 49.1 | 38.0 | 39.1 | 38.5 | 52.0 | 90.0 | 51.5 | 38.0 | 45.4 |
| 43.2 | 52.0 | 90.0 | 46.8 | 38.0 | 32.5 | 40.8 | 52.0 | 90.0 | 49.2 | 38.0 | 39.4 | 38.4 | 52.0 | 90.0 | 51.6 | 38.0 | 45.6 |
| 43.1 | 52.0 | 90.0 | 46.9 | 38.0 | 32.8 | 40.7 | 52.0 | 90.0 | 49.3 | 38.0 | 39.7 | 38.3 | 52.0 | 90.0 | 51.7 | 38.0 | 45.9 |
| 43.0 | 52.0 | 90.0 | 47.0 | 38.0 | 33.1 | 40.6 | 52.0 | 90.0 | 49.4 | 38.0 | 39.9 | 38.2 | 52.0 | 90.0 | 51.8 | 38.0 | 46.1 |
| 42.9 | 52.0 | 90.0 | 47.1 | 38.0 | 33.4 | 40.5 | 52.0 | 90.0 | 49.5 | 38.0 | 40.2 | 38.1 | 52.0 | 90.0 | 51.9 | 38.0 | 46.4 |
| 42.8 | 52.0 | 90.0 | 47.2 | 38.0 | 33.7 | 40.4 | 52.0 | 90.0 | 49.6 | 38.0 | 40.5 | 38.0 | 52.0 | 90.0 | 52.0 | 38.0 | 46.6 |
| 42.7 | 52.0 | 90.0 | 47.3 | 38.0 | 34.0 | 40.3 | 52.0 | 90.0 | 49.7 | 38.0 | 40.7 | | | | | | |
| | | | | | | (| Page 2 of | f 2, Citru | as I (01) | 1) & (0) | 12)) | | | | | | |

TABLE D - CITRUS JUICE CHART - CITRUS II (024)

| | | | | То | be use | ed for Citrus II | (024),, when | average | pounds | of juice | after fr | eeze is between | n 37.0 and 54 | 4.0 pound | ds. | | | |
|--|------|---|------|-------|--------|-------------------|--------------|---------|---------|----------|----------|-------------------|---------------|-----------|------|-------|-------|-------------------|
| D E F G H I D E F G H I 533 540 900 36.1 36.0 0.5 51.1 54.0 90.0 38.9 36.0 12.4 48.3 54.0 90.0 41.7 36.0 22.3 53.7 54.0 90.0 36.3 36.0 1.4 50.9 54.0 90.0 39.1 36.0 12.8 48.1 54.0 90.0 41.9 36.0 23.5 53.6 54.0 90.0 36.0 1.8 50.8 54.0 90.0 39.2 36.0 13.6 48.0 54.0 90.0 41.0 47.9 54.0 90.0 42.0 36.0 22.3 55.7 54.0 90.0 39.2 36.0 14.0 47.9 54.0 90.0 42.2 36.0 24.7 56.6 54.0 90.0 39.3 36.0 14.4 47.8 54.0 90.0 42.2 36.0 </td <td></td> <td>Base</td> <td>Wgt.</td> <td>Fctr.</td> <td>Fctr.</td> <td><u>G-H</u>xFx100</td> <td>Jce/Bx</td> <td>Base</td> <td>Wgt.</td> <td>Fctr.</td> <td>Fctr.</td> <td><u>G-H</u>xFx100</td> <td>Jce/Bx</td> <td>Base</td> <td>Wgt.</td> <td>Fctr.</td> <td>Fctr.</td> <td><u>G-H</u>xFx100</td> | | Base | Wgt. | Fctr. | Fctr. | <u>G-H</u> xFx100 | Jce/Bx | Base | Wgt. | Fctr. | Fctr. | <u>G-H</u> xFx100 | Jce/Bx | Base | Wgt. | Fctr. | Fctr. | <u>G-H</u> xFx100 |
| 53.9 54.0 90.0 36.1 36.0 0.5 51.1 54.0 90.0 38.9 36.0 12.4 48.3 54.0 90.0 41.7 36.0 22.8 53.8 54.0 90.0 36.2 36.0 0.9 51.0 54.0 90.0 39.0 36.0 12.8 48.2 54.0 90.0 41.3 36.0 23.5 53.6 54.0 90.0 36.0 11.8 50.8 54.0 90.0 39.1 36.0 13.2 48.1 54.0 90.0 42.2 36.0 23.8 53.5 54.0 90.0 36.5 36.0 2.3 50.7 54.0 90.0 39.3 36.0 14.0 47.9 54.0 90.0 42.2 36.0 22.3 53.3 54.0 90.0 36.3 36.0 14.8 47.7 54.0 90.0 39.3 36.0 14.8 47.7 54.0 90.0 32.3 36.0 24.7 | | | | | | | | | | | | | | | | ` ′ | | |
| 53.8 54.0 90.0 36.2 36.0 0.9 51.0 54.0 90.0 39.0 36.0 12.8 48.2 54.0 90.0 41.8 36.0 23.1 53.7 54.0 90.0 36.3 36.0 1.4 50.9 54.0 90.0 39.2 36.0 13.2 48.1 54.0 90.0 41.9 36.0 23.5 53.6 54.0 90.0 36.5 36.0 2.3 50.7 54.0 90.0 39.3 36.0 14.0 47.9 54.0 90.0 42.1 36.0 23.8 53.4 54.0 90.0 36.6 36.0 2.7 50.6 54.0 90.0 39.3 36.0 14.4 47.8 54.0 90.0 42.2 36.0 24.5 53.3 54.0 90.0 36.6 36.0 50.4 54.0 90.0 39.5 36.0 14.8 47.7 54.0 90.0 42.2 36.0 24.8 < | | | | _ | | | | | _ | | | _ | | | _ | | | _ |
| 53.7 54.0 90.0 36.3 36.0 1.4 50.9 54.0 90.0 39.1 36.0 13.2 48.1 54.0 90.0 41.9 36.0 23.5 53.6 54.0 90.0 36.3 36.0 1.8 50.8 54.0 90.0 39.3 36.0 13.6 48.0 54.0 90.0 42.0 36.0 23.8 53.5 54.0 90.0 36.6 36.0 2.7 50.6 54.0 90.0 39.3 36.0 114.4 47.8 54.0 90.0 42.1 36.0 24.5 53.3 54.0 90.0 36.3 3.2 50.5 54.0 90.0 39.4 36.0 14.4 47.8 54.0 90.0 42.2 36.0 24.5 53.3 54.0 90.0 36.8 36.0 3.6 50.4 54.0 90.0 39.5 36.0 14.8 47.7 54.0 90.0 42.2 36.0 25.2 < | | | 90.0 | | | | | | 90.0 | | | | | | | | | |
| 53.5 54.0 90.0 36.5 36.0 2.3 50.7 54.0 90.0 39.3 36.0 14.0 47.9 54.0 90.0 42.1 36.0 24.1 53.4 54.0 90.0 36.6 36.0 2.7 50.6 54.0 90.0 39.4 36.0 14.4 47.8 54.0 90.0 42.2 36.0 24.5 53.3 54.0 90.0 36.8 36.0 3.6 50.4 54.0 90.0 39.5 36.0 14.8 47.7 54.0 90.0 42.3 36.0 24.8 53.2 54.0 90.0 36.8 36.0 4.1 50.3 54.0 90.0 39.7 36.0 15.2 47.6 54.0 90.0 42.2 36.0 25.5 53.0 54.0 90.0 37.3 36.0 15.2 47.4 54.0 90.0 42.2 36.0 25.8 52.9 54.0 90.0 37.1 | | | 90.0 | 36.3 | 36.0 | 1.4 | | 54.0 | 90.0 | 39.1 | 36.0 | 13.2 | | | | 41.9 | | |
| 53.4 54.0 90.0 36.6 36.0 2.7 50.6 54.0 90.0 39.4 36.0 14.4 47.8 54.0 90.0 42.2 36.0 24.5 53.3 54.0 90.0 36.7 36.0 3.2 50.5 54.0 90.0 39.5 36.0 14.8 47.7 54.0 90.0 42.3 36.0 24.8 53.2 54.0 90.0 36.8 36.0 3.6 50.4 54.0 90.0 39.6 36.0 15.5 47.6 54.0 90.0 42.2 36.0 25.2 53.0 54.0 90.0 37.0 36.0 4.5 50.2 54.0 90.0 39.7 36.0 15.5 47.5 54.0 90.0 42.2 36.0 25.5 53.0 54.0 90.0 37.1 36.0 4.9 50.1 54.0 90.0 39.8 36.0 16.3 47.3 54.0 90.0 42.2 36.0 | 53.6 | 54.0 | 90.0 | 36.4 | 36.0 | 1.8 | 50.8 | 54.0 | 90.0 | 39.2 | 36.0 | 13.6 | 48.0 | 54.0 | 90.0 | 42.0 | 36.0 | 23.8 |
| 53.3 54.0 90.0 36.7 36.0 3.2 50.5 54.0 90.0 39.5 36.0 14.8 47.7 54.0 90.0 42.3 36.0 24.8 53.2 54.0 90.0 36.8 36.0 3.6 50.4 54.0 90.0 39.6 36.0 15.2 47.6 54.0 90.0 42.4 36.0 25.2 53.1 54.0 90.0 37.0 36.0 4.1 50.3 54.0 90.0 39.7 36.0 15.5 47.5 54.0 90.0 42.5 36.0 25.5 53.0 54.0 90.0 37.1 36.0 4.5 50.2 54.0 90.0 39.8 36.0 15.9 47.4 54.0 90.0 42.2 36.0 25.8 52.9 54.0 90.0 37.3 36.0 5.4 50.0 54.0 90.0 39.9 36.0 16.3 47.3 54.0 90.0 42.2 36.0 | 53.5 | 54.0 | 90.0 | 36.5 | 36.0 | 2.3 | 50.7 | 54.0 | 90.0 | 39.3 | 36.0 | 14.0 | 47.9 | 54.0 | 90.0 | 42.1 | 36.0 | 24.1 |
| 53.2 54.0 90.0 36.8 36.0 3.6 50.4 54.0 90.0 39.6 36.0 15.2 47.6 54.0 90.0 42.4 36.0 25.2 53.1 54.0 90.0 36.9 36.0 4.1 50.3 54.0 90.0 39.7 36.0 15.5 47.5 54.0 90.0 42.5 36.0 25.5 53.0 54.0 90.0 37.0 36.0 4.5 50.2 54.0 90.0 39.8 36.0 15.9 47.4 54.0 90.0 42.6 36.0 25.8 52.9 54.0 90.0 37.3 36.0 4.9 50.1 54.0 90.0 36.0 16.3 47.3 54.0 90.0 42.2 36.0 26.5 52.8 54.0 90.0 37.3 36.0 5.8 49.9 54.0 90.0 40.0 36.0 17.7 47.1 54.0 90.0 42.2 36.0 26.8 </td <td>53.4</td> <td>54.0</td> <td>90.0</td> <td>36.6</td> <td>36.0</td> <td>2.7</td> <td>50.6</td> <td>54.0</td> <td>90.0</td> <td>39.4</td> <td>36.0</td> <td>14.4</td> <td>47.8</td> <td>54.0</td> <td>90.0</td> <td>42.2</td> <td>36.0</td> <td>24.5</td> | 53.4 | 54.0 | 90.0 | 36.6 | 36.0 | 2.7 | 50.6 | 54.0 | 90.0 | 39.4 | 36.0 | 14.4 | 47.8 | 54.0 | 90.0 | 42.2 | 36.0 | 24.5 |
| 53.1 54.0 90.0 36.9 36.0 4.1 50.3 54.0 90.0 39.7 36.0 15.5 47.5 54.0 90.0 42.5 36.0 25.5 53.0 54.0 90.0 37.0 36.0 4.5 50.2 54.0 90.0 39.8 36.0 15.9 47.4 54.0 90.0 42.6 36.0 25.8 52.9 54.0 90.0 37.1 36.0 4.9 50.1 54.0 90.0 39.9 36.0 16.3 47.3 54.0 90.0 42.7 36.0 26.2 52.8 54.0 90.0 37.2 36.0 5.4 50.0 54.0 90.0 40.3 36.0 16.7 47.2 54.0 90.0 42.8 36.0 26.5 52.7 54.0 90.0 37.3 36.0 6.2 49.8 54.0 90.0 40.1 36.0 17.0 47.1 54.0 90.0 37.5 36.0 | 53.3 | 54.0 | 90.0 | 36.7 | 36.0 | 3.2 | 50.5 | 54.0 | 90.0 | 39.5 | 36.0 | 14.8 | 47.7 | 54.0 | 90.0 | 42.3 | 36.0 | 24.8 |
| 53.0 54.0 90.0 37.0 36.0 4.5 50.2 54.0 90.0 39.8 36.0 15.9 47.4 54.0 90.0 42.6 36.0 25.8 52.9 54.0 90.0 37.1 36.0 4.9 50.1 54.0 90.0 39.9 36.0 16.3 47.3 54.0 90.0 42.7 36.0 26.2 52.8 54.0 90.0 37.2 36.0 5.4 50.0 54.0 90.0 40.0 36.0 16.7 47.2 54.0 90.0 42.8 36.0 26.5 52.7 54.0 90.0 37.3 36.0 5.8 49.9 54.0 90.0 40.1 36.0 17.0 47.1 54.0 90.0 42.9 36.0 26.8 52.6 54.0 90.0 37.3 36.0 6.2 49.8 54.0 90.0 40.3 36.0 17.4 47.0 54.0 90.0 43.3 36.0 | 53.2 | 53.1 54.0 90.0 36.9 36.0 4.1 50.3 54.0 90.0 39.7 36.0 15.5 47.5 54.0 90.0 42.5 36.0 25.5 | | | | | | | | | | | | | | | | |
| 52.9 54.0 90.0 37.1 36.0 4.9 50.1 54.0 90.0 39.9 36.0 16.3 47.3 54.0 90.0 42.7 36.0 26.2 52.8 54.0 90.0 37.2 36.0 5.4 50.0 54.0 90.0 40.0 36.0 16.7 47.2 54.0 90.0 42.8 36.0 26.5 52.7 54.0 90.0 37.3 36.0 5.8 49.9 54.0 90.0 40.1 36.0 17.0 47.1 54.0 90.0 42.9 36.0 26.8 52.6 54.0 90.0 37.4 36.0 6.2 49.8 54.0 90.0 40.2 36.0 17.4 47.0 54.0 90.0 43.1 36.0 27.1 52.5 54.0 90.0 37.5 36.0 6.7 49.7 54.0 90.0 40.3 36.0 18.2 46.8 54.0 90.0 43.1 36.0 | 53.1 | 53.1 54.0 90.0 36.9 36.0 4.1 50.3 54.0 90.0 39.7 36.0 15.5 47.5 54.0 90.0 42.5 36.0 25.5 | | | | | | | | | | | | | | | | |
| 52.8 54.0 90.0 37.2 36.0 5.4 50.0 54.0 90.0 40.0 36.0 16.7 47.2 54.0 90.0 42.8 36.0 26.5 52.7 54.0 90.0 37.3 36.0 5.8 49.9 54.0 90.0 40.1 36.0 17.0 47.1 54.0 90.0 42.8 36.0 26.8 52.6 54.0 90.0 37.4 36.0 6.2 49.8 54.0 90.0 40.2 36.0 17.4 47.0 54.0 90.0 43.0 36.0 27.1 52.5 54.0 90.0 37.5 36.0 6.7 49.7 54.0 90.0 40.3 36.0 17.8 46.9 54.0 90.0 43.1 36.0 27.5 52.4 54.0 90.0 37.3 36.0 7.5 49.5 54.0 90.0 40.4 36.0 18.2 46.8 54.0 90.0 43.3 36.0 | 53.0 | 53.0 54.0 90.0 37.0 36.0 4.5 50.2 54.0 90.0 39.8 36.0 15.9 47.4 54.0 90.0 42.6 36.0 25.8 | | | | | | | | | | | | | | | | |
| 52.7 54.0 90.0 37.3 36.0 5.8 49.9 54.0 90.0 40.1 36.0 17.0 47.1 54.0 90.0 42.9 36.0 26.8 52.6 54.0 90.0 37.4 36.0 6.2 49.8 54.0 90.0 40.2 36.0 17.4 47.0 54.0 90.0 43.0 36.0 27.1 52.5 54.0 90.0 37.5 36.0 6.7 49.7 54.0 90.0 40.3 36.0 17.8 46.9 54.0 90.0 43.1 36.0 27.5 52.4 54.0 90.0 37.6 36.0 7.1 49.6 54.0 90.0 40.4 36.0 18.2 46.8 54.0 90.0 43.3 36.0 27.8 52.3 54.0 90.0 37.7 36.0 7.5 49.5 54.0 90.0 40.5 36.0 18.5 46.7 54.0 90.0 43.3 36.0 | 52.9 | 52.9 54.0 90.0 37.1 36.0 4.9 50.1 54.0 90.0 39.9 36.0 16.3 47.3 54.0 90.0 42.7 36.0 26.2 | | | | | | | | | | | | | | | | |
| 52.6 54.0 90.0 37.4 36.0 6.2 49.8 54.0 90.0 40.2 36.0 17.4 47.0 54.0 90.0 43.0 36.0 27.1 52.5 54.0 90.0 37.5 36.0 6.7 49.7 54.0 90.0 40.3 36.0 17.8 46.9 54.0 90.0 43.1 36.0 27.5 52.4 54.0 90.0 37.6 36.0 7.1 49.6 54.0 90.0 40.4 36.0 18.2 46.8 54.0 90.0 43.3 36.0 27.8 52.3 54.0 90.0 37.7 36.0 7.5 49.5 54.0 90.0 40.5 36.0 18.5 46.7 54.0 90.0 43.3 36.0 28.1 52.2 54.0 90.0 37.9 36.0 8.4 49.3 54.0 90.0 40.6 36.0 18.9 46.6 54.0 90.0 43.3 36.0 | 52.8 | 52.9 54.0 90.0 37.1 36.0 4.9 50.1 54.0 90.0 39.9 36.0 16.3 47.3 54.0 90.0 42.7 36.0 26.2 52.8 54.0 90.0 37.2 36.0 5.4 50.0 54.0 90.0 40.0 36.0 16.7 47.2 54.0 90.0 42.8 36.0 26.5 | | | | | | | | | | | | | | | | |
| 52.5 54.0 90.0 37.5 36.0 6.7 49.7 54.0 90.0 40.3 36.0 17.8 46.9 54.0 90.0 43.1 36.0 27.5 52.4 54.0 90.0 37.6 36.0 7.1 49.6 54.0 90.0 40.4 36.0 18.2 46.8 54.0 90.0 43.2 36.0 27.8 52.3 54.0 90.0 37.7 36.0 7.5 49.5 54.0 90.0 40.5 36.0 18.5 46.7 54.0 90.0 43.3 36.0 28.1 52.2 54.0 90.0 37.8 36.0 7.9 49.4 54.0 90.0 40.6 54.0 90.0 43.4 36.0 28.4 52.1 54.0 90.0 37.9 36.0 8.4 49.3 54.0 90.0 40.7 36.0 19.2 46.5 54.0 90.0 43.5 36.0 28.7 52.0 < | 52.7 | 54.0 | 90.0 | 37.3 | 36.0 | 5.8 | 49.9 | 54.0 | 90.0 | 40.1 | 36.0 | 17.0 | 47.1 | 54.0 | 90.0 | 42.9 | 36.0 | 26.8 |
| 52.4 54.0 90.0 37.6 36.0 7.1 49.6 54.0 90.0 40.4 36.0 18.2 46.8 54.0 90.0 43.2 36.0 27.8 52.3 54.0 90.0 37.7 36.0 7.5 49.5 54.0 90.0 40.5 36.0 18.5 46.7 54.0 90.0 43.3 36.0 28.1 52.2 54.0 90.0 37.8 36.0 7.9 49.4 54.0 90.0 40.6 36.0 18.9 46.6 54.0 90.0 43.4 36.0 28.4 52.1 54.0 90.0 37.9 36.0 8.4 49.3 54.0 90.0 40.7 36.0 19.2 46.5 54.0 90.0 43.5 36.0 28.7 52.0 54.0 90.0 38.1 36.0 9.2 49.1 54.0 90.0 40.8 36.0 19.6 46.4 54.0 90.0 43.6 36.0 | 52.6 | 54.0 | 90.0 | 37.4 | 36.0 | 6.2 | 49.8 | 54.0 | 90.0 | 40.2 | 36.0 | 17.4 | 47.0 | 54.0 | 90.0 | 43.0 | 36.0 | 27.1 |
| 52.3 54.0 90.0 37.7 36.0 7.5 49.5 54.0 90.0 40.5 36.0 18.5 46.7 54.0 90.0 43.3 36.0 28.1 52.2 54.0 90.0 37.8 36.0 7.9 49.4 54.0 90.0 40.6 36.0 18.9 46.6 54.0 90.0 43.4 36.0 28.4 52.1 54.0 90.0 37.9 36.0 8.4 49.3 54.0 90.0 40.7 36.0 19.2 46.5 54.0 90.0 43.3 36.0 28.7 52.0 54.0 90.0 38.0 36.0 8.8 49.2 54.0 90.0 40.8 36.0 19.6 46.4 54.0 90.0 43.3 36.0 29.1 51.9 54.0 90.0 38.1 36.0 9.2 49.1 54.0 90.0 46.3 54.0 90.0 43.3 36.0 29.4 51.8 < | 52.5 | 54.0 | 90.0 | 37.5 | 36.0 | 6.7 | 49.7 | 54.0 | 90.0 | 40.3 | 36.0 | 17.8 | 46.9 | 54.0 | 90.0 | 43.1 | 36.0 | 27.5 |
| 52.2 54.0 90.0 37.8 36.0 7.9 49.4 54.0 90.0 40.6 36.0 18.9 46.6 54.0 90.0 43.4 36.0 28.4 52.1 54.0 90.0 37.9 36.0 8.4 49.3 54.0 90.0 40.7 36.0 19.2 46.5 54.0 90.0 43.5 36.0 28.7 52.0 54.0 90.0 38.0 36.0 8.8 49.2 54.0 90.0 40.8 36.0 19.6 46.4 54.0 90.0 43.6 36.0 29.1 51.9 54.0 90.0 38.1 36.0 9.2 49.1 54.0 90.0 46.3 54.0 90.0 43.7 36.0 29.1 51.8 54.0 90.0 38.2 36.0 9.6 49.0 54.0 90.0 41.0 36.0 20.3 46.2 54.0 90.0 43.8 36.0 29.7 51.7 < | | | | | | | 49.6 | | | 40.4 | 36.0 | | | | | | | |
| 52.1 54.0 90.0 37.9 36.0 8.4 49.3 54.0 90.0 40.7 36.0 19.2 46.5 54.0 90.0 43.5 36.0 28.7 52.0 54.0 90.0 38.0 36.0 8.8 49.2 54.0 90.0 40.8 36.0 19.6 46.4 54.0 90.0 43.6 36.0 29.1 51.9 54.0 90.0 38.1 36.0 9.2 49.1 54.0 90.0 40.9 36.0 20.0 46.3 54.0 90.0 43.7 36.0 29.4 51.8 54.0 90.0 38.2 36.0 9.6 49.0 54.0 90.0 41.0 36.0 20.3 46.2 54.0 90.0 43.8 36.0 29.7 51.7 54.0 90.0 38.3 36.0 10.0 48.9 54.0 90.0 41.1 36.0 20.7 46.1 54.0 90.0 43.9 36.0 | | | 90.0 | | | | 49.5 | 54.0 | | | 36.0 | 18.5 | 46.7 | 54.0 | | | | 28.1 |
| 52.0 54.0 90.0 38.0 36.0 8.8 49.2 54.0 90.0 40.8 36.0 19.6 46.4 54.0 90.0 43.6 36.0 29.1 51.9 54.0 90.0 38.1 36.0 9.2 49.1 54.0 90.0 40.9 36.0 20.0 46.3 54.0 90.0 43.7 36.0 29.4 51.8 54.0 90.0 38.2 36.0 9.6 49.0 54.0 90.0 41.0 36.0 20.3 46.2 54.0 90.0 43.8 36.0 29.7 51.7 54.0 90.0 38.3 36.0 10.0 48.9 54.0 90.0 41.1 36.0 20.7 46.1 54.0 90.0 43.8 36.0 30.0 51.6 54.0 90.0 38.4 36.0 10.4 48.8 54.0 90.0 41.2 36.0 21.0 46.0 54.0 90.0 44.1 36.0 | | | | | | | | 54.0 | | | 36.0 | 18.9 | | | | | | |
| 51.9 54.0 90.0 38.1 36.0 9.2 49.1 54.0 90.0 40.9 36.0 20.0 46.3 54.0 90.0 43.7 36.0 29.4 51.8 54.0 90.0 38.2 36.0 9.6 49.0 54.0 90.0 41.0 36.0 20.3 46.2 54.0 90.0 43.8 36.0 29.7 51.7 54.0 90.0 38.3 36.0 10.0 48.9 54.0 90.0 41.1 36.0 20.7 46.1 54.0 90.0 43.9 36.0 30.0 51.6 54.0 90.0 38.4 36.0 10.4 48.8 54.0 90.0 41.2 36.0 21.0 46.0 54.0 90.0 44.0 36.0 30.3 51.5 54.0 90.0 38.5 36.0 10.8 48.7 54.0 90.0 41.3 36.0 21.4 45.9 54.0 90.0 44.1 36.0 | | | | | | | | | | | | | | | | | | |
| 51.8 54.0 90.0 38.2 36.0 9.6 49.0 54.0 90.0 41.0 36.0 20.3 46.2 54.0 90.0 43.8 36.0 29.7 51.7 54.0 90.0 38.3 36.0 10.0 48.9 54.0 90.0 41.1 36.0 20.7 46.1 54.0 90.0 43.9 36.0 30.0 51.6 54.0 90.0 38.4 36.0 10.4 48.8 54.0 90.0 41.2 36.0 21.0 46.0 54.0 90.0 44.0 36.0 30.3 51.5 54.0 90.0 38.5 36.0 10.8 48.7 54.0 90.0 41.3 36.0 21.4 45.9 54.0 90.0 44.1 36.0 30.6 51.4 54.0 90.0 38.6 36.0 11.2 48.6 54.0 90.0 41.4 36.0 21.7 45.8 54.0 90.0 44.2 36.0 | | | | | | | | | | | | | | | | | | |
| 51.7 54.0 90.0 38.3 36.0 10.0 48.9 54.0 90.0 41.1 36.0 20.7 46.1 54.0 90.0 43.9 36.0 30.0 51.6 54.0 90.0 38.4 36.0 10.4 48.8 54.0 90.0 41.2 36.0 21.0 46.0 54.0 90.0 44.0 36.0 30.3 51.5 54.0 90.0 38.5 36.0 10.8 48.7 54.0 90.0 41.3 36.0 21.4 45.9 54.0 90.0 44.1 36.0 30.6 51.4 54.0 90.0 38.6 36.0 11.2 48.6 54.0 90.0 41.4 36.0 21.7 45.8 54.0 90.0 44.2 36.0 30.9 51.3 54.0 90.0 38.7 36.0 11.6 48.5 54.0 90.0 41.5 36.0 22.1 45.7 54.0 90.0 44.4 36.0 | | | | | | | | | , , , , | | | | | | | | | |
| 51.6 54.0 90.0 38.4 36.0 10.4 48.8 54.0 90.0 41.2 36.0 21.0 46.0 54.0 90.0 44.0 36.0 30.3 51.5 54.0 90.0 38.5 36.0 10.8 48.7 54.0 90.0 41.3 36.0 21.4 45.9 54.0 90.0 44.1 36.0 30.6 51.4 54.0 90.0 38.6 36.0 11.2 48.6 54.0 90.0 41.4 36.0 21.7 45.8 54.0 90.0 44.2 36.0 30.9 51.3 54.0 90.0 38.7 36.0 11.6 48.5 54.0 90.0 41.5 36.0 22.1 45.7 54.0 90.0 44.3 36.0 31.2 51.2 54.0 90.0 38.8 36.0 12.0 48.4 54.0 90.0 41.6 36.0 22.4 45.6 54.0 90.0 44.4 36.0 | | | | | | | | | | | | | | | | | | |
| 51.5 54.0 90.0 38.5 36.0 10.8 48.7 54.0 90.0 41.3 36.0 21.4 45.9 54.0 90.0 44.1 36.0 30.6 51.4 54.0 90.0 38.6 36.0 11.2 48.6 54.0 90.0 41.4 36.0 21.7 45.8 54.0 90.0 44.2 36.0 30.9 51.3 54.0 90.0 38.7 36.0 11.6 48.5 54.0 90.0 41.5 36.0 22.1 45.7 54.0 90.0 44.3 36.0 31.2 51.2 54.0 90.0 38.8 36.0 12.0 48.4 54.0 90.0 41.6 36.0 22.4 45.6 54.0 90.0 44.4 36.0 31.5 | | | | | | | | | 7 0.0 | | | | | | | | | |
| 51.4 54.0 90.0 38.6 36.0 11.2 48.6 54.0 90.0 41.4 36.0 21.7 45.8 54.0 90.0 44.2 36.0 30.9 51.3 54.0 90.0 38.7 36.0 11.6 48.5 54.0 90.0 41.5 36.0 22.1 45.7 54.0 90.0 44.3 36.0 31.2 51.2 54.0 90.0 38.8 36.0 12.0 48.4 54.0 90.0 41.6 36.0 22.4 45.6 54.0 90.0 44.4 36.0 31.5 | | | | | | | | | | | | | | | | | | |
| 51.3 54.0 90.0 38.7 36.0 11.6 48.5 54.0 90.0 41.5 36.0 22.1 45.7 54.0 90.0 44.3 36.0 31.2 51.2 54.0 90.0 38.8 36.0 12.0 48.4 54.0 90.0 41.6 36.0 22.4 45.6 54.0 90.0 44.4 36.0 31.5 | | | | | | | | | | | | | | | | | | |
| 51.2 54.0 90.0 38.8 36.0 12.0 48.4 54.0 90.0 41.6 36.0 22.4 45.6 54.0 90.0 44.4 36.0 31.5 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | 51.2 | 54.0 | 90.0 | 38.8 | 36.0 | 12.0 | 48.4 | | | | | 22.4 | 45.6 | 54.0 | 90.0 | 44.4 | 36.0 | 31.5 |

TABLE D - CITRUS JUICE CHART - CITRUS II (024) (continued)

| | | | Т | o be us | ed for Citrus I | I (024), whe | n averag | e pounds | of juice | after f | reeze is betwee | en 37.0 and 5 | 4.0 pound | s. | | | |
|--------------------------------|---|------|-------|-----------------------|--------------------------------------|--------------------------------|-------------------------|--------------------|----------|-----------------------|--------------------------------------|--------------------------------|-------------------------|------|------------------------|-----------------------|--------------------------------------|
| Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Wgt. | Fctr. | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Wgt. | Fctr. | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Wgt. | Post Fctr. (F-D) | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE |
| D | Е | F | G | Н | I | D | Е | F | G | Н | I | D | Е | F | G | Н | I |
| 45.5 | 54.0 | 90.0 | 44.5 | 36.0 | 31.8 | 42.6 | 54.0 | 90.0 | 47.4 | 36.0 | 40.1 | 39.7 | 54.0 | 90.0 | 50.3 | 36.0 | 47.4 |
| 45.4 | 54.0 | 90.0 | 44.6 | 36.0 | 32.1 | 42.5 | 54.0 | 90.0 | 47.5 | 36.0 | 40.4 | 39.6 | 54.0 | 90.0 | 50.4 | 36.0 | 47.6 |
| 45.3 | 54.0 | 90.0 | 44.7 | 36.0 | 32.4 | 42.4 | 54.0 | 90.0 | 47.6 | 36.0 | 40.6 | 39.5 | 54.0 | 90.0 | 50.5 | 36.0 | 47.9 |
| 45.2 | 54.0 | 90.0 | 44.8 | 36.0 | 32.7 | 42.3 | 54.0 | 90.0 | 47.7 | 36.0 | 40.9 | 39.4 | 54.0 | 90.0 | 50.6 | 36.0 | 48.1 |
| 45.1 | 54.0 | 90.0 | 44.9 | 36.0 | 33.0 | 42.2 | 54.0 | 90.0 | 47.8 | 36.0 | 41.1 | 39.3 | 54.0 | 90.0 | 50.7 | 36.0 | 48.3 |
| 45.0 | 54.0 | 90.0 | 45.0 | 36.0 | 33.3 | 42.1 | 54.0 | 90.0 | 47.9 | 36.0 | 41.4 | 39.2 | 54.0 | 90.0 | 50.8 | 36.0 | 48.6 |
| 44.9 | 54.0 | 90.0 | 45.1 | 36.0 | 33.6 | 42.0 | 54.0 | 90.0 | 48.0 | 36.0 | 41.7 | 39.1 | 54.0 | 90.0 | 50.9 | 36.0 | 48.8 |
| 44.8 | 44.7 54.0 90.0 45.3 36.0 34.2 41.8 54.0 90.0 48.2 36.0 42.2 38.9 54.0 90.0 51.1 36.0 49.2 | | | | | | | | | | | | | | | | |
| 44.7 | 44.7 54.0 90.0 45.3 36.0 34.2 41.8 54.0 90.0 48.2 36.0 42.2 38.9 54.0 90.0 51.1 36.0 49.2 | | | | | | | | | | | | | | | | |
| 44.6 | | | | | | | | | | | | | | | | | |
| 44.5 | 44.5 54.0 90.0 45.5 36.0 34.8 41.6 54.0 90.0 48.4 36.0 42.7 38.7 54.0 90.0 51.3 36.0 49.7 | | | | | | | | | | | | | | | | |
| 44.4 | 44.5 54.0 90.0 45.5 36.0 34.8 41.6 54.0 90.0 48.4 36.0 42.7 38.7 54.0 90.0 51.3 36.0 49.7 44.4 54.0 90.0 45.6 36.0 35.1 41.5 54.0 90.0 48.5 36.0 43.0 38.6 54.0 90.0 51.4 36.0 49.9 | | | | | | | | | | | | | | | | |
| 44.3 | 44.4 54.0 90.0 45.6 36.0 35.1 41.5 54.0 90.0 48.5 36.0 43.0 38.6 54.0 90.0 51.4 36.0 49.9 | | | | | | | | | | | | | | | | |
| 44.2 | 54.0 | 90.0 | 45.8 | 36.0 | 35.7 | 41.3 | 54.0 | 90.0 | 48.7 | 36.0 | 43.5 | 38.4 | 54.0 | 90.0 | 51.6 | 36.0 | 50.4 |
| 44.1 | 54.0 | 90.0 | 45.9 | 36.0 | 35.9 | 41.2 | 54.0 | 90.0 | 48.8 | 36.0 | 43.7 | 38.3 | 54.0 | 90.0 | 51.7 | 36.0 | 50.6 |
| 44.0 | 54.0 | 90.0 | 46.0 | 36.0 | 36.2 | 41.1 | 54.0 | 90.0 | 48.9 | 36.0 | 44.0 | 38.2 | 54.0 | 90.0 | 51.8 | 36.0 | 50.8 |
| 43.9 | 54.0 | 90.0 | 46.1 | 36.0 | 36.5 | 41.0 | 54.0 | 90.0 | 49.0 | 36.0 | 44.2 | 38.1 | 54.0 | 90.0 | 51.9 | 36.0 | 51.1 |
| 43.8 | 54.0 | 90.0 | 46.2 | 36.0 | 36.8 | 40.9 | 54.0 | 90.0 | 49.1 | 36.0 | 44.5 | 38.0 | 54.0 | 90.0 | 52.0 | 36.0 | 51.3 |
| 43.7 | 54.0 | 90.0 | 46.3 | 36.0 | 37.1 | 40.8 | 54.0 | 90.0 | 49.2 | 36.0 | 44.7 | 37.9 | 54.0 | 90.0 | 52.1 | 36.0 | 51.5 |
| 43.6 | 54.0 | 90.0 | 46.4 | 36.0 | 37.4 | 40.7 | 54.0 | 90.0 | 49.3 | 36.0 | 45.0 | 37.8 | 54.0 | 90.0 | 52.2 | 36.0 | 51.7 |
| 43.5 | 54.0 | 90.0 | 46.5 | 36.0 | 37.6 | 40.6 | 54.0 | 90.0 | 49.4 | 36.0 | 45.2 | 37.7 | 54.0 | 90.0 | 52.3 | 36.0 | 51.9 |
| 43.4 | 54.0 | 90.0 | 46.6 | 36.0 | 37.9 | 40.5 | 54.0 | 90.0 | 49.5 | 36.0 | 45.5 | 37.6 | 54.0 | 90.0 | 52.4 | 36.0 | 52.2 |
| 43.3 | 54.0 | 90.0 | 46.7 | 36.0 | 38.2 | 40.4 | 54.0 | 90.0 | 49.6 | 36.0 | 45.7 | 37.5 | 54.0 | 90.0 | 52.5 | 36.0 | 52.4 |
| 43.2 | 54.0 | 90.0 | 46.8 | 36.0 | 38.5 | 40.3 | 54.0 | 90.0 | 49.7 | 36.0 | 45.9 | 37.4 | 54.0 | 90.0 | 52.6 | 36.0 | 52.6 |
| 43.1 | 54.0 | 90.0 | 46.9 | 36.0 | 38.7 | 40.2 | 54.0 | 90.0 | 49.8 | 36.0 | 46.2 | 37.3 | 54.0 | 90.0 | 52.7 | 36.0 | 52.8 |
| 43.0 | 54.0 | 90.0 | 47 0 | 36.0 | 39.0 | 40.1 | 54.0 | 90.0 | 49.9 | 36.0 | 46.4 | 37.2 | 54.0 | 90.0 | 52.8 | 36.0 | 53.0 |
| 42.9 | 54.0 | 90.0 | 47.1 | 36.0 | 39.3 | 40.0 | 54.0 | 90.0 | 50.0 | 36.0 | 46.7 | 37.1 | 54.0 | 90.0 | 52.9 | 36.0 | 53.2 |
| 42.8 | 54.0 | 90.0 | 47.2 | 36.0 | 39.5 | 39.9 | 54.0 | 90.0 | 50.1 | 36.0 | 46.9 | 37.0 | 54.0 | 90.0 | 53.0 | 36.0 | 53.5 |
| 42.7 | 54.0 | 90.0 | 47.3 | 36.0 | 39.8 | 39.8 | 54.0 | 90.0 | 50.2 | 36.0 | 47.1 | | <u> </u> | | | | |
| | | | | | | | (Page | e 2 of 2, C | Citrus I | I (024) |) | | | | | | |

MARCH 2008

TABLE E - CITRUS JUICE CHART - CITRUS III (031)

| | | | To | be us | ed for Citrus II | I (031), when | average | pounds o | of juice | after f | reeze is betwee | n 37.0 and 45 | .0 pound | s. | | | |
|--------------------------------|--|------------------------|-------|-----------------------|--------------------------------------|--------------------------------|----------|----------------|----------|-----------------------|--------------------------------------|--------------------------------|-------------------------|------------------------|-------|-----------------------|--------------------------------------|
| Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | Fctr. | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | Base | | Fctr. | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | Fctr. | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE |
| D | Е | F | G | Н | I | D | Е | F | G | Н | I | D | Е | F | G | Н | I |
| 44.9 | 45.0 | 85.0 | 40.1 | 40.0 | 0.5 | 42.2 | 45.0 | 85.0 | 42.8 | 40.0 | 12.4 | 39.5 | 45.0 | 85.0 | 45.5 | 40.0 | 22.8 |
| 44.8 | 45.0 | 85.0 | 40.2 | 40.0 | 0.9 | 42.1 | 45.0 | 85.0 | 42.9 | 40.0 | 12.8 | 39.4 | 45.0 | 85.0 | 45.6 | 40.0 | 23.2 |
| 44.7 | 45.0 | 85.0 | 40.3 | 40.0 | 1.4 | 42.0 | 45.0 | 85.0 | 43.0 | 40.0 | 13.2 | 39.3 | 45.0 | 85.0 | 45.7 | 40.0 | 23.6 |
| 44.6 | 45.0 | 85.0 | 40.4 | 40.0 | 1.9 | 41.9 | 45.0 | 85.0 | 43.1 | 40.0 | 13.6 | 39.2 | 45.0 | 85.0 | 45.8 | 40.0 | 23.9 |
| 44.5 | 45.0 | 85.0 | 40.5 | 40.0 | 2.3 | 41.8 | 45.0 | 85.0 | 43.2 | 40.0 | 14.0 | 39.1 | 45.0 | 85.0 | 45.9 | 40.0 | 24.3 |
| 44.4 | 45.0 | 85.0 | 40.6 | 40.0 | 2.8 | 41.7 | 45.0 | 85.0 | 43.3 | 40.0 | 14.4 | 39.0 | 45.0 | 85.0 | 46.0 | 40.0 | 24.6 |
| 44.3 | 44.2 45.0 85.0 40.8 40.0 3.7 41.5 45.0 85.0 43.5 40.0 15.2 38.8 45.0 85.0 46.2 40.0 25.3 | | | | | | | | | | | | | | | | |
| 44.2 | | | | | | | | | | | | | | | | | |
| 44.1 | | | | | | | | | | | | | | | | | |
| 44.0 | 44.0 45.0 85.0 41.0 40.0 4.6 41.3 45.0 85.0 43.7 40.0 16.0 38.6 45.0 85.0 46.4 40.0 26.1 | | | | | | | | | | | | | | | | |
| 43.9 | 43.9 45.0 85.0 41.1 40.0 5.1 41.2 45.0 85.0 43.8 40.0 16.4 38.5 45.0 85.0 46.5 40.0 26.4 | | | | | | | | | | | | | | | | |
| 43.8 | 45.0 | 85.0 | | 40.0 | 5.5 | 41.1 | 45.0 | 85.0 | | 40.0 | 16.8 | 38.4 | 45.0 | 85.0 | | 40.0 | 26.8 |
| 43.7 | 45.0 | 85.0 | 41.3 | 40.0 | 5.9 | 41.0 | 45.0 | 85.0 | 44.0 | 40.0 | 17.2 | 38.3 | 45.0 | 85.0 | 46.7 | 40.0 | 27.1 |
| 43.6 | 45.0 | 85.0 | | 40.0 | 6.4 | 40.9 | 45.0 | 85.0 | | 40.0 | 17.6 | 38.2 | 45.0 | 85.0 | | 40.0 | 27.4 |
| 43.5 | 45.0 | 85.0 | 41.5 | 40.0 | 6.8 | 40.8 | 45.0 | 85.0 | 44.2 | 40.0 | 17.9 | 38.1 | 45.0 | 85.0 | 46.9 | 40.0 | 27.8 |
| 43.4 | 45.0 | 85.0 | | 40.0 | 7.3 | 40.7 | 45.0 | 85.0 | | 40.0 | | 38.0 | 45.0 | | | | 28.1 |
| 43.3 | 45.0 | 85.0 | | 40.0 | 7.7 | 40.6 | 45.0 | 85.0 | | 40.0 | 18.7 | 37.9 | 45.0 | | 47.1 | 40.0 | 28.5 |
| 43.2 | 45.0 | 85.0 | | 40.0 | 8.1 | 40.5 | 45.0 | 85.0 | | | 19.1 | 37.8 | 45.0 | | | 40.0 | |
| 43.1 | 45.0 | 85.0 | | 40.0 | 8.6 | 40.4 | 45.0 | 85.0 | | | 19.5 | 37.7 | 45.0 | | | 40.0 | 29.2 |
| 43.0 | 45.0 | 85.0 | | 40.0 | 9.0 | 40.3 | 45.0 | 85.0 | 44.7 | | 19.9 | 37.6 | 45.0 | | | 40.0 | 29.5 |
| 42.9 | 45.0 | 85.0 | 42.1 | 40.0 | 9.4 | 40.2 | 45.0 | 85.0 | | | | 37.5 | 45.0 | | 47.5 | 40.0 | 29.8 |
| 42.8 | 45.0 | 85.0 | | 40.0 | 9.8 | 40.1 | 45.0 | 85.0 | | | 20.6 | 37.4 | 45.0 | | 47.6 | | |
| 42.7 | 45.0 | 85.0 | | 40.0 | 10.3 | 40.0 | 45.0 | 85.0 | | | | 37.3 | 45.0 | | | 40.0 | |
| 42.6 | 45.0 | 85.0 | | 40.0 | 10.7 | 39.9 | 45.0 | 85.0 | | 40.0 | 21.4 | 37.2 | 45.0 | | 47.8 | 40.0 | 30.8 |
| 42.5 | 45.0 | 85.0 | 42.5 | 40.0 | 11.1 | 39.8 | 45.0 | 85.0 | | | 21.7 | 37.1 | 45.0 | | 47.9 | 40.0 | 31.2 |
| 42.4 | 45.0 | 85.0 | | 40.0 | 11.5 | 39.7 | 45.0 | 85.0 | | | 22.1 | 37.0 | 45.0 | 85.0 | 48.0 | 40.0 | 31.5 |
| 42.3 | 45.0 | 85.0 | 42.7 | 40.0 | 11.9 | 39.6 | 45.0 | 85.0 of 1, Cit | | | | | | | | | |
| | | | | | | | (1 age 1 | or 1, CII | 1 US 111 | (031) |) | | | | | | |

TABLE F - CITRUS JUICE CHART - CITRUS VI (074) LIMES

| | | To b | e used | d for C | itrus VI (074) | Limes, wh | en aver | age pou | | juice a | fter freeze is b | etween 29 | .2 and 4 | 3.0 pour | nds. | | |
|--------------------------------|---|---------------|------------------------|-----------------------|--------------------------------------|--------------------------------|---------|--------------------|----------|-----------------------|--------------------------------------|--------------------------------|-------------------------|----------|------------------------|-----------------------|--------------------------------------|
| Avg. Lbs. Jce/Bx (After) | | \mathcal{C} | Post Fctr. (F-D) | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | | Wgt. | Fctr. | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Wgt. | Post Fctr. (F-D) | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE |
| D | Е | F | G | Н | 1 | D | Е | F | G | Н | 1 | D | Е | F | G | Н | 1 |
| 42.9 | 43.0 | 88.0 | 45.1 | 45.0 | 0.5 | 40.6 | 43.0 | 88.0 | 47.4 | 45.0 | 10.4 | 38.3 | 43.0 | 88.0 | 49.7 | 45.0 | 19.4 |
| 42.8 | 43.0 | 88.0 | 45.2 | 45.0 | 0.9 | 40.5 | 43.0 | 88.0 | 47.5 | 45.0 | 10.8 | 38.2 | 43.0 | 88.0 | 49.8 | 45.0 | 19.7 |
| 42.7 | 43.0 | 88.0 | 45.3 | 45.0 | 1.4 | 40.4 | 43.0 | 88.0 | 47.6 | 45.0 | 11.2 | 38.1 | 43.0 | 88.0 | 49.9 | 45.0 | 20.1 |
| 42.6 | 43.0 | 88.0 | 45.4 | 45.0 | 1.8 | 40.3 | 43.0 | 88.0 | 47.7 | 45.0 | 11.6 | 38.0 | 43.0 | 88.0 | 50.0 | 45.0 | 20.5 |
| 42.5 | 42.4 43.0 88.0 45.6 45.0 2.7 40.1 43.0 88.0 47.9 45.0 12.4 37.8 43.0 88.0 50.2 45.0 21.2 | | | | | | | | | | | | | | | 20.8 | |
| 42.4 | | | | | | | | | | | | | | | | 21.2 | |
| 42.3 | 42.3 43.0 88.0 45.7 45.0 3.1 40.0 43.0 88.0 48.0 45.0 12.8 37.7 43.0 88.0 50.3 45.0 21.6 | | | | | | | | | | | | | | | 21.6 | |
| 42.2 | 42.2 43.0 88.0 45.8 45.0 3.6 39.9 43.0 88.0 48.1 45.0 13.2 37.6 43.0 88.0 50.4 45.0 219 | | | | | | | | | | | | | | | 219 | |
| 42.1 | 42.2 43.0 88.0 45.8 45.0 3.6 39.9 43.0 88.0 48.1 45.0 13.2 37.6 43.0 88.0 50.4 45.0 219 42.1 43.0 88.0 45.9 45.0 40.0 39.8 43.0 88.0 48.2 45.0 13.6 37.5 43.0 88.0 50.5 45.0 22.3 | | | | | | | | | | | | | | | | |
| 42.0 | 43.0 | 88.0 | 46.0 | 45.0 | 4.4 | 39.7 | 43.0 | 88.0 | 48.3 | 45.0 | 14.0 | 37.4 | 43.0 | 88.0 | 50.6 | 45.0 | 22.6 |
| 41.9 | 43.0 | 88.0 | 46.1 | 45.0 | 4.9 | 39.6 | 43.0 | 88.0 | 48.4 | 45.0 | 14.4 | 37.3 | 43.0 | 88.0 | 50.7 | 45.0 | 23.0 |
| 41.8 | 43.0 | 88.0 | 46.2 | 45.0 | 5.3 | 39.5 | 43.0 | 88.0 | 48.5 | 45.0 | 14.8 | 37.2 | 43.0 | 88.0 | 50.8 | 45.0 | 23.4 |
| 41.7 | 43.0 | 88.0 | 46.3 | 45.0 | 5.7 | 39.4 | 43.0 | 88.0 | 48.6 | 45.0 | 15.2 | 37.1 | 43.0 | 88.0 | 50.9 | 45.0 | 23.7 |
| 41.6 | 43.0 | 88.0 | 46.4 | 45.0 | 6.2 | 39.3 | 43.0 | 88.0 | 48.7 | 45.0 | 15.5 | 37.0 | 43.0 | 88.0 | 51.0 | 45.0 | 24.1 |
| 41.5 | 43.0 | 88.0 | 46.5 | 45.0 | 6.6 | 39.2 | 43.0 | 88.0 | 48.8 | 45.0 | 15.9 | 36.9 | 43.0 | 88.0 | 51.1 | 45.0 | 24.4 |
| 41.4 | 43.0 | 88.0 | 46.6 | 45.0 | 7.0 | 39.1 | 43.0 | 88.0 | 48.9 | 45.0 | 16.3 | 36.8 | 43.0 | 88.0 | 51.2 | 45.0 | 24.8 |
| 41.3 | 43.0 | 88.0 | 46.7 | 45.0 | 7.4 | 39.0 | 43.0 | 88.0 | 49.0 | 45.0 | 16.7 | 36.7 | 43.0 | 88.0 | 51.3 | 45.0 | 25.1 |
| 41.2 | 43.0 | 88.0 | 46.8 | 45.0 | 7.9 | 38.9 | 43.0 | 88.0 | 49.1 | 45.0 | 17.1 | 36.6 | 43.0 | 88.0 | 51.4 | 45.0 | 25.5 |
| 41.1 | 43.0 | 88.0 | 46.9 | 45.0 | 8.3 | 38.8 | 43.0 | 88.0 | 49.2 | 45.0 | 17.5 | 36.5 | 43.0 | 88.0 | 51.5 | 45.0 | 25.8 |
| 41.0 | 43.0 | 88.0 | 47.0 | 45.0 | 8.7 | 38.7 | 43.0 | 88.0 | 49.3 | 45.0 | 17.8 | 36.4 | 43.0 | 88.0 | 51.6 | 45.0 | 26.2 |
| 40.9 | 43.0 | 88.0 | 47.1 | 45.0 | 9.1 | 38.6 | 43.0 | 88.0 | 49.4 | 45.0 | 18.2 | 36.3 | 43.0 | 88.0 | 51.7 | 45.0 | 26.5 |
| 40.8 | 43.0 | 88.0 | 47.2 | 45.0 | 9.5 | 38.5 | 43.0 | 88.0 | 49.5 | 45.0 | 18.6 | 36.2 | 43.0 | 88.0 | 51.8 | 45.0 | 26.9 |
| 40.7 | 43.0 | 88.0 | 47.3 | 45.0 | 10.0 | 38.4 | 43.0 | 88.0 | 49.6 | 45.0 | 19.0 | 36.1 | 43.0 | 88.0 | 51.9 | 45.0 | 27.2 |
| | | | | | | (P | age 1 o | f 2, Citr u | ıs VI ((| 074) Li | mes) | | | | | | |

TABLE F - CITRUS JUICE CHART - CITRUS VI (074) LIMES (continued)

| | | To b | e used | for C | itrus VI (074) | | | · | | | fter freeze is b | <u> </u> | .2 and 4 | 3.0 pour | nds. | | |
|--------------------------------|---|------|---------------|--------------|-------------------------------|---------------------|----------|--------------|---------------|-----------------------|------------------|--------------------------------|-------------------------|--------------|------|------|--------------------------------------|
| Avg. Lbs. Jce/Bx (After) | Base | Off. | Post Fctr. | Pre Fctr. | % Damage <u>G-H</u> xFx100 | Avg. Lbs. Jce/Bx | Juice | Off. Wgt. | Post Fctr. | Pre Fctr. (F-E) | % Damage | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. | Post | | % Damage <u>G-H</u> xFx100 GxE |
| D | Е | F | G | Н | 1 | D | Е | F | G | Н | I | D | Е | F | G | Н | 1 |
| 36.0 | 43.0 | 88.0 | 52.0 | 45.0 | 27.5 | 33.7 | 43.0 | 88.0 | 54.3 | 45.0 | 35.1 | 31.4 | 43.0 | 88.0 | 56.6 | 45.0 | 41.9 |
| 35.9 | 43.0 | 88.0 | 52.1 | 45.0 | 27.9 | 33.6 | 43.0 | 88.0 | 54.4 | 45.0 | 35.4 | 31.3 | 43.0 | 88.0 | 56.7 | 45.0 | 42.2 |
| 35.8 | 43.0 | 88.0 | 52.2 | 45.0 | 28.2 | 33.5 | 43.0 | 88.0 | 54.5 | 45.0 | 35.7 | 31.2 | 43.0 | 88.0 | 56.8 | 45.0 | 42.5 |
| 35.7 | 43.0 | 88.0 | 52.3 | 45.0 | 28.6 | 33.4 | 43.0 | 88.0 | 54.6 | 45.0 | 36.0 | 31.1 | 43.0 | 88.0 | 56.9 | 45.0 | 42.8 |
| 35.6 | 43.0 | 88.0 | 52.4 | 45.0 | 28.9 | 33.3 | 43.0 | 88.0 | 54.7 | 45.0 | 36.3 | 31.0 | 43.0 | 88.0 | 57.0 | 45.0 | 43.1 |
| 35.5 | 43.0 | 88.0 | 52.5 | 45.0 | 29.2 | 33.2 | 43.0 | 88.0 | 54.8 | 45.0 | 36.6 | 30.9 | 43.0 | 88.0 | 57.1 | 45.0 | 43.4 |
| 35.4 | | | | | | | | | | | | | | | | 43.6 | |
| 35.3 | 35.3 43.0 88.0 52.7 45.0 29.9 33.0 43.0 88.0 55.0 45.0 37.2 30.7 43.0 88.0 57.3 45.0 43.9 | | | | | | | | | | | | | | | 43.9 | |
| 35.2 | 35.2 43.0 88.0 52.8 45.0 30.2 32.9 43.0 88.0 55.1 45.0 37.5 30.6 43.0 88.0 57.4 45.0 44.2 | | | | | | | | | | | | | | | | |
| 35.1 | 35.2 43.0 88.0 52.8 45.0 30.2 32.9 43.0 88.0 55.1 45.0 37.5 30.6 43.0 88.0 57.4 45.0 44.2 | | | | | | | | | | | | | | | | |
| 35.0 | 43.0 | 88.0 | 53.0 | 45.0 | 30.9 | 32.7 | 43.0 | 88.0 | 55.3 | 45.0 | 38.1 | 30.4 | 43.0 | 88.0 | 57.6 | 45.0 | 44.8 |
| 34.9 | 43.0 | 88.0 | 53.1 | 45.0 | 31.2 | 32.6 | 43.0 | 88.0 | 55.4 | 45.0 | 38.4 | 30.3 | 43.0 | 88.0 | 57.7 | 45.0 | 45.0 |
| 34.8 | 43.0 | 88.0 | 53.2 | 45.0 | 31.5 | 32.5 | 43.0 | 88.0 | 55.5 | 45.0 | 38.7 | 30.2 | 43.0 | 88.0 | 57.8 | 45.0 | 45.3 |
| 34.7 | 43.0 | 88.0 | 53.3 | 45.0 | 31.9 | 32.4 | 43.0 | 88.0 | 55.6 | 45.0 | 39.0 | 30.1 | 43.0 | 88.0 | 57.9 | 45.0 | 45.6 |
| 34.6 | 43.0 | 88.0 | 53.4 | 45.0 | 32.2 | 32.3 | 43.0 | 88.0 | 55.7 | 45.0 | 39.3 | 30.0 | 43.0 | 88.0 | 58.0 | 45.0 | 45.9 |
| 34.5 | 43.0 | 88.0 | 53.5 | 45.0 | 32.5 | 32.2 | 43.0 | 88.0 | 55.8 | 45.0 | 39.6 | 29.9 | 43.0 | 88.0 | 58.1 | 45.0 | 46.1 |
| 34.4 | 43.0 | 88.0 | 53.6 | 45.0 | 32.8 | 32.1 | 43.0 | 88.0 | 55.9 | 45.0 | 39.9 | 29.8 | 43.0 | 88.0 | 58.2 | 45.0 | 46.4 |
| 34.3 | 43.0 | 88.0 | 53.7 | 45.0 | 33.2 | 32.0 | 43.0 | 88.0 | 56.0 | 45.0 | 40.2 | 29.7 | 43.0 | 88.0 | 58.3 | 45.0 | 46.7 |
| 34.2 | 43.0 | 88.0 | 53.8 | 45.0 | 33.5 | 31.9 | 43.0 | 88.0 | 56.1 | 45.0 | 40.5 | 29.6 | 43.0 | 88.0 | 58.4 | 45.0 | 47.0 |
| 34.1 | 43.0 | 88.0 | 53.9 | 45.0 | 33.8 | 31.8 | 43.0 | 88.0 | 56.2 | 45.0 | 40.8 | 29.5 | 43.0 | 88.0 | 58.5 | 45.0 | 47.2 |
| 34.0 | 43.0 | 88.0 | 54.0 | 45.0 | 34.1 | 31.7 | 43.0 | 88.0 | 56.3 | 45.0 | 41.1 | 29.4 | 43.0 | 88.0 | 58.6 | 45.0 | 47.5 |
| 33.9 | 43.0 | 88.0 | 54.1 | 45.0 | 34.4 | 31.6 | 43.0 | 88.0 | 56.4 | 45.0 | 41.4 | 29.3 | 43.0 | 88.0 | 58.7 | 45.0 | 47.8 |
| 33.8 | 43.0 | 88.0 | 54.2 | 45.0 | 34.7 | 31.5 | 43.0 | 88.0 | 56.5 | 45.0 | 41.7 | 29.2 | 43.0 | 88.0 | 58.8 | 45.0 | 48.0 |
| | | | | | | (P | age 2 of | f 2, Citru | us VI (0 |)74) Li | mes) | | | | | | |

TABLE G - CITRUS JUICE CHART - CITRUS VI (073) LEMONS

| | | To be | used | for Citr | us VI (073) I | _emons, w | hen ave | rage poi | unds of | juice : | after freeze is | between 2 | 9.2 and | 43.0 pou | ınds. | | |
|--------------------------------|---|-------|-------|-----------------|--------------------------------------|-----------|---------|-----------|----------|-----------------------|--------------------------------------|--------------------------------|-------------------------|------------------------|-------|------|--------------------------------------|
| Avg. Lbs. Jce/Bx (After) | Base | | Fctr. | Fctr. | % Damage <u>G-H</u> xFx100 GxE | Jce/Bx | | | Fctr. | Pre Fctr. (F-E) | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | | | % Damage <u>G-H</u> xFx100 GxE |
| D | Е | F | G | Н | - 1 | D | Е | F | G | Н | 1 | D | Е | F | G | Н | 1 |
| 42.9 | 43.0 | 90.0 | 47.1 | 47.0 | 0.4 | 40.6 | 43.0 | 90.0 | 49.4 | 47.0 | 10.2 | 38.3 | 43.0 | 90.0 | 51.7 | 47.0 | 19.0 |
| 42.8 | 43.0 | 90.0 | 47.2 | 47.0 | 0.9 | 40.5 | 43.0 | 90.0 | 49.5 | 47.0 | 10.6 | 38.2 | 43.0 | 90.0 | 51.8 | 47.0 | 19.4 |
| 42.7 | 43.0 | 90.0 | 47.3 | 47.0 | 1.3 | 40.4 | 43.0 | 90.0 | 49.6 | 47.0 | 11.0 | 38.1 | 43.0 | 90.0 | 51.9 | 47.0 | 19.8 |
| 42.6 | 43.0 | 90.0 | 47.4 | 47.0 | 1.8 | 40.3 | 43.0 | 90.0 | 49.7 | 47.0 | 11.4 | 38.0 | 43.0 | 90.0 | 52.0 | 47.0 | 20.1 |
| 42.5 | 43.0 | 90.0 | 47.5 | 47.0 | 2.2 | 40.2 | 43.0 | 90.0 | 49.8 | 47.0 | 11.8 | 37.9 | 43.0 | 90.0 | 52.1 | 47.0 | 20.5 |
| 42.4 | 42.4 43.0 90.0 47.6 47.0 2.6 40.1 43.0 90.0 49.9 47.0 12.2 37.8 43.0 90.0 52.2 47.0 20.9 42.3 43.0 90.0 47.7 47.0 3.1 40.0 43.0 90.0 50.0 47.0 12.6 37.7 43.0 90.0 52.3 47.0 21.2 | | | | | | | | | | | | | | | 20.9 | |
| 42.3 | | | | | | | | | | | | | | | | 21.2 | |
| 42.2 | 42.2 43.0 90.0 47.8 47.0 3.5 39.9 43.0 90.0 50.1 47.0 13.0 37.6 43.0 90.0 52.4 47.0 21.6 | | | | | | | | | | | | | | | 21.6 | |
| 42.1 | 42.2 43.0 90.0 47.8 47.0 3.5 39.9 43.0 90.0 50.1 47.0 13.0 37.6 43.0 90.0 52.4 47.0 21.6 42.1 43.0 90.0 47.9 47.0 3.9 39.8 43.0 90.0 50.2 47.0 13.3 37.5 43.0 90.0 52.5 47.0 21.9 | | | | | | | | | | | | | | | 21.9 | |
| 42.0 | 43.0 | 90.0 | 48.0 | 47.0 | 4.4 | 39.7 | 43.0 | 90.0 | 50.3 | 47.0 | 13.7 | 37.4 | 43.0 | 90.0 | 52.6 | 47.0 | 22.3 |
| 41.9 | 43.0 | 90.0 | 48.1 | 47.0 | 4.8 | 39.6 | 43.0 | 90.0 | 50.4 | 47.0 | 14.1 | 37.3 | 43.0 | 90.0 | 52.7 | 47.0 | 22.6 |
| 41.8 | 43.0 | 90.0 | 48.2 | 47.0 | 5.2 | 39.5 | 43.0 | 90.0 | 50.5 | 47.0 | 14.5 | 37.2 | 43.0 | 90.0 | 52.8 | 47.0 | 23.0 |
| 41.7 | 43.0 | 90.0 | 48.3 | 47.0 | 5.6 | 39.4 | 43.0 | 90.0 | 50.6 | 47.0 | 14.9 | 37.1 | 43.0 | 90.0 | 52.9 | 47.0 | 23.3 |
| 41.6 | 43.0 | 90.0 | 48.4 | 47.0 | 6.1 | 39.3 | 43.0 | 90.0 | 50.7 | 47.0 | 15.3 | 37.0 | 43.0 | 90.0 | 53.0 | 47.0 | 23.7 |
| 41.5 | 43.0 | 90.0 | 48.5 | 47.0 | 6.5 | 39.2 | 43.0 | 90.0 | 50.8 | 47.0 | 15.7 | 36.9 | 43.0 | 90.0 | 53.1 | 47.0 | 24.0 |
| 41.4 | 43.0 | 90.0 | 48.6 | 47.0 | 6.9 | 39.1 | 43.0 | 90.0 | 50.9 | 47.0 | 16.0 | 36.8 | 43.0 | 90.0 | 53.2 | 47.0 | 24.4 |
| 41.3 | 43.0 | 90.0 | 48.7 | 47.0 | 7.3 | 39.0 | 43.0 | 90.0 | 51.0 | 47.0 | 16.4 | 36.7 | 43.0 | 90.0 | 53.3 | 47.0 | 24.7 |
| 41.2 | 43.0 | 90.0 | 48.8 | 47.0 | 7.7 | 38.9 | 43.0 | 90.0 | 51.1 | 47.0 | 16.8 | 36.6 | 43.0 | 90.0 | 53.4 | 47.0 | 25.1 |
| 41.1 | 43.0 | 90.0 | 48.9 | 47.0 | 8.1 | 38.8 | 43.0 | 90.0 | 51.2 | 47.0 | 17.2 | 36.5 | 43.0 | 90.0 | 53.5 | 47.0 | 25.4 |
| 41.0 | 43.0 | 90.0 | 49.0 | 47.0 | 8.5 | 38.7 | 43.0 | 90.0 | 51.3 | 47.0 | 17.5 | 36.4 | 43.0 | 90.0 | 53.6 | 47.0 | 25.8 |
| 40.9 | 43.0 | 90.0 | 49.1 | 47.0 | 9.0 | 38.6 | 43.0 | 90.0 | 51.4 | 47.0 | 17.9 | 36.3 | 43.0 | 90.0 | 53.7 | 47.0 | 26.1 |
| 40.8 | 43.0 | 90.0 | 49.2 | 47.0 | 9.4 | 38.5 | 43.0 | 90.0 | 51.5 | 47.0 | 18.3 | 36.2 | 43.0 | 90.0 | 53.8 | 47.0 | 26.5 |
| 40.7 | 43.0 | 90.0 | 49.3 | 47.0 | 9.8 | 38.4 | 43.0 | 90.0 | 51.6 | 47.0 | 18.7 | 36.1 | 43.0 | 90.0 | 53.9 | 47.0 | 26.8 |
| | | | | | | (Pa | ge 1 of | 2, Citrus | s VI (07 | 73) Lei | mons) | | | | | | |

TABLE G - CITRUS JUICE CHART - CITRUS VI (073) LEMONS (continued)

| | | To be | used | for Citr | us VI (073) L | _emons, w | hen ave | rage pou | unds of | juice a | after freeze is | between 29 | 9.2 and 4 | 13.0 pou | nds. | | |
|--------------------------------|---|-------|-------|-----------------|--------------------------------------|-----------|-------------------------|------------------------|----------|---------|--------------------------------------|--------------------------------|-----------|----------|-------|------|--------------------------------------|
| Avg. Lbs. Jce/Bx (After) | Base | | Fctr. | Fctr. | % Damage <u>G-H</u> xFx100 GxE | Jce/Bx | Juice Base Lbs/Bx | Off. Wgt. Lbs/Bx | Fctr. | Fctr. | % Damage <u>G-H</u> xFx100 GxE | Avg. Lbs. Jce/Bx (After) | Base | _ | Fctr. | | % Damage <u>G-H</u> xFx100 GxE |
| D | Е | F | G | Н | 1 | D | Е | F | G | Н | - 1 | D | Е | F | G | Н | I |
| 36.0 | 43.0 | 90.0 | 54.0 | 47.0 | 27.1 | 33.7 | 43.0 | 90.0 | 56.3 | 47.0 | 34.6 | 31.4 | 43.0 | 90.0 | 58.6 | 47.0 | 41.4 |
| 35.9 | 43.0 | 90.0 | 54.1 | 47.0 | 27.5 | 33.6 | 43.0 | 90.0 | 56.4 | 47.0 | 34.9 | 31.3 | 43.0 | 90.0 | 58.7 | 47.0 | 41.7 |
| 35.8 | 43.0 | 90.0 | 54.2 | 47.0 | 27.8 | 33.5 | 43.0 | 90.0 | 56.5 | 47.0 | 35.2 | 31.2 | 43.0 | 90.0 | 58.8 | 47.0 | 42.0 |
| 35.7 | 43.0 | 90.0 | 54.3 | 47.0 | 28.1 | 33.4 | 43.0 | 90.0 | 56.6 | 47.0 | 35.5 | 31.1 | 43.0 | 90.0 | 58.9 | 47.0 | 42.3 |
| 35.6 | 35.6 43.0 90.0 54.4 47.0 28.5 33.3 43.0 90.0 56.7 47.0 35.8 31.0 43.0 90.0 59.0 47.0 42.6 35.5 43.0 90.0 54.5 47.0 28.8 33.2 43.0 90.0 56.8 47.0 36.1 30.9 43.0 90.0 59.1 47.0 42.9 | | | | | | | | | | | | | | | | |
| 35.5 | 35.5 43.0 90.0 54.5 47.0 28.8 33.2 43.0 90.0 56.8 47.0 36.1 30.9 43.0 90.0 59.1 47.0 42.9 | | | | | | | | | | | | | | | | |
| 35.4 | 35.4 43.0 90.0 54.6 47.0 29.1 33.1 43.0 90.0 56.9 47.0 36.4 30.8 43.0 90.0 59.2 47.0 43.1 | | | | | | | | | | | | | | | | |
| 35.3 | 35.3 43.0 90.0 54.7 47.0 29.5 33.0 43.0 90.0 57.0 47.0 36.7 30.7 43.0 90.0 59.3 47.0 43.4 | | | | | | | | | | | | | | | | |
| 35.2 | 35.3 43.0 90.0 54.7 47.0 29.5 33.0 43.0 90.0 57.0 47.0 36.7 30.7 43.0 90.0 59.3 47.0 43.4 | | | | | | | | | | | | | | | | |
| 35.1 | 43.0 | 90.0 | 54.9 | 47.0 | 30.1 | 32.8 | 43.0 | 90.0 | 57.2 | 47.0 | 37.3 | 30.5 | 43.0 | 90.0 | 59.5 | 47.0 | 44.0 |
| 35.0 | 43.0 | 90.0 | 55.0 | 47.0 | 30.4 | 32.7 | 43.0 | 90.0 | 57.3 | 47.0 | 37.6 | 30.4 | 43.0 | 90.0 | 59.6 | 47.0 | 44.2 |
| 34.9 | 43.0 | 90.0 | 55.1 | 47.0 | 30.8 | 32.6 | 43.0 | 90.0 | 57.4 | 47.0 | 37.9 | 30.3 | 43.0 | 90.0 | 59.7 | 47.0 | 44.5 |
| 34.8 | 43.0 | 90.0 | 55.2 | 47.0 | 31.1 | 32.5 | 43.0 | 90.0 | 57.5 | 47.0 | 38.2 | 30.2 | 43.0 | 90.0 | 59.8 | 47.0 | 44.8 |
| 34.7 | 43.0 | 90.0 | 55.3 | 47.0 | 31.4 | 32.4 | 43.0 | 90.0 | 57.6 | 47.0 | 38.5 | 30.1 | 43.0 | 90.0 | 59.9 | 47.0 | 45.1 |
| 34.6 | 43.0 | 90.0 | 55.4 | 47.0 | 31.7 | 32.3 | 43.0 | 90.0 | 57.7 | 47.0 | 38.8 | 30.0 | 43.0 | 90.0 | 60.0 | 47.0 | 45.3 |
| 34.5 | 43.0 | 90.0 | 55.5 | 47.0 | 32.1 | 32.2 | 43.0 | 90.0 | 57.8 | 47.0 | 39.1 | 29.9 | 43.0 | 90.0 | 60.1 | 47.0 | 45.6 |
| 34.4 | 43.0 | 90.0 | 55.6 | 47.0 | 32.4 | 32.1 | 43.0 | 90.0 | 57.9 | 47.0 | 39.4 | 29.8 | 43.0 | 90.0 | 60.2 | 47.0 | 45.9 |
| 34.3 | 43.0 | 90.0 | 55.7 | 47.0 | 32.7 | 32.0 | 43.0 | 90.0 | 58.0 | 47.0 | 39.7 | 29.7 | 43.0 | 90.0 | 60.3 | 47.0 | 46.2 |
| 34.2 | 43.0 | 90.0 | 55.8 | 47.0 | 33.0 | 31.9 | 43.0 | 90.0 | 58.1 | 47.0 | 40.0 | 29.6 | 43.0 | 90.0 | 60.4 | 47.0 | 46.4 |
| 34.1 | 43.0 | 90.0 | 55.9 | 47.0 | 33.3 | 31.8 | 43.0 | 90.0 | 58.2 | 47.0 | 40.3 | 29.5 | 43.0 | 90.0 | 60.5 | 47.0 | 46.7 |
| 34.0 | 43.0 | 90.0 | 56.0 | 47.0 | 33.6 | 31.7 | 43.0 | 90.0 | 58.3 | 47.0 | 40.6 | 29.4 | 43.0 | 90.0 | 60.6 | 47.0 | 47.0 |
| 33.9 | 43.0 | 90.0 | 56.1 | 47.0 | 34.0 | 31.6 | 43.0 | 90.0 | 58.4 | 47.0 | 40.9 | 29.3 | 43.0 | 90.0 | 60.7 | 47.0 | 47.2 |
| 33.8 | 43.0 | 90.0 | 56.2 | 47.0 | 34.3 | 31.5 | 43.0 | 90.0 | 58.5 | 47.0 | 41.1 | 29.2 | 43.0 | 90.0 | 60.8 | 47.0 | 47.5 |
| | | | | | | (Pa | ge 2 of | 2, Citrus | s VI (07 | '3) Len | nons) | | | | | | |