ORNL/TM-13170/V4



OAK RIDGE NATIONAL LABORATORY

LOCKHEED MARTIN

Characteristics of Spent Fuel from Plutonium Disposition Reactors Vol. 4: Westinghouse Pressurized-Water-Reactor Fuel Cycle Without Integral Absorber

B. D. Murphy

MANAGED AND OPERATED BY LOCKHEED MARTIN ENERGY RESEARCH CORPORATION FOR THE UNITED STATES DEPARTMENT OF ENERGY

ORNL-27 (3-96)

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401.

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ORNL/TM-13170/V4

Computational Physics and Engineering Division

CHARACTERISTICS OF SPENT FUEL FROM PLUTONIUM DISPOSITION REACTORS VOL. 4: WESTINGHOUSE PRESSURIZED-WATER-REACTOR FUEL CYCLE WITHOUT INTEGRAL ABSORBER

B. D. Murphy

April 1998

Prepared by the OAK RIDGE NATIONAL LABORATORY managed by LOCKHEED MARTIN ENERGY RESEARCH CORP. for the U.S. DEPARTMENT OF ENERGY under contract DE-AC05-96OR22464

CONTENTS

Page
LIST OF FIGURES iv
LIST OF TABLES
ACKNOWLEDGMENTS vii
ABSTRACT ix
1. INTRODUCTION
2.BURNUP SIMULATION42.1FUEL CYCLES AND BURNUP SIMULATION4
3.SPENT FUEL CHARACTERISTICS53.1NUCLIDE INVENTORIES IN SPENT FUEL53.2ACTIVITIES AND DECAY HEAT53.3GAMMA AND NEUTRON DOSE RATES153.4SEVERE ACCIDENT ANALYSES153.5CRITICALITY SAFETY FOR GEOLOGIC REPOSITORY23
4. REFERENCES
APPENDIX A - DETAILED CALCULATED RESULTS27APPENDIX B - IMPORTANT SCALE SYSTEM DATA FILES35

LIST OF FIGURES

<u>Figu</u>	<u>Page</u>
1.	The plutonium content of a low-reactivity, transition assembly following one reactor cycle
2.	The plutonium content of a high-reactivity, transition assembly following three reactor cycles
3.	The nonplutonium actinide content of a low-reactivity, transition-assembly following one reactor cycle
4.	The nonplutonium actinide content of a high-reactivity, transition-assembly following three reactor cycles
5.	Activities for a low-reactivity transition assembly following one reactor cycle 10
6.	Activities for a high-reactivity transition assembly following three reactor cycles 11
7.	Decay-heat results for a low-reactivity assembly (one reactor cycle)
8.	Decay-heat results for a high-reactivity assembly (three reactor cycles)
9.	Gamma-dose rates at the surface and at 1 m from the side of a high-reactivity assembly following three reactor cycles
10.	Neutron dose rates at the surface and at 1 m from the side of a high-reactivity assembly following three reactor cycles
11.	Neutron and gamma dose rates at 1 m from the side of a transportation cask containing 24 spent fuel assemblies. These were high-reactivity assemblies exposed to three reactor cycles

LIST OF TABLES

<u>Tabl</u>	<u>e</u> <u>Page</u>
1.	Characteristics of Westinghouse transition-cycle MOX fuel
2.	Design parameters for transition-cycle MOX assemblies
3.	Comparison between transition-cycle and ref. 1 MOX assemblies
4.	Comparison of principal activity sources at discharge (curies per assembly)
5.	Comparison of principal activity sources at 10 years following discharge (curies per assembly)
6.	Nuclides of interest for criticality safety (g/assembly at discharge)
7.	Nuclides of interest for criticality safety (g/assembly at 10 years)
A.1.	Actinide concentrations from one-cycle, low-reactivity, spent fuel assembly
A.2.	Actinide concentrations from three-cycle, high-reactivity, spent fuel assembly 29
A.3.	Activities from low-reactivity, one-cycle, spent fuel assembly (curies per assembly)
A.4.	Activities from high-reactivity, spent fuel assembly (curies per assembly)
A.5.	Decay heat values, low-reactivity assembly, 1 cycle
A.6.	Decay heat values, high-reactivity assembly, 3 cycles
A.7.	Gamma dose from Westinghouse transition-cycle bare assembly
A.8.	Neutron dose from Westinghouse transition-cycle bare assembly
A.9.	Westinghouse transition, cask dose rates

ACKNOWLEDGMENTS

During the course of this work, the author benefited from many suggestions and overall guidance obtained during discussions with R. T. Primm III.

ABSTRACT

This report is a continuation of a series of studies on the burning of mixed-oxide (MOX) fuel in light-water reactors. It considers a 17×17 Westinghouse pressurized-water reactor in what might be a typical transition period between a full UO₂ core loading and a steady-state MOX loading. Westinghouse has reported to the United States Department of Energy (USDOE) that these same assembly designs could be used in an equilibrium fuel cycle in which every assembly in the reactor core contained MOX fuel. Two distinct arrangements are simulated for study purposes: a highreactivity assembly with 4.8% plutonium content that is burned to approximately 64,700 MWd/t and a low-reactivity assembly with 4.25% plutonium content that is burned to approximately 21,500 MWd/t. These two arrangements were chosen because they would produce spent fuel with the highest radiological source intensity and with the highest amount of fissile material, respectively. Isotopic composition, activities, decay heat, plus gamma and neutron dose rates, were examined.

1. INTRODUCTION

A previous report¹ described the characteristics of spent fuel from a Westinghouse pressurized-water reactor (PWR) burning mixed-oxide (MOX) fuel containing weapons-grade plutonium. The MOX fuel was composed of oxides of uranium and plutonium, with the plutonium comprising 4.56 wt % of the heavy metal, as well as supplying most of the fissile material (the uranium was tails uranium). This fuel design was a possible steady-state scenario for the disposal of weapons-grade plutonium in a commercial reactor. The time-dependent isotopic composition, together with the activities, dose rates, and various other safety-related characteristics of this spent MOX fuel, were reported.

If weapons-grade plutonium is to be burned in a commercial reactor, there will be a transition period in which the core loading arrangement will be different from both the UO_2 case and the steady-state MOX case. The work discussed in this report is a study of the properties of the spent fuel resulting from the cycles of such a transition period. This report will describe the types of transition assemblies being burned and the burnup simulations performed, and it will document the isotopic compositions and various other calculated characteristics of the spent fuel. Note that even though the terminology "transition cycle" is used in this report, the fuel-assembly designs could be used in an equilibrium core configuration. These studies represent an extension of work performed by Westinghouse for the USDOE during FY 1996.²

1.1 WESTINGHOUSE TRANSITION-CYCLE FUEL ASSEMBLIES

Before describing the details of the fuel assemblies, two important differences between the current (transition-cycle) study and the previous study¹ must be mentioned:

- The transition cycle involves a fuel rod that is about 4% smaller in diameter.
- The transition-cycle fuel pellets do not contain an integral fuel burnable absorber coating of ZrB_2 , as was the case for the previous study.

As in the steady-state case, the calculations described here involve a 17×17 Westinghouse assembly. Of the 289 fuel-pin grid locations, 25 contain guide-tube thimbles, leaving 264 fuel rods. Two types of transition-cycle fuel assemblies were studied: a high-reactivity assembly with an average plutonium content of 4.803 wt % and an average fissile plutonium content of 4.515 wt %; and a low-reactivity assembly with an average plutonium content of 4.247 wt % and an average fissile plutonium content of 3.992 wt %. The fissile content of the plutonium is 94% by weight: 93.6% ²³⁹Pu and 0.4% ²⁴¹Pu. The detailed isotopic compositions of the uranium and plutonium fuel are contained in Table 1. The major design parameters for the transition-cycle assemblies are shown in Table 2.² The outside dimension of the fuel clad was provided in ref. 2 for the transition-cycle case. No inside dimension was quoted; therefore, it was assumed to be equal to the outer dimension of the fuel pellet. Even though there is a gap, the neutronic impact of "smearing" the fuel and gap regions is insignificant. (The effective density of the MOX including the gap was calculated from the total

heavy metal in a transition-cycle assembly, 0.422 tonnes, and the dimensions of the fuel rods.) For comparison purposes, the differences between the transition and ref. 1 cases are shown in Table 3. Notice that the fuel pellet size is about 4.5% larger in diameter resulting in about 9% more fuel per assembly.

Plutonium fuel characteristics	%	
²³⁹ Pu:	93.6	
²⁴⁰ Pu:	5.9	
²⁴¹ Pu:	0.4	
²⁴² Pu:	0.1	
Uranium fuel characteristics		
²³⁴ U:	0.002	
²³⁵ U:	0.2	
²³⁶ U:	0.001	
²³⁸ U:	99.797	

Table 1. Characteristics of Westinghouse transition-cycle MOX fuel

 Table 2. Design parameters for transition-cycle MOX assemblies

Density of oxide (effective)	10.26 g/ml
Pellet diameter	0.7844 cm
Rod pitch	1.26 cm
Active fuel length	365.8 cm
Clad outside diameter (OD)	0.9144 cm
Clad material	Zircaloy-4
Average moderator boron (cycles 1, 2, 3)	710, 825, 880 ppm
Burnup per cycle	21,564 MWd/t
Fuel temperature (K)	901
Clad temperature (K)	607
Moderator temperature (K)	583

	Transition cycle	Ref. 1
Fuel pellet OD (cm)	0.7844	0.8192
Fuel rod OD (cm)	0.9144	0.95
Tonnes of HM/assembly	0.422	0.462
Pu wt %	4.803 (high reactivity) 4.247 (low reactivity)	4.56
Pu fissile (% of HM)	4.515 (high reactivity) 3.992 (low reactivity)	4.29

Table 3. Comparison between transition-cycle and ref. 1 MOX assemblies

2. BURNUP SIMULATION

2.1 FUEL CYCLES AND BURNUP SIMULATION

Various loading arrangements are associated with the transition cycles. It is anticipated that some low-reactivity assemblies will be burned for one cycle and some for two cycles; and that some high-reactivity assemblies will be burned for two cycles and some for three cycles. For safety assessments, it is necessary to study two types of spent fuel assemblies: assemblies that would contain the largest amount of fissile material, and assemblies that would deliver the greatest dose rates. A preliminary calculation indicated (as expected) that these would be the low-reactivity assembly following one reactor cycle and the high-reactivity assembly following three reactor cycles, respectively.

Simulations were performed where a low-reactivity assembly was burned for one reactor cycle and a high-reactivity assembly was burned for three reactor cycles. The composition of the discharged spent fuel for these two arrangements was determined using the SAS2H sequence of the ORNL SCALE system.³ In simulating the reactor burnup, the cycle length was chosen as 18 months, with a 3.5-month downtime between cycles. The simulation process is the same as that described previously in ref. 1. The SAS2H sequence generates the composition of the spent fuel at discharge, the ORIGEN-S code determines spent fuel composition at any arbitrary time following discharge, and the SAS1 code uses the results from ORIGEN-S to calculate dose rates. Specifically, these simulations were carried out with SCALE-4.3 and made use of the 44-energy-group ENDF/B-V library.

The SAS2H modeling approach assumes that the assembly is composed of circular zones. Of the 289 locations in the Westinghouse PWR assembly, the central location was modeled as a guide-tube thimble (i.e., an instrument hole). There were 24 other guide-tube thimbles that could accommodate burnable absorbers. (The details of the assembly layout are shown in Fig. 1 of ref. 1.) All 25 guide-tube locations contained moderator material for purposes of simulation. The zoning arrangement used was as follows: the central hole was modeled as a moderator zone surrounded by a Zircaloy zone and, in turn, surrounded by a moderator zone (i.e., an instrument-tube hole containing a Zircaloy thimble). Outside of this central hole was a zone of 40 fuel pins (homogenized), then a zone of eight guide tubes, followed by a second fuel zone containing 84 pins (homogenized). This zone, in turn, was surrounded by a zone of 16 guide tubes followed by a third and final fuel zone containing 140 pins (homogenized). Thus, there were, in total, 264 fuel pins and 24 guide tubes surrounding the central hole. The guide tubes were similar to the central instrument-tube hole in that they were composed of moderator (water) and Zircaloy. The details of the SAS2H modeling approach have been outlined previously.¹ Suffice to say that the SAS2H calculations involve a twostep process: The first step treats a unit fuel-pin cell. The second step treats the assembly as a whole, and the assembly is divided into circular zones. Cell-weighted cross sections calculated in the first step are used in treating the zones containing fuel in the second step.

3. SPENT FUEL CHARACTERISTICS

3.1 NUCLIDE INVENTORIES IN SPENT FUEL

Figure 1 is a plot of the plutonium content of a low-reactivity assembly at various times following discharge. Cooling times to 250,000 years are shown. Figure 2 is a similar plot showing plutonium content for a high-reactivity assembly. The nonplutonium actinide concentrations for the low-reactivity case are shown in Fig. 3, and for the high-reactivity case they are shown in Fig. 4. In the low-burnup case, the ²³⁹Pu content at discharge is about 66%, so it is considerably below weapons grade. In the high-reactivity/high-burnup case since ²⁴⁴Cm generation scales at a rate much greater than the burnup. Detailed numerical results showing isotopic inventories are contained in Appendix A (Tables A.1 and A.2).

3.2 ACTIVITIES AND DECAY HEAT

Activities from light elements, actinides, fission products, and the sum of these three are shown in Figs. 5 and 6 for the low- and high-burnup cases, respectively. Similarly, decay-heat values are shown in Figs. 7 and 8.

For the actinides, activities are largely the result of alpha decays. For the fission products and light elements, beta and gamma activities dominate. Consistent with this, the activities at shorter times following discharge are due primarily to the fission products, whereas at larger decay times, actinide activities dominate. Note that the actinide contribution to the decay heat increases in the 10-to 100-year time frame. This increase is caused by the ingrowth of ²⁴¹Am and its subsequent decay, which is somewhat more noticeable in the low-burnup case.

At long decay times the actinide activities are due primarily to ²³⁹Pu, ²⁴²Pu, ²³⁷Np (with ²³³Pa in equilibrium), some other uranium isotopes, and species in various decay chains down to the region of ²⁰⁸Pb. This is the region of the closed proton and neutron shells at the magic numbers 82 and 126, respectively. After many thousands of years of decay, the nuclides in chains that decay down to this region start to play a role as they do in the naturally occurring radioactive decay series. Thus, these nuclides are included in the "actinide" library in these calculations. Although these lower-mass nuclides are not actinides, they are the decay products of actinide species and are present in spent fuel as a direct result of the actinide component of the fuel.



Fig. 1. The plutonium content of a low-reactivity, transition assembly following one reactor cycle.



Fig. 2. The plutonium content of a high-reactivity, transition assembly following three reactor cycles.



Fig. 3. The nonplutonium actinide content of a low-reactivity, transition-assembly following one reactor cycle.



Fig. 4. The nonplutonium actinide content of a high-reactivity, transition-assembly following three reactor cycles.



Time from discharge (years)

Fig. 5. Activities for a low-reactivity transition assembly following one reactor cycle.



Time from discharge (years)

Fig. 6. Activities for a high-reactivity transition assembly following three reactor cycles.



Fig. 7. Decay-heat results for a low-reactivity assembly (one reactor cycle).



Time from discharge (years)

Fig. 8. Decay-heat results for a high-reactivity assembly (three reactor cycles).

At shorter decay times the actinide activities come from a different set of nuclides. At a 10year decay time in the case of the low-reactivity assembly, for instance, the actinide activities are due primarily to ²⁴¹Pu, ²⁴¹Am, ²⁴⁰Pu, ²³⁹Pu, ²⁴⁴Cm, and ²³⁸Pu in that order of priority. Because of their prominence at earlier decay times, these nuclides will, of necessity, have died out after long decay times. It is a consequence of the definition of activity that those species that are important at earlier decay times are not the ones of importance after long decay times. Earlier on, the short-lived nuclides contribute to the activity. At very long decay times they are replaced by the long-lived plutonium species, actinides such as ²³⁵U, ²³⁶U, and ²³⁷Np that "grow in", and the species in decay chains below uranium down to the region of ²⁰⁸Pb.

For the higher-burnup case, the spent fuel actinide activities are higher, as might be expected, and, for most nuclides not present in the fresh fuel, the concentrations tend to be higher in proportion to the amount of burnup. An exception, however, is the case of ²⁴⁴Cm. As noted, ²⁴⁴Cm is generated at a rate that increases greatly with burnup. This increase is evident by comparing Figs. 3 and 4. The amount of ²⁴⁴Cm generated in the high-burnup case is almost an order of magnitude greater than for the low-burnup case.

Most of the actinide species that are the major sources of activity are also responsible for the decay heat. It is important to keep in mind, however, that the correlation between sources of activity and sources of decay heat is loose and qualitative. Furthermore, activity is only a qualitative indicator of radiological hazard. Activities are reported here because spent fuel activity is a frequently quoted quantity. One should realize, however, that activity is only a measure of disintegration rate. With spent MOX fuel, the relative concentration of the various actinide species will be different than in the case of spent low-enriched uranium (LEU) fuel. Also, in comparing the low-reactivity assembly with the high-reactivity assembly, since the fissile contents are different, the importance of various species is not just dependent on burnup.

The fission-product activities at shorter decay times are result from the presence of ⁸⁵Kr, ⁹⁰Sr, ¹⁰⁶Ru, ¹²⁵Sb, ¹³⁴Cs, ¹³⁷Cs, ¹⁴⁷Pm, ¹⁵⁴Eu, and ¹⁵⁵Eu — fission products with decay half-lives measured in years. When compared with most other fission products, these ones would be considered long lived. At very long decay times, the fission-product activity is dominated by ⁹⁹Tc, a species that has a particularly long half-life for a fission product. Fission-product activities tend to scale with burnup. Exceptions to this would be those species with high capture cross sections or those that can result from capture by a neighboring species where that capture process has a high cross section.

The sources of fission-product decay heat are, of course, many of the same species that are responsible for the majority of the activity. After a 10-year decay, for instance, the major contributors are ⁹⁰Y (from ⁹⁰Sr),¹³⁷Cs, ^{137m}Ba (from ¹³⁷Cs), and ¹⁵⁴Eu. At very long decay times the main contributors are ⁹⁹Tc and ^{126m}Sb (a decay product of the long-lived fission product ¹²⁶Sn).

The light-element activities are low relative to the actinides and fission products. Lightelement activity is also subject to much uncertainty because it depends on the detailed composition of the structural materials. In the assemblies studied here, and in most cases, the predominant contributor to light-element activity and decay heat is ⁶⁰Co. The amount of ⁶⁰Co in a spent fuel assembly depends on the amount of cobalt in the ferrous metal of the assembly structural materials. The cobalt content of the assemblies for this study are representative of assemblies commonly in use. The numerical results of the activity and decay-heat calculations are shown in Tables A.3 through A.6. For an extensive discussion on the importance of various spent fuel nuclides in a number of contexts, one is referred to a report by Broadhead et al.⁴

3.3 GAMMA AND NEUTRON DOSE RATES

Gamma and neutron dose rates are of interest both for a bare assembly and for the exterior of a transportation cask containing spent fuel assemblies. Figures 9 and 10 show the gamma and neutron dose rates, respectively (at the surface and at 1 m from the surface), for a high-reactivity unshielded assembly following three reactor cycles.

The gamma and neutron dose rates at 1 m from the surface of a Transnuclear cask⁵ containing 24 spent fuel assemblies are shown in Fig. 11. Again, these rates were for high-reactivity assemblies that had been in the reactor for three cycles. For the unshielded assemblies, dose rates are shown for decay times up to 100 years. For the case of a cask, the attenuation is such that values are shown only for decay times up to 10 years.

Numerical results from the dose-rate calculations are given in Tables A.7 through A.9. In the case of the bare assembly, both the one-cycle and three-cycle dose rates are listed. In the case of the transportation cask, only the higher dose rates from the three-cycle case are listed.

3.4 SEVERE ACCIDENT ANALYSES

Design-basis accidents usually involve destruction of the fuel by some mechanism with consequent release to the environment of various fission products and actinides. One question of concern to the plutonium disposition program is whether the consequences of a severe accident with MOX fuel exceeds the consequences of a similar accident with LEU fuel. Even though the analysis of such an accident is beyond the scope of these studies, input to severe accident studies can be obtained from ORIGEN analyses.

Selected nuclides commonly input to accident analyses are shown in Tables 4 and 5. Table 4 gives nuclide activities at discharge, and Table 5 contains activities at 10 years following discharge. Most of this report has concentrated on the one-cycle, low-activity case and the three-cycle, high-activity case. However, Tables 4 and 5 show more extensive sets of results. Results are shown for a low-reactivity assembly following both one and two reactor cycles and for a high-reactivity assembly following both two and three reactor cycles.

The nuclides in Tables 4 and 5 will, in general, tend to have short half-lives, and one notes that many of them have insignificant activities after 10 years (i.e., where there is no value in Table 5). However, since many of these nuclides result from the decay of other species, the half-life is not necessarily a good indication of activity at a future date, and one can see that some species with quite short half-lives are still in evidence after 10 years. For practical reasons it is not possible to list values for an extensive number of decay times, but Table 5 should give an indication of the species that may be important at later decay times.



Fig. 9. Gamma-dose rates at the surface and at 1 m from the side of a high-reactivity assembly following three reactor cycles.



Time from discharge (years)

Fig. 10. Neutron-dose rates at the surface and at 1 m from the side of a high-reactivity assembly following three reactor cycles.



Fig. 11. Neutron and gamma-dose rates at 1 m from the side of a transportation cask containing 24 spent fuel assemblies. These were high-reactivity assemblies exposed to three reactor cycles.

	<u>.</u>	Low reactivity		High re	activity
		One	Two	Two	Three
Nuclide	Half-life	cycle	cycles	cycles	cycles
$^{241}\Delta m$	132 7 a	1.43×10^{2}	3.47×10^{2}	3.95×10^2	4.34×10^{2}
¹⁴⁰ Ba	432.7 d	7.41×10^5	7.45×10^5	5.93×10^{5} 7.44×10^{5}	7.42×10^{5}
¹⁴ C	5715 a	7.41×10^{-1} 2.58 × 10 ⁻¹	7.43×10^{-1}	7.44×10^{-1} 5.32 × 10 ⁻¹	9.05×10^{-1}
¹⁴¹ Ce	32.5 d	2.30×10^{5}	5.88×10^{5}	5.32×10^{5}	5.03×10^{5}
¹⁴³ Ce	1 377 d	0.90×10^{5} 5.84 × 10 ⁵	0.77×10^{5} 5.83 × 10 ⁵	0.73×10^{5} 5.82 × 10 ⁵	0.03×10^{5} 5 79 × 10 ⁵
¹⁴⁴ Ce	1.377 u 284 6 d	3.84×10^{5}	3.83×10^{5}	3.82×10^{5}	3.73×10^{5}
²⁴² Cm	264.0 u	3.64×10^{4}	4.03×10^{4}	4.04×10^{-104}	4.81×10^{5}
²⁴⁴ Cm	102.0 u	1.90×10 5 14 × 10 ²	9.33×10^{3}	9.36×10	1.00×10 1.75×10^4
58 C -	18.1 a	5.14×10	5.42×10^{3}	4.05×10^{3}	1.75×10^{3}
60 C	70.88 d	6.02×10^{-1}	6.24×10^{-3}	6.25×10^{-3}	6.32×10^{3}
¹³⁴ C0	5.271 a	1.99×10^{4}	3.94×10^{4}	3.68×10^{4}	5.44×10^{5}
¹³⁴ mCs	2.065 a	2.77×10^{4}	9.02×10^{4}	8.66×10^{4}	1.60×10^{3}
^{134m} Cs	2.90 h	1.07×10^{4}	2.20×10^{4}	2.09×10^{-4}	3.18×10^{4}
¹⁵⁰ Cs	13.16 d	2.40×10^{4}	4.02×10^{4}	4.17×10^{4}	6.02×10^{4}
	30.07 a	3.08×10^{4}	6.00×10^{4}	6.00×10^{4}	8.77×10^{4}
Ϋ́H	12.32 a	1.55×10^{2}	2.93×10^{2}	2.94×10^{2}	4.17×10^{2}
¹³¹ I	8.02 d	4.69×10^{5}	4.48×10^{5}	4.51×10^{5}	4.39×10^{5}
132 I	2.28 h	6.70×10^{5}	6.45×10^{5}	6.48×10^{5}	6.34×10^{5}
$^{133}\mathbf{I}$	20.8 h	8.88×10^{5}	8.76×10^{5}	8.78×10^{5}	$8.68 imes 10^{5}$
^{135}I	6.57 h	8.48×10^{5}	8.50×10^{5}	8.49×10^{5}	8.46×10^{5}
⁸⁵ Kr	10.76 a	1.56×10^{3}	2.83×10^{3}	2.84×10^{3}	3.91×10^{3}
^{85m} Kr	4.48 h	$7.03 imes 10^4$	6.62×10^4	6.66×10^{4}	$6.43 imes 10^4$
⁸⁸ Kr	2.84 h	$1.80 imes 10^5$	1.73×10^{5}	1.73×10^{5}	$1.68 imes 10^5$
¹⁴⁰ La	1.678 d	$7.50 imes 10^5$	7.64×10^{5}	7.61×10^{5}	$7.73 imes 10^5$
¹⁴⁰ La	3.90 h	$6.78 imes 10^5$	6.66×10^{5}	$6.67 imes 10^5$	$6.58 imes 10^5$
⁹⁹ Mo	2.75 d	$7.98 imes 10^5$	$7.95 imes 10^5$	$7.95 imes 10^5$	$7.93 imes 10^5$
⁹⁵ Nb	34.97 d	$6.47 imes 10^5$	$6.32 imes 10^5$	$6.26 imes 10^5$	$6.08 imes 10^5$
^{95m} Nb	3.61 d	$7.24 imes 10^3$	$6.98 imes 10^3$	7.01×10^{3}	6.83×10^{3}
147 Nd	10.98 d	$2.75 imes 10^5$	$2.79 imes 10^5$	$2.78 imes 10^5$	$2.80 imes 10^5$
²³⁸ Np	2.117 d	$1.95 imes 10^4$	$4.51 imes 10^4$	$4.08 imes 10^4$	$6.53 imes10^4$
¹⁴³ Pr	13.57 d	$5.82 imes 10^5$	5.80×10^{5}	5.80×10^{5}	$5.76 imes 10^5$
²³⁸ Pu	87.7 a	$1.58 imes 10^2$	1.05×10^{3}	1.01×10^{3}	2.54×10^3
²³⁹ Pu	$2.41 \times 10^4 \mathrm{a}$	$5.85 imes 10^2$	3.34×10^{2}	$4.07 imes 10^2$	2.63×10^{2}

 Table 4. Comparison of principal activity sources at discharge (curies per assembly)

Table 4 (continued)					
	Low reactivity High reactivity				activity
	One Two		Two	Three	
Nuclide	Half-life	cycle	cycles	cycles	cycles
²⁴⁰ Pu	6.56×10^{3} a	6.93×10^{2}	7.35×10^{2}	8.30×10^{2}	7.14×10^{2}
²⁴¹ Pu	14.4 a	1.63×10^{5}	2.17×10^{5}	2.38×10^{5}	2.14×10^{5}
⁸⁶ Rb	18.65 d	2.31×10^2	5.30×10^{2}	5.09×10^{2}	8.45×10^2
¹⁰⁵ Rh	35.4 h	6.53×10^{5}	6.55×10^{5}	6.59×10^{5}	6.54×10^{5}
105mRh	40 s	1.95×10^{5}	1.98×10^{5}	1.97×10^{5}	1.99×10^{5}
¹⁰³ Ru	39.27 d	8.85×10^{5}	8.65×10^{5}	8.68×10^{5}	8.57×10^{5}
¹⁰⁵ Ru	4.44 h	6.85×10^{5}	6.95×10^{5}	6.95×10^{5}	7.00×10^{5}
106 Ru	1.02 a	3.63×10^{5}	4.88×10^{5}	4.86×10^{5}	5.33×10^{5}
¹²⁷ Sb	3.84 d	$5.32 imes 10^4$	$4.82 imes 10^4$	$4.90 imes10^4$	$4.64 imes 10^4$
¹²⁹ Sb	4.4 h	1.68×10^{5}	1.55×10^{5}	$1.57 imes 10^5$	1.50×10^{5}
⁸⁹ Sr	50.52 d	2.40×10^{5}	2.28×10^5	2.29×10^5	2.21×10^{5}
⁹⁰ Sr	28.78 a	$1.09 imes 10^4$	$2.08 imes10^4$	$2.08 imes10^4$	$2.99 imes 10^4$
⁹¹ Sr	9.5 h	3.38×10^5	3.26×10^5	$3.26 imes 10^5$	$3.19 imes 10^5$
⁹² Sr	2.71 h	3.99×10^{5}	3.85×10^{5}	3.86×10^5	3.78×10^5
^{99m} Tc	6.01 h	7.05×10^{5}	$7.05 imes 10^5$	$7.06 imes 10^5$	$7.06 imes 10^5$
¹²⁷ Te	9.4 h	$5.32 imes 10^4$	$4.82 imes 10^4$	$4.90 imes10^4$	$4.63 imes 10^4$
^{127m} Te	109 d	9.49×10^{3}	8.65×10^{3}	$8.79 imes 10^3$	$8.19 imes 10^3$
¹²⁹ Te	1.16 h	1.61×10^{5}	1.48×10^{5}	$1.50 imes 10^5$	1.44×10^{5}
^{129m} Te	33.6 d	$3.38 imes 10^4$	$3.08 imes 10^4$	$3.12 imes 10^4$	$2.96 imes 10^4$
¹³² Te	3.2 d	$6.52 imes 10^5$	6.30×10^{5}	6.32×10^{5}	$6.20 imes 10^5$
^{131m} Xe	11.9 d	$5.92 imes 10^3$	6.43×10^{3}	6.44×10^{3}	$6.91 imes 10^3$
¹³³ Xe	5.243 d	$8.91 imes 10^5$	$8.79 imes 10^5$	$8.81 imes 10^5$	$8.72 imes 10^5$
^{133m} Xe	2.19 d	$2.95 imes 10^4$	$2.86 imes 10^4$	$2.87 imes10^4$	$2.83 imes 10^4$
¹³⁵ Xe	9.10 h	$4.24 imes 10^5$	$3.33 imes 10^5$	$3.77 imes 10^5$	$2.96 imes 10^5$
^{135m} Xe	15.3 m	$2.08 imes 10^5$	$1.99 imes 10^5$	$2.00 imes 10^5$	$1.95 imes 10^5$
⁹⁰ Y	2.67 d	$1.12 imes 10^4$	$2.15 imes10^4$	$2.14 imes 10^4$	$3.10 imes 10^4$
⁹¹ Y	58.5 d	3.48×10^5	$3.34 imes 10^5$	$3.34 imes 10^5$	$3.25 imes 10^5$
^{91m} Y	49.7 m	$1.96 imes 10^5$	$1.89 imes 10^5$	$1.89 imes 10^5$	$1.85 imes 10^5$
⁹² Y	3.54 h	$4.01 imes 10^5$	3.87×10^5	$3.88 imes 10^5$	$3.79 imes 10^5$
⁹³ Y	10.2 h	$3.37 imes 10^5$	3.24×10^5	$3.25 imes 10^5$	$3.18 imes 10^5$
⁹⁵ Zr	64.02 d	$6.43 imes 10^5$	$6.20 imes 10^5$	$6.22 imes 10^5$	$6.06 imes 10^5$
⁹⁷ Zr	16.8 h	6.62×10^{5}	6.48×10^{5}	6.49×10^{5}	6.41×10^{5}

per assembly)					
		Low reactivity		High reactivity	
		One	Two	Two	Three
Nuclide	Half-life	cycle	cycles	cycles	cycles
²⁴¹ Am	432.7 a	$2.20 imes 10^{-3}$	3.07×10^{3}	$3.39 imes 10^{3}$	3.12×10^{3}
140 Ba	12.75 d	<u></u>			
14 C	5715 a	$2.57 imes10^{-1}$	$5.88 imes 10^{-1}$	$5.31 imes 10^{-1}$	$9.04 imes 10^{-1}$
¹⁴¹ Ce	32.5 d				
¹⁴³ Ce	1.377 d				
¹⁴⁴ Ce	284.6 d	$5.32 imes10$ 1	$6.44 imes 10^{1}$	6.43×10^{1}	$6.66 imes 10^{1}$
²⁴² Cm	162.8 d	$7.12 imes10$ 0	$2.13 imes 10^{-1}$	$2.49 imes10$ 1	2.73×10^{1}
²⁴⁴ Cm	18.1 a	$3.52\times10^{\ 2}$	3.71×10^{-3}	3.18×10^{3}	1.20×10^{4}
⁵⁸ Co	70.88 d				
⁶⁰ Co	5.271 a	$5.34 imes10^{-2}$	1.06×10^{-3}	$9.87 imes 10^{2}$	1.46×10^{3}
^{134}Cs	2.065 a	$9.61 imes 10^{-2}$	3.13×10^{3}	3.00×10^{3}	$5.55 \times 10^{\mbox{-}3}$
^{134m} Cs	2.90 h				
^{136}Cs	13.16 d				
¹³⁷ Cs	30.07 a	2.44×10 4	4.76×10 4	4.76×10 4	6.96×10^{4}
${}^{3}\mathrm{H}$	12.32 a	$8.84 imes10$ 1	$1.67 \times 10^{\ 2}$	$1.67 imes 10^{2}$	$2.38 \times 10^{\ \text{2}}$
131 I	8.02 d				
^{132}I	2.28 h				
133 I	20.8 h				
^{135}I	6.57 h				
⁸⁵ Kr	10.76 a	$8.16 imes 10^{-2}$	$1.48 imes 10^{-3}$	$1.49 \times 10^{\mbox{-}3}$	$2.05 imes 10^{3}$
^{85m} Kr	4.48 h				
⁸⁸ Kr	2.84 h				
¹⁴⁰ La	1.678 d				
¹⁴¹ La	3.90 h				
⁹⁹ Mo	2.75 d				
⁹⁵ Nb	34.97 d				
^{95m} Nb	3.61 d				
¹⁴⁷ Nd	10.98 d				
²³⁸ Np	2.117 d	$3.89 imes 10^{-2}$	$1.17 imes 10^{-1}$	$1.36 imes 10^{-1}$	$1.49 imes 10^{-1}$
143 Pr	13.57 d				
²³⁸ Pu	87.7 a	$2.39 imes 10^{2}$	1.42×10^{-3}	$1.38 imes 10^{3}$	3.11×10^{3}
²³⁹ Pu	$2.41 \times 10^4 a$	$5.87 imes 10^{-2}$	$3.36 imes 10^{-2}$	4.09×10^{-2}	$2.66 imes 10^{-2}$

 Table 5. Comparison of principal activity sources at 10 years following discharge (curies per assembly)

Table 5 (continued)					
		Low reactivity		High reactivity	
		One	Two	Two	Three
Nuclide	Half-life	cycle	cycles	cycles	cycles
2400	(56.10^{3})	$(02 - 10)^2$	$7.20 - 10^{2}$	$0.22 - 10^{2}$	7.00×10^{2}
²⁴⁰ Pu	$6.56 \times 10^{3} a$	6.93×10^{2}	7.39 × 10 ⁻²	8.33×10^{2}	7.29×10^{2}
²⁴¹ Pu	14.4 a	1.01×10^{-5}	1.34×10^{-5}	1.47×10^{-5}	1.32×10^{-5}
⁰⁰ Rb	18.65 d				
¹⁰⁵ Rh	35.4 h				
^{105m} Rh	40 s				
103 Ru	39.27 d				
105 Ru	4.44 h				
¹⁰⁶ Ru	1.02 a	3.99×10^{-2}	5.37×10^{-2}	$5.35 imes 10^{-2}$	5.86×10^{2}
¹²⁷ Sb	3.84 d				
¹²⁹ Sb	4.4 h				
⁸⁹ Sr	50.52 d				
⁹⁰ Sr	28.78 a	$8.54 imes 10^{-3}$	$1.63 imes 10^4$	$1.63 imes10$ 4	2.34×10^{4}
⁹¹ Sr	9.5 h				
⁹² Sr	2.71 h				
^{99m} Tc	6.01 h				
¹²⁷ Te	9.4 h	$7.88 imes 10^{-7}$	$7.18 imes10^{-7}$	$7.30 imes 10^{-7}$	$6.81 imes 10^{-7}$
^{127m} Te	109 d	$8.05 imes10^{-7}$	$7.33 imes 10^{-7}$	$7.46 imes 10^{-7}$	$6.95 imes 10^{-7}$
¹²⁹ Te	1.16 h				
^{129m} Te	33.6 d				
¹³² Te	3.2 d				
^{131m} Xe	11.9 d				
¹³³ Xe	5.243 d				
^{133m} Xe	2.19 d				
¹³⁵ Xe	9.10 h				
^{135m} Xe	15.3 m				
⁹⁰ Y	2.67 d	8.54×10^{-3}	1.63×10^{-4}	1.63×10^{-4}	2.34×10^{4}
⁹¹ Y	58.5 d				
91m Y	49.7 m				
⁹² Y	3.54 h				
⁹³ Y	10.2 h				
⁹⁵ 7r	64 02 d				
97 Zr	16.8 h				

^{*a*} Nuclides marked in this manner have a negligible contribution.

3.5 CRITICALITY SAFETY FOR GEOLOGIC REPOSITORY

Assessment of repository safety involves analyses covering time periods thousands of years into the future. Even though actinide concentrations have been presented above, criticality analyses for a repository include selected nuclides that have significant absorption cross sections (i.e., they are good neutron poisons). Estimates of the quantities of these nuclides can be obtained from ORIGEN calculations, and they are listed in Tables 6 and 7 at the time of discharge and at 10 years following discharge, respectively. Results are shown for a low-reactivity assembly following one and two reactor cycles, and similarly for a high-reactivity assembly following two and three reactor cycles.

	Low reactivity High reactivity			eactivity
-	One	Two	Two	Three
Nuclide	cycle	cycles	cycles	cycles
16.0				
0 ⁰¹	6.20×10^{4}	6.20×10^{-4}	6.20×10^{-4}	6.20×10^{-4}
⁹⁵ Mo	1.33×10^{-2}	2.95×10^{-2}	2.97×10^{-2}	4.42×10^{-2}
¹⁰¹ Ru	2.29×10^{-2}	4.44×10^{-2}	4.45×10^{-2}	6.47×10^{-2}
⁹⁹ Tc	2.22×10^{-2}	4.12×10^{-2}	4.14×10^{-2}	5.74×10^{-2}
103 Rh	2.04×10^{-2}	3.43×10^{-2}	3.55×10^{-2}	$4.29 imes 10^{-2}$
¹⁰⁹ Ag	$6.08 imes10$ 1	$9.98 imes 10^{-1}$	$1.01 imes 10^{-2}$	$1.27 imes10^{-2}$
¹⁴³ Nd	2.22×10^{-2}	$3.99 imes 10^{-2}$	4.10×10^{-2}	5.31×10^{-2}
¹⁴⁵ Nd	1.66×10^{-2}	3.12×10^{-2}	$3.14 imes 10^{-2}$	4.40×10^{-2}
^{147}Sm	$1.43 imes 10^{-1}$	$3.83 imes10$ 1	$3.94 imes10$ 1	$5.70 imes10$ 1
149 Sm	$2.62 imes10$ $^{ m 0}$	$2.15 imes10$ 0	$2.53 imes10$ $^{ m o}$	$1.95 imes10$ 0
150 Sm	$8.43 imes 10^{-1}$	$1.76 \times 10^{\ 2}$	$1.75 \times 10^{\ 2}$	$2.56 \times 10^{\ 2}$
^{151}Sm	$1.29 imes10$ 1	$1.37 imes 10^{-1}$	$1.55 imes10$ 1	$1.53 imes10$ 1
152 Sm	$4.92 imes 10^{-1}$	$8.28 imes10$ 1	$8.38 imes10$ 1	$1.06 imes 10^{-2}$
¹⁵¹ Eu	2.32×10^{-2}	1.96 ×10 ⁻²	$2.49 imes 10^{-2}$	<u>a</u>
¹⁵³ Eu	$3.70 imes 10^{-1}$	$8.73 imes10$ 1	$8.62 imes10$ 1	$1.29 \times 10^{\ 2}$
¹⁵⁵ Gd	$2.81 imes 10^{-2}$	6.49 ×10 ⁻²	$7.46 imes 10^{-2}$	$1.14 imes 10^{-1}$
²³⁴ U	$6.15 imes10$ $^{ m 0}$	$4.79 imes10$ 0	$4.90 imes10$ 0	$4.60 imes10$ 0
²³⁵ U	$5.39 imes 10^{-2}$	$3.13 imes 10^{-2}$	3.47×10^{-2}	$1.86 imes 10^{-2}$
²³⁶ U	$6.06 imes 10^{-1}$	$9.79 imes10$ 1	$9.37 imes10$ 1	$1.12 imes 10^{-2}$
²³⁸ U	$3.98 imes 10^{5}$	$3.91 imes 10^{5}$	$3.89 imes 10^{5}$	$3.82 imes 10^{5}$
²³⁷ Np	$3.18 imes10$ 1	6.13×10^{-1}	$6.04 imes10$ 1	$8.21 imes10$ 1
²³⁸ Pu	$9.23 imes10$ $^{ m 0}$	6.10×10^{-1}	$5.88 imes10$ 1	$1.48 imes10$ 2
²³⁹ Pu	$9.42 imes 10^{-3}$	$5.38 imes 10^{-3}$	$6.56 imes 10^{-3}$	$4.24 imes 10^{-3}$
²⁴⁰ Pu	3.05×10^{-3}	$3.24 imes 10^{-3}$	3.66×10^{-3}	$3.15 imes 10^{-3}$
241 Pu	1.58×10^{-3}	$2.09 imes 10^{-3}$	$2.30 imes 10^{-3}$	$2.07 imes10$ 3
²⁴² Pu	2.02×10^{-2}	$7.13 imes10$ 2	$6.59 imes 10^{-2}$	$1.24 imes10$ 3
²⁴¹ Am	$4.17 imes 10^{-1}$	$1.01 imes 10^{-2}$	$1.15 imes 10^{-2}$	$1.26 imes 10^{-2}$
^{242m} Am	8.66 ×10 ⁻¹	$2.60 imes10$ $^{ m 0}$	$3.03 imes10$ 0	$3.32 imes10$ $^{ m 0}$
²⁴³ Am	$3.39 imes 10^{-1}$	$1.88 imes10$ 2	$1.70 imes10$ 2	$3.97 imes 10^{-2}$
²⁴⁵ Cm		4.00×10^{0}	3.48×10^{-0}	$1.62 imes 10^{-1}$

 Table 6. Nuclides of interest for criticality safety (g/assembly at discharge)

 $\frac{a}{2}$ Indicates that the concentration is negligible.

	Low reactivity		High reactivity		
_	One	Two	Two	Three	
Nuclide	cycle	cycles	cycles	cycles	
16 O	$6.20 imes10^{4}$	$6.20~ imes 10$ 4	$6.20~ imes 10$ 4	6.20×10^4	
⁹⁵ Mo	$1.79 \times 10^{\ 2}$	3.40 \times 10 2	3.42×10^{2}	4.86 \times 10 2	
101 Ru	$2.29\times10^{\ 2}$	4.44 \times 10 2	4.45×10^{2}	6.47×10^{2}	
⁹⁹ Tc	$2.23\times10^{\ 2}$	4.13×10^{-2}	4.16×10^{-2}	5.75 \times 10 2	
103 Rh	$2.32\times10^{\ 2}$	3.70×10^{2}	3.82×10^{-2}	4.56 \times 10 2	
¹⁰⁹ Ag	$6.09 imes10$ 1	1.00×10^{-2}	1.02×10^{2}	1.27 $ imes$ 10 2	
¹⁴³ Nd	$2.32\times10^{\ 2}$	4.08×10^{-2}	4.19×10^{2}	5.40 \times 10 2	
¹⁴⁵ Nd	$1.66 imes 10^{-2}$	3.12×10^{2}	3.14 \times 10 2	4.40 \times 10 2	
147 Sm	$7.91 imes10$ 1	1.17×10^{2}	1.21×10^{2}	1.38 \times 10 2	
149 Sm	$3.25 imes10$ 0	$2.88~ imes 10$ $^{ m o}$	3.25×10^{0}	$2.72~ imes 10$ $^{ m o}$	
150 Sm	$8.43 imes 10^{-1}$	1.76 $ imes$ 10 2	1.75 \times 10 2	2.56×10^{2}	
151 Sm	$1.20 imes10$ 1	$1.28 imes10$ 1	1.45×10^{-1}	1.43×10^{-1}	
¹⁵² Sm	$4.93 imes 10^{-1}$	8.28 $ imes$ 10 1	8.38 \times 10 1	1.06 \times 10 2	
¹⁵¹ Eu	$9.87 imes 10^{-1}$	$1.04 imes10$ 0	$1.18~ imes 10$ $^{ m 0}$	<u>a</u>	
¹⁵³ Eu	$3.74 imes10$ 0	$8.79 imes10$ 1	8.68 \times 10 1	1.30 \times 10 2	
¹⁵⁵ Gd	$1.37 imes10$ $^{ m 0}$	$3.46 imes10$ 0	3.40 \times 10 $^{\circ}$	5.67 $ imes$ 10 $^{ m 0}$	
²³⁴ U	$7.25 imes10$ 0	$1.14 imes10$ 1	1.13×10^{-1}	1.90×10^{-1}	
²³⁵ U	$5.42 imes 10^{-2}$	$3.15 imes 10^{-2}$	3.49×10^{2}	1.88 $ imes$ 10 2	
²³⁶ U	$6.37 imes10$ 1	$1.01 imes10$ 2	9.75 \times 10 1	1.15 \times 10 2	
²³⁸ U	3.98×10 5	3.91×10 5	3.89×10^{5}	3.82×10^{5}	
²³⁷ Np	$3.84 imes10$ 1	$7.07 imes10$ 1	7.07 $ imes$ 10 1	9.20 \times 10 1	
²³⁸ Pu	$1.39\times10^{\ 1}$	$8.30 imes10$ 1	8.06 \times 10 1	1.81 $ imes$ 10 2	
²³⁹ Pu	$9.45 imes 10^{-3}$	$5.42 imes 10^{-3}$	6.59×10^{-3}	4.28 \times 10 3	
²⁴⁰ Pu	$3.05 imes 10^{-3}$	$3.26 imes 10^{-3}$	3.67×10^{-3}	3.21 \times 10 3	
241 Pu	$9.73 \times 10^{\ 2}$	$1.29 imes10$ 3	1.42×10^{-3}	1.28 \times 10 3	
242 Pu	$2.02\times10^{\ 2}$	$7.13 \times 10^{\ 2}$	6.59×10^{2}	1.24 \times 10 3	
²⁴¹ Am	$6.40 imes 10^{-2}$	$8.95 imes10$ 2	9.87 $ imes$ 10 2	9.10 \times 10 2	
^{242m} Am	$8.25 imes 10^{-1}$	$2.47 imes10$ $^{ m 0}$	$2.88~ imes 10$ $^{ m o}$	3.16 \times 10 $^{\circ}$	
²⁴³ Am	$3.40 imes 10^{-1}$	$1.88 \times 10^{\ 2}$	1.70 $ imes$ 10 2	3.97 \times 10 2	
²⁴⁵ Cm		$4.00 imes 10^{0}$	3.48×10^{0}	1.62×10^{-1}	

Table 7. Nuclides of interest for criticality safety
(g/assembly at 10 years)

 $\frac{a}{2}$ Indicates that the concentration is negligible.

4. REFERENCES

- B. D. Murphy, Characteristics of Spent Fuel from Plutonium Disposition Reactors, Vol. 3: A Westinghouse Pressurized-Water Reactor Design, ORNL/TM-13170/V3, Lockheed Martin Energy Research Corp., Oak Ridge Natl. Lab., July 1997.
- Implementation of Weapons Grade MOX Fuel in Existing Pressurized Water Reactors, DOE/SF/19683-7, Westinghouse Electric Corporation, Energy Systems Business Unit, P.O. Box 355, Pittsburgh, Pa. 15230, August 30, 1996.
- 3. SCALE: A Modular Code System for Performing Standarized Computer Analyses for Licensing Evaluation, Vols. I-III, NUREG/CR-0200, Rev. 4 (ORNL/NUREG/CSD-2/R4), Lockheed Martin Energy Systems, Inc., Oak Ridge Natl. Lab., April 1995. Available from Radiation Shielding Information Center as CCC-545.
- B. L. Broadhead, M. D. DeHart, J. C. Ryman, J. S. Tang, and C. V. Parks, Investigation of Nuclide Importance to Functional Requirements Related to Transport and Long-Term Storage of LWR Spent Fuel, ORNL/TM-12742, Lockheed Martin Energy Systems, Oak Ridge Natl. Lab., June 1995.
- 5. B. L. Broadhead, J. S. Tang, R. L. Childs, C. V. Parks, and H. Taniuchi, "Evaluation of Shielding Analysis Methods in Spent-Fuel Cask Environments," *Nucl. Tech.*, **117**, 206–22 (1997).

APPENDIX A

DETAILED CALCULATED RESULTS

This appendix contains the calculated numerical values corresponding to the graphical results presented in the main body of the report. The tables that follow show calculated values for actinide concentrations, activities and decay heat, and gamma and neutron dose rates for an unshielded assembly, as well as values for the exterior of a transportation cask containing spent fuel assemblies. The tables cover a variety of cooling times, and they refer to both low- and high-reactivity assemblies (burned for one and three reactor cycles, respectively). The conditions that are pertinent to the particular results reported in Tables A.1–A.9 are explained in the table captions. Some of these tables report values out to 250,000 years. Dose rates are reported out to 1000 years only. For some nuclides, the concentrations are negligible after long decay times; in such cases, values are not shown in the tables.

_			(Plutonium;	per assembly in	grams)			
	²³⁸ Pu	²³⁹ Pu	²⁴⁰ Pu	²⁴¹ Pu	²⁴² Pu	Total Pu		
Charge	$0.00 imes 10^{0}$	$1.68 imes 10^4$	1.06×10^{3}	$7.17 imes 10^{1}$	$1.79 imes 10^1$	$1.79 imes 10^4$		
Discharge	$9.23 imes 10^{0}$	9.42×10^{3}	3.05×10^{3}	1.58×10^3	$2.02 imes 10^2$	$1.43 imes 10^4$		
1 day	$9.28 imes 10^{0}$	9.43×10^3	3.05×10^{3}	$1.58 imes 10^3$	2.02×10^2	$1.43 imes 10^4$		
1 year	$1.37 imes 10^{1}$	$9.45 imes 10^3$	3.05×10^{3}	1.50×10^3	2.02×10^2	$1.42 imes 10^4$		
5 years	$1.45 imes 10^{1}$	$9.45 imes 10^3$	3.05×10^{3}	1.24×10^{3}	2.02×10^2	$1.40 imes 10^4$		
10 years	$1.39 imes10^{1}$	$9.45 imes 10^3$	3.05×10^{3}	$9.73 imes 10^2$	2.02×10^2	$1.37 imes 10^4$		
15 years	$1.34 imes 10^{1}$	$9.45 imes 10^3$	3.05×10^{3}	7.64×10^{2}	2.02×10^2	$1.35 imes 10^4$		
30 years	$1.19 imes10^{1}$	$9.45 imes 10^3$	3.05×10^{3}	3.70×10^{2}	2.02×10^2	$1.31 imes 10^4$		
100 years	$7.01 imes 10^{0}$	9.43×10^{3}	3.03×10^{3}	$1.26 imes 10^{1}$	2.02×10^2	$1.27 imes 10^4$		
300 years	$1.56 imes 10^{0}$	9.37×10^{3}	2.96×10^{3}	$1.18 imes10^{-3}$	2.02×10^2	$1.25 imes 10^4$		
1000 years	1.36×10^{-2}	$9.19 imes 10^3$	2.75×10^{3}	$3.63 imes 10^{-4}$	2.02×10^2	$1.21 imes 10^4$		
3000 years	4.59×10^{-7}	$8.68 imes 10^3$	2.23×10^{3}	$3.08 imes 10^{-4}$	2.02×10^2	$1.11 imes10^4$		
10,000 years	<u>a</u>	7.11×10^{3}	1.06×10^{3}	1.74×10^{-4}	$1.99 imes 10^2$	8.37×10^3		
30,000 years		4.01×10^3	1.29×10^{2}	$3.41 imes 10^{-5}$	1.92×10^2	4.33×10^{3}		
100,000 years		$5.36 imes 10^2$	$7.91 imes 10^{-2}$	$1.13 imes 10^{-7}$	$1.68 imes 10^2$	$7.04 imes 10^2$		
250,000 years		$7.18 imes10^{0}$	2.50×10^{-7}		$1.27 imes 10^2$	$1.34 imes 10^2$		
			(Other actinide	es; per assembly	in grams)			
	²³⁵ U	²³⁶ U	²³⁸ U	²³⁷ Np	²⁴¹ Am	^{242m} Am	²⁴³ Am	²⁴⁴ Cm
Charge	$8.08 imes 10^2$	$4.04 \times 10^{\circ}$	4.03×10^{5}	$0.00 imes 10^{0}$	$0.00 imes 10^{0}$	$0.00 imes 10^{0}$	$0.00 imes 10^{ m o}$	$0.00 \ imes 10^{0}$
Discharge	$5.39 imes 10^2$	6.06×10^{1}	$3.98 imes 10^5$	$3.18 imes 10^1$	$4.17 imes 10^{-1}$	$8.66 imes 10^{-1}$	$3.39 imes 10^1$	$6.34 \times 10^{\circ}$
1 day	$5.39 imes 10^2$	$6.06 imes 10^1$	$3.98 imes 10^5$	$3.19 imes 10^1$	$4.19 imes10$ 1	$8.66 imes 10^{-1}$	3.40×10^1	$6.37 \times 10^{\circ}$
1 year	$5.39 imes 10^2$	$6.09 imes 10^1$	$3.98 imes 10^5$	$3.28 imes 10^1$	$1.16 imes10^{-2}$	$8.62 imes 10^{-1}$	3.40×10^{1}	6.13×10^{0}
5 years	$5.40 imes 10^2$	6.21×10^{1}	$3.98 imes 10^5$	3.44×10^{1}	3.79×10^{-2}	$8.45 imes 10^{-1}$	3.40×10^{1}	$5.26 \times 10^{\circ}$
10 years	5.42×10^2	6.37×10^{1}	$3.98 imes 10^5$	$3.84 imes 10^1$	6.40×10^{-2}	$8.25 imes 10^{-1}$	3.40×10^{1}	4.34×10^{0}
15 years	$5.43 imes 10^2$	6.53×10^{1}	$3.98 imes 10^5$	$4.43 imes 10^1$	8.43×10^{-2}	$8.05 imes10^{-1}$	3.40×10^1	$3.59 \times 10^{\circ}$
30 years	$5.47 imes 10^2$	$7.01 imes 10^1$	$3.98 imes 10^5$	$6.92 imes 10^1$	$1.21 imes 10^{-3}$	$7.47 imes 10^{-1}$	$3.39 imes 10^1$	$2.02 \times 10^{\circ}$
100 years	5.66×10^2	$9.21 imes 10^1$	$3.98 imes 10^5$	2.24×10^2	1.41×10^{-3}	$5.30 imes 10^{-1}$	3.37×10^{1}	1.38×10^1
300 years	$6.19 imes 10^2$	1.54×10^2	$3.98 imes 10^5$	$6.08 imes 10^2$	1.03×10^{-3}	$1.98 imes 10^{-1}$	3.31×10^1	6.52×10^{-5}
1000 years	$8.03 imes 10^2$	3.62×10^2	$3.98 imes 10^5$	1.29×10^3	$3.37 imes 10^{-2}$	6.35×10^{-3}	3.09×10^{1}	
3000 years	1.31×10^3	$8.77 imes 10^2$	$3.98 imes 10^5$	1.61×10^{3}	$1.37 imes 10^{-1}$	3.41×10^{-7}	$2.56 imes 10^1$	
10,000 years	$2.87 imes 10^3$	2.02×10^3	$3.98 imes 10^5$	1.62×10^3	$5.43 imes 10^{-3}$		$1.33 imes 10^1$	
30,000 years	$5.93 imes 10^3$	2.94×10^3	$3.98 imes 10^5$	1.61×10^3	$1.03 imes 10^{-3}$		$2.02 imes 10^{ m o}$	
100,000 years	$9.34 imes 10^3$	3.06×10^{3}	$3.98 imes 10^5$	$1.57 imes 10^3$	3.40×10^{-6}		2.80×10^{-3}	
250,000 years	9.86×10^3	$3.05 imes 10^3$	$3.98\times 10^{\rm 5}$	$1.50 imes 10^3$			$2.48\times10^{\text{-8}}$	

Table A.1. Actinide concentrations from one-cycle, low-reactivity, spent fuel assembly

 $\frac{a}{2}$ Indicates that the value is negligible.

<u>-</u>			(Plutoniu	m; per assembly	in grams)			
	²³⁸ Pu	²³⁹ Pu	²⁴⁰ Pu	²⁴¹ Pu	²⁴² Pu	Total Pu		
Charge	0.00×10^{0}	$1.90 imes 10^4$	1.20×10^{3}	8.11×10^{1}	2.03×10^{-1}	2.03×10^{4}		
Discharge	$1.48 imes 10^{2}$	4.24×10^{3}	3.15×10^{3}	2.07×10^{3}	1.24×10^{3}	$1.08 imes10^{4}$		
1 day	1.48×10^{2}	4.25×10^{3}	3.15×10^{3}	2.07×10^{3}	1.24×10^{3}	1.09×10^{4}		
1 year	1.85×10^{2}	4.28×10^{3}	3.15×10^{3}	1.97×10^{3}	1.24×10^{3}	$1.08 imes10^{4}$		
5 years	1.89×10^{2}	4.28×10^{3}	3.18×10^{3}	1.63×10^{3}	1.24×10^{3}	$1.05 imes 10^4$		
10 years	1.81×10^{2}	4.28×10^{3}	3.21×10^{3}	1.28×10^{3}	1.24×10^{3}	$1.02 imes 10^4$		
15 years	1.74×10^{2}	4.28×10^{3}	3.23×10^{3}	1.00×10^{3}	1.24×10^{3}	9.92×10^{3}		
30 years	1.55×10^{2}	4.28×10^{3}	3.28×10^{3}	4.86×10^{2}	1.24×10^{3}	9.44×10^{3}		
100 years	$8.97 imes10^{1}$	4.28×10^{3}	3.32×10^{3}	$1.65 imes 10^{-1}$	1.24×10^{3}	8.95×10^{3}		
300 years	1.89×10^{-1}	4.26×10^{3}	3.26×10^{3}	2.73×10^{-2}	1.24×10^{3}	8.78×10^{3}		
1000 years	1.04×10^{-1}	4.20×10^{3}	3.02×10^{3}	1.19×10^{-2}	1.24×10^{3}	8.46×10^{3}		
3000 years	$1.77 imes 10^{-6}$	4.02×10^{3}	2.45×10^{3}	2.11×10^{-2}	1.23×10^{3}	7.70×10^{3}		
10,000 years	<u>a</u>	3.42×10^{3}	1.17×10^{3}	1.19×10^{-2}	1.22×10^{3}	5.81×10^{3}		
30,000 years		2.01×10^{3}	1.41×10^{2}	2.33×10^{-3}	1.17×10^{3}	3.32×10^{3}		
100,000 years		2.73×10^2	8.69×10^{-2}	7.72×10^{-6}	1.03×10^{3}	1.30×10^{3}		
250,000 years		3.66×10^{0}	4.56×10^{-6}		7.81×10^{2}	7.85×10^{2}		
i			(Other actin	nides; per assemb	ly in grams)			
	²³⁵ U	²³⁶ U	²³⁸ U	²³⁷ Np	²⁴¹ Am	^{242m} Am	²⁴³ Am	²⁴⁴ Cm
Charge	8.03×10^{2}	4.02×10^{0}	4.01×10^{5}	0.00×10^{0}				
Discharge	1.86×10^{2}	1.12×10^{2}	3.82×10^{5}	8.21×10^{-1}	1.26×10^{2}	3.32×10^{0}	3.97×10^{2}	2.16×10^{2}
1 dav	1.86×10^{2}	1.12×10^{2}	3.82×10^{5}	8.22×10^{-1}	1.27×10^{2}	3.32×10^{0}	3.97×10^{2}	2.17×10^{2}
1 vear	1.87×10^{2}	1.12×10^{2}	3.82×10^{5}	8.36×10^{-1}	2.24×10^{2}	3.31×10^{0}	3.97×10^{2}	2.09×10^{2}
5 years	1.87×10^{2}	1.14×10^{2}	3.82×10^{5}	8.61×10^{-1}	5.68×10^{2}	3.24×10^{0}	3.97×10^{2}	1.79×10^{2}
10 years	1.88×10^{-2}	1.15×10^{2}	3.82×10^{5}	9.20×10^{-1}	9.10×10^{2}	3.16×10^{0}	3.97×10^{2}	1.48×10^{2}
15 years	1.88×10^{2}	1.17×10^{2}	3.82×10^{5}	1.00×10^{2}	1.18×10^{3}	3.09×10^{0}	3.97×10^{2}	1.22×10^{2}
30 years	1.90×10^{2}	1.22×10^{2}	3.82×10^{5}	1.35×10^{2}	1.66×10^{-3}	2.87×10^{0}	3.96×10^{2}	6.87×10^{-1}
100 years	1.99×10^{2}	1.46×10^{2}	3.82×10^{5}	3.44×10^{2}	1.91×10^{-3}	2.03×10^{0}	3.94×10^{2}	4.71×10^{0}
300 years	2.23×10^{2}	2.15×10^{2}	3.82×10^{5}	8.65×10^{2}	1.40×10^{3}	7.60×10^{-1}	3.86×10^{2}	2.22×10^{-3}
1000 years	3.06×10^{2}	4.43×10^{2}	3.82×10^{5}	1.79×10^{-3}	4.57×10^{2}	2.43×10^{-2}	3.62×10^{2}	
3000 years	5.39×10^{2}	1.01×10^{3}	3.82×10^{5}	2.23×10^{3}	1.92×10^{1}	1.31×10^{-6}	3.00×10^{2}	
10.000 years	1.27×10^{3}	2.27×10^{3}	3.82×10^{5}	2.24×10^{-3}	3.59×10^{-1}		1.55×10^{2}	
30,000 years	2.78×10^{3}	3.27×10^{3}	3.82×10^{5}	2.24×10^{3}	7.03×10^{-2}		2.36×10^{-1}	
100.000 years	4.51×10^{3}	3.41×10^{3}	3.82×10^{5}	2.19×10^{3}	2.33×10^{-4}		3.27×10^{-2}	
250.000 years	4.78×10^{3}	3.39×10^{3}	3.82×10^{5}	2.08×10^{-3}			1.85×10^{-5}	

Table A.2. Actinide concentrations from three-cycle, high-reactivity, spent fuel assembly

 $\frac{a}{2}$ Indicates that the value is negligible.

	Light elements	Actinides	Fission products	Total
Discharge	$2.03 imes 10^5$	$1.65 imes 10^7$	7.32×10^7	8.99×10^{7}
1 day	$1.13 imes 10^5$	$6.27 imes10^6$	$1.54 imes 10^7$	$2.18 imes 10^7$
1 year	6.58×10^{3}	$1.62 imes 10^5$	$8.95 imes 10^{5}$	1.06×10^{6}
5 years	1.55×10^{3}	$1.31 imes 10^5$	1.33×10^{5}	2.66×10^{5}
10 years	$7.30 imes 10^2$	$1.05 imes 10^5$	$7.38 imes10^4$	1.80×10^{5}
15 years	3.96×10^{2}	$8.38 imes10^4$	$6.06 imes 10^4$	1.45×10^{5}
30 years	$1.19 imes 10^2$	$4.42 imes 10^4$	$4.11 imes 10^4$	$8.54 imes10^4$
100 years	$4.70 imes10^1$	$7.58 imes 10^3$	7.96×10^{3}	$1.56 imes 10^4$
300 years	$1.27 imes10^1$	4.85×10^{3}	1.11×10^{2}	4.97×10^{3}
1000 years	$1.41 imes10^{0}$	$2.37 imes 10^3$	$5.40 imes10^{0}$	2.38×10^{3}
3000 years	$1.23 imes 10^{ m o}$	1.11×10^{3}	$5.21 imes10^{0}$	1.12×10^{3}
10,000 years	$1.02 imes10^{ m o}$	$6.92 imes 10^2$	$5.09 imes10^{0}$	6.98×10^{2}
30,000 years	$7.21 imes10^{-1}$	$2.84 imes 10^2$	$4.77 imes10^{0}$	2.89×10^{2}
100,000 years	$3.51 imes 10^{-1}$	$4.12 imes 10^1$	$3.84 imes10^{0}$	$4.54 imes 10^{1}$
250,000 years	$1.26 imes 10^{-1}$	$1.18 imes 10^1$	$2.51 imes 10^{\circ}$	1.44×10^{1}

 Table A.3. Activities from low-reactivity, one-cycle, spent fuel assembly

 (curies per assembly)

 Table A.4. Activities from high-reactivity, spent fuel assembly

 (curies per assembly)

	Light elements	Actinides	Fission products	Total
Discharge	$2.60 imes10$ 5	$2.18 imes 10^7$	7.63×10^{7}	9.84×10^{7}
1 day	$1.49 imes10$ 5	$8.12 imes 10^6$	1.64×10^{7}	2.47×10^{7}
1 year	$1.29 imes10$ 4	2.60×10^{5}	1.41×10^{6}	1.68×10^{6}
5 years	$4.17 imes10^{-3}$	$1.89 imes 10^5$	3.18×10^{5}	$5.11 imes 10^{-5}$
10 years	$2.05 imes10^{-3}$	$1.52 imes 10^5$	2.04×10^{5}	3.58×10^5
15 years	$1.14 imes 10^{-3}$	1.22×10^{5}	1.70×10^{5}	2.93×10^{5}
30 years	$3.83 imes10^{-2}$	$6.55 imes 10^4$	1.16×10^{5}	$1.82 imes 10^5$
100 years	1.64×10^{-2}	$1.15 imes 10^4$	$2.22 imes 10^4$	$3.39 imes 10^4$
300 years	$4.40 imes10$ 1	6.33×10^{3}	2.58×10^{2}	6.63×10^{3}
1000 years	$4.54 imes10$ $^{ m o}$	2.68×10^{3}	1.39×10^{1}	2.70×10^{3}
3000 years	$3.93 imes10$ $^{ m 0}$	1.01×10^{3}	1.36×10^{1}	1.03×10^{3}
10,000 years	$3.22 imes10$ $^{ m o}$	$5.54 imes 10^2$	1.33×10^{-1}	5.71×10^{2}
30,000 years	$2.26 imes10$ $^{ m 0}$	1.81×10^{2}	1.25×10^{-1}	1.96×10^{2}
100,000 years	$1.10 imes 10^{0}$	3.69×10^{1}	1.01×10^{1}	4.81×10^{1}
250,000 years	$4.04 imes 10^{-1}$	$2.44 imes 10^{1}$	$6.64 imes 10^{0}$	$3.14 imes 10^{1}$

	Light elements	Actinides	Fission products	Total
Discharge	1.08×10^{3}	$4.35 imes 10^4$	$8.76 imes 10^5$	$9.21 imes 10^5$
1 day	$5.10 imes 10^2$	$1.62 imes 10^4$	$6.72 imes 10^4$	8.39×10^{4}
1 year	$3.70 imes 10^{1}$	2.32×10^{2}	3.73×10^{3}	4.00×10^{3}
5 years	$1.63 imes 10^{1}$	1.11×10^2	4.26×10^2	$5.53 imes 10^2$
10 years	$8.33 imes10^{0}$	1.37×10^{2}	2.01×10^{2}	$3.46 imes 10^2$
15 years	$4.30 imes 10^{0}$	1.57×10^{2}	1.65×10^{2}	$3.26 imes 10^2$
30 years	$6.05 imes10^{-1}$	$1.93 imes 10^2$	1.11×10^{2}	$3.05 imes 10^2$
100 years	$8.15 imes 10^{-3}$	2.06×10^{2}	$2.10 imes 10^{1}$	2.27×10^2
300 years	4.54 ×10 ⁻³	$1.59 imes 10^2$	$2.01 imes 10^{-1}$	$1.59 imes 10^2$
1000 years	$3.31 imes 10^{-3}$	$7.61 imes 10^{1}$	7.17×10^{-3}	$7.61 imes 10^{1}$
3000 years	$3.08 imes 10^{-3}$	$3.43 imes 10^{1}$	7.06×10^{-3}	$3.43 imes 10^{1}$
10,000 years	2.41×10^{-3}	$2.14 imes10^{1}$	6.78×10^{-3}	$2.14 imes10^{1}$
30,000 years	$1.22 imes 10^{-3}$	$8.76 imes10^{0}$	6.05×10^{-3}	$8.77 imes10^{0}$
100,000 years	$1.29 imes 10^{-4}$	$1.21 imes 10^{0}$	4.09×10^{-3}	$1.21 imes 10^{\circ}$
250,000 years	$1.17 imes 10^{-5}$	$2.78 imes10^{-1}$	1.89×10^{-3}	$2.80 imes10^{-1}$

Table A.5. Decay-heat values, low-reactivitty assembly, 1 cycle(watts per assembly)

Table A.6. Decay-heat values, high-reactivity assembly, 3 cycles(watts per assembly)

	Light elements	Actinides	Fission products	Total
Discharge	1.41×10^{3}	6.33×10^{4}	9.13×10^{5}	9.78×10^{5}
1 day	6.87×10^{2}	2.64×10^{4}	$7.33 imes 10^4$	1.00×10^{5}
1 year	$8.78 imes10^{1}$	2.00×10^{3}	6.35×10^{3}	8.44×10^{3}
5 years	4.44×10^{1}	7.25×10^{2}	1.16×10^{3}	1.93×10^{3}
10 years	2.28×10^{1}	6.68×10^{2}	6.05×10^{2}	1.30×10^{3}
15 years	1.18×10^{1}	6.21×10^{2}	4.80×10^{2}	1.11×10^{3}
30 years	1.66×10^{0}	5.11×10^{2}	3.17×10^{2}	8.30×10^{2}
100 years	$2.73 imes 10^{-2}$	3.19×10^{2}	$5.91 imes 10^{1}$	3.78×10^{2}
300 years	1.48×10^{-2}	2.06×10^{2}	$5.60 imes 10^{-1}$	2.07×10^{2}
1000 years	1.05×10^{-2}	8.47×10^{1}	$1.88 imes 10^{-2}$	8.47×10^{1}
3000 years	9.76×10^{-3}	2.97×10^{1}	$1.86 imes 10^{-2}$	2.97×10^{1}
10,000 years	$7.64 imes 10^{-3}$	1.63×10^{1}	$1.78 imes10^{-2}$	1.63×10^{-1}
30,000 years	3.87×10^{-3}	5.39×10^{0}	$1.59 imes 10^{-2}$	5.41×10^{0}
100,000 years	$4.11 imes 10^{-4}$	9.99×10^{-1}	$1.07 imes 10^{-2}$	$1.01 imes 10^{0}$
250,000 years	$3.82 imes 10^{-5}$	$5.81 imes 10^{-1}$	$4.95 imes 10^{-3}$	$5.86 imes 10^{-1}$

Low-reactivity, one cycle					
	Surface	1 m			
Time	(rem/h)	(rem/h)			
1 day	$5.47 imes10^{6}$	3.54×10^{5}			
1 year	$1.20 imes10^5$	7.74×10^{3}			
5 years	$2.60 imes10^4$	1.67×10^{3}			
10 years	$1.47 imes10^4$	9.48×10^{2}			
15 years	$1.14 imes 10^4$	7.32×10^{2}			
30 years	$7.15 imes 10^3$	4.59×10^{2}			
100 years	$1.36 imes 10^3$	$8.70 imes 10^{-1}$			
300 years	$1.57 imes10^1$	$1.00 imes 10^{0}$			
1000 years	$1.49 imes10^{0}$	9.50×10^{-2}			
H	High-reactivity, three cycles				
	Surface	1 m			
Time	(rem/h)	(rem/h)			
1 day	$6.07 imes10^6$	3.93×10^{5}			
1 year	$3.02 imes 10^5$	$1.95 imes 10^4$			
5 years	$9.13 imes 10^4$	5.88×10^{3}			
10 years	$4.75 imes 10^4$	3.06×10^{3}			
15 years	$3.46 imes 10^4$	2.23×10^{3}			
30 years	$2.09 imes10^4$	1.34×10^{3}			
100 years	$3.87 imes 10^3$	2.48×10^2			
300 years	$4.39 imes 10^1$	$2.81 imes10^{ m 0}$			
1000 years	$4.71 imes10^{ m 0}$	$2.98 imes 10^{-1}$			

 Table A.7. Gamma dose rates from a Westinghouse transition-cycle bare assembly

Low-reactivity, one cycle					
	Surface	1 m			
Time	(rem/h)	(rem/h)			
1 day	$1.61 imes10$ 0	$1.12 imes 10^{-1}$			
1 year	$7.70 imes 10^{-1}$	5.37×10^{-2}			
5 years	$4.82 imes 10^{-1}$	3.36×10^{-2}			
10 years	$4.11 imes 10^{-1}$	$2.87 imes10^{-2}$			
15 years	$3.53 imes 10^{-1}$	$2.46 imes 10^{-2}$			
30 years	$2.31 imes 10^{-1}$	1.61×10^{-2}			
100 years	$7.90 imes 10^{-2}$	$5.50 imes 10^{-3}$			
300 years	$5.71 imes 10^{-2}$	3.98×10^{-3}			
1000 years	$3.86 imes 10^{-2}$	2.69×10^{-3}			
Higl	High-reactivity, three cycles				
	Surface	1 m			
Time	(rem/h)	(rem/h)			
1 day	2.71×10^{1}	$1.89 imes10^{0}$			
1 year	$1.95 imes10^{ m 1}$	$1.36 imes 10^{0}$			
5 years	1.51×10^{-1}	$1.06 imes 10^{0}$			
10 years	$1.25 imes10^{-1}$	$8.74 imes10^{-1}$			
15 years	1.04×10^{-1}	$7.25 imes 10^{-1}$			
30 years	$5.96 imes 10^{0}$	4.16×10^{-1}			
100 years	6.32×10^{-1}	4.41×10^{-2}			
300 years	2.13×10^{-1}	1.49×10^{-2}			
1000 years	$1.73 imes 10^{-1}$	$1.12 imes 10^{-2}$			

Table A.8. Neutron dose rates from a Westinghouse transition-cycle bare assembly

	(24 assemblin)	cs, ingli reactivity,	5 Cycles)	
	Sur	face	1 1	n
Time	Neutron	Gamma	Neutron	Gamma
	(rem/h)	(rem/h)	(rem/h)	(rem/h)
1 day	$8.48 imes 10^{-2}$	2.01×10^1	$3.25 imes 10^{-2}$	$9.22 imes 10^{0}$
1 year	$6.08 imes 10^{-2}$	$3.74 imes 10^{-1}$	2.33×10^{-2}	$1.69 imes 10^{-1}$
5 years	4.71×10^{-2}	$8.05 imes 10^{-2}$	$1.80 imes 10^{-2}$	$3.49 imes 10^{-2}$
10 years	$3.90 imes 10^{-2}$	4.35×10^{-2}	1.49×10^{-2}	$1.85 imes 10^{-2}$
15 years	$3.23 imes 10^{-2}$	3.05×10^{-2}	1.24×10^{-2}	$1.28 imes 10^{-2}$
30 years	$1.85 imes 10^{-2}$	1.42×10^{-2}	$7.09 imes 10^{-3}$	$5.90 imes 10^{-3}$
100 years	1.98×10^{-3}	1.42×10^{-3}	$7.57 imes10^{-4}$	$5.85 imes10^{-4}$
300 years	$6.72 imes10^{-4}$	$4.05 imes 10^{-4}$	$2.57 imes10^{-4}$	$1.65 imes 10^{-4}$
1000 years	$5.43 imes 10^{-4}$	$3.28 imes 10^{-4}$	$2.08 imes10^{-4}$	$1.33 imes 10^{-4}$

Table A.9. Westinghouse transition, transportation cask dose rates(24 assemblies, high reactivity, 3 cycles)

APPENDIX B

IMPORTANT SCALE SYSTEM DATA FILES

Some important files that are pertinent to this work are contained on the diskette attached to this report.

The SAS2H code sequence was used to simulate the burnup of the fuel assemblies studied. Via ORIGEN-S the output from SAS2H was then used to calculate the isotopic composition and associated characteristics of an assembly following discharge. ORIGEN-S also provided source terms that were used by the SAS1 code sequence to determine neutron and gamma dose rates for spent fuel assemblies at various times following discharge.

In naming the files on the attached diskette, the designation L1 implies a low-reactivity assembly burned for one reactor cycle, and H3 implies a high-reactivity assembly burned for three reactor cycles. The following files are on the attached diskette:

L1SAS2.IN:	SAS2H input for the low-reactivity, one-cycle (L1) case.
H3SAS2.IN:	SAS2H input for the high-reactivity, three-cycle (H3) case.
L10RG1.0UT	ORIGEN-S output for earlier decay times in L1 case
L1ORG2.OUT:	ORIGEN-S output for later decay times in L1 case.
H3ORG1.OUT:	ORIGEN-S output for earlier decay times in H3 case.
H3ORG2.OUT:	ORIGEN-S output for later decay times in H3 case.
I 1SAS1 IN·	SAS1 input for one L1 spent fuel assembly
H3SAS1.IN:	SAS1 input for one H3 spent fuel assembly.
CH3SAS1.IN:	SASI input for a cask containing 24 type-H3 spent fuel assemblies.

ORNL/TM-13170/V4

INTERNAL DISTRIBUTION

- 1. C. W. Alexander
- 2. S. M. Bowman
- 3. B. L. Broadhead
- 4-8. W. C. Carter
 - 9. B. S. Cowell
- 10. M. D. DeHart
- 11. M. B. Emmett
- 12. S. R. Greene
- 13. O. W. Hermann
- 14. M. A. Kuliasha
- 15. L. C. Leal
- 16. S. B. Ludwig
- 17. G. E. Michaels
- 18. D. L. Moses
- 19-24. B. D. Murphy
 - 25. D. G. O'Connor
 - 26. J. V. Pace

- 27-31. C. V. Parks
- 32. L. M. Petrie
- 33-37. R. T. Primm, III
 - 38. R. W. Roussin
- 39-43. J. C. Ryman
 - 44. C. H. Shappert
 - 45. D. J. Spellman
 - 46. J. S. Tang
 - 47. R. M. Westfall
 - 48. K. A. Williams
 - 49. B. A. Worley
 - 50. R. Q. Wright
 - 51. Laboratory Records RC
- 52-53. Laboratory Records
 - (for submission to OSTI)
 - 54. Central Research Library

EXTERNAL DISTRIBUTION

- 55-59. M. L. Adams, Texas A&M University, Department of Nuclear Engineering Zachry 129, College Station, TX 77843
 - 60. J. Buksa, Los Alamos National Laboratory, P.O. Box 1663, Los Alamos, NM 87545
 - 61. H. Canter, Department of Energy, Technical Director, 1000 Independence Ave., SW, Forrestal Building 3F043, Washington, DC 20585
 - 62. G. S. Chang, INEEL, P.O. Box 1625, MS-3885, Idaho Falls, ID 83415-3885
 - 63. T. Cremers, Los Alamos National Laboratory, P.O. Box 1663, Los Alamos, NM 87545
 - 64. A. I. Cygelman, Department of Energy, 1000 Independence Ave., SW, Forrestal Building 3F043, Washington, DC 20585
 - 65. P. Gottlieb, TRW, 1180 Town Center Drive, Las Vagas, NV 89134
 - 66. L. Groves, Sandia National Laboratories, P.O. Box 969, Livermore, CA 94551
 - 67. D. Harrison, Department of Energy, 101 Convention Center Drive, Suite P200, Las Vegas, NV 89109
 - G. Holman, Lawrence Livermore National Laboratory, P.O. Box 808, Livermore, CA 94551
 - C. Jaeger, Sandia National Laboratories, P.O. Box 5800, Albuquerque, NM 78185-0759

- 70. Office of the ORNL Site Manager, Department of Energy, Oak Ridge National Laboratory, P.O. Box 2008, Oak Ridge, TN 37831
- 71. D. Peko, Department of Energy, 1000 Independence Ave., SW Forrestal Building 3F042, Washington, DC 20585
- 72. P. T. Rhoads, Department of Energy, 1000 Independence Ave., SW, Forrestal Building 3F043, Washington, DC 20585
- 73. G. P. Rudy, Department of Energy, 1000 Independence Ave., SW, Forrestal Building 7B192, Washington, DC 20585
- 74. J. M. Ryskamp, INEEL, P.O. Box 1625, MS-3885, Idaho Falls. ID 83415-3885
- S. S. Sareen, Sandia National Laboratories, 2650 Park Tower Drive, Suite 800, Vienna, VA 22180
- 76. J. Thompson, Department of Energy, 1000 Independence Ave., SW Forrestal Building 3F043, Washington, DC 20585
- 77. R. Zurn, Sandia National Laboratories, P.O. Box 969, Livermore, CA 94551