

Validation Results V4.1 (9/6/2016)

Schema PDS_Validation_Results_v4.1.xsd

attributeFormDefault: **unqualified**
 elementFormDefault: **qualified**

Elements

[Acknowledgement](#)

Complex types

[ExhibitLineItemAckType](#)

[FARLineItemAckType](#)

[LineItemsAckType](#)

[ProcurementInstrumentNumberFormatAckType](#)

[UniformProcurementInstrumentIdentifierAckType](#)

Simple types

[TimeZoneType](#)

[TrueType](#)

element Acknowledgement

annotation	documentation PDS Acknowledgement
------------	--------------------------------------

element Acknowledgement/AcknowledgementVersion

type	restriction of xs:token						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>4.1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	4.1	
Kind	Value	Annotation					
enumeration	4.1						
annotation	documentation The version of the acknowledgement schema.						

element Acknowledgement/TransactionIdentifier

annotation	documentation Information that identifies the incoming transaction.
------------	--

element Acknowledgement/TransactionIdentifier/FileMetadata

annotation	documentation Data that describes the transaction and the valuation process.
------------	---

element Acknowledgement/TransactionIdentifier/FileMetadata/OriginalFileName

type	xs:string
annotation	documentation The name of the incoming file.

element Acknowledgement/TransactionIdentifier/FileMetadata/Channel

type	xs:string
annotation	documentation The Global Exchange (GEX) processing channel.

Validation Results V4.1 (9/6/2016)

element **Acknowledgement/TransactionIdentifier/FileMetadata/DateTime**

type	xs:dateTime
annotation	documentation The date and time the transaction was processed in the Global Exchange (GEX) (in CCYY-MM-DD format).

element **Acknowledgement/TransactionIdentifier/FileMetadata/TimeZone**

type	TimeZoneType																																																										
facets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 60%;">Value</th> <th style="width: 25%;">Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>Alaska Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Alaska Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Central Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Central Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Eastern Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Eastern Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Greenwich Mean Time/Universal Time Coordinate</td><td></td></tr> <tr><td>enumeration</td><td>Hawaii-Aleutian Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Hawaii-Aleutian Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Non-US Local Time</td><td></td></tr> <tr><td>enumeration</td><td>Mountain Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Mountain Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Newfoundland Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Newfoundland Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Pacific Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Pacific Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Atlantic Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Atlantic Standard Time</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Alaska Daylight Time		enumeration	Alaska Standard Time		enumeration	Central Daylight Time		enumeration	Central Standard Time		enumeration	Eastern Daylight Time		enumeration	Eastern Standard Time		enumeration	Greenwich Mean Time/Universal Time Coordinate		enumeration	Hawaii-Aleutian Daylight Time		enumeration	Hawaii-Aleutian Standard Time		enumeration	Non-US Local Time		enumeration	Mountain Daylight Time		enumeration	Mountain Standard Time		enumeration	Newfoundland Daylight Time		enumeration	Newfoundland Standard Time		enumeration	Pacific Daylight Time		enumeration	Pacific Standard Time		enumeration	Atlantic Daylight Time		enumeration	Atlantic Standard Time		
Kind	Value	Annotation																																																									
enumeration	Alaska Daylight Time																																																										
enumeration	Alaska Standard Time																																																										
enumeration	Central Daylight Time																																																										
enumeration	Central Standard Time																																																										
enumeration	Eastern Daylight Time																																																										
enumeration	Eastern Standard Time																																																										
enumeration	Greenwich Mean Time/Universal Time Coordinate																																																										
enumeration	Hawaii-Aleutian Daylight Time																																																										
enumeration	Hawaii-Aleutian Standard Time																																																										
enumeration	Non-US Local Time																																																										
enumeration	Mountain Daylight Time																																																										
enumeration	Mountain Standard Time																																																										
enumeration	Newfoundland Daylight Time																																																										
enumeration	Newfoundland Standard Time																																																										
enumeration	Pacific Daylight Time																																																										
enumeration	Pacific Standard Time																																																										
enumeration	Atlantic Daylight Time																																																										
enumeration	Atlantic Standard Time																																																										
annotation	documentation The time zone of the value provided in the DateTime element. (see list)																																																										

element **Acknowledgement/TransactionIdentifier/FileMetadata/MSN**

type	xs:string
annotation	documentation The Global Exchange (GEX) internal transaction identifier.

element **Acknowledgement/TransactionIdentifier/FileMetadata/Standard**

type	restriction of xs:token																			
facets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 60%;">Value</th> <th style="width: 25%;">Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>Procurement Data Standard - Award</td><td></td></tr> <tr><td>enumeration</td><td>Procurement Data Standard - Award Modification</td><td></td></tr> <tr><td>enumeration</td><td>Procurement Data Standard - Solicitation</td><td></td></tr> <tr><td>enumeration</td><td>Procurement Data Standard - Solicitation Amendment</td><td></td></tr> <tr><td>enumeration</td><td>Purchase Request Data Standard</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Procurement Data Standard - Award		enumeration	Procurement Data Standard - Award Modification		enumeration	Procurement Data Standard - Solicitation		enumeration	Procurement Data Standard - Solicitation Amendment		enumeration	Purchase Request Data Standard		
Kind	Value	Annotation																		
enumeration	Procurement Data Standard - Award																			
enumeration	Procurement Data Standard - Award Modification																			
enumeration	Procurement Data Standard - Solicitation																			
enumeration	Procurement Data Standard - Solicitation Amendment																			
enumeration	Purchase Request Data Standard																			
annotation	documentation The standard that the transaction is validated against, ie. Procurement Data Standard - Award.																			

Validation Results V4.1 (9/6/2016)

element **Acknowledgement/TransactionIdentifier/FileMetadata/Version**

type	restriction of xs:token		
facets	Kind	Value	Annotation
	enumeration	1.0	
	enumeration	1.0.1	
	enumeration	1.0.2	
	enumeration	1.2	
	enumeration	2.0	
	enumeration	2.2	
	enumeration	2.2.1	
	enumeration	2.3	
	enumeration	2.4	
	enumeration	2.5	
	enumeration	2.5.1	
annotation	documentation The version of the standard that the transaction is validated against, ie. 2.2.		

element **Acknowledgement/TransactionIdentifier/ProcurementInstrumentData**

annotation	documentation Provides information that identifies the Procurement Instrumen trepresented by the transaction.
------------	--

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/UniformProcurementInstrumentIdentifier

type	<u>UniformProcurementInstrumentIdentifierAckType</u>
annotation	documentation Procurement Instrument Number. Format follows the uniform procurement identification definition for use across the Federal Government.

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/ProcurementInstrumentNumber

type	<u>ProcurementInstrumentNumberFormatAckType</u>
annotation	documentation Procurement Instrument Number defined following the rules of the applicable agency and/or vehicle.

element **Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/NonDoDNumber**

type	xs:string
annotation	documentation Used when the procurement instrument is non-Department of Defense and cannot be mapped using the separate fields under Procurement Instrument Number.

Validation Results V4.1 (9/6/2016)

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/ProcurementInstrumentEffectiveDate

type	xs:string
annotation	documentation Effective date of the procurement instrument. Date in CCYY-MM-DD format.

element **Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/OrderingInstrument**

annotation	documentation When the procurement document is an order against an ordering instrument, the ordering instrument number.
------------	--

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/OrderingInstrument/UniformProcurementInstrumentIdentifier

type	<u>UniformProcurementInstrumentIdentifierAckType</u>
annotation	documentation Procurement Instrument Number. Format follows the uniform procurement identification definition for use across the Federal Government.

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/OrderingInstrument/ProcurementInstrumentNumber

type	<u>ProcurementInstrumentNumberFormatAckType</u>
annotation	documentation Procurement Instrument Number defined following the rules of the applicable agency and/or vehicle.

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/OrderingInstrument/NonDoDNumber

type	xs:string
annotation	documentation Used when the procurement instrument is non-Department of Defense and cannot be mapped using the separate fields under Procurement Instrument Number.

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/PurchaseRequestIdentifier

annotation	documentation Unique identifier for the purchase request.
------------	--

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/PurchaseRequestIdentifier/EnterpriseIdentifier

type	xs:string
annotation	documentation The DoDAAC that identifies the entity that issued the purchase request.

Validation Results V4.1 (9/6/2016)

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/PurchaseRequestIdentifier/Serial Number

type	xs:string
annotation	documentation Eight alphanumeric characters (except the letters 'I' and 'O') that represent the serial number. Letters must be capitalized.

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/PurchaseRequestIdentifier/PurchaseRequestRevisionNumber

type	xs:string
annotation	documentation The revision number of the purchase request. Zero is used for the base document.

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/PurchaseRequestIdentifier/NonDoDNumber

type	xs:string
annotation	documentation Use when the procurement instrument is non-Department of Defense and cannot be mapped using the separate fields under Purchase Request Identifier.

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/PurchaseRequestIdentifier/TreasuryIGTOrderNumber

type	xs:string
annotation	documentation The number assigned to the intra-governmental transaction by the Treasury's Intra-Governmental Transaction (IGT) system.

element

Acknowledgement/TransactionIdentifier/ProcurementInstrumentData/PurchaseRequestIdentifier/TreasuryIGTOrderModificationNumber

type	xs:string
annotation	documentation The Intra-Governmental Transaction (IGT) Order Number modification number.

element **Acknowledgement/TransactionIdentifier/DITPRNumber**

type	xs:string
annotation	documentation The DoD Information Technology Portfolio Repository (DITPR) Number assigned to the DoD application or system that generated the XML document.

Validation Results V4.1 (9/6/2016)

element **Acknowledgement/TransactionIdentifier/InternalDocumentNumber**

type	xs:string
annotation	documentation The internal system identifier of the document by which it is tracked by the system referenced by the DITPR Number.

element **Acknowledgement/TransactionIdentifier/SystemAdministratorDoDAAC**

type	xs:string
annotation	documentation The DoDAAC of the entity that administers the DoD application or system that generated the XML document.

element **Acknowledgement/TransactionIdentifier/NonDoDEntityIdentifier**

type	xs:string
annotation	documentation The 5 digit CAGE, 9 digit DUNS, 6 character Activity Address Code or other identifier of the organization who administers the non-DoD application or system. This may or may not be the same entity that uses the application or system.

element **Acknowledgement/TransactionIdentifier/SystemName**

type	xs:string
annotation	documentation The name of the non-DoD application or system.

element **Acknowledgement/TransactionIdentifier/SystemVersion**

type	xs:string
annotation	documentation The version of the non-DoD application or system.

element **Acknowledgement/TransactionIdentifier/ContractAdministrativeOfficeDoDAAC**

type	xs:string
annotation	documentation The DoDAAC (Department of Defense Activity Address Code) of the contract administrative office.

element **Acknowledgement/TransactionIdentifier/ContractIssuingOfficeDoDAAC**

type	xs:string
annotation	documentation The DoDAAC (Department of Defense Activity Address Code) of the contract issuing office.

element **Acknowledgement/TransactionIdentifier/ContractingOfficer**

annotation	documentation The Contracting officer's name and contact information.
------------	--

element **Acknowledgement/TransactionIdentifier/ContractingOfficer/Name**

type	xs:string
------	------------------

Validation Results V4.1 (9/6/2016)

annotation	documentation Name of the person or entity.
------------	--

element **Acknowledgement/TransactionIdentifier/ContractingOfficer/ContactMethod**

annotation	documentation Means of communication with the contact.
------------	---

element **Acknowledgement/TransactionIdentifier/ContractingOfficer/ContactMethod/MethodDescription**

type	xs:string
annotation	documentation The method to be used to contact the person or entity. (see list)

element **Acknowledgement/TransactionIdentifier/ContractingOfficer/ContactMethod/MethodValue**

type	xs:string
annotation	documentation The communications details denoted by the value in Method Description.

element **Acknowledgement/TransactionIdentifier/PaymentOfficeDoDAAC**

type	xs:string
annotation	documentation The DoDAAC (Department of Defense Activity Address Code) of the payment office.

element **Acknowledgement/TransactionIdentifier/RequiringActivityDoDAAC**

type	xs:string
annotation	documentation The DoDAAC (Department of Defense Activity Address Code) of the requiring activity.

element **Acknowledgement/TransactionIdentifier/Acceptor**

annotation	documentation The name and contact information of the person who accepted intra-governmental transaction.
------------	--

element **Acknowledgement/TransactionIdentifier/Acceptor/Name**

type	xs:string
annotation	documentation Name of the person or entity.

element **Acknowledgement/TransactionIdentifier/Acceptor/ContactMethod**

annotation	documentation Means of communication with the contact.
------------	---

element **Acknowledgement/TransactionIdentifier/Acceptor/ContactMethod/MethodDescription**

type	xs:string
------	------------------

Validation Results V4.1 (9/6/2016)

annotation	documentation The method to be used to contact the person or entity. (see list)
------------	--

element **Acknowledgement/TransactionIdentifier/Acceptor/ContactMethod/MethodValue**

type	xs:string
annotation	documentation The communications details denoted by the value in Method Description.

element **Acknowledgement/TransactionIdentifier/Requestor**

annotation	documentation The name and contact information of the person who created the purchase request or the intra-governmental transaction.
------------	---

element **Acknowledgement/TransactionIdentifier/Requestor/Name**

type	xs:string
annotation	documentation Name of the person or entity.

element **Acknowledgement/TransactionIdentifier/Requestor/ContactMethod**

annotation	documentation Means of communication with the contact.
------------	---

element **Acknowledgement/TransactionIdentifier/Requestor/ContactMethod/MethodDescription**

type	xs:string
annotation	documentation The method to be used to contact the person or entity. (see list)

element **Acknowledgement/TransactionIdentifier/Requestor/ContactMethod/MethodValue**

type	xs:string
annotation	documentation The communications details denoted by the value in Method Description.

element **Acknowledgement/TransactionIdentifier/DocumentSignatureDetails**

annotation	documentation Details of signer of the procurement instrument document.
------------	--

element **Acknowledgement/TransactionIdentifier/DocumentSignatureDetails/SignerDescription**

type	restriction of xs:token																				
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="width: 25%;">Kind</th> <th style="width: 25%;">Value</th> <th style="width: 35%;">Annotation</th> </tr> </thead> <tbody> <tr> <td></td> <td>enumeration</td> <td>Acceptor</td> <td></td> </tr> <tr> <td></td> <td>enumeration</td> <td>Contracting Officer</td> <td></td> </tr> <tr> <td></td> <td>enumeration</td> <td>Requestor</td> <td></td> </tr> <tr> <td></td> <td>enumeration</td> <td>"Not Provided"</td> <td></td> </tr> </tbody> </table>		Kind	Value	Annotation		enumeration	Acceptor			enumeration	Contracting Officer			enumeration	Requestor			enumeration	"Not Provided"	
	Kind	Value	Annotation																		
	enumeration	Acceptor																			
	enumeration	Contracting Officer																			
	enumeration	Requestor																			
	enumeration	"Not Provided"																			

Validation Results V4.1 (9/6/2016)

annotation	documentation Describes who signed the procurement instrument document.
------------	--

element **Acknowledgement/TransactionIdentifier/DocumentSignatureDetails/SignatureDate**

type	xs:string
annotation	documentation The date the procurement instrument document was signed.

element **Acknowledgement/TransactionIdentifier/NumberOfLineItems**

annotation	documentation Provides the number of each category of line item found in the procurement instrument.
------------	---

element **Acknowledgement/TransactionIdentifier/NumberOfLineItems/LineItemDescription**

type	restriction of xs:token												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 35%;">Value</th> <th style="width: 50%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Deliverable</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Informational</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Undetermined</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Deliverable		enumeration	Informational		enumeration	Undetermined	
Kind	Value	Annotation											
enumeration	Deliverable												
enumeration	Informational												
enumeration	Undetermined												
annotation	documentation The type of line item. (see list)												

element **Acknowledgement/TransactionIdentifier/NumberOfLineItems/TotalLineItems**

type	xs:positiveInteger
annotation	documentation The number of unique line items.

element **Acknowledgement/DocumentDescription**

type	restriction of xs:token												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 35%;">Value</th> <th style="width: 50%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Validation Test</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Conformance Test</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Funds Certification Request</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Validation Test		enumeration	Conformance Test		enumeration	Funds Certification Request	
Kind	Value	Annotation											
enumeration	Validation Test												
enumeration	Conformance Test												
enumeration	Funds Certification Request												
annotation	documentation Denotes the purpose of the procurement document that was validated.												

element **Acknowledgement/ValidationStatus**

type	restriction of xs:token															
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 35%;">Value</th> <th style="width: 50%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Passed without errors</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Passed with warnings</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Failed - File Issues</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Failed - Validation</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Passed without errors		enumeration	Passed with warnings		enumeration	Failed - File Issues		enumeration	Failed - Validation	
Kind	Value	Annotation														
enumeration	Passed without errors															
enumeration	Passed with warnings															
enumeration	Failed - File Issues															
enumeration	Failed - Validation															
annotation	documentation States whether or not the transaction passed validation (see list).															

Validation Results V4.1 (9/6/2016)

element **Acknowledgement/AcknowledgementDetails**

annotation	documentation Identifies a section and all errors that occurred within that section.
------------	---

element **Acknowledgement/AcknowledgementDetails/TopLevelSection**

type	restriction of xs:token																					
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CDRL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>File</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Header</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Line Item</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Multiple Line Items</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Originator Details</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	CDRL		enumeration	File		enumeration	Header		enumeration	Line Item		enumeration	Multiple Line Items		enumeration	Originator Details	
Kind	Value	Annotation																				
enumeration	CDRL																					
enumeration	File																					
enumeration	Header																					
enumeration	Line Item																					
enumeration	Multiple Line Items																					
enumeration	Originator Details																					
annotation	documentation The high level section to which the errors apply (see list).																					

element **Acknowledgement/AcknowledgementDetails/CDRLExhibit**

type	xs:string
annotation	documentation Provide when Top Level Section is "CDRL".

element **Acknowledgement/AcknowledgementDetails/LineItemIdentifier**

annotation	documentation Provide when Top Level Section is "Line Item".
------------	---

element **Acknowledgement/AcknowledgementDetails/LineItemIdentifier/LineItem**

type	LineItemsAckType
annotation	documentation Line item number as defined in the Defense Federal Acquisition Regulation Supplement (DFARS).

element **Acknowledgement/AcknowledgementDetails/LineItemIdentifier/ExhibitLineItem**

type	ExhibitLineItemAckType
annotation	documentation Exhibit line item number as defined in the Defense Federal Acquisition Regulation Supplement (DFARS).

element **Acknowledgement/AcknowledgementDetails/LineItemIdentifier/FARLineItem**

type	FARLineItemAckType
annotation	documentation Line item number as defined in the Federal Acquisition Regulation (FAR).

Validation Results V4.1 (9/6/2016)

element **Acknowledgement/AcknowledgementDetails/LinItemIdentifier/LinItemDescription**

type	restriction of xs:token		
facets	Kind enumeration	Value Deliverable Informational Undetermined	Annotation
annotation	documentation The type of line item. (see list)		

element **Acknowledgement/AcknowledgementDetails/ErrorDetails**

annotation	documentation Contains information about errors and, when needed, references to sub-sections of the high level section.
------------	--

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail**

annotation	documentation Used when necessary to denote a lower level section or an instance of a lower level section within the top level section. For example, an instance of an address.
------------	---

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/InnerSection**

type	restriction of xs:token		
facets	Kind enumeration	Value Addresses Attachments CDRL Details Clause Details Construction Project Details Contractor Representative Delivery Delivery Dates Delivery Lead Time Discounts Funding Status Labor Rates Limits Line Item Dates Miscellaneous Text Details Ordering Discounts Other Amounts Pack Physical Details Packaging Requirements Payment Instructions Procurement Instrument Identifier Procurement Instrument Modification Details Procurement Instrument Periods Product Service Data Purchase Request Status	Annotation

Validation Results V4.1 (9/6/2016)

	enumeration	Reference Number
	enumeration	Replacement Price
	enumeration	Requirements Description
	enumeration	Security Details
	enumeration	Service Allowance Charges
	enumeration	Share Ratio
	enumeration	Solicitation Dates
	enumeration	Solicitation Information
	enumeration	Special Pricing
	enumeration	Taxes
	enumeration	Telecommunication Rates
	enumeration	Termination Point
	enumeration	Variable Range Pricing
	enumeration	Wage Determination
	enumeration	Zone Pricing
annotation	documentation	A section within the high level section (see list).

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/SubSection**

type	restriction of xs:token		
facets	Kind	Value	Annotation
	enumeration	1999 Form	
	enumeration	2015 Form	
	enumeration	Davis Bacon Act	
	enumeration	Delivery Reference	
	enumeration	Distribution Details	
	enumeration	Item Delivery Dates	
	enumeration	Other Discounts	
	enumeration	Other Pricing	
	enumeration	Partial Delivery Schedule	
	enumeration	Quantity Range Pricing	
	enumeration	Range or Threshold Discounts	
	enumeration	Service Contract Act	
annotation	documentation	A section within the inner section (see list).	

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/ElinNumber**

type	xs:string		
annotation	documentation	Provide when Inner Section is "CDRL Details".	

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/ElinDescription**

type	restriction of xs:token		
facets	Kind	Value	Annotation
	enumeration	Deliverable	

Validation Results V4.1 (9/6/2016)

annotation	documentation The type of ELIN. Provide when Inner Section is "CDRL Details". (see list)
------------	---

element

Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/MultilineItemIdentifier

annotation	documentation Provide when Top Level Section is "Multiple Line Items". Inner Section must contain one of the "Group" values, i.e. "Group Addresses".
------------	---

element

Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/MultilineItemIdentifier/LineItemList

annotation	documentation A list of two or more contract line items.
------------	---

element

Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/MultilineItemIdentifier/LineItemList/LineItems

type	LineItemsAckType
annotation	documentation Line item number as defined in the Defense Federal Acquisition Regulation Supplement (DFARS).

element

Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/MultilineItemIdentifier/LineItemList/ExhibitLineItem

type	ExhibitLineItemAckType
annotation	documentation Exhibit line item number as defined in the Defense Federal Acquisition Regulation Supplement (DFARS).

element

Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/MultilineItemIdentifier/LineItemList/FARLineItem

type	FARLineItemAckType
annotation	documentation Line item number as defined in the Federal Acquisition Regulation (FAR).

element

Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/MultilineItemIdentifier/LineItemList/LineItemDescription

type	restriction of xs:token												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 35%;">Value</th> <th style="width: 50%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Deliverable</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Informational</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Undetermined</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Deliverable		enumeration	Informational		enumeration	Undetermined	
Kind	Value	Annotation											
enumeration	Deliverable												
enumeration	Informational												
enumeration	Undetermined												
annotation	documentation The type of line item. (see list)												

Validation Results V4.1 (9/6/2016)

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/Instance**

annotation	documentation Information within the inner section that identifies a specific instance.
------------	--

element

Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/Instance/ElementName

type	restriction of xs:token		
facets	Kind	Value	Annotation
	enumeration	Address Description	
	enumeration	Alternate Address Description	
	enumeration	Alternate Description	
	enumeration	Alternate Lead Time Event	
	enumeration	Amount Description	
	enumeration	Attachment Name	
	enumeration	Category	
	enumeration	Clause Effective Date	
	enumeration	Clause Number	
	enumeration	Contractor Share Description	
	enumeration	CSI Division	
	enumeration	CSI Section	
	enumeration	Data Description	
	enumeration	Delivery Description	
	enumeration	Delivery Reference Description	
	enumeration	Discount Structure	
	enumeration	Funding Status Date Time	
	enumeration	Funding Status Description	
	enumeration	General Decision Number	
	enumeration	Government Share Description	
	enumeration	Lead Time Description	
	enumeration	Lead Time Event	
	enumeration	Limit Description	
	enumeration	Line Item Date Description	
	enumeration	Modification Number	
	enumeration	Name	
	enumeration	Other Attachment	
	enumeration	Other Discount Description	
	enumeration	Other Pricing Description	
	enumeration	Packaging Description	
	enumeration	Period Description	
	enumeration	Procurement Instrument Description	
	enumeration	Publication Date	
	enumeration	Purchase Request Entity Description	
	enumeration	Purchase Request Status Date Time	
	enumeration	Range Based Pricing Type	

Validation Results V4.1 (9/6/2016)

	enumeration	Rate Description
	enumeration	Reference Description
	enumeration	Revision Date
	enumeration	Revision Number
	enumeration	SAC Description
	enumeration	Section
	enumeration	Solicitation Date Description
	enumeration	Standard Attachment
	enumeration	Tax Description
	enumeration	Termination Point Name
	enumeration	Value Description
	enumeration	Wage Determination Number
annotation	documentation	The element tag.

element

Acknowledgement/AcknowledgementDetails/ErrorDetails/InnerSectionDetail/Instance/ElementValue

type	xs:string
annotation	documentation The value of the element provided in Element Name.

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/Errors**

annotation	documentation All errors that occurred in the top level/low level section identified.
------------	--

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/Errors/ErrorNumber**

type	restriction of xs:string																											
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>(PDS_)[ABCDGFLPSV](_)[FNW](_)d[1-9]</td> <td></td> </tr> <tr> <td>pattern</td> <td>(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d</td> <td></td> </tr> <tr> <td>pattern</td> <td>(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d</td> <td></td> </tr> <tr> <td>pattern</td> <td>(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d\d</td> <td></td> </tr> <tr> <td>pattern</td> <td>(PRDS_)[ABCDGFLPSV](_)[FNW](_)d[1-9]</td> <td></td> </tr> <tr> <td>pattern</td> <td>(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d</td> <td></td> </tr> <tr> <td>pattern</td> <td>(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d</td> <td></td> </tr> <tr> <td>pattern</td> <td>(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d\d</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	(PDS_)[ABCDGFLPSV](_)[FNW](_)d[1-9]		pattern	(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d		pattern	(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d		pattern	(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d\d		pattern	(PRDS_)[ABCDGFLPSV](_)[FNW](_)d[1-9]		pattern	(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d		pattern	(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d		pattern	(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d\d	
Kind	Value	Annotation																										
pattern	(PDS_)[ABCDGFLPSV](_)[FNW](_)d[1-9]																											
pattern	(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d																											
pattern	(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d																											
pattern	(PDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d\d																											
pattern	(PRDS_)[ABCDGFLPSV](_)[FNW](_)d[1-9]																											
pattern	(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d																											
pattern	(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d																											
pattern	(PRDS_)[ABCDGFLPSV](_)[FNW](_)[1-9]d\d\d																											
annotation	documentation The standard identification number of the error.																											

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/Errors/ErrorType**

type	restriction of xs:token												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Fatal Error</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Informational</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Warning</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Fatal Error		enumeration	Informational		enumeration	Warning	
Kind	Value	Annotation											
enumeration	Fatal Error												
enumeration	Informational												
enumeration	Warning												

Validation Results V4.1 (9/6/2016)

annotation	documentation The severity of the error (see list).
------------	--

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/Errors/ErrorCategory**

type	restriction of xs:token		
facets	Kind	Value	Annotation
	enumeration	Amount Error	
	enumeration	Business Rule Error	
	enumeration	Choice Error	
	enumeration	Document Error	
	enumeration	Format Error	
	enumeration	General Error	
	enumeration	Informational Message	
	enumeration	Limit Error	
	enumeration	Section Error	
	enumeration	Validation Error	
	enumeration	Version Specific Error	
annotation	documentation The category of the error such as a business rule or format error (see list).		

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/Errors/ErrorMessage**

type	xs:string
annotation	documentation Detailed information about the error.

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/Errors/Path**

type	xs:string
annotation	documentation The complete xml tag path for the element with the error.

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/Errors/DeletedOrPrevious**

type	TrueType
facets	Kind Value Annotation enumeration true
annotation	documentation Denotes that the error occurred on data that is being deleted or replaced.

element **Acknowledgement/AcknowledgementDetails/ErrorDetails/Errors/MissingClause**

type	xs:string
annotation	documentation When applicable, the number of the clause(s) that were not provided in the procurement document.

complexType **ExhibitLineItemAckType**

Validation Results V4.1 (9/6/2016)

element **ExhibitLineItemAckType/ElinBase**

type	xs:string
annotation	documentation The first characters of the exhibit line item.

element **ExhibitLineItemAckType/ElinExtension**

type	xs:string
annotation	documentation The exhibit serial number.

complexType **FARLineItemAckType**

annotation	documentation Line item type and numbering based on FAR.
------------	---

element **FARLineItemAckType/FARLineItemType**

type	xs:string
annotation	documentation The type of FAR line item.

element **FARLineItemAckType/FARLineItemBase**

type	xs:string
annotation	documentation The first part of the line item. Must be alphanumeric.

element **FARLineItemAckType/FARLineItemExtension**

type	xs:string
annotation	documentation Extension added to the line item base. Must be alphanumeric.

complexType **LineItemsAckType**

element **LineItemsAckType/LineItemType**

type	xs:string
annotation	documentation The type of line item.

element **LineItemsAckType/LineItemBase**

type	xs:string
annotation	documentation The first four numbers of the line item.

Validation Results V4.1 (9/6/2016)

element **LinItemsAckType/LinItemExtension**

annotation	documentation Extension added to the line item base.
------------	---

element **LinItemsAckType/LinItemExtension/InfoSlinExtension**

type	xs:string
annotation	documentation Two digit extension denoting an information sub line item. (Range 01-99)

element **LinItemsAckType/LinItemExtension/SlinExtension**

type	xs:string
annotation	documentation Two character extension denoting a sub line item. (Range AA-ZZ, except letters I or O).

complexType **ProcurementInstrumentNumberFormatAckType**

element **ProcurementInstrumentNumberFormatAckType/EnterprisIdentifier**

type	xs:string
annotation	documentation A generic code that identifies the entity that issued the procurement instrument.

element **ProcurementInstrumentNumberFormatAckType/Year**

type	xs:string
annotation	documentation Code that identifies the year

element **ProcurementInstrumentNumberFormatAckType/ProcurementInstrumentTypeCode**

type	xs:string
annotation	documentation One digit code that identifies the type of procurement instrument. (see list)

element **ProcurementInstrumentNumberFormatAckType/SerializedIdentifier**

type	xs:string
annotation	documentation Value that separates this procurement instrument from all other procurement instruments with the same Enterprise Identifier, Year, and Procurement Instrument Type Code.

element **ProcurementInstrumentNumberFormatAckType/OrderNumber**

type	xs:string
annotation	documentation The release, delivery, or task order number.

Validation Results V4.1 (9/6/2016)

element **ProcurementInstrumentNumberFormatAckType/OrderModificationIdentifier**

type	xs:string
annotation	documentation Value that identifies the modification number of the order.

element **ProcurementInstrumentNumberFormatAckType/ProcurementInstrumentModificationIdentifier**

type	xs:string
annotation	documentation Value that identifies the modification number of the procurement instrument.

element **ProcurementInstrumentNumberFormatAckType/AmendmentNumber**

type	xs:string
annotation	documentation Value that identifies the modification number to a solicitation.

complexType **UniformProcurementInstrumentIdentifierAckType**

element **UniformProcurementInstrumentIdentifierAckType/ActivityAddressCode**

type	xs:string
annotation	documentation The Activity Address Code (ACC) of the procurement instrument issuing office.

element **UniformProcurementInstrumentIdentifierAckType/Year**

type	xs:string
annotation	documentation Code that identifies the year

element **UniformProcurementInstrumentIdentifierAckType/ProcurementInstrumentTypeCode**

type	xs:string
annotation	documentation One digit code that identifies the type of procurement instrument. (see list)

element **UniformProcurementInstrumentIdentifierAckType/SerializedIdentifier**

type	xs:string
annotation	documentation Value that separates this procurement instrument from all other procurement instruments with the same Enterprise Identifier, Year, and Procurement Instrument Type Code.

Validation Results V4.1 (9/6/2016)

element **UniformProcurementInstrumentIdentifierAckType/ProcurementInstrumentModificationIdentifier**

type	xs:string
annotation	documentation Value that identifies the modification number of the procurement instrument.

element **UniformProcurementInstrumentIdentifierAckType/AmendmentNumber**

type	xs:string
annotation	documentation The solicitation amendment number. Must be 4 numeric digits between 0001 and 9999.

simpleType **TimeZoneType**

type	restriction of xs:token																																																									
facets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Kind</th> <th style="width: 70%;">Value</th> <th style="width: 20%;">Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>Alaska Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Alaska Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Central Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Central Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Eastern Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Eastern Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Greenwich Mean Time/Universal Time Coordinate</td><td></td></tr> <tr><td>enumeration</td><td>Hawaii-Aleutian Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Hawaii-Aleutian Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Non-US Local Time</td><td></td></tr> <tr><td>enumeration</td><td>Mountain Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Mountain Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Newfoundland Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Newfoundland Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Pacific Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Pacific Standard Time</td><td></td></tr> <tr><td>enumeration</td><td>Atlantic Daylight Time</td><td></td></tr> <tr><td>enumeration</td><td>Atlantic Standard Time</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Alaska Daylight Time		enumeration	Alaska Standard Time		enumeration	Central Daylight Time		enumeration	Central Standard Time		enumeration	Eastern Daylight Time		enumeration	Eastern Standard Time		enumeration	Greenwich Mean Time/Universal Time Coordinate		enumeration	Hawaii-Aleutian Daylight Time		enumeration	Hawaii-Aleutian Standard Time		enumeration	Non-US Local Time		enumeration	Mountain Daylight Time		enumeration	Mountain Standard Time		enumeration	Newfoundland Daylight Time		enumeration	Newfoundland Standard Time		enumeration	Pacific Daylight Time		enumeration	Pacific Standard Time		enumeration	Atlantic Daylight Time		enumeration	Atlantic Standard Time	
Kind	Value	Annotation																																																								
enumeration	Alaska Daylight Time																																																									
enumeration	Alaska Standard Time																																																									
enumeration	Central Daylight Time																																																									
enumeration	Central Standard Time																																																									
enumeration	Eastern Daylight Time																																																									
enumeration	Eastern Standard Time																																																									
enumeration	Greenwich Mean Time/Universal Time Coordinate																																																									
enumeration	Hawaii-Aleutian Daylight Time																																																									
enumeration	Hawaii-Aleutian Standard Time																																																									
enumeration	Non-US Local Time																																																									
enumeration	Mountain Daylight Time																																																									
enumeration	Mountain Standard Time																																																									
enumeration	Newfoundland Daylight Time																																																									
enumeration	Newfoundland Standard Time																																																									
enumeration	Pacific Daylight Time																																																									
enumeration	Pacific Standard Time																																																									
enumeration	Atlantic Daylight Time																																																									
enumeration	Atlantic Standard Time																																																									
annotation	documentation Enumeration List: Time Zones																																																									

simpleType **TrueType**

type	restriction of xs:token						
facets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Kind</th> <th style="width: 70%;">Value</th> <th style="width: 20%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>true</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	true	
Kind	Value	Annotation					
enumeration	true						
annotation	documentation Format: Value must be "true".						