


Worldwide numbers represent medical diagnoses of TBI that occurred anywhere U.S. forces are located including the continental United States since 2000.

Concussion/Mild TBI is characterized by the following: Confused or disoriented state which lasts less than 24 hours; or loss of consciousness for up to 30 minutes; or memory loss lasting less than 24 hours. Excludes penetrating TBI. A CT scan is not indicated for most patients with a Mild TBI. If obtained, it is normal.

Moderate TBI is characterized by the following: Confused or disoriented state which lasts more than 24 hours; or loss of consciousness for more than 30 minutes, but less than 24 hours; or memory loss lasting greater than 24 hours but less than seven days; or meets criteria for Mild TBI except an abnormal CT scan is present. Excludes penetrating TBI. A structural brain imaging study may be normal or abnormal.

Severe TBI is characterized by the following: Confused or disoriented state which lasts more than 24 hours; or loss of consciousness for more than 24 hours; or memory loss for more than seven days. Excludes penetrating TBI. A structural brain imaging study may be normal but usually is abnormal.

Penetrating TBI, or open head injury, is characterized by the following: A head injury in which the scalp, skull and dura mater (the outer layer of the meninges) are penetrated. Penetrating injuries can be caused by high-velocity projectiles or objects of lower velocity such as knives, or bone fragments from a skull fracture that are driven into the brain.



Armed Forces Health Surveillance Center (AFHSC)


Prepared by the Defense and Veterans Brain Injury Center (DVBIC)

2006, as of May 15, 2015

Service	Component	Severity	Diagnosed
Army	Active	Penetrating	185
		Severe	93
		Moderate	682
		Mild	5,936
		Not Classifiable	125
	Guard	Penetrating	33
		Severe	26
		Moderate	172
		Mild	1,340
		Not Classifiable	30
	Reserve	Penetrating	12
		Severe	11
		Moderate	58
		Mild	547
		Not Classifiable	12

2006 as of May 15, 2015

Source: Defense Medical Surveillance System (DMSS) and Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)




Prepared by the Defense and Veterans Brain Injury Center (DVBIC)

2006, as of May 15, 2015

Service	Component	Severity	Diagnosed
Navy	Active	Penetrating	29
		Severe	27
		Moderate	217
		Mild	2,146
		Not Classifiable	56
	Reserve	Penetrating	-
		Severe	1
		Moderate	19
		Mild	165
		Not Classifiable	5

2006 as of May 15, 2015

Source: Defense Medical Surveillance System (DMSS) and Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Source: Defense Medical Surveillance System (DMSS), Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)


Prepared by the Defense and Veterans Brain Injury Center (DVBIC)

2006, as of May 15, 2015

Service	Component	Severity	Diagnosed
Air Force	Active	Penetrating	21
		Severe	23
		Moderate	190
		Mild	1,973
		Not Classifiable	30
	Guard	Penetrating	5
		Severe	4
		Moderate	20
		Mild	166
		Not Classifiable	8
	Reserve	Penetrating	-
		Severe	2
		Moderate	12
		Mild	114
		Not Classifiable	3

2006 as of May 15, 2015

Source: Defense Medical Surveillance System (DMSS) and Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Prepared by the Defense and Veterans Brain Injury Center (DVBIC)

2006, as of May 15, 2015

Service	Component	Severity	Diagnosed
Marines	Active	Penetrating	53
		Severe	28
		Moderate	265
		Mild	1,895
		Not Classifiable	24
	Reserve	Penetrating	5
		Severe	5
		Moderate	32
		Mild	224
		Not Classifiable	7

2006 as of May 15, 2015

Source: Defense Medical Surveillance System (DMSS) and Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)