

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
1W18	CAD	24	44	32	24	26	44
4W24	CAD	5	0	0	4	4	3
4W69	CAD	210	221	221	221	221	332
AWAA	CAD	1000	582	582	582	582	873
AWAK	CAD	0	0	0	0	0	0
AWAL	CAD	0	2	5	1	1	0
AWAM	CAD	6	4	4	4	6	10
AWAP	CAD	2	1	1	1	1	0
AWAQ	CAD	0	3	3	4	3	1
AWAR	CAD	29	7	17	16	5	2
AWAS	CAD	42	8	11	14	8	5
AWAT	CAD	10	4	6	7	5	6
AWAU	CAD	4	4	3	1	3	8
AWAV	CAD	10	9	8	6	3	1
AWAX	CAD	454	283	283	283	283	425
CFIS	CAD	83	83	0	0	0	0
CWDR	CAD	500	200	200	200	200	200
DWEV	CAD	0	0	0	0	0	0
DWEX	CAD	0	0	0	0	0	0
DWEY	CAD	0	0	0	0	0	0
DWEZ	CAD	0	0	0	0	0	0
DWFF	CAD	0	0	0	0	0	0
DWFG	CAD	0	0	0	0	0	0
DWFH	CAD	280	188	164	178	166	166
DWFI	CAD	250	210	194	198	210	210
DWGS	CAD	0	0	0	0	0	0
EY28	CAD	0	0	0	0	5	9
FW14	CAD	0	0	0	0	0	0
FW98	CAD	765	1700	1128	719	492	245
JL02	CAD	0	73	129	102	99	169
JL03	CAD	91	214	245	235	236	395
JL09	CAD	6128	4648	5555	8276	8628	24635
JL42	CAD	97	201	237	254	266	494
JL43	CAD	126	178	210	230	252	486
JL44	CAD	95	209	244	259	263	511
JL46	CAD	336	142	328	245	274	274
JL47	CAD	335	144	332	247	278	278
JL48	CAD	337	148	332	243	276	276
JL49	CAD	85	60	90	93	88	88
JL50	CAD	85	60	90	93	76	76
JL51	CAD	86	60	90	93	86	86
JL52	CAD	87	61	90	93	88	88

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
JL53	CAD	327	208	250	278	228	228
JL54	CAD	336	218	251	298	268	268
JL55	CAD	356	249	312	296	273	273
JL56	CAD	402	305	310	358	278	278
JL57	CAD	289	258	320	308	348	348
JL58	PAD	41	50	45	50	50	50
JL59	PAD	41	50	45	50	50	50
JL62	CAD	324	309	293	283	278	278
JL63	CAD	336	289	287	348	353	353
JL64	CAD	390	378	236	234	350	350
JL65	CAD	310	302	328	304	298	298
JL71	CAD	17	59	30	30	30	37
JL96	PAD	0	9	21	18	5	3
JL97	CAD	0	0	0	0	0	14
JL98	CAD	0	0	0	0	0	17
JL99	CAD	20	25	33	38	43	76
JM01	CAD	35	25	21	14	15	34
JM02	CAD	0	0	0	0	0	0
JM03	CAD	0	0	0	0	0	0
JM04	CAD	0	0	0	0	0	0
JM05	CAD	0	0	0	0	0	0
JM06	CAD	0	0	0	0	0	0
JM07	CAD	0	0	0	0	0	0
JM08	CAD	0	0	0	0	0	0
JM09	CAD	0	0	0	0	0	0
JM10	CAD	0	0	0	0	0	0
JM11	CAD	0	0	0	0	0	0
JM12	CAD	0	0	0	0	0	0
JM13	CAD	0	0	0	0	0	0
JM14	CAD	0	0	0	0	0	0
JM15	CAD	0	0	0	0	0	0
JM16	CAD	0	0	0	0	0	0
JM17	CAD	0	0	0	0	0	0
JM18	CAD	0	0	0	0	0	0
JM19	CAD	0	0	0	0	0	0
JM20	CAD	0	0	0	0	0	0
JM21	CAD	0	0	0	0	0	0
JM22	CAD	0	0	0	0	0	0
JM23	CAD	0	0	0	0	0	0
JM24	CAD	0	0	0	0	0	0
JM25	CAD	0	0	0	0	0	0
JM26	CAD	0	0	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
JM27	CAD	0	0	0	0	0	0
JM28	CAD	0	0	0	0	0	0
JM60	PAD	10	9	4	6	9	11
JM61	CAD	749	193	345	423	288	308
JM65	CAD	0	0	0	1	2	1
JM68	CAD	4	0	0	0	0	1
JM69	CAD	0	0	0	0	0	0
JM70	CAD	0	0	0	0	0	0
JM71	CAD	0	0	0	0	0	0
JM74	CAD	0	0	0	0	0	0
JM82	CAD	0	2	7	9	17	28
JM83	CAD	0	2	7	9	17	28
JM84	CAD	0	0	6	10	17	29
JM90	CAD	0	0	193	176	84	86
JM93	CAD	20	20	24	34	40	89
JM96	CAD	0	0	0	0	0	0
JN05	CAD	0	0	0	1	2	3
JN06	CAD	6	0	3	28	12	4
JN08	CAD	4	0	1	14	4	0
JN09	CAD	25	3	3	2	2	3
JN10	CAD	9	6	0	15	9	4
JN11	CAD	7	0	0	15	5	0
JN12	CAD	0	0	0	5	6	6
JN13	PAD	0	0	2	3	6	10
JN14	PAD	0	0	1	3	6	10
JN16	CAD	11	0	0	15	8	4
JN25	CAD	0	0	0	0	0	2
JN26	CAD	325	289	294	276	304	303
JN28	CAD	480	428	476	476	482	482
JN29	CAD	26	0	9	33	16	8
JN30	CAD	370	757	756	756	756	756
JN39	CAD	516	35	1	0	0	0
M012	CAD	7512	1595	1530	1486	1439	2058
M015	CAD	0	0	0	0	0	0
M161	CAD	0	0	0	0	0	0
M179	CAD	89	136	60	21	15	0
M182	CAD	0	0	3	5	5	9
M190	CAD	0	0	0	0	415	2131
M207	CAD	10	0	0	2	1	3
M209	CAD	0	0	0	0	0	0
M218	CAD	0	0	0	49	16	102
M232	CAD	153	20	4	1	6	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
M264	CAD	1308	1902	1907	1904	1899	2843
M284	CAD	0	48	0	0	0	0
M361	CAD	12	0	0	0	1	1
M363	CAD	0	0	0	2512	321	384
M365	CAD	0	0	0	0	0	536
M397	CAD	0	0	0	0	0	0
M492	CAD	78	100	100	100	100	30
M507	CAD	0	0	0	0	0	0
M509	CAD	0	0	0	0	0	196
M514	CAD	0	0	0	0	0	0
M516	CAD	42	56	56	56	56	84
M520	CAD	0	0	0	0	0	0
M571	CAD	0	0	15	19	4	0
M596	CAD	272	64	46	18	21	51
M597	CAD	78	0	13	28	0	0
M647	CAD	13	33	19	17	3	6
M666	CAD	0	0	0	0	0	0
M688	CAD	0	0	11	46	10	10
M689	CAD	0	0	0	0	0	72
M700	CAD	0	0	0	0	0	0
M703	CAD	0	0	0	0	0	0
M710	CAD	10	0	0	2	1	3
M720	CAD	0	0	0	71	56	21
M758	CAD	0	7	4	8	11	10
M783	CAD	0	0	0	0	0	0
M897	CAD	12	0	0	0	1	1
M928	PAD	0	0	0	0	0	0
M929	PAD	0	0	0	0	0	0
M932	PAD	0	0	0	0	0	0
M934	CAD	632	1976	1979	1975	1971	2951
M938	PAD	0	0	0	0	0	0
M939	PAD	0	0	0	0	0	0
M940	PAD	0	0	0	0	0	0
MC12	CAD	0	0	0	0	0	0
MC13	CAD	0	0	0	0	0	0
MC14	CAD	0	0	0	0	0	0
MC15	CAD	0	0	0	0	0	0
MC16	CAD	0	0	0	0	0	0
MC17	CAD	0	0	0	0	0	0
MC18	CAD	0	0	0	0	0	0
MC19	CAD	0	0	0	0	0	0
MC20	CAD	0	0	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS

FY17 RDM

12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
MC21	CAD	0	0	0	0	0	0
MC22	CAD	0	0	0	0	0	0
MC23	CAD	0	0	0	0	0	0
MC24	CAD	0	0	0	0	0	0
MC25	CAD	0	0	0	0	0	0
MC26	CAD	0	0	0	0	0	0
MC27	CAD	0	0	0	0	0	0
MC28	CAD	0	0	0	0	0	0
MC29	CAD	0	0	0	0	0	0
MC32	CAD	0	0	0	0	0	0
MC35	CAD	0	0	0	0	0	0
MC36	CAD	0	0	0	0	0	0
MC43	CAD	0	0	0	0	0	0
MC44	CAD	0	0	0	0	0	0
MC45	CAD	0	0	0	0	0	0
MC46	CAD	0	0	0	0	0	0
MC47	CAD	0	0	0	0	0	0
MC48	CAD	0	0	0	0	0	0
MC53	CAD	0	0	0	0	0	0
MD07	CAD	0	0	0	0	0	0
MD08	CAD	0	0	0	0	0	0
MD09	CAD	0	0	0	0	0	0
MD10	CAD	0	0	0	0	0	0
MD16	CAD	46	20	14	21	29	48
MD17	CAD	0	0	7	19	18	30
MD25	CAD	272	64	46	18	21	51
MD26	CAD	78	0	13	28	0	0
MD27	CAD	272	64	46	18	21	51
MD28	CAD	272	64	46	18	21	51
MD33	CAD	0	4	18	14	12	18
MD36	CAD	0	13	22	21	18	23
MD47	CAD	16	6	2	2	2	6
MD53	CAD	28	0	10	8	5	4
MD58	CAD	0	0	310	500	500	500
MD65	CAD	16576	16576	16576	16576	16576	16576
MD66	CAD	4057	4218	4199	4189	4138	6013
MD68	PAD	61	22	49	59	28	17
MD69	PAD	21	8	5	7	10	15
MD72	PAD	0	0	0	0	0	0
MD76	CAD	0	0	0	0	0	0
MD77	CAD	0	0	0	0	0	0
MD78	CAD	0	0	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
MD79	CAD	0	0	0	0	0	0
MD80	CAD	0	0	0	0	0	0
MD81	CAD	0	0	0	0	0	0
MD82	CAD	0	0	0	0	0	0
MD83	CAD	0	0	0	0	0	0
MD87	CAD	0	5	5	5	8	8
MD88	CAD	10	16	8	0	3	3
MD89	CAD	0	0	1	0	3	2
MD90	CAD	0	0	1	2	8	9
MD91	CAD	0	0	0	0	0	2
MD92	CAD	0	16	4	0	11	12
MD98	PAD	11	2	4	5	4	9
MD99	PAD	0	0	0	0	15	17
ME35	CAD	0	17	10	0	8	3
ME51	CAD	4	0	0	2	2	1
ME52	CAD	0	0	0	0	0	0
ME53	CAD	0	0	0	0	0	0
ME54	CAD	0	0	0	1	3	1
ME55	CAD	0	0	0	0	4	1
MF08	CAD	0	0	0	0	42	221
MF09	CAD	0	0	0	0	2	2
MF10	CAD	0	0	0	0	1	1
MF15	CAD	0	0	0	0	0	0
MF16	CAD	0	0	0	0	0	0
MF17	CAD	6	0	7	4	2	2
MF21	PAD	0	0	33	71	32	5
MF37	CAD	0	0	0	0	0	0
MF47	CAD	0	0	0	0	0	0
MF57	PAD	0	0	0	0	0	0
MF62	CAD	0	0	0	0	0	0
MF64	CAD	14760	14760	14760	14760	14760	14760
MF68	CAD	2	0	3	2	2	0
MF69	CAD	0	0	14	0	0	0
MF70	CAD	0	0	0	0	0	1
MF71	CAD	0	0	0	3	0	0
MF72	CAD	0	226	435	384	470	902
MF78	CAD	33	0	4	2	3	3
MF97	CAD	0	0	1	2	0	0
MG01	CAD	0	307	565	565	565	884
MG29	CAD	0	0	0	0	2	0
MG31	CAD	0	0	1	10	0	0
MG32	CAD	0	0	0	5	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS

FY17 RDM

12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
MG33	CAD	0	0	0	5	0	0
MG34	CAD	0	0	0	5	0	0
MG36	CAD	0	0	0	11	0	0
MG37	CAD	0	0	0	11	0	0
MG38	CAD	0	0	0	5	0	0
MG39	CAD	21	28	12	18	1	4
MG40	CAD	0	0	16	13	10	16
MG47	CAD	34	12	7	28	18	11
MG59	CAD	0	0	0	0	9	21
MG67	PAD	0	0	0	0	0	26
MG83	CAD	0	0	0	0	0	0
MG84	CAD	0	0	0	0	0	0
MG85	CAD	0	0	0	0	0	0
MG86	CAD	0	0	0	0	1	0
MG87	CAD	0	0	0	0	0	0
MG88	CAD	0	0	0	1	0	0
MG90	CAD	0	0	0	0	0	0
MG91	CAD	0	0	0	0	0	0
MG92	CAD	0	0	0	0	0	0
MG93	CAD	0	0	0	0	0	0
MG94	CAD	0	0	0	0	0	0
MG95	CAD	0	0	0	0	0	0
MG96	CAD	0	0	0	0	0	0
MG97	CAD	0	0	0	0	0	0
MG98	CAD	0	0	0	0	0	0
MG99	CAD	0	0	0	0	0	0
MH01	CAD	0	0	0	0	0	0
MH02	CAD	0	0	0	0	0	0
MH03	CAD	0	0	0	0	0	0
MH04	CAD	0	0	0	0	0	0
MH06	CAD	0	0	0	0	0	0
MH07	CAD	0	0	0	0	0	0
MH08	CAD	0	0	0	0	0	0
MH10	CAD	0	0	0	0	0	0
MH11	CAD	0	0	0	0	0	0
MH12	CAD	0	0	0	0	0	0
MH13	CAD	0	0	0	0	0	0
MH14	CAD	0	0	0	0	0	0
MH15	CAD	0	0	0	0	0	0
MH16	CAD	0	2	0	0	0	0
MH17	CAD	0	0	0	0	0	0
MH18	CAD	0	2	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS**FY17 RDM****12/29/2015**

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
MH19	CAD	0	0	0	0	0	0
MH20	CAD	0	0	0	0	0	0
MH21	CAD	0	0	0	0	0	0
MH22	CAD	0	0	0	0	0	0
MH23	CAD	0	0	0	0	0	0
MH24	CAD	82	20	20	20	19	66
MH25	CAD	0	0	0	0	0	0
MH26	CAD	67	21	20	19	20	66
MH27	CAD	0	0	0	0	0	0
MH28	CAD	0	0	0	0	0	0
MH29	CAD	0	0	0	0	0	0
MH30	CAD	0	0	0	0	0	0
MH32	CAD	0	0	0	0	1	0
MH33	CAD	0	0	7	1	3	0
MH34	CAD	0	0	5	3	3	0
MH35	CAD	0	0	0	0	0	0
MH36	CAD	0	0	0	0	0	0
MH37	CAD	0	0	0	0	0	0
MH38	CAD	0	0	0	0	0	0
MH39	CAD	0	0	0	0	0	0
MH40	CAD	0	0	0	0	2	0
MH41	CAD	0	0	0	0	0	0
MH42	CAD	0	0	6	2	3	0
MH55	CAD	0	0	0	5	7	6
MH59	CAD	0	0	3	2	6	6
MH71	CAD	0	0	0	0	0	0
MH93	CAD	0	0	0	0	0	0
MH94	CAD	0	0	0	1	1	0
MH95	CAD	0	0	0	0	5	1
MH96	CAD	0	0	0	0	0	0
MH97	CAD	0	0	0	3	1	0
MH98	CAD	0	4	0	3	7	6
MH99	CAD	0	0	0	2	0	0
MJ01	CAD	0	0	0	0	1	0
MJ02	CAD	0	0	0	0	1	0
MJ03	CAD	0	2	0	3	7	6
MJ04	CAD	0	0	0	0	2	1
MJ05	CAD	0	0	4	3	3	3
MJ06	CAD	4	0	0	0	1	1
MJ07	CAD	0	2	0	0	2	2
MJ08	CAD	0	0	0	0	3	3
MJ09	CAD	0	0	2	2	2	5

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS

FY17 RDM

12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
MJ10	CAD	0	0	0	1	5	6
MJ11	CAD	2	0	0	2	3	3
MJ12	CAD	0	0	0	2	3	3
MJ13	CAD	0	0	0	3	2	2
MJ14	CAD	0	0	2	2	3	3
MJ15	CAD	0	0	0	0	0	20
MJ20	CAD	0	25	22	23	32	44
MJ21	CAD	11	130	151	124	123	199
MJ91	CAD	0	0	0	0	0	0
MJ92	CAD	0	0	0	0	0	0
MJ98	CAD	187	260	210	246	385	695
MS63	CAD	7	30	31	19	17	30
MS64	CAD	13	37	37	18	13	40
MS66	CAD	0	0	3	3	0	0
MS68	CAD	0	0	0	0	0	0
MS69	CAD	0	0	0	0	0	0
MS71	CAD	0	0	0	0	0	0
MS72	CAD	0	0	0	0	0	0
MS73	CAD	0	0	0	0	0	0
MS74	CAD	0	0	0	0	0	0
MS75	CAD	0	0	0	0	0	0
MT05	CAD	0	6	5	0	2	2
MT13	CAD	212	777	562	665	480	426
MT16	CAD	375	120	279	328	150	68
MT20	CAD	0	0	0	0	0	0
MT28	PAD	0	0	1	20	18	7
MT29	PAD	621	0	0	0	0	0
MT30	PAD	24	18	25	63	63	63
MT31	PAD	37	28	60	107	107	107
MT33	PAD	0	0	0	0	0	0
MT34	PAD	0	0	0	0	1	3
MT57	CAD	0	0	0	4	2	1
MT58	CAD	0	0	0	7	6	4
MT61	CAD	13	0	12	2	0	0
MT65	CAD	4	1	1	0	1	0
MT69	CAD	0	0	0	0	0	0
MT73	CAD	0	0	0	0	0	2
MT74	CAD	0	0	0	0	0	1
MT82	CAD	18	1	1	2	1	5
MT84	CAD	33	14	4	15	15	14
MT85	CAD	0	0	0	13	8	1
MT87	CAD	0	0	0	3	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
MT88	CAD	107	240	128	336	245	0
MT89	CAD	136	400	230	340	170	79
MT91	CAD	754	927	1113	526	275	108
MT95	CAD	19760	19760	19760	19760	19760	19760
MT97	CAD	48	257	371	337	200	0
MT98	CAD	654	192	61	123	486	304
MU23	CAD	0	31	10	5	1	0
MU37	CAD	0	0	0	1	0	1
MU44	CAD	0	0	0	11	0	0
MU45	CAD	0	0	0	10	0	0
MU46	CAD	0	0	0	11	0	0
MU48	CAD	0	0	0	0	0	0
MU50	CAD	0	0	0	0	0	0
MU51	CAD	0	0	0	0	0	0
MU52	CAD	0	0	0	0	0	0
MU53	CAD	0	0	0	0	0	0
MU54	CAD	0	0	0	0	0	0
MU55	CAD	0	0	0	0	0	0
MU56	CAD	0	0	0	0	0	0
MU57	CAD	0	0	0	0	0	0
MU58	CAD	0	0	0	0	0	0
MU59	CAD	0	0	0	1	0	0
MU61	CAD	0	0	1	1	0	0
MU62	CAD	0	0	1	0	0	0
MU63	CAD	0	0	0	0	0	0
MU64	CAD	0	0	0	0	0	0
MU65	CAD	0	0	0	0	0	0
MU66	CAD	0	0	0	0	0	0
MU67	CAD	0	0	0	0	0	0
MU68	CAD	0	0	0	0	0	0
MU69	CAD	0	0	0	0	0	0
MU70	CAD	0	0	0	0	0	0
MU71	CAD	0	0	0	0	0	0
MU72	CAD	0	0	0	0	0	0
MU73	CAD	0	0	0	0	0	19
MU75	PAD	0	0	0	0	0	0
MU94	CAD	0	0	0	0	0	0
MU96	CAD	9	12	9	8	14	16
MW18	CAD	14	14	13	14	15	19
MW19	CAD	667	809	853	786	606	746
MW45	CAD	0	0	4	0	0	5
MW66	CAD	0	0	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS**FY17 RDM****12/29/2015**

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
MW67	CAD	0	0	0	0	0	0
MW68	CAD	0	0	0	0	0	0
MW69	CAD	0	0	0	0	0	0
MW70	CAD	0	0	0	0	0	0
MW71	CAD	0	0	0	0	0	0
MW72	CAD	0	0	0	0	0	0
MW73	CAD	0	0	0	0	0	0
SG70	CAD	2	3	0	2	1	0
SG77	CAD	0	0	0	1	0	0
SG78	CAD	0	0	0	0	0	0
SN52	CAD	0	0	2	3	4	3
SN53	CAD	0	0	0	0	0	0
SN55	CAD	0	0	0	3	3	1
SN95	CAD	0	0	0	0	0	0
SN96	CAD	0	0	0	0	0	0
SN97	CAD	23	53	82	116	112	142
SN98	CAD	158	80	93	101	89	160
SP04	CAD	0	0	0	0	0	0
SP05	CAD	0	0	0	0	0	0
SP06	CAD	0	0	0	0	0	0
SP07	CAD	0	0	0	0	0	0
SP08	CAD	0	0	0	0	0	0
SP09	CAD	0	0	0	0	0	0
SP10	CAD	0	0	0	0	0	0
SP11	CAD	0	0	0	0	0	0
SP12	CAD	0	0	0	0	0	0
SP14	CAD	0	0	0	0	0	0
SP15	CAD	0	0	0	0	0	0
SP16	CAD	0	0	0	0	0	0
SP17	CAD	0	0	0	0	0	0
SP18	CAD	0	0	0	0	0	0
SP19	CAD	0	0	0	0	0	0
SP84	CAD	16	43	76	62	35	42
SP94	CAD	0	12	26	10	4	6
SP97	CAD	0	0	0	0	0	2
SQ03	CAD	0	33	194	156	122	135
SQ04	CAD	0	141	184	145	119	138
SQ23	CAD	0	0	0	0	0	0
SQ24	CAD	0	0	0	0	0	0
SQ25	CAD	0	0	0	0	0	0
SQ26	CAD	0	0	0	0	0	0
SQ27	CAD	0	0	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
SQ28	CAD	0	0	0	0	0	2
SQ31	CAD	0	0	1	0	0	0
SQ32	CAD	0	0	0	0	0	0
SQ33	CAD	0	0	1	0	0	0
SQ85	CAD	478	408	408	408	408	628
SQ86	CAD	60	41	41	41	41	64
SR95	CAD	10	9	3	8	8	77
SR96	CAD	0	0	11	44	16	10
SR97	CAD	0	0	0	0	0	45
SR98	CAD	0	0	0	0	10	42
SR99	CAD	0	0	0	0	12	42
SS02	CAD	0	0	2	45	19	18
SS03	CAD	0	0	0	0	3	49
SS12	CAD	18	11	2	1	0	0
SS13	CAD	0	0	5	3	0	0
SS14	CAD	31	30	27	11	9	23
SS15	CAD	8	10	8	4	1	0
SS16	CAD	20	26	23	17	18	37
SS17	CAD	45	30	22	21	31	60
SS34	CAD	15	26	46	22	12	11
SS35	CAD	290	189	78	43	78	79
SS45	CAD	0	17	29	21	17	26
SS46	CAD	0	3	21	14	14	26
SS49	CAD	875	809	845	504	757	123
SS52	CAD	25	21	16	15	11	5
SS66	CAD	0	103	140	155	134	213
SS67	PAD	562	317	429	511	246	213
SS83	CAD	0	0	0	0	3	1
SS84	CAD	0	0	0	0	0	32
SS85	CAD	0	0	0	0	0	40
SS86	CAD	0	0	0	0	2	47
SS87	CAD	0	0	0	0	9	42
SS88	CAD	0	0	0	0	5	45
SS89	CAD	0	282	423	507	407	553
SS90	CAD	0	161	436	521	480	726
SS91	CAD	154	49	67	78	90	62
SS92	CAD	87	98	123	152	132	180
SS93	CAD	0	91	144	186	172	235
SS95	CAD	16	8	4	2	5	11
SS96	CAD	14	6	9	10	4	6
SS97	CAD	0	0	0	0	0	0
SS98	CAD	0	0	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
SS99	CAD	0	0	0	0	0	23
SU01	CAD	0	0	0	1	1	0
SU02	CAD	0	0	0	0	0	0
SU03	CAD	0	0	0	0	0	0
SU04	CAD	0	0	0	0	0	0
SU05	CAD	0	0	0	0	0	0
SU06	CAD	0	0	0	0	0	0
SU07	CAD	0	0	0	0	0	2
SU08	CAD	0	0	0	0	0	0
SU09	CAD	0	0	0	0	0	0
SU10	CAD	0	0	0	0	0	0
SU11	CAD	0	0	0	0	0	0
SU12	CAD	0	0	0	0	0	0
SU13	CAD	0	0	0	0	0	0
SU14	CAD	0	0	0	0	0	0
SU15	CAD	0	0	0	0	0	0
SU16	CAD	0	0	0	0	0	0
SU17	CAD	0	0	0	1	1	0
SU18	CAD	0	0	0	0	0	0
SU19	CAD	0	0	0	0	0	0
SU20	CAD	0	0	0	0	0	0
SU21	CAD	0	0	0	0	2	0
SU22	CAD	0	0	0	1	1	0
SU23	CAD	0	0	0	0	0	0
SU24	CAD	0	0	0	0	0	0
SU25	CAD	0	0	0	0	1	0
SU26	CAD	0	0	0	0	0	0
SU27	CAD	0	0	0	0	0	0
SU28	CAD	0	0	0	0	0	1
SU29	CAD	0	0	0	1	1	0
SU30	CAD	0	0	0	1	1	0
SU31	CAD	0	0	0	0	0	0
SU32	CAD	0	0	0	1	1	0
SU33	CAD	0	0	0	0	0	0
SU34	CAD	0	0	0	0	0	0
SU36	CAD	0	0	0	0	0	0
SU37	CAD	0	0	0	0	0	0
SU38	CAD	0	0	0	0	0	0
SU40	CAD	0	0	0	0	0	2
SU41	CAD	0	0	0	0	0	2
SU42	CAD	0	0	0	0	0	2
SU43	CAD	0	0	0	0	1	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
SU44	CAD	0	0	0	2	4	5
SU45	CAD	3	0	0	3	3	5
SU46	CAD	0	0	0	0	2	0
SU47	CAD	0	0	0	0	2	0
SU48	CAD	0	0	0	0	2	0
SU49	CAD	0	0	0	0	0	2
SU54	CAD	0	0	0	0	0	2
SU55	CAD	0	0	0	0	0	0
SU56	CAD	0	0	0	0	0	2
SU57	CAD	0	0	0	0	0	2
SU58	CAD	40	23	17	5	8	33
SU59	CAD	0	0	0	0	0	0
SU60	CAD	0	0	0	0	0	0
SU61	CAD	0	0	0	0	0	0
SU62	CAD	0	0	0	0	0	0
SU63	CAD	0	0	0	0	0	0
SU64	CAD	0	0	0	0	1	1
SU65	CAD	0	0	0	0	0	0
SU66	CAD	0	0	0	0	0	0
SU67	CAD	0	0	0	0	0	0
SU68	CAD	0	0	0	0	0	0
SU69	CAD	0	0	0	0	0	0
SU70	CAD	0	0	0	0	0	0
SU71	CAD	0	0	0	0	0	0
SU72	CAD	0	0	0	0	0	0
SU73	CAD	0	0	0	0	0	0
SU74	CAD	0	0	0	0	0	0
SU75	CAD	0	0	0	0	0	0
SU76	CAD	0	0	0	0	0	0
SU77	CAD	0	0	0	0	0	0
SU78	CAD	0	0	0	0	0	0
SU79	CAD	0	0	0	0	0	0
SU80	CAD	0	0	0	0	0	0
SU81	CAD	0	0	0	0	0	0
SU82	CAD	0	0	0	0	0	0
SU83	CAD	0	0	0	0	0	0
SU84	CAD	0	0	0	0	0	0
SU85	CAD	0	0	0	0	0	0
SU86	CAD	0	0	0	0	0	0
SU87	CAD	0	0	0	0	0	0
SU88	CAD	3	2	2	2	2	6
SU89	CAD	0	0	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
SU90	CAD	0	0	0	0	0	0
SU91	CAD	0	0	0	0	0	0
SU92	CAD	0	0	0	0	1	1
SU93	CAD	0	0	0	0	0	0
SU94	CAD	0	0	0	0	0	0
SU95	CAD	0	0	0	0	0	0
SU96	CAD	0	0	0	0	2	2
SU98	CAD	2	0	0	0	0	0
SU99	CAD	0	0	0	0	0	0
SV01	CAD	0	0	0	0	0	0
SV02	CAD	0	0	0	0	0	0
SV03	CAD	0	0	0	0	0	0
SV04	CAD	0	0	0	0	0	0
SV05	CAD	0	0	0	0	0	0
SV06	CAD	2	0	0	0	0	0
SV07	CAD	0	0	0	0	0	0
SV08	CAD	0	0	0	0	0	0
WA01	CAD	0	0	0	0	0	0
WA67	CAD	0	0	0	0	1	2
WA98	CAD	208	99	177	156	144	161
WA99	CAD	328	193	245	210	209	234
WB01	CAD	335	191	238	225	221	246
WB02	CAD	223	127	159	152	141	154
WB03	CAD	101	64	83	75	68	78
WB04	CAD	91	64	79	66	63	65
WB05	CAD	287	138	194	227	243	272
WB06	CAD	255	108	198	256	238	233
WB15	CAD	725	650	610	500	500	700
WB16	CAD	345	375	68	485	485	878
WB19	CAD	46	51	41	35	35	239
WB34	CAD	0	7	42	68	79	87
WB35	CAD	45	39	43	72	77	83
WB36	CAD	66	34	30	73	73	70
WB37	CAD	75	32	27	72	82	81
WB38	CAD	70	42	30	75	80	85
WB39	CAD	63	41	29	69	72	69
WB47	CAD	0	2	10	13	21	29
WB48	CAD	0	13	5	17	22	7
WB49	CAD	0	11	22	23	25	39
WB50	CAD	0	13	21	20	22	40
WB51	CAD	552	464	369	80	0	0
WB53	CAD	0	0	0	0	0	0

CAD/PAD CURRENT AND OUTYEAR PROJECTED REQUIREMENTS
FY17 RDM
12/29/2015

DODIC	Type Device	FY17	FY18	FY19	FY20	FY21	FY22
WB54	CAD	79	26	54	75	46	24
WB55	CAD	790	1034	994	1004	971	836
WB56	CAD	230	122	163	136	91	103
WB62	CAD	0	0	142	20	0	0
XW36	PAD	19	8	3	9	20	42
XW48	CAD	258	132	62	14	31	96
XW49	CAD	156	30	19	2	2	14
XW50	CAD	736	604	385	223	115	106
XW51	CAD	141	149	185	210	196	235
XW52	CAD	195	311	329	238	143	188
XW53	CAD	125	128	100	107	125	177
XW54	CAD	193	171	202	185	153	197
XW55	CAD	178	141	144	117	110	165
XW56	CAD	0	67	63	40	37	60
XW57	CAD	60	46	69	94	81	67
XW58	CAD	94	84	75	58	31	25
XW70	CAD	41	2	4	7	8	0
XW71	CAD	0	0	0	0	0	0
XW72	CAD	50	28	26	40	34	23
XW76	CAD	0	0	0	0	0	104
XW77	CAD	15	19	15	13	0	0
XW78	CAD	96	58	79	67	45	67
ZY46	CAD	0	0	0	1	3	5
ZY47	CAD	0	0	0	0	3	4
ZY56	CAD	0	5	8	7	14	13
ZY57	CAD	13	1	1	1	1	3