



## U.S. Army Medical Materiel Agency (USAMMA)/Distribution Operations Center (DOC)


# Packing Protocols for Temperature Sensitive Medical Products requiring Storage and Transportation Temperatures between 2°C - 8°C (36°F - 46°F).

## Table of contents:

Ĩ	bage
Packing Protocols:	-
Endurotherm (ISC) Box Packing Steps	3
Cold Weather Packing Protocol	.4
Cold Weather Packing Protocol Procedures	.5
Cold Weather Packing Protocols Diagrams	
Moderate Weather Packing Protocol	
Moderate Weather Packing Protocol Procedures	.11
Moderate Weather Packing Protocol Diagrams	
Warm Weather Packing Protocol	
Warm Weather Packing Protocol Procedures	17
Warm Weather Packing Protocol Diagrams	18
TempTale Procedures:	
TempTale 4:	
Starting a TempTale 4	.22
Reading a TempTale 4	.23
Helpful Websites	24

## **Endurotherm (ISC) Box Packing Steps**

The packing or layering of the Endurotherm boxes is the same in principle for all four sizes (Extra large, large, medium and small).



## Cold Weather Packing Protocol

- Cold Weather Configuration is used when the ambient temperature at the **receiving site** is consistently below 55°F or 13°C.
- Protocols are designed to keep temperature sensitive products requiring refrigeration temperatures between 36°F to 46°F or 2° C to 8° C within these temperature ranges during transportation, for up to 72 hours.
- 48 oz. and 24 oz. gel packs are used in all boxes for layering and void space filler.
- Coolant material must be placed in layers according to attached diagrams. Cold Weather configurations only use refrigerated gel packs. (See cold weather packing configuration diagrams.)

#### Cold Weather Packing Protocol Procedures

The Cold Weather Packing Protocol is used whenever the ambient or outside temperature at the receiving site consistently remains below 55°F or 13°C. Begin the Cold Weather packing protocol by:

o Placing a layer of refrigerated gel packs at the bottom of the box.

o Next item will be the product.

o Place refrigerated gel packs around the product's side(s) to fill in gap between product and the insulated walls of the box.

o This is followed by placing an activated TempTale electronic temperature monitor on top of the product, activate the TempTale temperature monitor by pressing and releasing the "start" button. Once the button is released, a "sunshine" icon will appear in the upper left corner of the LCD. This indicates that the monitor is running. Peel off the tape in the back of the TempTale and place it centered on top of the product.

- o Follow with another layer of refrigerated gel packs.
- o Above the second layer of refrigerated gel packs insert a fiberboard barrier.
- o Add a final layer of refrigerated gel packs above the fiberboard barrier.
- o Finally, insert the foam plug to seal the contents of the box.


#### Notes:

o Follow procedures according to each protocol diagram of ISC box used.


o To chill large amounts of gel packs at once, place gel pack boxes inside a refrigerator that has been set to  $4^{\circ}$  C for at least 30 days prior to use.

o To quickly chill small amounts of gel packs, place them in a single layer inside a refrigerator as explained above for at least 24 hours prior use.


#### Extra Large (ISC Box, E-327) – Cold Weather Packing Protocol Diagrams (880 vials of Anthrax Vaccine)




#### Large (ISC Box, E-186) – Cold Weather Packing Protocol Diagrams (440 vials Anthrax Vaccine)



#### Medium (ISC Box, E-65) – Cold Weather Packing Protocol Diagrams (53 – 110 vials of Anthrax Vaccine)



#### Small (ISC Box E-36-2) – Cold Weather Packing Protocol Diagrams (1 – 25 vials of Anthrax Vaccine)



## Moderate Weather Packing Protocol

- Moderate Weather Configuration is used when the ambient temperature **at the receiving site** is between 55° F to 77° F or 14°C to 25°C.
- Protocols are designed to keep temperature sensitive products requiring refrigeration temperatures between 36°F to 46°F or 2°C to 8°C within these temperature ranges during transportation, for up to 72 hours.
- 48 oz. and 24 oz. gel packs are used in all boxes for layering and fill in.
- Coolant material must be placed in layers according to attached diagrams. Frozen gel packs are always farthest away from vaccine.

#### Moderate Weather Packing Protocol Procedures

The Moderate Weather Packing Protocol is used whenever the ambient or outside temperature at the receiving site is between 55°F and 77°F or 14°C to 25°C. Begin the Moderate Weather packing protocol by:

o Placing a layer of refrigerated gel packs at the bottom of the box.

o Next item will be the product.

o Place refrigerated gel packs around the product's side(s) to fill in gap between product and the insulated walls of the box.

o This is followed by placing an activated TempTale electronic temperature monitor on top of the product, activate the TempTale temperature monitor by pressing and releasing the "start" button. Once the button is released, a "sunshine" icon will appear in the upper left corner of the LCD. This indicates that the monitor is running. Peel off the tape in the back of the TempTale and place it centered on top of the product.

o Follow with another layer of refrigerated gel packs.

o Above the second layer of refrigerated gel packs insert a fiberboard barrier.

o Add a final layer of a combination of refrigerated and frozen gel packs above the fiberboard barrier.

o Finally, insert the foam plug to seal the contents of the box.

#### Notes:

o Follow procedures according to each protocol diagram of ISC box used.


o To chill large amounts of gel packs at once, place gel pack boxes inside a refrigerator that has been set to  $4^{\circ}$  C for at least 30 days prior to use.

o To quickly chill small amounts of gel packs, place them in a single layer inside a refrigerator as explained above for at least 24 hours prior use.


o To freeze large amounts of gel packs at once, place gel pack boxes inside a freezer that has been set to -20°C for at least 30 days prior use.

o To quickly freeze small amounts of gel packs, place them in a single layer inside a freezer as explained above for at least 24 hours prior to use (lay them flat to ensure they maintain their original shape once they are frozen).


#### Extra Large (ISC Box, E-327) – Moderate Weather Packing Protocols Diagrams (880 vials of Anthrax Vaccine)




### Large (ISC Box, E-186) – Moderate Weather Packing Protocols Diagrams (440 vials Anthrax Vaccine)



### Medium (ISC Box, E-65) – Moderate Weather Packing Protocols Diagrams (53 – 110 vials of Anthrax Vaccine)



### Small (ISC Box E-36-2) – Moderate Weather Packing Protocols Diagrams



## Warm Weather Packing Protocol

- Warm Weather Configuration is used when the ambient temperature **at the receiving site** is consistently above 77°F or 25°C.
- Protocols are designed to keep temperature sensitive products requiring refrigeration temperatures between 36°F to 46°F or 2° C to 8° C within these temperature ranges during transportation, for up to 72 hours.
- 48 oz. and 24 oz. gel packs are used in all boxes for layering and fill in.
- Coolant material must be placed in layers according to diagrams. Frozen packs are always farthest away from vaccine.

#### Warm Weather Packing Protocol Procedures

The Warm Weather Packing Protocol is used whenever the ambient or outside temperature at the receiving site is consistently above 77° F or 25°C. Begin the Warm Weather packing protocol by:

o Placing a layer of refrigerated gel packs at the bottom of the box.

o Next item will be the product.

o Place refrigerated gel packs around the product's side(s) to fill in gap between product and the insulated walls of the box.

o This is followed by placing an activated TempTale electronic temperature monitor on top of the product, activate the TempTale temperature monitor by pressing and releasing the "start" button. Once the button is released, a "sunshine" icon will appear in the upper left corner of the LCD. This indicates that the monitor is running. Peel off the tape in the back of the TempTale and place it centered on top of the product.

o Follow with another layer(s) of refrigerated gel packs.

o Above the second layer of refrigerated gel packs insert a fiberboard barrier.

o Add a final layer of a combination of refrigerated and frozen gel packs above the fiberboard barrier.

o Finally, insert the foam plug to seal the contents of the box.

#### Notes:

o Follow procedures according to each protocol diagram of ISC box used.


o To chill large amounts of gel packs at once, place gel pack boxes inside a refrigerator that has been set to  $4^{\circ}$  C for at least 30 days prior to use.

o To quickly chill small amounts of gel packs, place them in a single layer inside a refrigerator as explained above for at least 24 hours prior use.


o To freeze large amounts of gel packs at once, place gel pack boxes inside a freezer that has been set to -20°C for at least 30 days prior use.

o To quickly freeze small amounts of gel packs, place them in a single layer inside a freezer as explained above for at least 24 hours prior to use (lay them flat to ensure they maintain their original shape once they are frozen).


### Extra Large (ISC Box, E-327) – Warm Weather Packing Protocol Diagrams (880 vials of Anthrax Vaccine)



#### Large (ISC Box, E-186) – Warm Weather Packing Protocol Diagrams (440 vials Anthrax Vaccine)




#### Medium (ISC Box, E-65) – Warm Weather Packing Protocol Diagrams (53 – 110 vials of Anthrax Vaccine)




#### Small (ISC Box E-36-2) – Warm Weather Packing Protocol Diagrams

(1 – 25 vials of Anthrax Vaccine)



## **Starting a TempTale 4 Monitor**

Hold down the <u>start</u> button (<u>the green button on the monitor</u>) until you see the sunshine icon (picture) on the upper left corner of the LCD that confirms that the monitor has started. When the monitor is activated, the sunshine icon will stay on until the monitor has been stopped. The monitor will begin recording data after the startup delay is completed.




**TempTale 4 Monitor** 

## **Instructions for Reading a TempTale 4 LCD**

Press the <u>start</u> button. Five pieces of information will scroll, always in this order:

- $\cdot$  Average temperature during the entire recording cycle
- Highest Temperature reached during the recording cycle
- $\cdot$  Cumulative amount of time above the high temperature alarm
- $\cdot$  Lowest Temperature reached during the recording cycle
- $\cdot$  Cumulative amount of time below the low temperature alarm



**TempTale 4 Monitor** 

## **Helpful Websites**

- For Fahrenheit to Celsius: http://www.wbuf.noaa.gov/tempfc.htm
- For weather conditions at receiving sites: <u>http://www.weather.com</u> <u>http://www.nws.noaa.gov</u>