Joint Integrated Analysis Tool (JIAT)







IN THIS DOCUMENT:

1.	JIAT SOFTWARE REQUIREMENTS	2
2.	JIAT SECURITY	2
3.	SET UP AN AWPS PORTAL ACCOUNT	3
4.	ENABLE CAC AUTO LOGIN	7
5.	INTERNET OPTIONS	12
	Trusted Sites	
	Custom Level	
	SSL and TLS Settings	

JIAT Technical Support:

Tecolote Research, Inc. 5266 Hollister Avenue, #301 Santa Barbara, CA 93111-2089

Phone: (805) 964-6964 FAX: (805) 964-8028 Email: <u>jiat_support@tecolote.com</u>

1. JIAT Software Requirements

In order to run JIAT, the following software is required:

JIAT Workstation requirements

For the JIAT end-user's workstation to access the JIAT website:

- o Microsoft Windows Vista, 7, 8
- o Microsoft Internet Explorer 8.0, 9.0, 10.0, 11.0

External Server Hosting a Provider

For an external server to host a JIAT Provider:

- o Microsoft Windows Server 2003
- o Microsoft .NET Framework 3.5 sp1
- Microsoft Internet Information Server (IIS) 6.0 (web server software)

2. JIAT Security

JIAT is a secure application that utilizes SSL (Secure Socket Layer) and is hosted within the AWPS Portal (Army Workload and Performance System). In order to access JIAT, the end-user must provide a CAC and PIN to obtain a JIAT website account.

3. Set Up an AWPS Portal Account

You must set up user account for the AWPS Portal in order to request access to JIAT.

Ensure your CAC is inserted, then in Internet Explorer, enter the URL: https://www.awps.army.mil/



Select your CAC certificate from the list. Click OK.

Enter your PIN and click OK.

🔗 https://www.awps.army.mil/ - Windows Internet Explorer	
🕢 🗸 🖉 https://www.awps.army.mil/	P-
File Edit View Favorites Tools Help	
🚖 🚸 🌈 Connecting	Page 🕶 💮 Tools 👻 🎽
ActivClient Login	
ActivIdentity	
Activelient	
Please enter your PIN.	
PIN *****	
OK Carkel	
🔇 Website found. Waiting 💶 💷	🔍 100% 🔻 🙀

Accept the Access Agreement.



Click the link to "New User Request."



Fill in the Request form's required and other fields, according to the instructions and advice on the form. Please also see *Request Form Guidance* (next page) for additional information about circled items.

Origo Constraints and a steric () are required. Origo Discussion AMPS HELPOESK AM	×	ve Search	🖶 🔹 🕞 Bag	e + @ Tools +
Ede Edit Vew Fayorites Look Velo AMPS New User Request CTT 0 Coccurs which a startisk (*) are required. All fields marked with an asterisk (*) are required. PKI Issue: DOD CA-19 PKI Issue: DOD	- C	a -	🖶 🔹 🔂 Bag	e • @ Tools ·
AWPS New User Request AMPS New User Request			🖶 🔻 🔂 Bag	e • 🎯 Tools •
CONTROL AND REFORMANCE SYSTEM Mome / Loam DoD Discunater Alf fields marked with an asterisk (*) are required. PKI Issuer: DDD CA-19 PKI ISSUER: DD			_	
Home / Looin All fields marked with an asterisk (*) are required. DoD Disculance ANPS HELPSESK PKI Issuer DOD CA-19 PKI Subject SMTH LAIDE 13751112			_	_
Home / Looin DoD Discuster AWPS Helpossk PKI Issuer DOD CA-19 PKI Issuer DOD CA-19				
Valid From: 4/24/2009 Valid Until: 9/29/2010 11:59:59 PM				
Login User ID * 8 to 30 letters, digits, or the following special characters: periods (), dashes (-), underscores (_), or the numbers in (#) DKO/AKO User ID as this Login User ID. DKO/AKO User ID as this Login User ID.	gn			
First Name * Last Name * CMD / Depot / Senice * Office of the Deputy Asst Secretary of the Army CE Email Address *				
Phone * Gov / Military / Contractor UIC * Work Center Time Zeno Provide your Unit's Name				
U.S. Critzer OYes No Applications you are requesting access to: * Select at least one application. Select only the application(s) for which you require access. APPC Candidate Utility Anniston Army Depot				
International Landon Charles International Charles Inter				
UUSAKEUK Online (IRSEK) WMT - Work Mapping Tool Request Details Please approve my JIAT account. I am a Cost Analyst.				
Submit Request				
COFFICIL USANN				

Request Form Guidance

CMD / Depot / Service

If your Affiliation is:	Select this item in the list:		
U.S. Army Materiel Command (AMC)	U.S. Army Army Materiel Command		
U.S. Army Aviation and Missile Management Command (AMCOM)	Aviation and Missile CMD		
U.S. Army Communications-Electronics Command (CECOM)	Comm and Electronics CMD		
U.S. Army Forces Command (FORSCOM)	U.S. Army Forces Command (FORSCOM)		
Office of the Dpty Asst Sec of the Army - C&E (ODASA-CE)	Office of the Deputy Asst Secretary of the Army CE		
U.S. Army Tank-Automotive Command (TACOM)	Tank-Automotive and Armaments Command (TACOM)		
U.S. Army Training and Doctrine Command (TRADOC)	U.S. Army Training and Doctrine Command (TRADOC)		
U.S. Air Force (Govt) (AIR FORCE)	United States Air Force		
U.S. Navy (Govt) (NAVY) United States Navy			

If nothing in the list applies, choose the most appropriate Military Service (e.g. United States Army). This is a required field on the form.

Gov / Military / Contractor

Select the designation appropriate for your position.

<u>Contractors are not eligible.</u> Only Military and Government/Civilian personnel are eligible for JIAT accounts.

Applications you are requesting access to:

Find the "JIAT" checkbox in the list and mark it.

Request Details

Add a short note that indicates your specific need or interest in JIAT. This will help JIAT Administrators in approving your request.

Submit Request

Click the 'Submit Request' button to finish. Approval for your account and temporary password will be sent to the email address you provide on the form.

4. Enable CAC Auto Login

Once you receive the account approval e-mail, login to the ADCF Portal using your Username and temporary Password to begin the process of association of your account with your CAC. Click the "Begin Login" button.



Your password must be reset on your first visit. (Option 3) Enter and Confirm new password and press "Change Password." Password Rules are explained lower on the page.



Confirm account information (no picture) and proceed to JIAT Access Agreement.

Read the License Agreement. Click the 'Accept' button at the bottom.

Agreement Accepted. Click the link to Account Information to enable CAC Auto Login.

Click "Register for CAC Auto Login."

Co will a white a comparation of a minimum	#5 Internet Explorer			
GOO - I https://www.awp	s.army.mil/app/main.asp?pageid=a	countinfo	× 1	🚹 🐓 🗙 Live Search
<u>File Edit View Favorites Too</u>	ıls <u>H</u> elp			
😭 🛠 🏮 AWP5 Applications				🟠 • 🗟 • 🖶 • 🖻 B
АМ	DS ARMY WORKLOAD AND PE	FORMANCE SYSTEM		
	Sava Canco Poo	stor for CAC Auto Login		
· · · · · · · · · · · · · · · · · · ·	Save Called Reg			
ACCOUNT INFORMATION CHANGE PASSWORD	Account Information	for JANE.SMITH		
APPLICATION OPTIONS		All fields marked with an asterisk (*) are required		
DOD DISCLAIMER		van holde manded man an asterion () are required.		
AWPS HELPDESK	AWPS User ID	JANE.SMITH		
	Certificate	SMITH.JANE 135791112		
APPLICATIONS	First Name *	lana		
Logout	i iist ivaille			
	Last Name *	Smith		
	CMD / Depot / Service *	Army Data Center Fairfield (ADCF)	<u> </u>	
	Email Address *	jane.smith@us.army.mil		
	Phone *	(555)555-5555		
	Gov / Military / Contractor	Contractor		
	UIC			
	Time Zone	Pacific	✓	
	Contract Company *	[Select Company]	~	
		or provide your Company's Name		
	If you wish to register your please <u>click here for more i</u>	KO CAC account with your AWPS account structions.	Powered By AKO Authentication	ĺ
	Application Request(s) pe	nding and activity during the past 90 days:		
	Pending	JIAT		
Re - Sa		Requested 5/1/2010		
2 ALLIST	Other Applications you ca	n request access to: (Select and click the Save button abo	ove)	
		Anniston Army Depot		
and the state of t		Anniston Munitions Center		

Click "OK" on the confirmation dialog window (no picture), then see the message "CAC Auto Login is now enabled." Click the "Applications" link.

C AWPS Applications - Windows Internet Explorer			
G + https://www.awps.army.mil/app/main.asp?pageid=a	countinfo	💌 🔒 🏍 🗙 Live Search	P +
Eile Edit View Favorites Iools Help			
🚖 🔅 🜒 AWP5 Applications		🐴 - 🔝 - 🖶 - 🛃 Page - (Tools • *
	FORMANCE SYSTEM		
Account Information Application Options DoD Disclammer AWPS Hei press	iove CAC Auto Login Registration for KEN HAAGEN bid <u>All Fedds</u> marked with an asterisk (*) are required.		^
APPLICATIONS LOGOUT	JANE.SMITH SMITH.JANE 135791112		
First Name *	Jane		
Last Name - CMD (Depet (Service *	Smith		
Email Address *	iane smith@us.armv.mil		
Phone *	655)555-5555		
Gov / Military / Contractor	Contractor		
UIC			
Time Zone	Pacific		
Contract Company *	[Select Company]		
	or provide your Company's Name		
Application Request(s) pe	nding and activity during the past 90 days:		
Pending	JIAT		
	Requested 5/1/2010		

Click the JIAT Portal link.

The presence of the JIAT Portal Home page indicates successful connection to JIAT.

	x
🕐 🕐 https://jiet.awps.army.mil/) 🔎 = 🖴 🗟 🖉 🗙 🔘 army.mil	₩.
My Profile -	
RTAL HOME ADMIN HELP	
oplications News Feed Application: All	
JIAT JIAT Compatility Action Required	
ACDB 3/20/2015 9:57:00 AM - If the Application box to the left looks distorted, please read the following carefully!	
Starting with JIAT 2.4.6, IE Compatibility Mode is no longer needed!!	
Further, if you had Compatibility View applied for the JIAT website, you should remove it from your Capability View Settings as follows: 1. Bun Internet Evolution	
2. Select "Compatibility View Settings" from the "Tools" menu	
3. Click on "army <u>More</u>	
JIAT 2.4.6 Release	
JAP Store The State of the State of the State of the State of the State State State of the State Stat	
New Batch Database Queries Bemoved requirement for IE Compatibility Mode (Please see instructions below)	
OMB Discount <u>More</u>	
€,100%	•

Add https://www.awps.army.mil as a favorite to access JIAT via the AWPS Portal.

5. Internet Options

Trusted Sites

Perform the following steps in order to ensure JIAT is configured properly. Enable Internet Explorer's Menu Bar. In the browser window, choose Tools > Internet Options, go to the Security tab and click on "Trusted Sites." Then click on the "Sites" button.

In the control labeled "Add this website to the zone," type

"https://jiat.awps.army.mil." <u>Uncheck</u> box below Websites list labeled "Require server verification (https) for all sites in this zone." Click the 'Add' button, then 'Close."

Trusted sites
You can add and remove websites from this zone. All websites in this zone will use the zone's security settings.
Add this website to the zone:
Websites:
Require server verification (https:) for all sites in this zone
Glose

Custom Level

Click on 'Trusted Sites," then click on the "Custom level" button.

nternet Options
General Security Privacy Content Connections Programs Advanced
Select a zone to view or change security settings,
Internet Local intranet Trusted sites Bestricted sites
Trusted sites
This zone contains websites that you trust not to damage your computer or your files. You have websites in this zone.
Security level for this zone
Custom Custom settings. - To change the settings, click Custom level. - To use the recommended settings, click Default level.
Custom level Default level
Reset all zones to default level
Some <u>settings</u> are managed by your system administrator.
OK Cancel Apply

The Custom Level Settings dialog is organized into subtitled sections, each with various setting labels and setting values indented, as shown below. Use the vertical scroll bar to navigate down the list.

Dowr A A C C C C C C C C C C C C C C C C C	loads utomatic prom) Disable) Enable download) Disable) Enable ont download) Disable	npting for fi	le download:	s	(
Enable D E Misce	Enable Prompt e .NET Frame isable nable llaneous	work setup	re demains			Image: A start of the start
<	rrece dara en	IIIrcar acros	re domaine			>
Takes eff	ect after you	restart Inte	ernet Explore	ər		
eset custo	m settings					
set to:	Medium (def	fault)		*	Rese	
	Enabl D D E Misce Misce Misce Takes effer rakes effer eset custo eset to:	Enable .NET Frame Disable Enable Enable Miscellaneous Access data co Coress data co Coress data co Set custom settings set to: Medium (de	Enable .NET Framework setup Disable Enable Miscellaneous Access data sources acros Takes effect after you restart Inte set custom settings set to: Medium (default)	Enable .NET Framework setup Disable Enable Control Access data sources across domains Takes effect after you restart Internet Explore set custom settings set to: Medium (default)	Enable .NET Framework setup Disable Enable Miscellaneous Access data sources across domains Takes effect after you restart Internet Explorer eset custom settings eset to: Medium (default)	Enable .NET Framework setup Disable Enable Miscellaneous Access data sources across domains Takes effect after you restart Internet Explorer set custom settings set to: Medium (default) Rese

Use the table below to apply Custom Level settings according to your Internet Explorer version.

IE9, IE10, IE11			
Section Custom Level Item	JIAT Setting		
Downloads File download	⊙ Enable		
Miscellaneous Display mixed content	⊙ Enable		
Miscellaneous Use Pop-up Blocker	• Disable		
Scripting Allow Programmatic clipboard access	• Enable		

Click the "OK" button to close Custom level.

Security Set	tings - Trusted Sites Zone	
Settings		
	ing citive scripting) Disable) Enable) Prompt llow Programmatic clipboard access) Disable) Enable) Prompt llow status bar updates via script) Disable) Enable	
	low websites to prompt for information using s) Disable) Enable cription of lava applets	
*Takes eff	act after you restart Internet Evolorer	2
Reset custor	m settings	
<u>R</u> eset to:	Medium (default)	Reset
	ОК	Cancel

Click the "Yes" button to confirm changes.

SSL and TLS Settings

Before closing Internet Options, verify SSL and TLS settings, as shown in the picture:

Use SSL 3.0 Use TLS 1.0

General	Security	Privacy	Content	Connections	Programs	Advanced
Setting	s					
(Empty Enable Enable Enable Enable Use SS Use SS Use TI	Tempora DOM Store Integrat memory anative XI SmartSco SL 2.0 SL 3.0 SL 1.0	ry Internet orage ed Window protection MLHTTP su reen Filter	t Files folder wh vs Authentication to help mitigation pport	nen browser on* e online atta	is d(▲ acks*
•	Use Ti Use Ti Warn Warn Warn	LS 1.1 LS 1.2 about cer if changin if POST su	ficate add g between ubmittal is r	dress mismatch secure and no redirected to a	* t secure mod zone that do	de bes n T
< *Ta	Use Ti Use Ti Warn Warn Warn Warn kes effect a	LS 1.1 LS 1.2 about cer if changin if POST su after you	tificate add g between Jbmittal is r III restart Int	dress mismatch secure and no redirected to a ernet Explorer	* t secure mod zone that do	de besn ▼
۲ *Ta	Use Ti Use Ti Warn Warn Warn Warn kes effect a	LS 1.1 LS 1.2 about cer if changin if POST su after you	tificate add g between ubmittal is r III restart Inte	dress mismatch secure and no redirected to a ernet Explorer Restore	* t secure mod zone that do advanced s	de bes n T bettings
*Ta Reset 1	Use Ti Use Ti Warn Warn Warn Warn kes effect a	LS 1.1 LS 1.2 about cer if changin if POST su after you plorer set	tificate add g between Jomittal is r III restart Into tings	dress mismatch secure and no redirected to a ernet Explorer <u>R</u> estore	* t secure mod zone that do advanced s	de bes n * }
*Ta Reset J Rese cond	Use Ti Use Ti Warn Warn Warn Warn kes effect a internet Ex	LS 1.1 LS 1.2 about cer if changin if POST su after you plorer set t Explorer'	tificate add g between Jomittal is r III restart Into tings	dress mismatch secure and no redirected to a ernet Explorer <u>R</u> estore to their default	* t secure mod zone that do advanced s	ettings
*Ta *Ta Reset J Rese cond You	Use TL Use TL Warn Warn Warn Warn kes effect a internet Ex its Internet lition.	S 1.1 S 1.2 about cer if changin if POST su after you plorer set t Explorer	tificate add g between Jomittal is r III restart Intr tings 's settings f your brow	dress mismatch secure and no redirected to a ernet Explorer <u>R</u> estore to their default wser is in an un	* t secure mor zone that do advanced s Reg usable state	ettings

Click the "OK" button to close Internet Options.

Internet Options
General Security Privacy Content Connections Programs Advanced
Select a zone to view or change security settings.
S V S
Internet Local intranet Trusted sites Restricted sites
Trusted sites
This zone contains websites that you trust not to damage your computer or your files. You have websites in this zone.
Security level for this zone
Custom Custom settings. - To change the settings, click Custom level. - To use the recommended settings, click Default level.
<u>C</u> ustom level
Reset all zones to default level
O Some <u>settings</u> are managed by your system administrator.

JIAT Technical Support: Phone: (805) 964-6964 Email: jiat_support@tecolote.com