



Resources and References for the DCoE March 2014 Psychological Health Webinar

Understanding the Relationship of mTBI and Post-deployment Health Concerns: Evidence, Clinical Implications and Treatment

References

The Patient Health Questionnaire, **PHQ-9**, is a self-administered screening tool that measures the severity of nine depressive symptoms.

The Posttraumatic Stress Disorder Checklist-Military, **PCL-M**, is a self-administered screening tool that assesses an individual's response to stressful military experiences.

The Alcohol Use Disorders Identification Test, **AUDIT-C**, is a self-administered screening tool that identifies individuals who have active alcohol use disorders or are hazardous drinkers.

Resources

Bogdanova, Y., & Verfaellie, M. (2012). Cognitive sequelae of blast-induced traumatic brain injury: Recovery and rehabilitation. *Neuropsychology Review, 22*(1), 4-20.

Cooper, D., Kennedy, J., Cullen, M., Critchfield, E., Amador, R., & Bowles, A. (2011). Association between combat stress and post-concussive symptom reporting in OEF/OIF service members with mild traumatic brain injuries. *Brain Injury, 25*(1), 1-7.
doi:10.3109/02699052.2010.531692

Donnell, A. J., Kim, M. S., Silva, M. A., & Vanderploeg, R. D. (2012). Incidence of postconcussion symptoms in psychiatric diagnostic groups, mild traumatic brain injury, and comorbid conditions. *Clinical Neuropsychologist, 26*(7), 1092-1101.

Fear, N., Jones, E., Groom, M., Greenberg, N., Hull, L., Hodgetts, T., & Wessely, S. (2009). Symptoms of post-concussional syndrome are non-specifically related to mild traumatic brain injury in UK armed forces personnel on return from deployment in Iraq: An analysis of self-reported data. *Psychological Medicine, 39*(8), 1379-1387.
doi:10.1017/S0033291708004595

Hoge, C. W., McGurk, D., Thomas, J. L., Cox, A. L., Engel, C. C., & Castro, C. A. (2008). *New England Journal of Medicine, 358*(5), 453-463.

Hoge, C. W., Terhakiopian, A., Castro, C. A., Messer, S. C., & Engel, C. C. (2007). Association of posttraumatic stress disorder with somatic symptoms, health care visits, and

absenteeism among Iraq war veterans. *The American Journal of Psychiatry*, 164(1), 150-153. doi:10.1176/appi.ajp.164.1.150

Komer, M. (2010). Interprofessional teamwork in medical rehabilitation: A comparison of multidisciplinary and interdisciplinary team approach. *Clinical Rehabilitation*, 24, 745-755. doi:10.1177/0269215510367538

Lange, R. T., Brickell, T. A., French, L. M., Mins, B., Bhagwat, A., Pancholi, S., & Iverson, G.L. (2013). Risk factors for postconcussion symptom reporting after traumatic brain injury in U.S. military service members. *Journal of Neurotrauma*, 30(4), 237-246.

Lange, R. T., Brickell, T. A., Mins, B., Vanderploeg, R. D., & French, L. M. (2013). Variable, not always persistent, postconcussion symptoms after mild TBI in U.S. military service members: A five-year cross-sectional outcome study. *Journal of Neurotrauma*, 30(11), 958-969.

Marx, B., Brailey, K., Proctor, S., MacDonald, H., Graefe, A., & Amoroso, P. (2009). Association of time since deployment, combat intensity, and posttraumatic stress symptoms with neuropsychological outcomes following Iraq war deployment. *Archives of General Psychiatry*, 66, 996-1004. doi:10.1001/archgenpsychiatry.2009.109

Pietrzak, R., Johnson, D., Goldstein, M., Malley, J. & Southwick, S. (2009). Posttraumatic stress disorder mediates the relationship between mild traumatic brain injury and health and psychosocial functioning in veterans of Operations Enduring Freedom and Iraqi Freedom. *Journal of Nervous & Mental Disease*, 197, 748-753. doi:10.1097/NMD.0b013e3181b97a75

Polusny, M., Kehle, S., Nelson, N., Erbes, C., Arbisi, P. & Thuras, P. (2011). Longitudinal effects of mild traumatic brain injury and posttraumatic stress disorder comorbidity on postdeployment outcomes in National Guard soldiers deployed to Iraq. *Archives of General Psychiatry*, 68, 79-89. doi:10.1001/archgenpsychiatry.2010.172

Rona, R. J., Jones, M. B., Fear, N. T., Hull, L., Murphy, D., Machell, L.,...Wessely, S. (2012). Mild traumatic brain injury in UK military personnel returning from Afghanistan and Iraq: Cohort and cross-sectional analyses. *Journal of Head Trauma Rehabilitation* 27(1), 33-44. doi:10.1097/HTR.0b013e318212f814

Schneiderman, A., Braver, E., & Kang, H. (2008). Understanding sequelae of injury mechanisms and mild traumatic brain injury incurred during the conflicts in Iraq and Afghanistan: Persistent postconcussive symptoms and posttraumatic stress disorder. *American Journal of Epidemiology*, 167(12), 1446-1452.

- Silva, M. A., Donnell, A. J., Kim, M. S., Vanderploeg, R. D. (2012). Abnormal neurological exam findings in individuals with mild traumatic brain injury (mTBI) versus psychiatric and healthy controls. *Clinical Neuropsychologist*, 26(7), 1102-1116.
- Silverberg, N. D., Lange, R. T., Millis, S. R., Rose, A., Hopp, G., Leach, S., & Iverson, G. L. (2013). Post-concussion symptom reporting after multiple mild traumatic brain injuries. *Journal of Neurotrauma*, 30(16), 1398-1404.
- Stein, M.B., & McAllister, T.W. (2009). Exploring the convergence of posttraumatic stress disorder and mild traumatic brain injury. *The American Journal of Psychiatry*, 166, 768-776.
- Toblin, R. L., Riviere, L. A., Thomas, J. L., Adler, A. B., Kok, B.C. & Hoge, C. W. (2012). Grief and physical health outcomes in U. S. soldiers returning from combat. *The Journal of Affective Disorders*, 136(3), 469-475. doi:10.1016/j.jad.2011.10.048
- Vanderploeg, R. D., Belanger, H. G., Horner, R. D., Spehar, A. M., Powell-Cope, G., Luther, S.L., & Scott, S. G. (2012). Health outcomes associated with military deployment: Mild traumatic brain injury, blast, trauma, and combat associations in the Florida National Guard. *Archives of Physical Medicine and Rehabilitation* 93(11), 1887-1895.
- Verfaellie, M., Lafleche, G., Spiro II, A., Tun, C., & Bousquet, K. (2013). Chronic postconcussion symptoms and functional outcomes in OEF/OIF veterans with self-report of blast exposure. *Journal of the International Neuropsychological Society*, 19(1), 1-10.
- Verfaellie, M., Lafleche, G., Spiro, A., & Bousquet, K. (2013). Neuropsychological outcomes in OEF/OIF veterans with self-report of blast exposure: Associations with mental health, but not mTBI. *Neuropsychology*, 27(6). doi:10.1037/neu0000027
- Wäljas, M., Lange, R.T., Hakulinen, U., Huhtala, H., Dastidar, P., Hartikainen, K.,...Iverson, G. L. (2014). Biopsychosocial outcome after uncomplicated mild traumatic brain injury. *Journal of Neurotrauma*, 31(1), 108-124.
- Wilk, J. E., Herrell, R. K., Wynn, G. H., Riviere, L. A., & Hoge, C. W. (2012). Mild traumatic brain injury (concussion), posttraumatic stress disorder, and depression in U.S. soldiers involved in combat deployments: Association with post-deployment symptoms. *Psychosomatic Medicine* 74(3), 249-257. doi: 10.1097/PSY.0b013e318244c604